Alloy Wheel Weight Applications



OEM ON PASSENGER CARS

VEHICLE MODEL	'93	'94	'95	'96	'97	'98	'99	'00	'01	'02
ACURA AII	ALCFN	ALCFN	ALCFN	ALCFN						
AMC • EAGLE Premier										
Summit H/B & Sedan	ALCMC	ALCMC	ALCMC	ALCMC						
Summit Wagon	ALCFN	ALCFN	ALCFN	ALCFN						
Talon	ALCIW	ALCIW	ALCIW	ALCMC	ALCMC	ALCMC				
Vision	ALCMC	ALCMC	ALCMC	ALCMC	ALCMC					
AUDI AII	ALCIW	ALCIW	ALCIW	ALCIW	ALCEN	ALCEN	ALCEN	ALCEN	ALCEN	ALCEN
BMW All	ALCIW	ALCIW	ALCIW	ALCIW						
BUICK Century, Electra, LeSabre	ALCMC	ALCMC	ALCMC	ALCMC						
Park Avenue, Regal	ALCMC	ALCMC	ALCMC	ALCMC						
Skylark	ALC	ALC	ALC							
All Others	ALCMC	ALCMC								
CADILLAC Allanté	ALC									
Brougham (Fleetwood RWD)	ALCMC	ALCMC	ALCMC	ALCMC						
Catera					T-A-W IW	T-A-W IW	T-A-W IW	T-A-W	T-A-W	T-A-W
DeVille, Fleetwood (FWD)	ALCMC	ALCMC	ALCMC	ALCMC						
Eldorado, Seville	ALCMC	ALCMC	ALCMC	ALCMC						
CHEVROLET Beretta, Corsica	ALC	ALC	ALC	ALC	ALC	ALC				
Camaro, IROC-Z & Z28	ALCMC	ALCMC	ALCMC	ALCMC						
Caprice, Impala, Lumina	ALCMC	ALCMC	ALCMC	ALCMC						
Cavalier	ALC	ALC	ALC	ALC	ALC	ALCMC	ALCMC	ALCMC	ALCMC	ALCMC
Corvette	ALC	ALC	ALC	ALC						
All Others	ALCMC	ALCMC	MC FN	MC FN						
CHRYSLER 300, Concorde, LHS, Town & Country	ALCMC	ALCMC	ALCMC	ALCMC	ALCMC	ALCLH	ALCLH	ALCLH	ALCLH	ALCLH
All Others	ALCMC	ALCMC	ALCMC	ALCMC	ALCMC	ALCLH	ALCLH	ALCLH	ALCLH	ALCLH
DODGE Caravan, Intrepid	ALCMC	ALCMC	ALCMC	ALCMC	ALCMC	ALCLH	ALCLH	ALCLH	ALCLH	ALCLH
Colt & Neon	ALCFN	ALCFN				ALCLH	ALCLH	ALCLH	ALCLH	ALCLH
Viper	T-A-W	T-A-W	T-A-W _{MC}	T-A-W _{MC}						
All Others	ALCMC	ALCLH	ALCLH	ALCLH						
FORD All	ALCMC	ALCMC	ALCMC	ALCMC						
GEO Metro	ALCIW	ALCIW	ALCIW	ALCIW	ALCIW					
Prizm	ALCFN	ALCFN	ALCFN	ALCFN	ALCFN	ALCFN				
Spectrum, Storm	ALC									
HONDA All	ALCFN	ALCFN	ALCFN	ALCFN						
HYUNDAI AII	ALCIW	ALCIW	ALCIW	ALCIW						
INFINITI AII	ALCFN	ALCFN	ALCFN	ALCFN						
ISUZU AII	ALC	ALC	ALC	ALC	ALCFN	ALCFN	ALCFN	ALCFN	ALCFN	ALCFN
JAGUAR AII	T-A-W	T-A-W	ALCIW	ALCIW						
KIA AII					ALCIW	ALCIW	ALCIW	ALCIW	ALCIW	ALCIW
LEXUS All	ALCFN	ALCFN	ALCFN	ALCFN						
LINCOLN AII	ALCMC	ALCMC	ALCMC	ALCMC						



OEM ON PASSENGER CARS

VEHICLE MODEL	'93	'94	'95	'96	'97	'98	'99	'00	'01	'02
MAZDA 323, 626, GLC, MX6	ALCMC									
MPV, 2WD & 4WD-Slot Design										
MPV, 2WD & 4WD-Lace & Spoke	ALCFN									
RX-7	ALCFN	ALCFN	ALCFN	ALCFN	ALCFN	ALCFN				
All Others	ALCFN									
MERCEDES BENZ All	ALCEN									
MERCURY All	ALCMC									
MITSUBISHI 3000 GT, Eclipse, Mirage	ALCMC	ALCMC	ALCMC	ALCMC	ALCIW	ALCIW	ALCIW	ALCIW	ALCIW	ALCIW
All Others	ALCIW									
NISSAN AII	ALCFN									
OLDSMOBILE 88, 98, LSS	ALCMC									
Achieva, Cutlass Ciera & Cruiser	ALC	ALC	ALC	ALC	ALC					
Alero, Aurora, Intrigue			ALCMC							
Toronado & Trofeo	ALCMC	ALCMC								
All Others	ALCMC									
PLYMOUTH Colt, Conquest	ALCFN	ALCFN								
Laser	ALCIW	ALCIW	ALCIW							
All Others	ALCMC	ALCLH	ALCLH	ALCLH						
PONTIAC 6000, STE	ALCMC									
Bonneville	ALCMC									
Firebird, Grand Am, Sunbird, Trans Am	ALC	ALC	ALC	ALCMC						
Grand Prix	ALCMC									
LeMans	ALCIW									
All Others	ALCMC									
PORSCHE All	T-A-W									
SAAB AII	ALCIW									
SATURN All	ALCMC									
SUBARU Legacy, Outback				ALCMC						
All Others	ALCIW									
SUZUKI Swift	ALCIW									
TOYOTA All	ALCFN									
VOLKSWAGEN All	ALCIW	ALCEN	ALCEN							
VOLVO AII	ALCIW									

WHEEL WEIGHT SELECTION SYSTEM - IMPORTANT! Alloy wheels come in a variety of rim styles. To insure proper, secure fit, selection of the proper weight is necessary. Our exclusive color-coded selection system makes correct application easy. We recommend the following procedure:

- 1. Use this color-coded application guide to select OEM weight type.
- Verify application with color-coded rim gauge. 2.
- 3. Select correct Aluma-Guard coated weight. Box labels are color-coded to match application guide and rim gauge.
- Use color-coded wheel weight management system for storage of weights.

NOTE: For aftermarket or special OEM wheels, use the rim gauge to determine the best fit, or use Tape-A-Weight (T-A-W) adhesive weights.

POLYCAST® WHEELS: This wheel is steel with a cast polymer outside facing to resemble alloy wheels. Use alloy weights on outside flange, and Thinline weights for steel inside flange.

CHROME PLATED ALLOY WHEELS: Tape-A-Weight 9405-C chrome plated weights are recommended.

Color Codes/Weight Types

Weight Type	<u>Unit</u>	Color Code
AWN	ounce	Red
MCN	ounce	Yellow
IAW	gram	Blue
EN	gram	Green
FN	gram	Orange
LH	ounce	Purple
TN	ounce	Grey
BMN	gram	White
MBN	gram	White

Color appears on label, application guide, rim gauge, and storage bins.

Alloy Wheel Weight Applications



OEM ON LIGHT TRUCKS, VANS, MINI VANS

VEHICLE MODEL		'94	'95	'96	'97	'98	'99	'00	'01	'02
ACURA SLX									ALCMC	ALCMC
BMW X-5									T-A-W	T-A-W
CADILLAC Escalade									TTC	TTC
CHEVROLET Astro Mini Van	ALC	ALC	ALC	ALCMC	ALCMC	ALCMC	ALCMC	ALCMC	ALCMC	ALCMC
C/K Pickup 2WD & 4WD, Silverado	ALCMC	ALCMC	ALCMC	ALCMC	ALCMC	ALCMC	TTC	TTC	TTC	TTC
G10 Van	ALCMC	ALCMC	ALCMC	ALCMC	ALCMC	ALCMC	ALCMC	ALCMC	ALCMC	ALCMC
K5 Blazer & Tahoe	ALCMC	ALCMC	ALCMC	ALCMC	ALCMC	ALCMC	ALCMC	TTC	TTC	TTC
Lumina, Venture Mini Van	ALCMC	ALCMC	ALCMC	ALCMC	ALCMC	ALCMC	ALCMC	ALCMC	ALCMC	ALCMC
Tio & S10 Blazer 2WD & 4WD	ALCMC	ALCMC	ALCMC	ALCMC	ALCMC	ALCMC	ALCMC	ALCMC	ALCMC	ALCMC
T & S10 Pickup 2wd & 4WD	ALC	ALC	ALC	ALCMC	ALCMC	ALCMC	ALCMC	ALCMC	ALCMC	ALCMC
Suburban C, K, R, & V Series 2WD & 4WD	ALCMC	ALCMC	ALCMC	ALCMC	ALCMC	ALCMC	TTC	TTC	TTC	TTC
Tracker						ALCFN	ALCFN	ALCFN	ALCMC	ALCMC
CHRYSLER Town & Country 4WD & AWD	ALCMC	ALCMC	ALCMC	ALCMC	ALCMC	ALCLH	ALCLH	ALCLH	ALCLH	ALCLH
DODGE Caravan & Mini Ram Van	ALCMC	ALCMC	ALCMC	ALCMC	ALCMC	ALCLH	ALCLH	ALCLH	ALCLH	ALCLH
Ram 50 2WD & 4WD	ALCIW									
All Other Dodge Trucks	ALCMC	ALCMC	ALCMC	ALCMC	ALCMC	ALCMC	ALCMC	ALCMC	ALCMC	ALCMC
Other Vans	ALCMC	ALCMC	ALCMC	ALCMC	ALCMC	ALCMC	ALCMC	ALCMC	ALCMC	ALCMC
FORD Expedition, F100, F150, Ranger	ALCMC	ALCMC	ALCMC	ALCMC	TTC	TTC	TTC	TTC	TTC	TTC
All Others	ALCMC	ALCMC	ALCMC	ALCMC	ALCMC	ALCMC	ALCMC	ALCMC	ALCMC	ALCMC
GEO Tracker 2WD & 4WD	ALCIW	ALCIW	ALCIW	ALCFN	ALCFN					
GMC C/K Pickup, Sierra	ALCMC	ALCMC	ALCMC	ALCMC	ALCMC	ALCMC	TTC	TTC	TTC	TTC
Cyclone, Typhoon	ALCMC	ALCMC								
G1500 Van	ALCMC	ALCMC	ALCMC	ALCMC	ALCMC	ALCMC	ALCMC	ALCMC	ALCMC	ALCMC
K5 Jimmy & Yukon	ALCMC	ALCMC	ALCMC	ALCMC	ALCMC	ALCMC	ALCMC	ALCEN	TTC	TTC
S15 Jimmy 2WD & 4WD, Envoy	ALCMC	ALCMC	ALCMC	ALCMC	ALCMC	ALCMC	ALCMC	ALCMC	ALCMC	ALCMC
S15 Series & Sonoma Pickup 2WD & 4WD	ALC	ALC	ALC	ALCMC	ALCMC	ALCMC	ALCMC	ALCMC	ALCMC	ALCMC
Safari Mini Van 2WD & AWD, Savana	ALC	ALC	ALC	ALCMC	ALCMC	ALCMC	ALCMC	ALCMC	ALCMC	ALCMC
Suburban	ALCMC	ALCMC	ALCMC	ALCMC	ALCMC	ALCMC	TTC	TTC	TTC	TTC
HONDA Passport		ALCIW	ALCIW	ALCMC	ALCMC	ALCMC	ALCMC	ALCMC	ALCMC	ALCMC
CRV & Odyssey Mini Wagon						ALCFN	ALCFN	ALCFN	ALCFN	ALCFN
INFINITY 0X4					ALCFN	ALCFN	ALCFN	ALCFN	ALCFN	ALCFN
ISUZU Amigo, Rodeo, Trooper, Trooper II	ALC	ALC	ALC	ALCMC	ALCMC	ALCMC	ALCMC	ALCMC	ALCMC	ALCMC
JEEP Cherokee Sport Wagon		ALCMC	ALCMC	ALCMC	ALCMC	ALCMC	ALCMC	ALCMC	ALCMC	ALCMC
Grand Cherokee , Wrangler		ALCMC	ALCMC	ALCMC	ALCMC	ALCMC	ALCMC	ALCMC	ALCMC	ALCMC
KIA AII					ALCFN	ALCFN	ALCFN	ALCFN	ALCIW	ALCIW
LINCOLN Navigator						TTC	TTC	TTC	TTC	TTC
MAZDA B-2300, 2500, 3000, 4000 Pickup	ALCMC	ALCMC	ALCMC	ALCMC	ALCMC	ALCMC	ALCMC	ALCMC	ALCMC	ALCMC
MPV, 2WD & 4WD-Lace & Spoke	ALCFN	ALCFN	ALCFN	ALCFN	ALCFN	ALCFN	ALCFN	ALCFN	ALCFN	ALCFN
MERCURY Villager Mini Van, Mountaineer	ALCFN	ALCFN	ALCFN	ALCFN	ALCFN	ALCFN	ALCFN	ALCFN	ALCFN	ALCFN
MITSUBISHI Montero & Pickup	ALCIW	ALCIW	ALCIW	ALCIW	ALCIW	ALCIW	ALCIW	ALCIW	ALCIW	ALCIW
NISSAN AII	ALCFN	ALCFN	ALCFN	ALCFN	ALCFN	ALCFN	ALCFN	ALCFN	ALCFN	ALCFN

Specifications and applications are subject to change without notice. The information presented here is current and accurate to the best of our knowledge at the time of printing. <u>ALWAYS</u> verify weight applications by using the Alloy Wheel Guage and by careful visual inspection of the installed weight for proper and secure fit.



OEM ON LIGHT TRUCKS, VANS, MINI VANS

VEHICLE MOD	DEL	'93	'94	'95	'96	'97	'98	'99	'00	'01	'02
OLDSMOBILE	Bravada	ALC	ALC		ALCMC						
Silhouette Al	PV Mini Van	ALCMC									
PLYMOUTH	Voyager Mini Van	ALCMC	ALCMC	ALCMC	ALCMC	ALCMC	ALCLH	ALCLH	ALCLH	ALCLH	ALCLH
All Others		ALC	ALCLH	ALCLH	ALCLH						
PONTIAC	Aztec, Montana, Transport Mini Van	ALCMC									
ROVER	All									ALCIW	ALCIW
SUZUKI	Grand Vitara, Vitara	ALCIW									
TOYOTA	All but Previa & Sienna	ALCFN									
Previa & Sie	nna	ALCMC									
VOLKSWAGEN	All Eurovan	ALCIW									
Vanagon										ALCEN	ALCEN

Aluma-Guard™

The Alloy Wheel Guardian

Today's expensive alloy wheels demand protection. Coated weights are recommended for all alloy applications to avoid corrosion and staining. Aluma-Guard™ is the OEM approved polyurethane coating that is electrostatically applied then baked on for durability. Aluma-Guard™ is the first choice of today's drivers.

Use Tape-A-Weight (T-A-W) adhesive weights for special applications.

WHEEL WEIGHT SELECTION SYSTEM - IMPORTANT! Alloy wheels come in a variety of rim styles. To insure proper, secure fit, selection of the proper weight is necessary. Our exclusive color-coded selection system makes correct application easy. We recommend the following procedure:

- Use this color-coded application guide to select OEM weight type.
- Verify application with color-coded rim gauge.
- Select correct Aluma-Guard coated weight. Box labels are color-coded to match application guide and rim gauge.
- Use color-coded wheel weight management system for storage of weights.

NOTE: For aftermarket or special OEM wheels, use the rim gauge to determine the best fit, or use Tape-A-Weight (T-A-W) adhesive weights.

POLYCAST® WHEELS: This wheel is steel with a cast polymer outside facing to resemble alloy wheels. Use alloy weights on outside flange, and Thinline weights for steel inside flange.

CHROME PLATED ALLOY WHEELS: Tape-A-Weight 9405-C chrome plated weights are recommended.

Color Codes/Weight Types

Neight <u>Type</u>	<u>Unit</u>	Color Code
AWN	ounce	Red
MCN	ounce	Yellow
IAW	gram	Blue
EN	gram	Green
FN	gram	Orange
LH	ounce	Purple
TN	ounce	Grey
BMN	gram	White
MBN	gram	White

Color appears on label, application guide, rim gauge, and storage bins.

Specifications and applications are subject to change without notice. The information presented here is current and accurate to the best of our knowledge at the time of printing. ALWAYS verify weight applications by using the Alloy Wheel Guage and by careful visual inspection of the installed weight for proper and



HENNESS YINDUSTRIES, INC.

1601 J.P. Hennessy Drive, LaVergne, TN 37086 U.S.A. (615) 641-7533 • Customer Service (800) 694-0759 • FAX (800) 698-0759 or visit us on the world wide web at http://www.hennessy-ind.com