



# McGEE COMPANY

SINCE 1951

Denver • Salt Lake  
Albuquerque • Dallas

1-800-525-8888

Automotive Service Equipment

Tire Service Supplies

Retreading Equipment & Supplies

Passenger/Truck/OTR

VISA

PRICES SUBJECT TO CHANGE  
VISA AND MASTERCARD ACCEPTED



## Pro V12 Two Post Lift

## Direct Lift 10,000 lb. and 12,000 lb. Two Post Lifts

### PV12

The Direct Lift Pro V12 is a commercial grade 12,000 lbs. capacity 2 post lift. The Pro V12 is perfect for lifting your large vans and dually trucks. It comes with a free set of truck adapters and all of the mounting hardware. With a dry weight of 2,250 lbs., there are very few commercial lifts that can even come close to the value offered with the Pro V12.

### Features:

- Commercial grade
- Single point lock release
- Overhead model
- Powder coat finish
- 12,000 lbs. capacity
- 13'8" or 14'8" tall (depending on how the column extension is installed)
- Truck adapters included
- Symmetric post design
- Anchor bolts included
- Available in **blue** color only

### Specifications:

- Capacity 12,000 lbs.
- Overall height 164" (13'8") or 176" (14'8")
- Lifting time 55 seconds
- Between columns 123 1/2"
- Drive through 112 1/2"
- Maximum lift height 79"
- Overall floor width 150"
- Low arm height 6"
- Shipping weight 2,250 lbs.



### PV10

The Direct Lift Pro V10 is a commercial grade 10,000 lbs. capacity 2 post lift. The Pro V10 allows a customer to lift a vehicle either symmetrically or asymmetrically. It comes with a free set of truck adapters and all of the mounting hardware. With a dry weight of 2,000 lbs., there are very few commercial lifts that can even come close to the value offered with the Pro V10.

### Features:

- Commercial grade
- Single point lock release
- Overhead model
- Powder coat finish
- 10,000 lbs. capacity
- 11'10" or 12'2" tall (depending on how the column extension is installed)
- Truck adapters included
- Arm design allows for Asymmetric and symmetric application
- Symmetric post design
- Anchor bolts included
- Available in **blue** color only

### Specifications:

- Capacity 10,000 lbs.
- Overall height 142" (11'10") or 146" (12'2")
- Lifting time 45 seconds
- Inside column 110 3/4"
- Drive through 98 5/8"
- Maximum lift height 78"
- Overall floor width 138"
- Low arm height 5 1/4"
- Shipping weight 2,000 lbs.

**PV12 - \$2695!**

**PV10 - \$2095!**

# Pro 14 Four Post Lift

## Direct Lift 14,000 lbs. Four Post Lift

The Pro 14 is a commercial grade, four post lift that is perfect for any car and truck up to 14,000 lbs. The Pro 14 incorporates a single point latch release system on its locks.



PRO14F

**\$3,395.00!**

### RJ7000

The Pro Jack 7000 has a 7,000 lbs capacity and utilizes a scissor mechanism for level lifting. The commercial grade Pro Jack 7000 rolling jack is used to raise the front or rear end of a vehicle allowing the operator of a four post above ground lift to perform wheels free service. Most commercial garages use two of these hydraulic rolling jacks to allow wheels free service on all 4 wheels at the same time. For use on the Direct Lift Pro-14 four post lift.

#### Features:

- 7,000 lbs capacity
- Compact size with a low profile
- Operates by compressed air
- Equipped with multiple safety lock positions
- Truck/car stack adapters
- Smooth sliding action
- Powder coat finish
- Manufactured in our own ISO-9001 & CE certified manufacturing facility
- 1 year parts warranty
- 1 year warranty for the air/hydraulic power unit/cylinder system



#### Specifications

- Maximum width 62 1/2"
- Minimum width 37"
- First locking position 9 3/4"
- Second locking position 14"
- Maximum lifting height 15 1/8"
- Small adapter 3"
- Large adapter 6"
- Maximum capacity 7,000 lbs
- Shipping weight 350 lbs.

#### MORE DETAILS

##### Features:

- Commercial grade
- Single Point Latch Release Locking System
- 14,000 lbs. capacity
- Powder coat finish
- Steel approach ramps included
- Heavy duty hydraulic cylinder
- Track for rolling jack standard
- Multiple locking heights
- Available in Blue color only.

##### Specifications:

- Capacity 14,000 lbs.
- Maximum wheelbase 180"
- Lifting height 73 3/4"
- Overall length 246"
- Overall width 137 1/4":
- Clearance inside columns 114 1/4"
- Overall height 88 3/4" Runway width 20"
- Runway height 7"
- Clearance between runways 43"
- Rise time 65 seconds
- Power unit 208/230v, 2HP
- Clearance under runways 66 3/4"
- Shipping weight 3,000 lbs.

**Available in 4,500 lbs capacity — RJ4500**

# Pro-Park 9 Plus



**\$2,595!**  
9,000 lb. capacity



### Pro-Park Lifts Feature:

- Exclusive adjustable lock ladder leveling system
- ALI/ETL Certified
- Powder coat finish
- Single point lock release
- Steel approach ramps included
- FREE jack try included
- FREE wheel caster kit
- FREE drip trays (4) included

## THE GOLD LABEL!

Direct-Lift's Pro Park series four-post lifts are now ALI Certified. It takes a combination of the right design, engineering excellence and quality manufacturing to earn this certification. It is extra assurance for you that your lift meets the highest industry safety and performance standards. Look for the Gold label.



SPECIFICATIONS	PP8S	PP8P	PP9
Capacity	8,000 lbs.	8,000 lbs.	9,000 lbs.
Lifting Height	72"	86"	85"
Overall Length w/Approach Ramps	207.5"	207.5"	218.5"
Overall width (with motor)	115"	115"	133"
Overall Length without approach Ramps	176"	176"	197"
Approach Ramps	37"	37"	31"
Runway width	19"	19"	21.5"
Runway Length	165.5"	165.5"	188"
Runway Thickness	4.5"	5"	5"
Drive through width (Outside of tire to outside of tire)	80.5"	80.5"	97.5"
Height of Columns	83"	95.75"	97"
Clearance Between Columns	94"	94"	109.5"
Clearance Between Runways	37"	37"	39.25"
Outside Runway to Outside Runway	75"	75"	79.25"
Clearance Under Runways	68"	81"	80"
Power Unit	110 Volt, 1HP	110 Volt, 1HP	110 Volt, 1HP
Price	\$1,895.00	\$2,195.00	\$2,595.00

## Direct Lifts

- **Most Direct Lifts in stock!**
- **Easy to install!**
- **Designed for low volume service**
- **Call for the right lift for you.**

**1-800-525-8888!**

# PRO 9D

## Direct Lift 9,000 lb. Two Post Lifts Call Today! 800-525-8888

### PRO-9D FEATURES:

- Commercial grade
- Single point lock release
- Symmetric arm design
- Asymmetric arm design
- Powder coat finish
- Truck adapters included
- Overhead model
- Anchor bolts included

### SPECIFICATIONS:

Capacity:	9,000 lbs.
Overall Height:	142.5"
Lifting Time:	45 seconds
Inside Column:	110"
Maximum Lift Height:	79"
Overall Floor Width:	134"
Drive Thru:	92.25"
Motor:	2HP, 220 Volt, Single Phase

**\$1,895**  
9,000 lb. capacity



**INSTALLATION  
REQUIREMENTS:**  
4" CONCRETE  
3,000 PSI

## Perfect for low ceiling clearance

### PRO-9F FEATURES:

- Commercial grade
- Powder coat finish
- Symmetric arms
- Truck adapters included
- Base plate model
- Anchor bolts included

### SPECIFICATIONS:

Capacity:	9,000 lbs.
Overall Height:	111"
Lifting Time:	45 seconds
Inside Column:	107"
Maximum Lift Height:	81"
Overall Floor Width:	138.5"
Drive Thru:	97"
Base Plate Width:	16"
Minimum Pad Height:	4.5"
Column Size:	14.25"x7.5"
Base of Lift:	20.5"x17.5"
Motor:	2HP, 220 Volt, Single Phase

**PRO 9F**  
**\$1,895**  
9,000 lb. capacity



**INSTALLATION  
REQUIREMENTS:**  
4" CONCRETE  
3,000 PSI

### Direct-Lift Warranty

Two Post/Four Post, Vehicle and Specialty Lifts weight capacity models 7,000 lbs. through 14,000 lbs. are warranted for (5) years on structural components and (2) years on hydraulic power units and cylinders from invoice date. Low Rise and Mid Rise Lifts weight capacity models 6,000 lbs. are warranted for (2) years on structural components and (2) years on hydraulic power units and cylinders from invoice date. Rotisserie units, Motor Cycle Lifts, Jacks, Lift Accessories, Jack Stands and Lift Kits, etc. are warranted for (1) year on structural components and (1) year on air/hydraulic power units, pneumatic cylinders and components from invoice date.

**Prices:** Prices are subject to change and do not include freight, delivery, or site inspection.