



1/2" DR 13 Piece SAE Set

- Contains the following sizes: 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-1/4"

| | |
|-----------|----------|
| Ascot No. | Mfg. No. |
| 163-01150 | 1150 |



1/2" DR 29 Piece Metric and SAE 6 Point Deep Impact Socket Set

- Contains 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8" and 1-1/4" deep sockets
- 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 26 and 27mm deep sockets
- 3/4" x 13/16" deep and 19mm x 21mm deep flip sockets

| | |
|-----------|----------|
| Ascot No. | Mfg. No. |
| 163-05153 | 1153DD |



1/2" DR 13 Piece Deep Set

- Contains the following sizes: 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-1/4"

| | |
|-----------|----------|
| Ascot No. | Mfg. No. |
| 163-01151 | 1151D |



1/2" DR 5 Piece Deep Thin Wall Flip Set

- Contains the following sizes: 3/4" x 13/16", 19mm x 21mm, 7/8" x 15/16", 17mm x 19mm, 3" extension

| | |
|-----------|----------|
| Ascot No. | Mfg. No. |
| 167-12050 | 1205D |



1/2" DR 14 Piece Metric Standard Set

- Contains the following sizes: 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 16mm, 17mm, 18mm, 19mm, 21mm, 22mm, 26mm, 27mm

| | |
|-----------|----------|
| Ascot No. | Mfg. No. |
| 163-01152 | 1152M |



3/4" DR 10 Piece Truck Set

- Contains the following sizes: 13/16" Square Socket, 1-1/16", 1-1/8", 1-1/4" Thin Wall Deep Sockets, 1-1/2" Budd Wheel Socket, 17mm & 21mm Square Socket, 33mm, 35mm & 41mm Deep Sockets

| | |
|-----------|----------|
| Ascot No. | Mfg. No. |
| 164-02110 | 2110 |



1/2" DR 14 Piece Metric Deep Set

- Contains the following sizes: 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 16mm, 17mm, 18mm, 19mm, 21mm, 22mm, 26mm, 27mm

| | |
|-----------|----------|
| Ascot No. | Mfg. No. |
| 163-01153 | 1153MD |



3/4" DR 8 Piece SAE Deep Set

- Contains the following sizes: 1", 1-1/16", 1-1/8", 1-1/4", 1-5/16", 1-3/8", 1-7/16", 1-1/2"

| | |
|-----------|----------|
| Ascot No. | Mfg. No. |
| 164-02181 | 2181D |



3/4" DR 5 Piece Metric Standard Truck Set

- Contains the following sizes: 4 pts. budd wheel standard length, 17mm, 27mm, 30mm, 33mm, 35mm standard



| Ascot No. | Mfg. No. |
|-----------|----------|
| 164-02185 | 2185M |

1" DR 5 Piece Budd Wheel Socket Set

- Contains the following sizes: 1-1/2" hex x 13/16" square budd wheel impact socket, 35mm x 17mm square budd wheel impact socket, 38mm x 20mm square budd wheel impact socket, 41mm x 21mm square budd wheel impact socket and 33mm deep

| Ascot No. | Mfg. No. |
|-----------|----------|
| 165-05626 | 5626 |



3/4" DR 4 Piece Budd Wheel Socket Set

- Contains the following sizes: 1-1/2" hex x 13/16 square budd wheel impact socket, 35mm x 17mm square budd wheel impact socket, 41mm x 21mm square budd wheel impact socket and 33mm deep



| Ascot No. | Mfg. No. |
|-----------|----------|
| 164-04626 | 4626 |

1" DR 7 Piece Metric Truck Set

- Contains the following sizes: 17mm, 21mm, 4 pts. budd wheel standard length, 27mm, 33mm, 36mm, 41mm deep



| Ascot No. | Mfg. No. |
|-----------|----------|
| 165-03197 | 3197M |

1" DR 10 Piece Truck Set

- Contains the following sizes: 13/16" square, 1-1/16", 1-1/8", 1-1/4" thin wall deep, 1-1/2" deep with inside lip, 17mm & 21mm square with inside lip, 33mm, 35mm & 41mm deep



| Ascot No. | Mfg. No. |
|-----------|----------|
| 165-03110 | 3110 |

#5 Spline DR 9 Piece SAE Truck Set

- Contains the following sizes: 13/16", 4 points budd wheel standard length, 7/8", 15/16", 1", 1-3/16", 1-1/2" deep with inside lip, 1-1/16", 1-1/8", 1-1/4" thin wall deep

| Ascot No. | Mfg. No. |
|-----------|----------|
| 165-04191 | 4191 |



1" DR 9 Piece SAE Truck Set

- Contains the following sizes: 13/16", 4 points budd wheel standard length, 7/8", 15/16", 1", 1-3/16", 1-1/2" deep with inside lip, 1-1/16", 1-1/8", 1-1/4" thin wall deep



| Ascot No. | Mfg. No. |
|-----------|----------|
| 165-03190 | 3190 |

Easier to identify and find right impact socket with new & improved laser etching



1/2" DR Master 39 Piece SAE Impact Socket Set

- CR-MO alloy steel for long life
- Fully guaranteed
- Heavy duty blow mold case
- 19 Standard Sockets: 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-3/16", 1-1/4", 1-5/16", 1-3/8", 1-7/16" and 1-1/2"
- 19 Deep Sockets: 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-3/16", 1-1/4", 1-5/16", 1-3/8", 1-7/16" and 1-1/2" Universal

| Ascot No. | Mfg. No. |
|-----------|----------|
| 163-02668 | 2668 |



1/2" DR Master 39 Piece Metric Impact Socket Set

- CR-MO alloy steel for long life
- Fully guaranteed
- Heavy duty blow mold case
- 19 Standard Sockets: 9mm, 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 16mm, 17mm, 18mm, 19mm, 20mm, 21mm, 22mm, 23mm, 24mm, 26mm, 27mm and 30mm
- 19 Deep Sockets: 9mm, 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 16mm, 17mm, 18mm, 19mm, 20mm, 21mm, 22mm, 23mm, 24mm, 26mm, 27mm and 30mm Universal Joint

| Ascot No. | Mfg. No. |
|-----------|----------|
| 163-02669 | 2669 |



1/2" DR Extra Thin Wall 9 Piece SAE & Metric Wheel Protector Socket Set

- Durable outer sleeve and insert protects high polished wheels and lug nuts from damage
- CR-MO alloy steel for long life
- Fully guaranteed
- Heavy duty blow mold case
- 6 SAE Sockets: 3/4" (light green), 13/16" (purple), 7/8" (green), 15/16" (brown), 1" (silver) and 1-1/16" (black)
- 3 Metric Sockets: 17mm (blue), 19mm (yellow) and 21mm (red)

| Ascot No. | Mfg. No. |
|-----------|----------|
| 163-02849 | 2849 |

Replacement Sockets for 2849 Set

| Ascot No. | Mfg. No. | Description |
|-----------|----------|--------------|
| 163-28492 | 28492 | 1/2"x3/4" |
| 163-28494 | 28484 | 1/2"x13/16" |
| 163-28496 | 28496 | 1/2"x7/8" |
| 163-28498 | 28498 | 1/2"x15/16" |
| 163-28910 | 284910 | 1/2"x1" |
| 163-28912 | 284912 | 1/2"x1-1/16" |
| 163-28917 | 284917 | 1/2"x17mm |
| 163-28919 | 284919 | 1/2"x19mm |
| 163-28921 | 284921 | 1/2"x21mm |



8-Piece Professional Screwdriver Set

- Includes 5 flat tip drivers and 3 Phillips tip drivers
- Slotted: 3/8" x 8", 5/16" x 6", 1/4" x 4", 3/16" x 3", 1/4" x 1-1/2"
- Phillips: #2 Phillips x 4", #1 Phillips x 3", #2 Phillips x 1-1/2"
- Fluorescent yellow handles
- Hardened chrome vanadium shafts
- Vapor blasted magnetic tips
- Packaged in molded plastic tray for storage
- Hex bolsters for extra turning power

| Ascot No. |
|-----------|
| 319-19800 |



1/2" Super Duty Air Impact Wrench-Tire Tool

- Patented spring hammer clutch for smooth operation and extended durability
- Add low air consumption and high torque makes this tool very efficient
- Comfort and control with new ergonomic grip and trigger
- Applications: suspension, shock, frame and engine work
- Ultimate Torque: 550 ft.-lbs.



| Ascot No. | Mfg. No. | Description |
|-----------|-----------|--------------------|
| 153-07492 | CP-7733 | 1/2" Impact Wrench |
| 153-17492 | CP-7733-2 | 2" Extended Anvil |

1" Heavy Duty Air Impact Wrench

- High performance clutch provides longer life under tough conditions
- High-efficiency 6 vane motor for maximum performance
- Bottom exhaust directs exhaust away from the operator
- Three position power regulator with directional control
- Ultimate Torque : 1,450 ft.-lbs.



| Ascot No. | Mfg. No. | Description |
|-----------|-------------|----------------------------------|
| 155-07778 | CP-7778 | 1" Short Shank |
| 155-77786 | CP-7778-6 | 6" Extended Anvil |
| 155-17786 | CP-7778SP-6 | #5 Spline with 6" Extended Anvil |

Marvel Air Tool Oil


- Specially formulated for use in all piston type rotary air tools and in-line air lubricators
- Prevents rust formation while providing positive lubrication for smooth starting and longer tool life
- Assures maximum performance by dissolving gum and sludge



| Ascot No. | Mfg. No. | Description |
|-----------|----------|-------------|
| 181-00085 | MM085 | 32 oz. |

7 Piece Spare Tire Tool Set

- Allows anyone to quickly remove difficult to reach spare tires
- No more digging through the customer's vehicle to locate the spare tire removal kit
- Color-coded wall bracket allows user to quickly identify the correct removal tool
- Applications include many trucks & SUV's where the spare tire is located under the vehicle



| Ascot No. | Mfg. No. | Description |
|-----------|----------|-----------------------------|
| 319-96090 | 96090A | 7 Piece Spare Tire Tool Kit |

Individual Spare Tire Tools

| Ascot No. | Mfg. No. | Description |
|-----------|----------|--|
| 319-96091 | 96091 | Spare Tire Tool - Flat Head - Red (For Use on Late Model S10 trucks, Explorers, Blazers, Jimmys, F150s, Expeditions, Older Dakota 2-Wheel Drives and McGuard Lock Systems) |
| 319-96092 | 96092 | Spare Tire Tool - Pin Head - (Blue For Use on Import Trucks) |
| 319-96093 | 96093 | Spare Tire Tool - Hex Head - Yellow (For Use on Dodge Full Size and Stake Bodies, '98-'01 Dodge Full-Size 4-Wheel Drive) |
| 319-96094 | 96094 | Spare Tire Tool - 12mm Square Head - Green (For Use on All Late Model GMs, Remaining '98-'03 Dodge Trucks) |
| 319-96095 | 96095 | Spare Tire Tool - Std. Square Head - Orange (For Use on Older Ford Trucks) |
| 319-96096 | 96096 | Spare Tire Tool - Slotted Square Head - Black (For Use on Dodge Durango, Inside the Hatch) |
| 319-96097 | 96097 | Wall Mount Bracket for Spare Tire Tool Set (Color-coded to allow user to quickly identify the correct removal tool) |
| 319-96098 | 96098 | Spare Tire Tool - 3/8" Square Head - Purple (For Use on New Ford Models) |


Personal Safety Equipment



| Ascot No. | Mfg. No. | Description |
|-----------|----------|---|
| 396-02003 | GLO2003 | Men's Large Latex Gloves - 100 per Box |
| 396-40314 | 924G | Hot Mill Glove - Gauntlet Cuff - 12 Pairs per Box |
| 396-40316 | 924 | Hot Mill Glove - Short Cuff - 12 Pairs per Box |
| 396-55220 | 7533 | Leather Palm Glove - 12 Pairs per Pkg. |

Rim Clamp Bead Lifting Tool

- Designed for ease of lifting the bead during the tire changing operation
- Made from a durable chrome-vanadium material
- 20" overall length
- Equivalent to COATS 181354



| Ascot No. | Mfg. No. | Item |
|-----------|----------|------------------------------|
| 444-81354 | TC181354 | Rim Clamp® Bead Lifting Tool |

Drop Center Tool

- Assists in mounting high performance tires by holding the bead in the drop center
- Will not scratch aluminum rims
- Equivalent to COATS 435685

| Ascot No. | Mfg. No. | Length | Stock | Weight |
|-----------|----------|--------|-------|----------|
| 402-31568 | T68 | 14" | 7/16" | 1.3 Lbs. |

Tire and Wheel Measuring Tool



| Ascot No. | Mfg. No. | Description |
|-----------|----------|--|
| 454-00599 | 595 | Tire Tread Depth Gauge. Used To Measure Tire Tread Depth In 1/32" Increments: 0-1" |

TPMS Countertop Displays

This display promotes replacing the TPMS components when service is performed on the customer's tires.



| Ascot No. | Mfg. No. | Description |
|-----------|----------|--|
| 469-61589 | 61589 | TPMS Countertop Display w/ Dummy Transmitter |
| 469-61599 | 61599 | Spanish TPMS Countertop Display w/ Dummy Transmitter |

Valve Core Insertion and Removal Tools



| Ascot No. | Mfg. No. | Description |
|-----------|----------|--|
| 469-00607 | 607 | Has Plastic Screwdriver Handle For Better Grip And Leverage |
| 469-00612 | TL-612 | Standard Bore Core Tool. With An Overall Length Of 8" And Oversized Handle |

Band Transmitter Accessories

- TPMS Band is adjustable to accommodate 14"- 26" wheels
- Plastic clip included with TPMS Cradle
- For use on vehicles equipped with banded transmitters



| Ascot No. | Mfg. No. | Description |
|-----------|----------|----------------------------------|
| 469-01426 | TPSTRAP | Universal TPMS Band |
| 469-02723 | TPCRADLE | Band Transmitter Cradle and Clip |

Electric Tire Brander

- 110 volt and 220 volt electric versions available
- Propane brander also available
- 1" letters (A-Z) & numbers (0-9) sold separately
- Hardwood handle

| Ascot No. |
|-----------|
| 452-01200 |



Tire Brander Letters



Tire Brander Numbers

Mitchell TPMS Guide

- Contains current learn procedures for all domestic and import vehicles currently equipped with tire pressure monitoring systems
- Includes a quick reference to determine service requirements
- Provides detailed system operation for manufacturer specific systems
- E-Book Guide Available



| Ascot No. | Description |
|-----------|------------------------|
| 469-22006 | TPMS Consumer Brochure |

Digital Hand Held Tire Inflator

- Inflation range 0-174 PSI
- Accuracy +/- .2 PSI
- 6' Hose
- Lightweight shock resistant design
- High specification ceramic sensor
- Long life, easily replaceable battery
- Available in custom hose lengths and chuck styles



This Gauge Provides More Accurate Air Pressure Readings Which is Essential with TPMS

| Ascot No. | Mfg. No. |
|-----------|----------|
| 477-10001 | Accura 1 |

Hand Held Tire Inflator

- Inflation range 0-138 PSI
- Accuracy +/- 2.0 PSI
- Cast aluminum body
- Proven linear spring gauge
- High flow valve for fast inflation
- Available in custom hose lengths and chuck styles



| Ascot No. | Mfg. No. | Description |
|-----------|----------|--|
| 477-10003 | MK3 | Heavy Duty Hand Held Inflator Gauge w/ Dual Foot Chuck |

Air Line Inflators

- Ideal for gauging and inflating dual tires on trucks and buses as well as passenger cars and light trucks
- Solid brass indicator bar
- Allows operator to stand away while inflating and deflating tires
- Bleeder valve allows user to adjust tire pressure without touching either the tire or valve stem
- Any hose length and/or chuck style available. CALL FOR DETAILS



| Ascot No. | Description |
|-----------|--|
| 477-00001 | Safety Inflator Gauge. 12" Hose With Dual Foot Chuck. 10 To 120 PSI |
| 477-00002 | Safety Inflator Gauge. 3' Hose With Clip-On Foot Chuck. 10 To 120 PSI. Bleeder Valve |
| 477-00003 | Safety Inflator Gauge. 3' Hose With Straight Lock-On Chuck. 10 To 120 PSI. Bleeder Valve |
| 477-00004 | Safety Inflator Gauge. 6' Hose With Clip-On Ball Foot Chuck. 10 To 120 PSI. Bleeder Valve |
| 477-00005 | Safety Inflator Gauge. 6' Hose With Straight Lock-On Chuck. 10 To 120 PSI. Bleeder Valve |
| 477-00008 | Safety Inflator Gauge. 9' Hose With Clip-On Ball Foot Chuck. 10 To 120 PSI. Bleeder Valve |
| 477-00009 | Safety Inflator Gauge. 9' Hose With Straight Lock-On Chuck. 10 To 120 PSI. Bleeder Valve |
| 477-00010 | Safety Inflator Gauge. 12' Hose With Clip-On Ball Foot Chuck. 10 To 120 PSI. Bleeder Valve |
| 477-00012 | Safety Inflator Gauge. 12' Hose With Straight Lock-On Chuck. 10 To 120 PSI. Bleeder Valve |
| 477-01117 | Safety Inflator Gauge. 3' Hose with European-Style Clip-On Chuck |
| 477-01116 | Safety Inflator Gauge. 6' Hose with European-Style Clip-On Chuck |
| 477-01119 | Safety Inflator Gauge. 9' Hose with European-Style Clip-On Chuck |

WARNING: Never inflate a tire on a multi-piece rim (a rim made up of 2 or more separate pieces) unless the tire and rim are mounted in OSHA regulation 29-CFR Part 1910.177 or D.O.T. approved tire inflation cage. OSHA Regulations require that an inflator gauge must be equipped with a lock-on chuck and have a hose extension sufficiently long for the operator to stand clear of the possible trajectory of a multi-piece rim.

Tire Swabs and Brushes



| Ascot No. | Mfg. No. | Description |
|-----------|----------|----------------------------|
| 437-00001 | TS-1 | 11" OAL x 2" Swab Diameter |
| 437-00002 | TS-2 | 15" OAL x 2" Swab Diameter |
| 437-00003 | TS-3 | 18" OAL x 3" Swab Diameter |
| 437-40006 | 40006 | Tire Lubricating Brush |

Adhesive Wheel Weight Remover



- One piece composite construction can be hit with a hammer
- Removes emblems, body side moldings and stick-on wheel weights
- Scrape off stickers without scratching paint or glass and gaskets from aluminum parts
- Resharpen with a file when needed

| Ascot No. | Mfg. No. |
|-----------|----------|
| 486-71510 | 71510 |

Angled Neck Lube Bucket for Center-Post Tire Changers

- Designed for holding tire lubricants on Center-Post tire changers
- Compatible with COATS 4040, 4040SA & 4050
- Made from a durable plastic material
- Equivalent to COATS 106572

| Ascot No. | Mfg. No. | Description |
|-----------|----------|-------------------------|
| 844-16572 | LB106572 | Angled Neck Lube Bucket |

Tire Shelving

Three adjustable tiers - perfect for tires alone or wheel-mounted. Used mainly to store small numbers of tires or store customers' tires. Allows storage of 330 tires in a 40-foot container. Fasteners for walls, floors and additional sections are included.



- Holds 10-12 tires per level
- Rails are tilted to hold tires properly
- Each section is designed to stand alone

| Ascot No. | Mfg. No. | Capacity | Dimensions | Weight |
|-----------|----------|----------------|------------------|----------|
| 751-00922 | MTS-92 | 30 to 36 tires | 92" x 92" x 18" | 110 Lbs. |
| 751-00924 | MTS-924 | 40 to 48 tires | 92" x 120" x 18" | 140 Lbs. |
| 751-00925 | MTS-925 | 50 to 60 tires | 92" x 150" x 18" | 170 Lbs. |

Wheel Cover Pullers/Replacers

- Remove wheel covers quickly and easily without gouging or scratching
- Rubber head T1 1RH prevents damage to hubcap and is replaceable



| Ascot No. | Mfg. No. | Length | Stock | Weight |
|-----------|----------|--------|-------|----------|
| 402-31568 | T68 | 14" | 7/16" | 1.3 Lbs. |

Heavy Duty Wheel Weight Hammer

- Heavy duty construction
- Replaceable plastic head available
- Designed for use on coated wheel weights
- Will not mar alloy wheels



| Ascot No. | Mfg. No. | Description |
|-----------|----------|--------------------------------|
| 486-33580 | 113175 | Heavy Duty Wheel Weight Hammer |
| 486-33584 | 113176 | Replaceable Head |

Straight Lube Bucket for Rim Clamp Tire Changers

- Designed for holding tire lubricants on Rim Clamp tire changers
- Compatible with COATS RC15, RC20, 5060 & 5070 tire changers
- Made from a durable plastic material
- Equivalent to COATS 106259

| Ascot No. | Mfg. No. | Description |
|-----------|----------|----------------------|
| 844-16259 | LB106259 | Straight Lube Bucket |

Deluxe Showroom Display Unit

Perfect for displaying your tires for customers, this unit will hold eight tires up to 29" in diameter (740 mm). Includes a folder display and bookmarks providing information on 15 different makes of tire. Packed in a box with all necessary assembly hardware.



| Ascot No. | Mfg. No. | Holds | Size |
|-----------|----------|---------|-----------------|
| 751-00008 | MSTD | 8 Tires | 35" x 98" x 34" |

Wall-Mount Rack

Get tires away from your workspace! With this wall-mount tire rack, you can store 8 tires on the wall to get them off your floor. Easy to assemble and mount on wood or concrete walls.



| Ascot No. | Mfg. No. | Holds | Size |
|-----------|----------|---------|----------|
| 751-00066 | MWM-66 | 8 Tires | 66" Long |

60" Passenger & Light Truck Folding Racks

This versatile modular storage system offers extraordinary flexibility in outfitting your tire warehouse. Pallets can be moved and stacked for fast shipment. Removable posts can reduce space requirements by 80%, allowing you to stack them when empty to free up space.



| Ascot No. | Mfg. No. | Holds | Size |
|-----------|----------|-------------|-----------------|
| 751-06060 | MSR-6060 | 28-35 Tires | 60" x 60" x 60" |

Passenger & Light Truck Folding Racks

This flexible mobile storage system allows you to reduce tire handling to a minimum while providing unparalleled versatility. Large numbers of tires can be stored by load stacking and smaller quantities can be kept on treads in tires. Very sturdy steel construction ensures superior durability.



| Ascot No. | Mfg. No. | Holds | Size |
|-----------|----------|-------------|-----------------|
| 751-03260 | MLTFD | 32-60 Tires | 72" x 50" x 66" |

Dolly for Tire Displays

Required to handle tire display units. Only one is necessary even if you have several display units. Compatible with all other makes of display units.

| Ascot No. | Mfg. No. |
|-----------|----------|
| 751-00172 | MD |



Tire Cart

Easy to maneuver... even with a full load of tires. Can carry tires up to 35" in diameter. Simply press down on the pedal, slide the dolly under the pile and release the pedal. The frame will align the tires! Good for tire diameters from 16" to 35" (406-890 mm).



| Ascot No. | Mfg. No. | Holds | Size |
|-----------|----------|------------|--------------|
| 751-00810 | MTC | 8-10 Tires | Max O.D. 35" |

Deluxe Tire Display

This display unit is an excellent compromise between strength and light weight. It has four wheels for fast, easy moves with no need for a dolly. It will hold 14-18 tires up to 31" (790mm) outside diameter. Front wheels are equipped with a brake, and a nameplate measuring 48" x 12" (1200 x 300mm) is provided to display your logo.



| Ascot No. | Mfg. No. | Holds | Size |
|-----------|----------|-------------|-----------------|
| 751-00072 | MTD-72 | 14-18 Tires | 72" x 75" x 20" |

Truck Tire Folding Rack

For greater ease of use in storing and handling your tires for heavy trucks or farm machines, this folding rack offers vertical tire storage for easy access. Each rack holds 8 tires and can be stacked 4 high, or 20 high when folded. Fits easily in a trailer for shipping.

| Ascot No. | Mfg. No. | Holds | Size |
|-----------|----------|------------|-----------------|
| 751-08010 | MTFR | 8-10 Tires | 94" x 44" x 52" |





AIR SYSTEMS

Air Compressors



| | |
|--------------------------------|--------------|
| Air Compressor Selection Guide | 15 |
| Air Compressor | 16 - 23 |
| Nitrogen Generators | 24 - 27 |
| Nitrogen Accessories | 26, 141, 155 |
| Air Tank | 42 |

Air Line Components



| | |
|---|---------|
| Air Dryers | 19 |
| Filter/Regulators/Lubricators Accessories | 29 |
| Filter/Regulators/Lubricators | 30 - 32 |
| Air Hose Reels | 33 - 36 |
| Air Hose | 37 |
| Air Line Couplers/Plugs/Fittings | 38 - 40 |
| Coupler Cross Reference | 41 |
| Air Hose Adapters and Fittings | 42 - 44 |

AIR TOOLS

Chicago Pneumatic



| | |
|------------------------|---------|
| Impact Wrenches | 47 - 50 |
| Sanders | 50 |
| BlueTork | 51, 74 |
| Ratchets | 51 - 52 |
| Grinders | 53 |
| Drills | 54 |
| Air Hammer Chisel Kits | 55 |
| Air Tool Accessories | 54 - 55 |

Ingersoll-Rand



| | |
|----------------------|---------|
| Impact Wrenches | 56 - 58 |
| Hammers | 59 |
| Grinders | 59 - 60 |
| Drills | 60 |
| Cordless Tools | 61 |
| Air Tool Accessories | 62 |

Tire Repair Air Tools

| | |
|--------------|-------------|
| Tire Buffers | 52, 60, 311 |
| Workstation | 62 |

WHEEL SERVICE PRODUCTS



Impact Sockets

| | |
|--|---------|
| Impact Socket Sets | 64 - 66 |
| Individual Impact Sockets, Adapters and Extensions | 67 - 68 |



Wheel Torque Products

| | |
|---------------------------------|---------|
| Torque Sockets and Extensions | 69 - 71 |
| Wheel Centering Products | 72 |
| Tire and Wheel Accessories | 73 |
| Torque Wrenches and Accessories | 74 - 75 |
| Wheel Attaching Hardware | 76 - 78 |
| Tire and Wheel Service Tools | 79 - 80 |

LIFTING EQUIPMENT

Jacks & Lifts



| | |
|--------------------------------------|--------------|
| Bottle Jack | 83 - 85 |
| Service Jacks | 85 - 92 |
| Jack Stands | 93 - 95, 102 |
| Specialty Jacks | 96 - 97 |
| Transmission Jacks | 98 - 100 |
| Wheel Dollies | 101 |
| Hydraulic Shop Presses | 103 |
| Heavy Duty Equipment and Shop Cranes | 104 |

TIRE & WHEEL SERVICE

Tire Service Supplies



| | |
|-----------------------|-----------|
| Tire Lubricants | 107 |
| Tire Service Supplies | 108 |
| Tire Sealant | 109 - 110 |

Bead Seating



| | |
|--------------------------------|-----------|
| Bead Breakers | 111 - 112 |
| Hydraulic Rams and Accessories | 113 |
| OTR Service Tools | 114 - 115 |
| Bead Seating Devices | 115 - 116 |
| Chloride Pumps | 117 |

TIRE & WHEEL SERVICE (Cont.)

Wheel & Rim Dismounting

| | |
|--|-----------|
| Tubeless Tire Irons | 118 |
| Mount/Demount Tools | 119 - 120 |
| Portable Bead Breakers and Lock Ring Tools | 121 |
| Wedges and Hammers | 122 - 123 |
| Shop Service Tools & Wrenches | 124 - 125 |
| 4-Way Lug Wrenches | 126 |
| Tire Service Tools | 127 - 130 |

VALVE HARDWARE



Tire Pressure Monitoring Systems

| | |
|---|-----------|
| TPMS Training Materials | 135, 149 |
| TPMS Activation Tools | 136 - 138 |
| TPMS Accessory Kits & Assortments | 139 - 140 |
| TPMS Accessories and Tools | 141 - 144 |
| TPMS Sensors | 145 - 146 |
| TPMS Cabinets | 147 |
| TPMS Retrofit Kits | 148 |

Valve Hardware



| | |
|---|-----------|
| Passenger & Truck Valves | 150 - 155 |
| Special Application Products and Valve Extension | 156 - 157 |
| Air/Liquid Valves | 158 |
| Large Bore Valves | 159 - 163 |
| Super Large Bore Valves | 163 - 165 |
| Z-Bore Valve System | 166 |
| PT Valve System | 167 |

Tools



| | |
|-------------------------------|----------------|
| Valve Service Tools | 167 - 169, 173 |
|-------------------------------|----------------|

Gauges & Chucks

| | |
|--|-----------|
| Passenger Air Gauges | 169 |
| Truck Air Gauges | 170 - 171 |
| Passenger & Truck Air Chucks | 172 - 173 |
| Large Bore Air Gauges and Chucks | 173 |
| Inflation Gauges | 174 |

SERVICE EQUIPMENT



Tire Changers

| | |
|---------------------|-----------|
| Passenger | 177 - 181 |
|---------------------|-----------|

| | |
|------------------------------------|----------------------|
| Heavy Duty Truck | 180 - 181, 185 - 187 |
| Tire Changer Accessories | 182 - 185, 188 |

Wheel Balancers

| | |
|--------------------------------------|----------------|
| Passenger | 189 - 191, 193 |
| Heavy Duty Truck | 191 - 192 |
| Wheel Balancer Accessories | 192 - 200 |

Brake Lathes

| | |
|------------------------|-----------|
| Brake Lathes | 201 - 202 |
| Accessories | 203 - 213 |

Lifts

| | |
|---|-----------|
| Two-Post Lifts | 214 - 215 |
| Four-Post Lifts | 216 |
| Rolling Jacks and Workstation | 217 |
| Specialty Lifts | 218 |

WHEEL BALANCING SUPPLIES



Lead Wheel Weights

| | |
|------------------------------------|-----------|
| Coated & Uncoated | 221 - 224 |
| Adhesive Wheel Weights | 230 - 232 |
| Truck Wheel Weights | 234 - 236 |
| Wheel Weight Assortments | 237 - 238 |

Alternative Lead Wheel Weights

| | |
|--|-----------|
| Zinc & Steel Passenger Wheel Weights | 226 - 229 |
| Adhesive Wheel Weights | 232 - 233 |
| Truck Wheel Weights | 236 |
| Wheel Weight Assortments | 238 |

Wheel Weight Tools

| | |
|--|-----|
| Wheel Weight Hammers | 239 |
| Adhesive Wheel Weight Remover and Rim Gauges | 239 |

| | |
|------------------------------------|-----------|
| Tire Balancing Compounds | 240 - 242 |
|------------------------------------|-----------|

ALIGNMENT



Alignment Tools & Equipment

| | |
|---------------------------|-----------|
| Alignment Racks | 216 - 217 |
|---------------------------|-----------|

Aligners 255
 Turntables 258

Passenger Car Alignment

Rear Wheel Alignment Shims 244
 Camber/Caster Adjustment Shims 244 - 245
 Camber/Caster Adjusting Kits 246 - 248
 Rear Camber & Toe Kits 249 - 253
 MacPherson Strut Tools 259

Light Truck Alignment

Alignment Bushing, Sleeves and Cams 246 - 248
 Suspension Parts 248 - 253
 2WD and 4WD Service Tools 258

Medium & Heavy Duty Truck Alignment

Alignment Shims 254 - 257

AUTOMOTIVE & FLEET SERVICE EQUIPMENT



Battery Chargers/Starters

Battery Chargers/Starters 263 - 265
 Battery Testers 266

Exhaust Accessories

Hose and Adapters 266 - 267
 Exhaust Removal Systems 281

Mechanics Tools

Bench Grinders 267
 Bench Vises 268
 Pliers and Screwdrivers 268
 Drop Lights 271

Shop Supplies

Shop Supplies and Equipment 269
 Shop Cleaners and Brushes 270
 Tire Carts and Service Stickers 271
 Tire Racks 272 - 273
 Car Protectors 274
 Studding Equipment 275

Lubrication

Drain 276, 278 - 280
 Grease Gun and Fluid Pumps 276 - 277
 Oil Accessories 282

Safety Products

Safety Products 283
 Mechanics Gloves 284

FLUID EXCHANGE EQUIPMENT



A/C Refrigerant Handling Systems 286 - 287
 Fluid Exchange and Flushers 288
 A/C Cooling System Accessories 289 - 292

TIRE REPAIR MATERIALS & TOOLS



Cements & Chemicals

Bead Sealant and Vulcanizing Fluids 296, 303, 306, 310
 Retreaders Cement 303 - 304

Tire Repair Equipment

Tire Buffers 52, 60, 311
 Extruders 305
 Electric Spotter & Vulcanizers 305
 Monoflex System 307
 Flexible Shaft Buffer 329

Rubber Vulcanizing Materials 304

Tire Repair Tools

Cement Brusher/Dispensers 304
 Buffing Stones/Wheels 312, 314 - 317
 Tungsten Carbide Rasps 312, 316 - 317
 Burrs/Drills Bits 317
 Stitchers 317
 Knives 318

Tire Repair Materials

Nail Hole Repair Units 294 - 295, 299, 302, 306, 308 - 309
 Center (Tread & Shoulder) Units 294, 297 - 302, 306, 308 - 309



TIRE REPAIR MATERIALS & TOOLS (Cont.)

Sidewall Units.....297 - 298, 300 - 301, 309
 EM, Grader, OTR Units297 - 298, 300 - 301, 309
 Knives 318

Special Application Patches

Blue Triangle Section ID Patches 302
 Envelope Repair..... 307

Tire Inspection

Inspection Awls/Rasps..... 313, 317
 Tire Vacuum 316
 Tire Spreaders..... 319
 Manual Tire Spreaders 320

RETREADING



Buffing

Rasp Blades and Retread Shop Accessories ... 322 - 327

Building

Casing Venting Materials..... 327
 Tire Appearance 328
 Retreading Accessories 329

Curing

Envelopes 330 - 331

Measurement Conversion Chart..... 332

Product Index..... 333

Numeric Index..... 343

Ascot Supply Corp. is not responsible for inadvertent typographical errors or omissions.

- Tire and Rim Servicing can be dangerous, and should be done by trained personnel using proper tools and procedures. The Occupational Safety and Health Administration has a safety standard for the servicing of single-piece and multi-piece rim wheels (OSHA std 29 CFR 1910.177) to include requirements for the safe servicing of rims used on passenger, truck, trailers, buses and off-road vehicle equipment. Properly trained personnel should perform all tire servicing. Failure to comply with these procedures as well as procedures recommended by Tire Manufacturers and Wheel and Rim Manufacturers may result in faulty positioning of the tire and or rim and may cause the assembly to burst with explosive force sufficient to cause serious physical injury or death.
- The sole intent of this catalog is to aid the Ascot Distributors and their customers in the resale of automotive related parts. This catalog, or any part thereof, may not be reproduced in any form without written consent from Ascot Supply Corp.
- Ascot and the "Ascot Logo" are marks of Ascot Supply Corporation. The products in this catalog are manufactured for distributors of Ascot Supply Corp. and their customers.
- Caution and Warning statements appear throughout this catalog. Use of products in this catalog contrary to specifications and directions may result in personal injury and/or property damage.
- **WARRANTY DISCLAIMER:** Ascot Supply Corp. has made a diligent effort to illustrate and describe the products in this catalog accurately; however, illustrations, photos and descriptions are for the sole purpose of identification and do not express or imply a warranty that the products are merchantable, or fit for a particular purpose, or that the products will necessarily conform to the illustrations, photos or descriptions. Ascot Supply Corporation or its Distributors make no warranty or affirmation of fact, express or implied
- **O.S.H.A. HAZARDOUS SUBSTANCE AND CALIFORNIA PROPOSITION 65 PRODUCT INFORMATION:** Material Data Safety Sheets for products containing OSHA defined hazardous substances and a list of products known to the state of California to cause cancer, birth defects, or other reproductive harm are available upon request from Ascot Supply Corp.
- Ascot Supply Corp. disclaims all express and implied warranties, including the implied warranties of merchantability and fitness for a particular purpose. Ascot Supply Corp. also disclaims liability for personal injury, property damage or consequential damages.
- **IMPORTANT:** Snap-In passenger valve stems are safe for tire pressures up to a maximum of 60 psi (cold tire pressure) and for a maximum rim thickness of .156" (3.96mm). If greater pressure or rim thickness is required, metal clamp-in valve stems are recommended.
- Ascot Supply Corp. Does Not recommend "temporary" tire repairs. All repairs should perform the function of filling or replacing the injured section as recommended by the RMA and other industry associations.
- Always wear eye protection when using air tools, wheels, cups and rasps.
- **Warning:** Always wear safety goggles when using striking or struck tools. Never use one hammer to strike another hammer. Never use a striking tool with a loose or damaged handle. Discard any striking or struck tool if it shows dents, cracks, chips or mushrooming.
- **CAUTION:** Use all chemicals and cements in a well ventilated area. Avoid prolonged breathing or inhalation of vapors.
- Lead is harmful if ingested. Wash thoroughly after handling and before eating, drinking or smoking. Keep away from children and pets.
- For best results, check tire pressure when tires are cold or when the vehicle has not been driven for several hours. Readings taken after prolonged driving at high speeds will increase tire pressure causing a false reading. Check tire pressure at least once a week or as necessary.