McGee Company

SINCE 1951

Denver • Salt Lake
Albuquerque • Dallas

1-800-525-8888

www.McGeeCompany.com

Automotive Service Equipment
Tire Service Supplies
Retreading Equipment & Supplies
Passenger/Truck/OTR

EXPIRES 1/31/17
All prices are F.O.B. our warehouse unless otherwise specified. Lease figures are approximate and subject to change.

PRICES SUBJECT TO CHANGE
VISA AND MASTERCARD ACCEPTED

1/2" Drive Super Duty Air Impact Wrench

- 2" extended anvil
- Handle exhaust
- Free speed: 8000 RPM
- Maximum torque: 600 ft./lbs.
- Proven design and the most popular configuration in the tire service industry
- Powered by the durable and high performing twin hammer mechanism
- Net weight: 5.6 lbs.

153-23120

$119.95

Made in Taiwan

Ascot No.	McGee No.	Description
153-23120	15323120	1/2" Drive Air Impact Wrench - 2" Extended Anvil

M Series

Ascot No.	McGee No.	Description	Price
477-00001	1406M	Safety Inflator Gauge. 12" Hose With Dual Foot Chuck. 10 To 120 PSI. Available 6ft, 9ft, & 12ft hose	$39.95

Prema Combi Repairs

- Easy and fast for repairing tire with injury in crown area
- Meet RMA guide

Ascot #	McGee #	Description	Cutter to be used	Injury Size (in.)	Qty/Box	Price
582-00502	PC2	Combi 2	PCC-2	1/8	15	$19.95
587-00503	PC3	Combi 3	PCC-3	1/4	10	$17.95

#MTK Pouch

$25.95

Includes:

1 ea	GA115 Gauge 20- 120 PSI
1 ea	MK White Markal
1 ea	1246D Flip Socket 3/4-13/16 Thin Wall
1 ea	1291DT Flip Socket 19mm-21mm
1 ea	595TM Trend Depth Gauge
1 ea	TL620 Core Tool

5LD74 empty pouch available!

Largest stock of tire chains in the Rocky Mountain Area!

Wide Base Truck Cam Chains

Autosock

DUO Tractor Chains

Double Seal Cap

HALTEC CORPORATION

- A time, money and labor saving alternative to common valve caps
- Reduce pressure check time by 65%
- Designed for high pressure truck tire service
- Inflate, deflate or gauge directly thru the DS-1 saving time during inflation and pressure checks

Now approved by UPS and Ryder.

Visit McGee resource page for details or link at:

Ascot #	McGee #	Description	Price
468-04191	DS1	Double Seal Cap	$.69
468-02222	AE1	Alligator Double Seal Cap	$.89

BALANCING SOLUTIONS

	7026	.25 oz.	Low Profile Premium Tape		48 strips/box	Width: 3/4" Depth: 1/8"	Lead 576 seg/box	Special! $24.95
Black	7026FEB	.25 oz.	Tape-On-Top Low Profile Premium Tape Black Polycoat	2 oz./ strip	30 strips/box	Width: 3/4" Depth: 1/8"	Steel 240 Seg/box	Special! $27.95
White	7026FEW	.25 oz.	Tape-On-Top Low Profile Premium Tape White Polycoat	2 oz./ strip	30 strips/box	Width: 3/4" Depth: 1/8"	Steel 240 Seg/box	Special! $27.95
Bracket Not Included	7026FER	.25 oz.	Bulk Roll Premium Tape Polycoat	Bulk Roll	1 strip/box	Width: 3/4" Depth: 1/8"	Steel 700 seg/box	Special! $44.95
	200576FE	.25 oz.	Low Profile Coated		52 strips/box	Width: 3/4" Depth: 1/8"	Lead 576 pcs	Special! $19.95
Plombco Style	WR31252CW	.25 oz.	Cold Weather Tape		52 strips/box	Width: 3/4" Depth: 1/8"	Lead 624 pcs	$57.94

Truck Tape-On Weights

	CL6	1 oz.	Standard Profile Quick Tab with Premium Tape	30 strips/box	width 3/4"	Lead 180 pcs	$50.00
	CL12	2 oz.	Standard Profile Quick Tab with Premium Tape	8 strips/box	width 1-1/4"	Lead 48 pcs.	$33.00
	300360	.50 oz.	Standard Profile Quick Tab with Premium Tape	30 strips/box	Width: 1"	Lead 360 pcs	$49.95
	300336FE	.50 oz.	Standard Profile Quick Tab with Premium Tape	28 strips/box	Width: 1"	Steel 366 pcs	*$29.95*

Tape-A-Weight Roll Dispenser

This easy to use Tape-A-Weight Roll dispenser holds two full rolls of weights and is designed for use with all BADA bulk Tape-A-Weight Rolls, including 5, 10, and 20 lb rolls. Plus it reduces waste, loads easily, and keeps your weights right at the balancer where you need them.

PN: 5310025

$149.95

Premium Bulk Tape Rolls

Poly Coated - Double Tab Tape!

7525FER20 - low profile roll of 1280 pcs, 1/4 oz 20 lbs. - **$81.95**

.25 oz Poly-Coated Speed Strip™

7550FER20 - 640 pcs, 1/2 oz 20 lbs. - **$89.95**

.5 oz Poly-Coated Speed Strip™

Wheel Cleaner

Stop Using Expensive Wheel Cleaning Solutions

A clean wheel is critical to good stick-on wheel weight adhesive.

- Water-Based
- Non-Petroleum
- Biodegradable
- Non-Toxic

Ascot No.	Description	Price
48675032	Wheel Cleaner 32 Oz. Spray Bottle	$10.95
48675017	Wheel Cleaner 1 Gallon Bottle	$15.95

A Note About Today's Wheels

For environmental reasons the car manufacturers recently started using water-based paint on wheels.

Unfortunately, those paints have an adverse effect on the adherence of wheel weights. The special formulation assures optimal adherence even on surfaces coated with water-based paint.

3358HD
486-33581

3358
486-33580

Scraper 71510
486-071510

486-71510 71510 Adhesive Wheel Weight Super Scraper Removes emblems, body side moldings and stick-on wheel weights. **$14.95**

486-33580 3358 KD/Bada Premium Weight Tool - Ideal for all weights, including coated. **$24.95**

486-33581 Heavy Duty version 3358HD **$28.95**

1/2” Drive Super Duty Air Impact Wrench

- 2” extended anvil
- Handle exhaust
- Free speed: 8000 RPM
- Maximum torque: 600 ft./lbs.
- Proven design and the most popular configuration in the tire service industry
- Powered by the durable and high performing twin hammer mechanism
- Net weight: 5.6 lbs.

$119.95

153-23120

Ascot No.	McGee No.	Description
153-23120	15323120	1/2” Drive Air Impact Wrench - 2” Extended Anvil

1/2” Drive Mini Air Impact Wrench

- 2” extended anvil
- Handle exhaust
- Under 4 lbs. • 500 ft./lbs. of torque
- Smallest and lightest 1/2” in the tire service industry
- Powered by the extremely durable jumbo hammer mechanism

$149.95

153-12646

Ascot No.	McGee No.	Description
153-12646	15312646	1/2” Drive Mini Air Impact Wrench - 2” Extended Anvil

1” Drive Mini Air Impact Wrench

- 6” Extended Anvil
- Free speed: 5000 RPM
- Maximum torque: 2000 ft/lbs
- Only 20 lbs – 50% less than the market leading 1” product
- Smallest and lightest 1” in the tire service industry
- Twin hammer clutch

$459.95

155-26464

Ascot No.	McGee No.	Description
155-26464	15526464	1” Drive Mini Air Impact Wrench - 6” Extended Anvil

1/2” Drive Composite Impact Wrench

- 2” extended anvil
- Handle exhaust
- 700 ft./lbs. of torque
- Free speed: 8000 RPM
- Composite body offering lighter weight and improved balance
- Powered by the durable and high performing twin hammer mechanism
- Handle exhaust
- Net weight: 4.9 lbs.

153-12131

Ascot No.	McGee No.	Description	Price
153-12131	15312131	1/2” Drive Composite Impact Wrench 2” Extended Anvil	$145.16

3/4” Drive Impact Wrench

- Short anvil
- 6-position power setting
- Deliver 1100 ft./lbs. of maximum torque with 5500 rpm free speed
- The most powerful 3/4” drive classic wrench
- Suitable for tire or engine work on truck, bus or farm machinery
- Comparable to the IR261

154-10261

Ascot No.	McGee No.	Description	Price
154-10261	15410261	3/4” Drive Short Shanked Impact Wrench	$429.95

6” EXTENDED ANVIL

1” Drive Super Duty Impact Wrench

155-17786

Heavy Duty & High Torque!

(15617786 – Spline dr version - $439.95)

$389.65!

1. DURABLE: Steel end plates offering durability and extended life
2. ADVANCED DESIGN: Proven motor and hammer technology; highly efficient air motor
3. WORKING TORQUE RANGE: 370-1475 ft./lbs.
4. 1 YEAR LIMITED WARRANTY on parts and workmanship
5. COMPARE to CP77826

McGee #	Sq. Drive	Std. Bolt Size	Net Weight (lbs.)	Average Air Cons (cfm)	Air Inlet (NPTF)	Min. Hose Size	Working Torque Range ft.-lbs.	Max Torque ft.-lbs.
15517786	1”	1-1/4”	25.55	10 CFM	1/2”	1/2”	370-1475	1920

Kilfrost

K16 Kilfrost Pneumatic Tool Anti-Freeze Lubricant, 16 Oz. bottle - 18184581 - $12.95

- Prevents the freezing of pneumatic equipment caused by the formation of ice in and around exhaust ports and valves. Kilfrost absorbs the water in the airline. Is a semi-synthetic lubricant which has none of the drawbacks associated with normal oils.

Marvel Air Tool Oil

085 Marvel Air Tool Oil 32 Oz - 18100085 - $7.43

- Prevents rust formation while providing positive lubrication for smooth starting and long tool life
- Assures maximum performance by dissolving gum and sludge that cut down tool speed and reduce power output

CP & IR AIR TOOLS

Chicago Pneumatic

Ask about quarterly promos!

1/2” CP7748 - Extreme torque & durability

FEATURES

- Most powerful 1/2” air wrench in its class
- Twin hammer grease clutch
- Ergonomic rubber handle
- Reinforced nose wings and back housing cap for longer durability
- Max Torque 1200 ft. lbs.
- 922 ft. lbs. Working Torque

CP77482 - $173.81

155-77826
1” Heavy Duty Air Impact Wrench

ASCOT NO.	McGEE NO.	PRICE
155-77826	CP77826	$479.95
155-17782	CP7782SP6	$574.67

A CP77826 with CP873K buffer available while supplies last!

1” Heavy Duty Air Impact Wrench

2140 ft.lbs 2900 Nm of maximum torque in reverse

- Pinless closed reinforced rocking dog impact mechanism
- Socket retainer ring combined with hole retainer
- Ergonomic side handle
- Full teasing trigger
- Regulator with integrated forward/reverse with 3-position power settings in both directions

Blaster 16ATC - Air Tool Conditioner

- *Restores & prolongs tool life - 16 oz.*
- *Provides a coating & lubrication for tools while in use*
- *Inhibits rust*
- *Increases RPM’s*
- *Use for normal maintenance*

$6.32 $6.97

16ATC *181-00404* 085 *181-00085*

Tool Covers

Protect air tools from dirt and abuse.

Ascot #	Order #	Fits Tool
177-23132	231P32	231 Style
177-26132	261P32	261 Series
177-28132	285P32	285 Series
175-26071	CA155537	C749 Series
175-39818	CA139818	797 Series

3/4” Maximum Power Impact Air Wrench

- 3/4” Maximum Power Impact Air Wrench
- 1350 ft./lbs. maximum reverse torque from a tool that weighs just 7.4 lbs. and is compact enough to access tight spaces
- Built to last and designed to withstand tough use in rugged environments
- An air motor that’s 16% more efficient than its predecessor and an easy-to-clean inlet screen means less down time, better tool performance, and less money spent on compressed air
- Torque Range: 200-900 ft./lbs.

Ascot No.	McGee No.	Description	Price
154-12145	2145QiMAX	Standard Anvil	$519.95
154-22145	2145QiMAX3	3” Extended Anvil	$569.95
154-32145	2145QiMax6	6” Extended Anvil	$599.95

153-02312
231XP2
$149.95

Ingersoll Rand

1/2” Super Duty Extended Anvil
Air Impact Wrench
This new model redefines the standards set by the classic IR231 model, with an enhanced Twin Hammer impact mechanism for more power and in-handle exhaust to direct air away from the operator and the work area.

Comes with Pink Breast Cancer awareness cover through November!

Splitfit

FEATURES
- FREE FLEX AIRPRENE
- 3MM SHOCK ABSORBING PALM PADDING
- CLARINO® FINGER AND PALM MATERIAL
- UNIQUE SPLIT PALM DESIGN
- TOUGH SPANDEX TOP MATERIAL
- HIDDEN SEAM DESIGN
- SNUG FIT DESIGN

Reg. $32.95.....NOW $24.95

14309 - Medium, 14310 - Large
14311 - XLarge, 14312 - XXLarge

1” Heavy Duty Air Impact Wrench

Perfect for the demanding world of truck tire and service work

155-02856

- Combines exceptional power, durability and operator convenience
- Delivers 1450 ft./lbs. of maximum torque, with a 5000 RPM free speed and four-position power regulator 360° swivel inlet
- Available in 6” extended anvil and 6” extended #5 spline drive anvil for high production truck tire changing

Ascot No.	McGee. No.	Description	Price
155-28560	IR285B	Standard Anvil	$499.95
155-02856	IR285B6	6” Extended Anvil	$479.95
156-28566	IR285BS6	#5 Spline Super Duty Anvil	$559.95

1/2" DR Deep Impact Sockets

Ascot #	McGee #	Description	Price
163-01018	1018MD	1/2" Drive x 18mm Deep	$7.90
163-01019	1019MD	1/2" Drive x 19mm Deep	$8.38
163-01021	1021MD	1/2" Drive x 21mm Deep	$8.50
163-01024	1024D	1/2" Drive x 3/4" Deep	$8.12
163-01026	1026D	1/2" Drive x 13/16" Deep	$8.12
163-01032	1032MD	1/2" Drive x 32mm Deep	$11.93
163-01034	1034D	1/2" Drive x 1-1/16" Deep	$10.65
163-01036	1036D	1/2" Drive x 1-1/8" Deep	$10.53
163-10143	1014MD	1/2" Drive x 14mm Deep	$5.43
163-10151	1015MD	1/2" Drive x 15mm Deep	$5.53
163-10161	1016D	1/2" Drive x 1/2" Deep	$4.75
163-10163	1016MD	1/2" Drive x 16mm Deep	$3.80
163-10171	1017MD	1/2" Drive x 17mm Deep	$7.75
163-10181	1018D	1/2" Drive x 9/16" Deep	$4.98
163-10201	1020D	1/2" Drive x 5/8" Deep	$5.30
163-10222	1022MD	1/2" Drive x 22mm Deep	$7.73
163-10271	1027MD	1/2" Drive x 27mm Deep	$8.98
163-10281	1028D	1/2" Drive x 7/8" Deep	$8.78
163-10300	1030D	1/2" Drive 15/16" Deep	$7.79
163-10401	1040D	1/2" Drive x 1--1/4" Deep	$13.00

1/2" DR Flip Socket Sale!

STD. "Flip" Socket
& Metric "Flip" Socket

Part No.	Description	Price
1291D	19mm-21mm	$10.80
1246D	3/4"-13/16" deep	$9.23
1246DT	Extra thin 1246D	$9.00
2349D	7/8"-15/16" thin deep	$9.57



Double-end reversible impact socket. Fits passenger and light truck wheel nuts.

1/2" DR Extra Thin Wall Impact Sockets

Ascot #	McGee #	Description	Price
163-10172	1017MDT	1/2" Drive x 17mm Extra Thin Wall	$8.55
163-10191	1019MDT	1/2" Drive x 19mm Extra Thin Wall	$9.45
163-10211	1021MDT	1/2" Drive x 21mm Extra Thin Wall	$8.85
163-10223	1022MDT	1/2" Drive x 22mm Extra Thin Wall	$11.48
163-10230	1023MDT	1/2" Drive x 23mm Extra Thin Wall	$15.95
163-10241	1024DT	1/2" Drive x 3/4" Extra Thin Wall	$8.08
163-10261	1026DT	1/2" Drive x 13/16" Extra Thin Wall	$8.95
163-10282	1028DT	1/2" Drive x 7/8" Extra Thin Wall	$11.25

3/4" DR Impact Sockets and #5 Spline DR Impact Sockets

Ascot #	McGee #	Description	Price
164-02026	2026S	3/4" Drive x 13/16" Square	$17.13
164-02323	2323C	3/4" Drive 1-1/2" Hex x 13/16 Square	$34.38
164-20402	2040DT	3/4" Drive x 1-1/4" Deep Thin Wall	$22.98
164-20481	2048D	3/4" Drive x 1-1/2" Deep	$22.48
166-04026	4026S	#5 Spline x 13/16" Square	$51.43
166-04048	4048D	#5 Spline x 1-1/2" Deep w/Inside Lip	$66.58

1" DR Square Impact Sockets

Ascot #	McGee #	Description	Price
165-03021	3021MS	1" Drive x 21mm Square	$25.60
165-03026	3026S	1" Drive x 13/16" Square	$19.60
165-03030	3030S	1" Drive x 15/16" Square	$22.45

1" DR Combination Impact Sockets

Ascot #	McGee #	Description	Price
165-03323	3323C	1" Drive 1-1/2" Hex x 13/16" Square	$38.63
165-03321	3321MC	1" Drive 41mm x 21mm Square	$49.83

1" DR 1-1/2" Budd Wheel Impact Socket

Ascot #	McGee #	Description	Price
165-30481	3048D	1" Drive x 1-1/2" Deep w/Inside Lip	$33.63
165-30482	3048DR	1" Drive x 1-1/2" Deep - Standard	$34.73

1" DR Metric Impact Sockets

Ascot #	McGee #	Description	Price
165-03033	3033MD	1" Drive x 33mm Deep	$34.02
165-03041	3041MD	1" Drive x 41mm Deep	$37.15

1" DR SAE Impact Sockets

Ascot #	McGee #	Description	Price
165-03034	3034DT	1" Drive x 1-1/16" Thin Wall Deep	$29.90
165-03042	3042D	1" Drive x 1-5/16" Deep	$33.00
165-03044	3044D	1" Drive x 1-3/8" Deep	$28.25
165-03052	3052D	1" Drive. x 1-5/8" Deep	$33.25
165-03054	3054D	1" Drive x 1-11/16" Deep	$24.05
165-03056	3056D	3/4" Drive x 1-3/4" Deep	$35.48
165-03060	3060D	1" Drive x 1-7/8" Deep	$57.65
165-30281	3028D	1" Drive x 7/8" Deep	$25.14
165-30301	3030D	1" Drive x 15/16" Deep	$26.15
165-30302	3030MD	3/4" Drive x 30mm Deep	$34.03
165-30321	3032D	1" Drive x 1" Deep	$37.78
165-30361	3036D	1" Drive x 1-1/8" Deep	$25.48
165-30362	3036DT	1" Drive x 1-1/8" Deep Thin Wall	$30.10
165-30380	3038D	1" Drive x 1-3/16" Deep	$31.15
165-30381	3038MD	1" Drive x 38mm Deep	$33.75
165-30401	3040D	1" Drive x 1-1/4" Deep	$32.88
165-30402	3040DT	1" Drive x 1-1/4" Deep Thin Wall	$32.95
165-30410	3041MDT	1" Drive x 41mm Deep Thin Wall	$44.40

Impact Extensions & Adapters

Ascot #	McGee #	Description	Price
169-01005	1005E	1/2" Drive x 5" Extension	$10.83
169-01020	1020A	1/2" Drive Female x 3/4" Male Adapt.	$10.25
169-02006	2006E	3/4" Drive x 6" Extension	$24.75
169-02010	2010ASC	3/4" Drive Female x 1/2" Male Adapt.	$16.60
169-03006	3006E	1" Drive x 6" Extension	$40.18
169-03013	03013	1" Drive x 13" Extension	$53.87
169-03020	3020A	1" Drive Female x 3/4" Male Adapt.	$25.65
169-04010	5008A	#5 Spline Female x 3/4" Male Adapt.	$68.90
169-04020	4020A	#5 Spline Female x 1" Male Adapt.	$48.73

BALANCING SOLUTIONS

EQUAL Tire Balancing



EQUAL is always balancing and always dampening, resulting in extended tire life for fleets. By using EQUAL in all wheel positions, it not only balances the entire tire and wheel assembly but also deflects load forces that cause irregular wear for all tires. EQUAL's drop-in-bag makes it easy to reduce balancing related down-time for fleet maintenance savings but also makes balancing drive and trailer tires practical. Extended tire life in the drive and trail positions provides an optimal return on investment.

EQUAL More tire less fuel

As a tire's tread wears down, its fuel efficiency improves by decreasing rolling resistance. In fact, the last 20 percent of a tire's tread uses 6.5 percent less fuel than new tread. The most effective way to lower fuel costs is by balancing your fleet's tires — because balanced tires wear evenly and last longer. A balanced tire is also far less prone to vibration. Less vibration means longer tire life, less wear-and-tear on the truck and improved driver comfort. Balanced tires need to be replaced less often, saving money and keeping your drivers on the road longer.

How it does what it does

EQUAL is a patented dry, granular polymer that balances tires from the inside. Simply drop a bag of EQUAL in a tire and it goes to work immediately. With each tire rotation, EQUAL balances the tire and dampens vibration. It self-adjusts based on wear, road conditions and load weight -- and requires zero upkeep. Research shows that fleets using EQUAL in their tires achieve tire and fuel savings of $3,000 to $7,000 per truck – each year.

Equal Balancing Compound

Balance Truck Tires from the Inside Out!

EQUAL Tire Balancing Formula is Fast and Easy

- Balance Steer, Drive & Trailer Tires – Steel or Aluminum Rims
- Continuous Balance – Every Tire, Every Wheel Position, Every Time!
- No More Vibration & Uneven Treadwear

Fast installation with "Drop-In" bag



Take an unmounted tire, drop in the new EQUAL bag and mount the tire. The bag breaks apart inside the tire for a clean applictaion. Use the Portable Applicator for on-the-vehicle installation.

Packaged and sold in a case of 40, including 40 filter cores per case

Order No.	For Tire Size	Use Package Size
EQCS40AD	1200 R22.5	A
EQCS40BD	10.00 R20 - 275/80 R24.5	B
EQCS40CD	900 R20 - 245/75 R22.5	C
EQCS40DD	800 R19.5 - 245/70 R19	D
EQCS40ED	800 R17.5 - 245/75 R17.5	E
EQCS40FD	215/85 R16 - 9.50 - R16.5	F

The Application Chart gives specific usage.



It's common knowledge that a balanced part runs more smoothly, which is why almost every rotating piece on a truck comes balanced from the factory. The one exception: Tires. At 66 mph, just one out of balance drive tire can cause 563 vibrations per minute. As the largest rotating mass on the truck, at 200 lbs per wheel assembly, doesn't it make sense to balance all of your tires as well? With EQUAL it does.

Balance the Whole Truck Wheel Assembly

Counteract

Product	Description - Case Quantity Discounts
45100013	APPLICATOR PUMP FOR COUNTERACT
TIB4	TOSS-IN BAG 4 OZ CS/92
TIB6	TOSS-IN BAG 6 OZ CS/64
TIB8	TOSS-IN BAG 8 OZ BAL BEADS 52/CS
TIB10	TOSS IN BAG 10 OZ 40/CS
TIB12	TOSS IN BAG 12 OZ 36/CS

How it Works:



The balancing beads will be distributed around the tire as it begins to roll through centrifugal force. As the centrifugal force of the balance (heavy spot) increases and pulls up and down on the suspension, the beads will start to move in the opposite direction of the downward and upward through inertia. The beads continue to travel until the complete wheel assembly is balanced.

TIB10
10 oz. drop in bag
As low as $10.29!

Counteract Balancing Beads

- Automatic, readjusting, lifetime balance of the tire
- Increased fuel efficiency
- No more uneven treadwear or vibrations

The Counteract bag in bag application makes it easy to install, simply throw the inner bag into the tire when the tire is broken down. The product can also be easily injected into the tire through the valve stem. It is recommended that all wheel assemblies on the vehicle be balanced, decreasing the rolling resistance and resulting in increased tire tread life and improved fuel economy. Fuel savings of 5 – 12% annually have been reported by fleets of Commercial Over-the Road trucks and pickup trucks alike.

Counteract is the only balancing product on the market proven to improve fuel economy in two separate S.A.E and TMC type II tests.

Counteract comes in an outside white plastic package, simply tear open the bag and inside there is a pouch of Counteract in a special thin mil plastic. Simply throw that inner bag inside the tire, once the tire reaches 40 mph the bag will break open and the Counteract will be distributed throughout the tire.

If it rotates it should be balanced.

BLUE COBRA
Truck Tire Demount Tool

35440KT

$305.93

INTRODUCING AN AFFORDABLE ALTERNATIVE!

Tougher build • Better price

Fast and easy, the Blue Cobra truck tire demounting tool is strong but economical the new "golden" standard for tire changing!

- Quickly demount nearly any 20", 22.5" and 24.5" tube-type and tubeless truck tire, up to a 13" wide wheel
- Solid steel Cobra head is press-fit into the steel handle — no fasteners to loosen or fall out
- Allows demounting of the tire without lifting the entire wheel and tire off the ground — helps to reduce back injuries.

OSHA Poster Kit

Demounting and mounting procedures for tube-type truck and bus tires; demounting and mounting procedures for tubeless truck and bus tires and multi-piece rim matching chart.

Part No.	Description	Price
OSHA24	OSHA Tire Mount Book 24 pgs	$6.95
OSHA3400	Tire Mount 3 Poster Set	$6.95

Duck-Billed Bead Breaking Wedges – Fiberglass Handled

Ascot No.	McGee No.	Handle No.	Length	Weight	Price
424-35429	TG11E	TG11EH	32"	9.1 Lbs.	$104.92

Fiberglass Replacement Handles for Duck-Billed Bead Breaking Wedges

Handles are constructed with a solid core which has thousands of fiberglass strands and a unique resin making them super strong all-weather, chemical and insect-resistant.

- Ergonomic non-slip grips for slippery conditions.
- Replacement Adapters available.

429-35227

McGee No.	Description	Price
TG11DH	19" Fiberglass Hammer Handle	$35.31
TG11EH	33" Fiberglass Hammer Handle	$47.83

Tire Cages

479-36006

479-36001

CALL FOR DETAILS ON TIRE CAGES

1-800-525-8888

Golden Tool Tubeless Truck Tire Mount/Demount Tool

Made in the USA

- Demounts/mounts 17.5" to 24.5" tires
- Use on all tubeless truck tires including super single/duplex tires, radial and bias
- Eliminates the need to lift tire and rim to remove the bottom bead, preventing possible strain or even serious injury

TNT200 for Super Singles

Ascot No.	McGee No.	Description	Price
448-00100	TNT100	Complete Tool	$574.99

Economy Tire Mount/Demount Tool Set

- Mount tool assembly for 22.5 and 24.5 tires/wheels
- Demount assembly for 22.5 and 24.5 tires/wheels
- Nylon rollers protect the bead
- Heavy duty steel construction ensures long life
- Weight: 32 lbs. (14.5 kg)
- *Sold as a complete set*



448-12320

Ascot No.	McGee No.	Description	Price
448-12320	44812320	Complete Tool	$299.00

Impact Bead Breaker

- Loosens the most stubborn beads with floating bead breaking foot and ram bar
- Forces wedge foot between head and rim flange
- Delivers blow directly to the tip
- Designed for shop or road use

Ascot No.	McGee No.	Description	Length	Length Ext	Weight Lb.	Price
427-35924	T24B	Economy	46"	72"	13.5 Lbs.	$146.38
427-35926	T26B	Heavy Duty	50"	80"	23 Lbs.	$185.50

Ken-Tool WHEREVER TIRES ARE CHANGED™

Tubeless Tire Iron Sets

402-46001

402-45003

- Sets provide all irons necessary for a variety of tire changing applications
- Use C bar with the B extension bar for easier use on large, wide-base truck tires
- Use on standard and large truck tires, including industrial, farm, buses and tractors

Ascot No.	McGee No.	Description	Length	Stock	Weight	Price
		STANDARD				
402-46001	T46A	Med. Duty Mount/ Demount Iron	36"	3/4"	4.5 Lbs.	$55.62
402-45003	T45A	Truck Tubeless Tire Iron	37"	3/4"	4.5 Lbs.	$57.74

COATS SWING ARM CHARGERS

Good!

60X_H1

- Swing Arm Design
- Air or 110v Electric Motor
- Built-in Water Separator (Air)
- 6”-24” External Clamping Range
- Metal Clamps
- Hand Actuated Bead Loosener
- Single Point Sealer
- Extended Warranty
- Patented Robo-Arm®
- Metal and Plastic Duckhead

Factory Rebate
60XE - $500.00 ~ 60XA - $600.00

STEP UP

Best!

70X_3

- Swing Arm Design
- Air or 110v Electric Motor
- Built-in Water Separator (Air)
- 6”-24” External Clamping Range
- Single Point Sealer
- Extended Warranty
- Patented Robo-Arm
- Grip Max® Plus Clamps
- Hand or Foot Actuated Bead Loosener
- Hybrid & Plastic Duckhead®
- MBD Duckhead Roller Combo
- Storage Cabinet

STEP UP

For High End Wheels!

90X_HL

- Swing Arm Design
- Air or 2 Speed 110v Electric Motor
- Built-in Water Separator (Air)
- Hand Actuated Bead Loosener
- Single Point Sealer
- Extended Warranty
- Patented Robo-Arm®
- RoboRoller® (Right Side)
- Storage Cabinet
- Hybrid Leverless Duckhead®
- 6”-28” Ext. Clamping Range
- Grip Max® Plus Clamps & Extended

Factory Rebate up to $600.00 ~ Valid until 12/31/16 ~ Call for details! 800-525-8888

New COATS Tiltback Tire Changers!

An innovative tiltback design, built with the legendary reliability and durability of the Coats brand that you have come to rely on.

These rigidly built machines are capable of servicing tires from 6 to 24 inches in diameter. Built-in features increase the convenience of having all the power you need in one useful machine.

Reliable. Durable. Up for the task. Coats’ version of the tiltback tire changer.

(GTS70 pictured)

Powered Roller Disk
(GTS-70 & GTS-60)
Multiple uses include: Bead loosening, TPMS access, bottom bead removal and top bead mounting. This utility assist tool makes changing even the most difficult assemblies fast and easy.

Robo-Assist
Provides direct pressure on the tire sidewall to create a bead lock and keep the bead in the drop center during the tire mounting process.

Coats Duckhead® Mount/Demount Tool
All models in the GTS Series come with the metal duckhead. The GTS-70 model also comes with the plastic duckhead.

RPG™

3.5-Ton Service Jack

- Advanced design: Safety bypass system for cylinder protection
- Easy Transportation: Industrial grade casters for easier movement
- Heavy Duty: Reinforced and heavy duty lift arm axle
- Ease of Use: Double pump piston to decrease required strokes needed to reach chassis
- Convenient: Quick-lift pedal design makes it easy to reach the lifting point under your car
- Universal joint mechanism
- Sturdy, one-piece handle
- Foam handle cover for vehicle protection
- Protective saddle pad to prevent damage to vehicle

Capacity	Min. Height	Max. Height	Handle Length	Overall Length	Saddle Diam.	Ship Weight
3.5 Ton	3.75”	21.75”	50.5”	31.125”	4.75”	107 Lbs

30262035
$319.95

Replacement Power Unit

- Before you replace your jack, consider installing a new power unit
- Quick snap out for 30262035

30262357.... **$98.68**

2-Ton Service Jack

- True “low-profile” design with deep reach and minimum height for low clearance vehicles
- Universal joint mechanism
- Foam handle for vehicle protection
- Industrial grade casters for easy transport
- Safety bypass system for cylinder protection
- 24” max height for increased work space

30262021 **$276.99**

3-Ton Jack Stands

- Ratchet height adjustment built within column
- Multi-level ductile iron ratchet bar adds strength and durability
- Sold in pairs of two

30263030 **$33.55**

22-Ton Jack Stands

- Sturdy, welded steel construction for exceptional safety and strength
- Heavy gauge steel helps prevent distortion or twisting
- Multi-position column bar for convenient height adjustment
- Sold in pairs of two

30263220 **$174.50**

Air/Hydraulic Truck Service Jack

- Designed for tire and wheel service on trucks, tractors and OTR vehicles. Includes return springs.
- One piece handle which includes extension set!

AFF 22-Ton 565E **$569.95**
Norco 22-Ton 72200D **$599.95**



RPG 22-Ton

- Welded cylinder and reservoir for added strength and durability
- Chrome-plated rams to resist rust and wear
- Built-in bypass device to protect hydraulic system from pumping damage
- Steel wheel hub with metal bearings
- Adapters: .75”, 2.25”, 4” for extended reach
- Self-returning spring for ease of operation
- Built-in muffler to promote quiet operation
- Built-in in-line air filter for extended motor life

30262220..... **$499.95**

20 Ton Capacity Air/Hydraulic Super Duty Bottle Jack

- AFF’s most innovative and robust air/hydraulic bottle jack to date
- Redesigned air motor
- Super thick base to increase stability on every surface
- High-strength Steel Ram and cylinder with long ram guide for greater safety in off-center load conditions
- Welded Tank (threaded and screwed to the base) endures the rigors of the in-service conditions and reduces risk of tilting out of the oil reservoir
  - Low: 10.375
  - High: 20.625
  - Lift: 6.375
  - Base: 5.75 x 9
  - Ship weight: 45 lbs.

5620SD **$285.00**

Bottle Jacks

- Extension screw on some models
- Rust protection covering
- Uniweld construction
- 50% overload factor
- Fewer moving parts

ZN12 12-Ton..... **$99.99**
ZNB22 22-Ton **$149.99**

Truck Wheel Dolly

- Perfect for 8-10 hole Budd type wheels
- Tire/wheel is rotated left or right on tiltable roller pads for perfect stud alignment
- Removes truck wheels and tires fast and easy
- Reduces manpower needs, increasing productivity
- Saves time and money—maintenance free
- Heavy duty tubular construction lifts 280 lbs.
- 3” caster wheels roll the truck wheels for effortless removal or replacement

Ascot No.	McGee No.	Description	Price
407-70130	AFF3591	Truck	**$99.95**

TIRE CHANGER ACCESSORIES

Tire Changer Duckhead Specials!

Plastic Duckhead Kit
Part # 183061
444-01220
Special $26.85

Grey Plastic High Spoke Mount/Demount Duckhead® Tool
$34.95
For Coats 50X and 70X machines
Part #184432

Head, Mount/Demount, Polymer - Red
Hunter TC3250/3500
(1 ea.) Part #2216752

$18.95 ea.

Drop Center Tool
Part # 435685
444-35658
Special $39.95

A Must for "V" & "Z" Rated Tires

Stainless Steel Duckhead
For Coats 50X and 70X
Part # 182788

$99.00

Hunter TC500 Series
(1 ea.)
Part #RP118314813

$33.00 ea.

Coats Replacement Tire Changer Air Hose

Coats Replacement Tire Changer Air Hose with Euro Chuck
Part # W44RJ5

$13.91

5500 Low Profile Bead Lever Tool

Now $49.95

Designed by technicians to assist with hard to change low profile tires.

The easy grip ergonomically designed handle allows the user needed leverage for the toughest of sidewalls while remaining a safe distance from the face of the wheel.

Plastic Handled Brass Sidewall Brush

- Densely packed brass bristles
- Great for cleaning white sidewall tires

Ascot No.	McGee No.	Description	Price
395-13124	99593	8" Plastic Handled Brass Sidewall Brush	$4.57

Wooden Handled Wire Brush with Metal Scraper

Ascot No.	McGee No.	Description	Price
535-00150	25150	14" Wooden Handled Wire Brush with Metal Scraper	$4.95

8560716108 replacement black grip for new style Grip Max
Plus **$39.97**
(8 each)

Rema Euro Paste
$12.95

8500059408 replacement white grip for old style Grip Max
$39.86
(8 each)

Plastic Inserts for 182788 Metal Mount/Demount Head (Pkg of 2)
Model 182961
444-82788
$6.53

Plastic Inserts for 182788 Metal Mount/ Demount Head (Pkg. of 12)
Model 182963
444-82963
$23.04

Mount - Demount Tools

Part # 85609418
444-00768
Special $112.49

For All Center- Post Tire Changers

Part # 181354
444-81354
Special $34.95

For All Rim ClampTire Changers

Tire Changer Lube Bottles And Swabs

844-16572

844-16259

Ascot No.	McGee No.	Description	Price
844-16572	106572	Lube Bottle. Center-Post. Fits 4040, 4040SA and 4050	$9.95
844-16259	106259	Lube Bottle. Rim Clamp®. Fits RC-15, RC-20, 5060, 5070, 50X and 70X Tire Changers	$8.95
000491	437-00491	Lube Swab - 11 inch	$1.49
TS3	437-00003	Lube Swab - 18 inch	$3.71

Coats® Rim Clamp® Wheel Protection Accessories

$35.26/pkg
444-83604 (Package of 10)
183604 Quilted Clamp Sock

444-83606 (Package of 2)
183606 BL Shoe Sock

$28.66/pkg

- Decrease the chance of damaging expensive alloy wheels by putting a "sock" over three Rim Clamp action points and eliminate metal to metal contact.
- Put your profits into the bank, not into replacing alloy wheels.
- The above socks fit all COATS Rim Clamp models.

Part # 108397
444-08397
Mount End
Special $1.76 ea.

Part # 108398
444-08398

Demount End
Special $1.76 ea.

In Stock -- Call for best price!

Truck Cone Kit $293.60

#113276 482-11559 • #113277 482-12385

Allows balancing truck wheels with center holes from $4^{13}/_{16}$" to $6^{7}/_{8}$". Used on rims with an alignment pin on the back. Double-sided cone fits all Coats balancers with 1.125" shafts. 40mm. 113277 or 113276 - 28 mm

$28.95

Model #61123 Balancer Calipers
482-89011
Works on any passenger balancer. Equal to Coats 61123 or 309011

$163.77

Part #85009998 08 40mm I.D. - Shaft, Hubnuts, & Press Drum

Nut-Slide, 2 Jaw, 40mm w/drum, for use on 700-1250 models with 40mm shaft 28mm 5009998

$89.95

Model #112103
Part #8112103 08 40mm I.D. - Shaft, Hubnuts, & Press Drum

Hub Nut, Handle, Solid, 45mm for standard thread pitch (not for XR-Series) 28mm - 110543

$238.00

8500920401	Balancer Shaft	40mm Balancer Shaft for 850, 950, 1050, 1055, 1250, XR, & 1150 Models
85009009	Balancer Shaft	40mm Balancer Shaft for Models 775, 875, 1175 & 6275. 4.23mm Pitch

Coats® Adjustable Pin Plates

Coats Adjustable Pin Plates offer one reliable system when balancing wheels. The pin plates are always ready for use, as they combine 15 plates into one convenient solution. These plates allow the technician the precision to achieve the ideal performance balance.

- Most consistent method for providing accurate mountings for a wide variety of tire and wheel assemblies.
- Adjustable design provides fast and easy clamping of tire and wheel assemblies.
- Lug clamping and centering of tire and wheel assembly prevents damage to alloy wheels.
- Can be used on any 40mm wheel balancer.



Pictured - PN 85610104
3,4,5 Lug Adjustable Pin Plate Set **$1595.00**

Description	Part Number
3,4,5 Lug Adjustable Pin Plate Set	85610104
5 Lug Adjustable Pin Plate	85609688
4 Lug Adjustable Pin Plate	85609689
3 Lug Adjustable Pin Plate	85609690

Tire Bead Lubricant

TL1

- Dries fast
- Prevents rim slippage
- Prevents rust

A liquid bead lubricant for easier mounting of tires.
435-07001 (TL1)
5 gallon version MPL5 **$11.95**

432-00750 #75 - Mounting Paste 7.7 lb.
432-01750 #75N - Low Profile Pail

Eases mounting of stiff, low-profile tires. Aids in faster bead sealing during inflation. Preferred when servicing tires on ABS-equipped or HP vehicles. Prevents vibration complaints as a result of tire moving on wheel after balancing.

437-43006 #73 - Brush, Angled Applicator
Allows for proper application of mounting paste. **$10.59**

Slide Cover for Bead Lifting Tool

Protects custom rims.

85000783

85000783 - Slide Cover for Top of Bead Coats Lifting Tool - 10 pk **$31.25**

RP640032 - 4 pk for Hunter tire machines Lever sleeve protector **$34.24**

107985 Air Gauge for most Coats tire changers including 70X **$39.95**

107985

Coats Leverless DuckHead®

Coats Leverless DuckHead® hook and tail booties provide the proper rim protection for all leverless DuckHead® systems.
89233409 6 hooks, 2 tails **$88.57**

Pictured: PN 89233409

High Grip Jaw Protectors

Polymer jaw covers prevent metal-to-metal contact when performing external clamping. - TC500 Series Machine
RP11811100358 - 8 ea. - **$78.93**

COATS DIRECT DRIVE WHEEL BALANCERS

Engineered for Speed and Accuracy...Built to last - Coats® Balancers

Coats® 1100 Series Wheel Balancers feature four key balancing technologies that together work to provide a fast and accurate balance, the first time, every time...for years to come.

Coats 1100 Series

All Coats 1100 Series Balancers come fully equipped with the following:

DIRECT BALANCING MODE SELECTION
Choose weight locations quickly, with the touch of a button.

MULTIPLE BALANCING MODES
Dynamic with simultaneous static, four standard alloy options and truck mode.

AUTO START HOOD
Blazing fast balancing cycle begins when you lower the hood.

REDESIGNED USER INTERFACE
Optimized for speed and simplicity.

DUAL OPERATOR MODE
The 1100 Series saves the vehicle data for two operators, maximizing shop work flow.

MATCH BALANCE
Determines the optimal position of the tire on the rim to minimize corrective weight.

Factory Rebate 1150 Models
$400.00 Valid to 12/31/16

- Automatic distance and diameter data entry maximizes the speed and accuracy of data entry.
- Direct Tape-A-Weight® measurement takes the guess work out of adhesive weight balancing for more one-spin balances.
- Behind the Spoke weight placement hides adhesive weights out of sight for a clean look on alloy wheels.

STATIC-ON-SCREEN®

Static-on-Screen is an exclusive Coats feature that simultaneously displays both static and dynamic unbalance data. This provides a final quality check to identify any excess residual static unbalance, a leading cause of vibration complaints.

Basic adapters package included with 1150 models

New Balancer Series!

$500 Factory Rebate

until 12/31/16
Call today for details
1-800-525-8888

- Extended 3 year warranty

1400	STEP UP	1500	STEP UP	1600
• Direct Drive Motor • Laser Guided Tape-A-Weight Operation • Automatic Data Entry (Distance/ Diameter) • Side Shadow Board with Basic Pro Kit • Auto Start Hood • Static-On-Screen • New Display Mounting Bracket		• Direct Drive Motor • Laser Guided Tape-A-Weight • Side Shadow Board with Basic Pro Kit • Auto Start Hood • Static-On-Screen • New Display Mounting Bracket • Automatic Data Entry (Distance/ Diameter/Width) • 12 o'clock Inboard Laser • Stop, Lock & Index		• Direct Drive Motor • Laser Guided Tape-A-Weight • Automatic Data Entry (Distance/ Diameter/Width) • Side Shadow Board with Basic Pro Kit • Auto Start Hood • New Display Mounting Bracket • 12 o'clock Inboard Laser • Stop, Lock & Index • ProBalance Technology™ • Touchscreen

SPOA10TRIO™ Two-Post Lift Series

10,000 LBS. CAPACITY LIFTS

INNOVATING...NOT IMITATING!

The world's best selling asymmetrical lift is updated to service a roader range of vehicles – with one innovative arm design! True Asymmetrical Lifts are rotated 30° allowing maximum door opening for improved access to vehicle interior.

Model shown:
SPOA10N8G5BL
Shown with optional accessories and additional equipment

RLP77 Double Scissor lift

NEW

- 7,700 lbs capacity drive over pad service lift
- Low profile double scissor designed with the industry's most innovative equalization and locking systems.
- 78" rise height
- Hinged ramps drop down to a 65 degree angle for easy access to wheel service
- Flush mount kit available! XX100003BK

New Trio™ Arm Sweep vs Conventional 2-Stage Arms

GREATER REACH AND ENHANCED RETRACTION
Shown with three-position FA adapters



NEW TRIO™ ARMS with FLIP-UP ADAPTERS



CONVENTIONAL 2-STAGE ARMS with FLIP-UP ADAPTERS

Rotary DESIGN ADVANTAGE

Two-Post TRIO™ PRODUCTIVITY & PERFORMANCE

1. Patented, two-piece, three-stage arm design
2. Available with shockwave-DC power provides 2X faster speed
3. Adapters are interchangeable on one arm
4. Third-party ETL gold certified

McGee's Equipment Specialists

Greg Walter

Gary Watts

Versatile Trio™ Arm Adapters Are Interchangeable with Three Options

Technicians can choose the best optional adapter set for their lifting needs!

Three-Position Flip-Up Adapters (FA)

Lift Model #SPOA10-FA-TRIO

Perfect adapter for quick positioning on a variety of pick-up points.

KIT #T100274
Includes four (4) adapters

Multiple auxiliary adapters are available.

Round Adapters (RA)

Lift Model #SPOA10-RA-TRIO

#FJ6219 (1)
T100272 (4)

Set of four polymer pad round adapters. Adapters thread-up to allow protection of the vehicle underbody components or undercoating for no metal to metal contact. Also available for use with stackable inserts.

SET OF 4 KIT #T100272

Truck Adapters (TA)

Lift Model #SPOA10-TA-TRIO

#T110664

For 10,000 lbs. (4536kg) capacity lifts -- includes four (4 adapters).

Auxiliary adjustable thread-up adapter with rubber pads allow for protection of underbody vehicle components or undercoating. Required use when lifting trucks and other frame vehicles. For 10,000 lbs. (4536kg) capacity lifts

SET OF 4 KIT #T100273 TA
Adapter does not include T100271

#T100271 (8)

More on Rotary and the Trio video:

USED EQUIPMENT

Product	Desc1	Desc2	Qty OH	Whse	List Price
UE2447	04 NEW RJ7000 ROLLING	JACK FOR ROTARY 4 POST	1	SLC	$2,480.00
UE2394	AF10 JohnDow Eurovent	Fan 1.5 HP 220V	1	SLC	$995.00
UE2392	25241 Heavy-Duty	Duty Truck Turnplates	2	SLC	$900.00
UE2389	14 NEW 2019101 Wheel Bal	Preferred Ada Kit Hunter	1	SLC	$1,000.00
UE2358	RTI RH980 A/C HANDLING	SYSTEM R134A	1	SLC	$1,900.00
UE2234	4H USED IR285BS6	1" Air Tool IR	1	SLC	$300.00
UE2195	14 USED REMA TIRE REP	STATION	1	SLC	$2,500.00
UE2465	06 New DB-24MD & 20-24W	Allign Stand W/ Rollers	1	DEN	$2,120.59
UE2461	08 3454P Genisis	Diagnostic V	1	Denver	$400.00
UE2460	I0 QRS75HPD1 Compressor	230V 7.5HP 1PH 60GAL	1	DEN	$2,405.00
UE2457	08 New DHW20 Dryer 20CFM	115V 1PH 1/2" W/ Filter	1	DEN	$1,399.00
UE2452	08 New 131584A 5HP & 7HP	AIR Cooled Cooler 29CFM	1	DEN	$743.67
UE2450	08 NEW T110555 ROTARY	SHOCKWAVE INGROUND	2	DEN	$4,500.00
UE2448	08 RJ9000-1 NEW	ROLLING JACK 9K SM181	2	DEN	$2,774.00
UE2433	I5 Used QT7.5 Quincy	Compressor 7.5HP 30GAL	1	DEN	$1,900.00
UE2432	120 Used QT7.5 Pump Two	Stage Quincy	1	DEN	$500.00
UE2424	05 LC550 USED	HOSE REEL W/50FT 1/2	1	DEN	$250.00
UE2423	08 1048DL TPMS FORD BAND	BANDED SENSOR LOW PRESS	4	DEN	$20.00
UE2422	06 MTD72 Roll Around	Tire Display 16 Tire	1	DEN	$275.00
UE2419	08 K5 Stud Stand	Minor Cosmetic Damage	1	DEN	$400.00
UE2415	4B 256215 GRACO LDM5	ELECTRONIC METER, RIGID	1	DEN	$275.00
UE2414	08 CP7600xB BLUE TORQUE	LOANER ONLY NOT FOR SALE	1	DEN	$1,000.00
UE2412	I5 Used QT7.5 Pump Two	Stage Splash Lubed	1	DEN	$625.00
UE2409	6 EZ1 TIRE CART W/ FOOT	PEDAL	2	DEN	$300.00
UE2404	08 New 20-2322-1 Front M	Cone storage kit Hunter	1	DEN	$200.00
UE2403	09 5.1 John Bean	Balancer 115 Volts 6 Amp	1	DEN	$1,795.00
UE2402	03 EM3311T Baldor Motor	213T 7.5HP 208V 230V	1	DEN	$611.08
UE2401	Paletek	Compressor 460V 20HP 3PH	1	DEN	$6,500.00
UE2391	2023871 Low Taper Cone	Flange Plate Mount 40MM	1	DEN	$1,295.00
UE2387	2016681 Hunter Level 4	Adapter Set	1	DEN	$1,400.00
UE2379	09 577102 BENCH	GRINDER	1	DEN	$249.95
UE2368	08 USED 17700 2K R-12	Recycling and Recharging	1	DEN	$1,595.00
UE2366	Used KT3000 Antifreeze/	Coolant Recycler	1	DEN	$500.00
UE2345	08 Used XR1800 Coats	Wheel BAL 115V 1PH	1	DEN	$4,000.00
UE2333	07 Used ATX2 RTI Trans.	Fluid Exchanger W/ Boost	1	DEN	$1,000.00
UE2327	05 USED NORCO 20 TON AIR	HYD. BOTTLE JACK 76720A	1	DEN	$220.00
UE2316	I0*USED CORK 290K3FBA QF	R20953UEC	1	DEN	$1,595.01
UE2265	I3 USED IR553 Compressor	230V 5HP 1PH 60GAL	2	DEN	$649.40
UE2183	I0 Used QT-10 Pump Two	Stage Splash Lube	1	DEN	$1,200.00
UE2176	08 USED 7900 AMMCO TWIN	CUTTER TOOL	1	DEN	$300.00
UE2161	08 USED IR261 IMPACT	WRENCH 3/4" 1100 FT/LBS	1	DEN	$250.00
UE2093	08 USED 20- 22.5 X 7 1/2	EXPANDO HUB	1	DEN	$595.00
UE2063	08 COATS 112898 8 LUG	STUD PLATE 8 X 170MM	1	DEN	$99.00
UE2062	08 COATS 8113383 BAL	ADA STUD PLATE 8 X 170MM	1	DEN	$199.00
UE1675	I1*USED 143780-06 QUINCY	OVERLOAD RELAY 460V	1	DEN	$285.39
UE2453	T0 5310025 BADA W/W	STANDS 7500 SERIES ROLLS	3	DAL	$100.00
UE2451	T0 New NTF15H RTI Nitro	Tire Filling System	1	DAL	$1,895.00
UE2426	S3 C212 CEMB TRK	BAL. #0807064805794	1	DAL	$4,995.00
UE2413	T0 USED 47501 PRESET	TORQUE WRENCH 475#	1	DAL	$407.05
UE2380	Used T0 1" DR 6" EXT	ANVIL SUPER DUTY AIR	2	DAL	$325.00
UE2378	T0 Used CF100ST Crossfir	Equalizer 100 PSI	2	DAL	$60.00
UE2376	S4 Used CF110ST Crossfir	Equalizer 110 PSI	10	DAL	$30.00
UE2371	239301 GRACO 16 GALLON	WASTE OIL RECIEVER W	1	DAL	$399.95
UE2359	T0 USED RTI TRANS	FLUSH MACHINE	1	DAL	$3,500.00
UE2339	TO Used NTF15PLUS Nitro	Tire Filling sys port5.1	1	DAL	$7,311.30
UE2274	T0 USED 4AR1 TORQUE	WRENCH	1	DAL	$385.00
UE2272	T0 USED APX80E TIRE	CHANGER SN 1102104694	1	DAL	$7,995.00
UE2035	T0 FACT REPAIRED DIGITAL	TIRE INFLATOR 5-150 PSI	1	DAL	$35.00
UE10800F	T0*FACT REP 10800F	STAPLER FASCO	3	DAL	$159.95
UE2459	7B USED 15526464 RPG 1"	DR. MINI IMPACT WRENCH	1	ALB	$417.50
UE2418	7H MTFR FOLDING TIRE	Rack fo TRK & BUS	1	ALB	$399.95
UE2392	25241 Heavy-Duty	Duty Truck Turnplates	2	ALB	$900.00
UE2390	2021531 Hunter Low	Taper Adaptor Kit	1	ALB	$1,495.00
UE10800F	FACT REP 10800F	STAPLER FASCO	2	ALB	$159.95

UE2063

UE2379

UE2404

UE2390

UE2419

UE2424

UE2409

SP012 *12,000 lbs. capacity*

SHOCKWAVE™ EQUIPPED

Model Shown:
SP012U7T5RD
SHOCKWAVE
equipped lift

- 2X faster rise and descent
- Three-stage arms add reach
- Thread-up truck adapters with stackable inserts
- Three higher rise and extended height options – add up to 3' of height!
- Contact factory for details

LOW CEILING MODEL AVAILABLE

SP015 *15,000 lbs. capacity*

HEAVY DUTY FRAME CONTACT LIFT

Model Shown:
SP015N310RD

SP0 Series Lifts feature thread-up adapters for easy vehicle contact

Comes standard with 5' and 10" stackable inserts

LOW CEILING MODEL AVAILABLE

ALSO AVAILABLE

SP018

18,000 lbs. capacity frame contact lift

Lifts designed for high volume commercial applications

The new Y12 lift - general service or alignment • Call today for details 800-525-8888

Flush Mounted or Recessed

Shown: YA12NX
12,000 lbs. capacity

Y12-Wide Wheelbase Range - Flat Top Surface

True Up / Down Movement
20% More Work Area and Better Lift Access!

12,000 lb. Capacity

- 33% faster speed of rise
- Hydraulic cylinder, locking mechanism and position sensor are protected inside and under the runways

Unlike a parallelogram, the YA12 provides true up/down lifting. There is no forward or rearward movement reducing valuable bay space.

SM301 - 30,000 LBS. LIFTING CAPACITY

Rolling Jack Available

Model Shown RJ7000Z

Model Shown
AR014N001BL

20" Wide Fixed Runways

Available in CLOSED FRONT

MACH™ Series Mobile Column Lifts

MCH413
4 Column Configuration
52,000 lbs. capacity

Shown
MCH413U1A00RDYL

MCH13 13,000 lbs. capacity
Easy to use!

- Exclusive intuitive control console - lift is controlled from any column
- Lifts with two, four or six columns at multiple capacities
- Easily adjusts to accommodate a variety of tire sizes
- Inverted, concealed hydraulic cylinder
- Surface mounted and portable - no excavation or site preparation
- Battery operated with an onboard charger that uses only 110v electricity to charge - no power cords to clutter service bays
- Automatic steering / braking system

High Quality, Inexpensive, Double Wall Tanks!

- High density blow molded plastic, seamless inner tank
- UL listed
- Easier and faster to fill

McGee #	Tanks	Price
2335103401	110 Gallon Tank 29"W X 28"L x 44"H	$799
2335101861	165 Gallon Tank 29"W X 28"L X 61"H	$879
2335101862	275 Gallon Tank 43"W X 28"L X 61"H	$1,137
2335102642	400 Gallon Tank 64"W X 30"L X 68"H	$2,149

Graco Husky

AIR DIAPHRAGM PUMPS

3/4"	241906	15 GPM	**$435.00**
1"	647016	40 GPM	**$599.00**

- Simple, reliable transfer pumps ideal for oil, used oil, windshield wash, anti-freeze
- Packages designed specifically for pre-mixed windshield wash also available

Heavy Duty & High Quality

HPL25B	50' AIR	**$330.00**
HPM33B	25' OIL	**$350.00**
HPM65B	50' OIL	**$370.00**

- Designed for daily use applications such as dealerships, fleet services and maintenance facilities
- Handles hose lengths up to 65 ft (20 m)
- Long lasting spring provides constant spring torque through the entire range of motion
- Multiple mounting options
- Durable steel spool for demanding applications
- Open swivel ports ensure high fluid flow with minimal pressure loss

Pressurized Used Oil Receiver

- Easy to drain using shop air pressure
- Large 24 gallon capacity
- Large offset collection pan with screen
- Pressurized used oil receiver

119577 — Now! **$369.00**

119577

15" No Splatter Pad
238866R — **$12.00**
238866S 22" square no splatter pad — **$22.33**

Oil King

- Large 25 gallon capacity with sight gauge
- Convenient tool trays and filter areas
- Large offset collection pan with screen
- Oversized tires to get over hose and rough floors

238866 — Now! **$419.00**

238866

Graco Pumps & Accessories

$359.00
24G576
LD Series
3:1

- Ideal for low to medium volume applications
- Built-in thermal relief to protect product
- Handles up to 7.8 gpm (30 lpm)*

$515.00
246775
Fireball 225
3:1

- Ideal for low to medium volume applications
- In-line design with fewer parts for minimal pump wear, less downtime and maintenance
- Handles up to 2 gpm (7.5 lpm)*

$705.00
203876
Fireball 300
5:1

- Ideal for medium volume high-pressure fluid transfer
- High quality, corrosion-resistant design for longer pump life
- Handles up to 3 gpm (11 lpm)*

LDM Meters

$299.00

LDM5
- ELECTRONIC
- LIGHTWEIGHT

256215 — Rigid Extension
258693 — Flexible Extension

- Dispenses motor oils, ATF, gear lube and anti-freeze
- Available pre-set dispense models
- Automatic nozzle only
- Indoor use
- Multiple extensions available
- 1,000 psi (69 bar)
- Handles up to 5 gpm (19 lpm)*

SDM Meters

$399.00

SDM5
- ELECTRONIC

255350 — Rigid Extension
255348 — Flexible Extension

- Dispenses motor oils, ATF, gear lube and anti-freeze
- Available pre-set dispense models
- High flow
- Indoor or outdoor use
- Multiple extensions available
- 1,500 psi (103 bar)
- Handles up to 5 gpm (19 lpm)*

Quincy QT® Compressors "Rated #1"

Meticulously designed for maximum productivity. Completely rebuildable with stainless steel valves and heavy duty cast iron crank case and cylinders. Leading the industry with the most CFM per brake horse-power. Includes ASME receiver, enclosed belt guard, EPAct high efficiency motor, and load-less auto stop/start.

Part No.	HP	Electric Spec.	ACFM at 175 PSI	Tank Size	Tank Style	Price
251CS80VCB1MAG	5	230V, 1ph	17.2	80	vert.	$2,295
271CS80VCB1MAG	7.5	230V, 1ph	22.6	80	vert.	$2,695
273D80VCB3MAG	7.5	230V, 3ph	22.6	80	vert.	$2,629
P2103D12HCB3MAG	10	230V, 3ph	35	120	horz.	$3,695

5-Year Warranty Program

- Quincy's True Blue 5-Year Warranty
- Register unit within 10 days after purchase to activate warranty
- Purchase and use genuine Quincy filters and lubricant during the warranty period. (Proof of purchase required)
- Receive a 5-year limited warranty on the compressor.
- Receive a 2-year limited warranty on the package.
- Motors and engines are warranted by the original manufacturer.

QRS-7.5 High Performance Series 101-10000

Quiet Rotary Screw Air Compressors

- Quiet operation - lowest noise levels available
- 100% continuous duty operation
- Compact design in a complete package
- Simple and low cost maintenance
- Clean dry air
- Lower operating costs
- Proven design by a world leader in compressor technology
- 21.2 cfm @ 150 psi
- 208/230/460 - 3 ph

Pictured with dryer

5HP to 15HP Available
(5HP and 7.5HP Available 220V.1Ph.)

QRS10HPD - 3 ph **$4,690.00** + Freight

ELIMINATE WATER!

Where Water Comes From

The atmospheric air entering a compressor intake contains water vapor. Becasue of the effects of compression, most of this water vapor turns into troublesome liquid water in your air lines.



HPR15	Hankison Dryer For 5 HP Compressor	115 V	$749
HPR25	Hankison Dyer For 7 1/2 HP Compressor	115 V	$995
HPR35	Hankison Dryer For 10 HP Compressor	115 V	$1,295

Champion Gas Powered Compressor

Now $2,395.00!

Heavy Duty 13HP Honda engine, 2 stage compressor, 23.2 CFM at 175 PSI!

Model HGR73H

Champion Gasoline Air Compressors

- Truck Bed Mountable, ideal for Field Service Applications
- Heavy Duty Two-Stage Compressors
- V-Belt Drive with Totally Enclosed Belt Guard
- Centrifugal unloader for loadless start prolongs motor life
- Gasketless Design
- Vibration Isolators Included on 30 gallon models
- **Each new assembled unit comes with a five-year limited warranty**

Quin-Cip® Lubricant

Recommended for all Quincy Reciprocating compressors. Reduces carbon build up in the valves and extends the life of the compressor.

Think of your compressor as an investment—we do. That's why we developed Quin-Cip to ensure the efficiency and performance of your investment. Quin-Cip protects against high temperatures and frictional wear of bearings and cylinders that can dramatically reduce the life of your compressor.

Part No.	Description	Price	Appl.
112541G032	10 weight gal.	$29.95	cold
112542G068	20 weight gal.	$29.95	warm
112543G100	30 weight gal.	$32.95	hot

LUBRICATORS

Supply a Fine Mist of Oil For Air Tools – Metal Bowl

Part No.	Description	Price
L352W	1/4" Lubricator w/Bowl	$69.95
L353W	1/2" Lubricator w/Bowl	$69.95
L376W	3/4" Lubricator w/Bowl	$79.95
4108W	1" Lubricator w/Bowl	$129.95

REGULATORS

Lets You Set The Required Air Pressure
Gauge not included – Metal Bowl

Part No.	Description	Price
R352	1/4" Reg	$49.95
R353T	3/8" Reg	$49.95
R354T	1/2" Reg	$49.95
R376T	3/4" Reg	$69.40
R378T	1" Reg	$69.40

FILTERS – Remove Water, Oil & Rust from Air Lines – Metal Bowl

Part No.	Description	Price
F352W	1/4" Filter With Bowl	$59.95
F353W	3/8" Filter With Bowl	$59.95
F354W	1/2" Filter With Bowl	$59.95
F376W	3/4" Filter With Bowl	$90.00
F32908W	1" Filter With Bowl	$148.95

SOCKETS AND NUTS

Hub-Centric Wheel Nuts
Manufactured in U.S. – High Quality

By filling the void between the stud hole, "clocking" is eliminated, and problems caused by clocking, such as wheel offs and wheel hub vibrations, are eliminated.

- Hub Centric Nut fills void standard flange nuts don't
- Stops rim from shifting forwards or backwards
- Eliminates "clocking" caused by standard wheel nuts not filling wheel hole completely
- Certified American Steel
- Each part tested for thread, fit and finish
- 50 per box

Ascot No.	Description
491-00133	33mm Hex X 1.5mm Thread

49100133
$7.76 ea.

Skirt Nut

- Stops wheel/hub vibrations and many tire wearing problems
- Stops wheel movement (clocking) on the face of the hub
- Eliminates wasted fuel caused by rolling resistance or "drag"
- Meets and exceeds standards of SAE J1965 or torque tension
- Replaces all style M22 flange nuts on hub-piloted wheel
- Hex: 33mm
- Special graphite coating prevents nut from rusting onto the hub
- Fills in the gap between the stud and the bolt 3/16" (5mm)
- 50 per box

Extended threading allowing Skirt Nut to go down into Hub-Piloted Disc Wheel an extra 3/16" (5mm) into stud hole

New Skirt Nut Sizes!

Ascot No.	Mfg. No.	Description	Price
491-02906	GL-2906 333SN6	**Haltec 6mm Sleeve Nut** • Steel Steers	$8.70
491-02919	GL-2919 333SN19	**Haltec 19mm Sleeve Nut** • Aluminum Steers • Steel/Steel Drives • Steel Outer/Aluminum Inner Drives	$10.70
491-02928	GL-2928 333SN28	**Haltec 28mm Sleeve Nut** • HD Aluminum • Super Single • Wide Base • Aluminum Outer/Steel Inner Drives	$11.38
491-02939	GL-2939 333SN39	**Haltec 39mm Sleeve Nut** • Dual Aluminum Drive Axle	$11.60

$^{1}/_{8}$ - 16 Outer Cap Nut
891RZ/892LZ

995LZ/RZ
$^{3}/_{4}$ - 16 Super Single Cap Nut

269Z
Flange Wheel Nuts

$^{3}/_{8}$ - 16 Outer Cap Nut
888RZ/889LZ

881M/333B
Free Spinning Flange Nut
2203/2304

336RZ/337LZ - $^{13}/_{16}$sq.
Inner Nut for Steel/Aluminum Combination
Longer Version - 621RY/622LY

708RZ/709LZ
Grade 8.2 Inner Nut-Aluminum Wheels

988RZ/LZ - $^{13}/_{16}$sq.
Inner Cap Nut- Dual Aluminum Wheels

McGee No.	Mfg. No.	Similar To:		Sale Price
891RZ (RH)	GL-2001	Budd-37891/2	Euclid-5552-R/L	$.88
892LZ (LH)	GL-2002	Nuturn-W-13/14	Batco-13-3012-R/L	$.95
888RZ (RH)	GL-2101	Budd-37888/9	Euclid-5652-R/L	$1.53
889LZ (LH)	GL-2102	Nuturn-W-15/16	Batco-13-3013-R/L	$1.53
995LZ (LH)	GL-2103	Alcoa-5554	Euclid-5554-R/L	$5.08
995RZ (RH)	GL-2104	Budd-70613/4		$5.08
269Z	GL-2202	GMC-3771410		$3.58
881M	GL-2302	(1$^{1}/_{2}$ Hex) M.W. 88881		$4.13
333B	GL-2301	(1$^{1}/_{4}$ Hex) Budd 106333		$2.03
Metric Outer Nuts				
GL2009	GL-2009	Hino-9004-21112	Isuzu-1-4233-023	$5.20
GL2010	GL-2010	**(Inner Thread = M30-1.5)**		$5.20

Locking Lug Master Key Set

The set was designed explicitly for the purpose of removing locking lug nuts on aftermarket wheels. The 16 piece set comes with both standard (SAE) and metric pieces that can be used on Spline, Star, Hex and Fluted Hex fasteners.

402 01283.....**$86.50**

1/2" DR 13 Piece SAE Deep Set

163-01151

Contains the following sizes:
7/16", 1/2", 9/16" 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-1/4"

1/2" DR 5 Piece Deep Thin Wall Flip Socket Set

Includes the following 1/2" drive deep thin wall flip sockets:

- 3/4" x 13/16"
- 19mm x 21mm
- 7/8" x 15/16"
- 17mm x 19mm
- 3" extension

- Packaged in a durable plastic blow molded case
- 17mm x 19mm flip socket for European applications
- Equivalent to Grey 1504FW but with an extra socket

167-12050

1" DR 10 Piece Truck Set

165-03110

Contains the following sizes:
13/16" square, 1-1/16", 1-1/8", 1-1/4" thin wall deep, 1-1/2" controlled standard socket, 17mm & 21mm square with inside lip, 33mm, 35mm & 41mm deep

Ascot No.	McGee No.	Price
163-01151	1151D	$69.95
167-12050	1205D	$39.94
165-03110	3110	$179.95

#606 Oil Can
$12.50

Nut Loosener Penetrating Blaster - *16PB*

A penetrating lubricant that frees everything! Displace moisture bysaturating troubled area and allow to stand for a few minutes. 12.2 oz. spray.

$4.95 ea.

3-Piece Twist Socket Lug Nut Removal System

- Removal of damaged 3/4" and 19mm, 13/16" and 21mm lug nuts
- Two dual-sided twist sockets have a fluted design which gives the sockets a tight grip to remove the most difficult locking and damaged lug nuts from the socket
- Works with 1/2" impact gun or breaker bar for service calls
- Includes an extrator punch

4300

4200A

Ascot No.	Mfg. No.	Description	Price
492-04300	4300	3-Piece Twist Socket Lug Nut Removal system	$49.95
492-04200	4200A	Dual Sided Twist Socket Lug Nut Remover	$27.49

Broken Inner Nut Remover

13/16"

33105
$57.48

Remove broken inner budd nuts in MINUTES with our NEW tool

McGee No.	Mfg. No.	Similar To:		Sale Price
336RZ (RH)	GL-1003	Budd-35336/7	Euclid-5735 R/L	$3.26
337LZ (LH)	GL-1004	Nuturn-W107/108	Batco-13-3007-R/L	$3.26
621RY (RH)	GL-1005	Budd-22621/2	Euclid-5568 R/L	$3.68
622LY (LH)	GL-1006	Nuturn-W105/106	Batco-13-3006-R/L	$3.68
988RZ (RH)	GL-1011	Alcoa-5988-R/L	Nuturn-W-486/7	$3.55
988LZ (LH)	GL-1012	Euclid - 5988-R/L	Batco 13-3026-R/L	$3.55
Grade 8.2				
708RZ (RH)	GL-1001	Euclid-7895R/L	Budd-10708/9	$1.53
709LZ (LH)	GL-1002	BWP-M128/9	Batco-13-3032R/L	$1.53
Metric				
GL1009 (RH)	GL-1009	Hino-9004-23101	Isuzu-1-42335-005	$7.33
GL1010 (LH)	GL-1010	**(M20 Inner & M30 Outer Threads)**		$7.33

Garage Exhaust Hoses & Vehicle Protection

Tailpipe Adapters

- Crushproof offers a complete line of accessory items
- Parts depicted below are the result of years of accumulated customer input, Crushproof's technology and extensive field testing

Ascot No.	Mfg. No.	Adapter Description	Tailpipe Style	Tailpipe Size	Hose I.D.	Price
391-93000	TPA3000	Split Adapter	Separated	Up To	3"	
					2-1/2"	$75.42
391-90250	F250	Straight w/ Hook & Chain	Single	Up To 2"	2-1/2", 3", 3-1/2"	$17.72
391-90300	F300	Straight w/ Hook & Chain	Single	Up To 2-1/2"	2-1/2",3", 3-1/2"	$23.99
391-90400	F400	Straight w/ Hook & Chain	Single	Up To 3-1/2"	3-1/2", 4", 5"	$48.44
391-91250	RA250	Bell w/Snaps	All	All	3"	$29.05
391-91300	RA300	Bell w/Snaps	All	All	3"	$29.05

Crushproof Exhaust Ventilation System

Door Ports

ADF30
ADF40

Y-Connectors

AY40 RY25 RY30

Ascot No.	Mfg. No.	Description	Price
391-00130	ADF30	3" Aluminum Door Port	$31.58
391-00140	ADF40	4" Aluminum Door Port	$42.41
391-00225	RY25	2-1/2" Rubber Y-Connector	$25.56
391-00230	RY30	3" Rubber Y-Connector	$26.85
391-00240	AY40	4" Aluminum Y-Connector	$68.86

Flarelock Exhaust Hose!

Flared end permits connecting hoses!

FLT250 - 11 ft x 2.5 in. $80.00
FLT300 - 11 ft x 3 in. $96.00
FLT400 - 11 ft x 4 in. $155.00

Call 1-800-525-8888 ~ Additional Items Available

Tire Bags, Seat Protectors, Steering Wheel Covers, Paper Floor Mats, Parts Bags

Dispensing Racks

Centralize your cleanliness products for the professional image your business needs and the convenience your employees deserve. The top tray holds paper floor mats and elastic band steering wheel covers. Rollers are for seat covers, tire bags, and parts bags.

#PSC

#SWC

Order No.	Description	Ship Wt. Lbs.	Price
PSC	Seal Protectors - Roll of 500	20	$59.00
SWC	Car Streering Wheel Covers - 500 pkg	10	$30.91
STB	Standard Tire Bag - Roll of 250	25	$59.00
HDTB	Large Tire Bag for SUV - Roll of 250	30	$79.00
FPFM	Heavy Duty Paper Floor Mat - Box of 500	50	$39.00
WPB	Parts Bags, 12" x 20" - Roll of 500	15	$38.18
DR	Dispenser Stand Only	25	180.00
41-110	Large Tire Bag - Roll of 100		$35.45

#WPB

#STB & #HTB & 41-110

#FPFM

Stud Gun, Studding Equipment

458-00010

458-00500

ASCOT NO.	MFG. NO.	DESCRIPTION
458-00010	10-G	**Stud Gun**. Standard of the Industry. Automatic. Light weight.
458-00002	KFP2	**Stud Feeder**. Fully automatic with 110 Volt motor, fast loading. Provides positive stud orientation. Feeds up to 225 studs per minute.
458-04048	4048	**Feederboy Stud Gun**. Designed for fast feeding studs of the AS-9 Gun. Attaches with screw clamp. Operates by manually turning the feeder cap.
458-00005	K-5	**Stud Feeder**. INCLUDES: Shield for gun. Welded steel construction with saddle.
458-00500	K-500	**Studding Equipment Kit**. INCLUDES: K-5 stand, AS-9 gun, KFP2 automatic stud feeder.

Ugigrip®, Self-Adjusting Carbide Tire Stud

- **Delivers full-time traction, increases the safety, convenience and security.**
- To order studs to best fit your customers' tire, use the TSMI number recommended by the tire manufacturer

SINGLE FLANGE STUDS:

TSMI Size	11	12	13	15	16	17	19
Overall Length	.345"	.375"	.470"	.520"	.585"	.515"	.635"
Jacket Dia.	.197"	.197"	.197"	.197"	.197"	.197"	.250"
Bottom Dia	.354"	.354"	.354"	.354"	.354"	.354"	.354"
Nearest 32" to Hole Depth	11/32"	12/32"	13/32"	15/32"	16/32"	17/32"	19/32"

Parts Breakdown





STUD GUN PARTS (AS-9 MODEL)

Part No.	Description
0084	External Finger
0087	O-Ring
0088	O-Ring
0089	O-Ring
0090	O-Ring
0091	O-Ring
0092	Piston Cup
0095	Trigger Spring
0096	Trigger Pin
0098	Trigger
0099	Trigger Sleeve
0126	Pressing Spring
0127	Internal Finger
0128	Handle Body
0129	Piston
0130	Feed Tube
0131	Tapered Sleeve
0132	Head (Steel)
0133	Ring Nut
0134	Compression Spring
0135	Ring
0136	O-Ring
0383	Piston Cup

STUD FEEDER PARTS (KFP2 MODEL)

Part No.	Description
0169	Deflector Spring
0172	Snap Ring
0173	Screw
0174	Washer
0175	Clamp
0180	Drive Shaft Pin
0428	Washer
0519	Feed Wheel
0520	Base Plate
0521	Retaining Ring
0522	Feed Tube
0523	Screw
0524	Shaft
0525	Hex Bolt

Stud Gun Repair & Conversion Kits

ASCOT NO.	STUDDING GUN	USE WITH STUDS NUMBERED
458-03810	0381	**Tire Stud Mini Repair Kit.** INCLUDES: (3) 0084 External Fingers; (1) 0087 O-ring; (1) 0088 O-ring; (3) 0126 Pressing Springs
458-03820	0382	**Tire Stud Gun Large Repair Kit.** INCLUDES: (6) 0126 Pressing Springs; (3) 0084 External Fingers; (2) 0087 O-ring; (2) 0088 O-ring; (1) 0092 Piston Cup; (1) 0136 O-ring

Why studded tires are the best choice for winter driving!

Braking distance on Icy Road - (from 31 mph) Average calculated at different temps



35% BETTER THAN 'STUDLESS' WINTER TIRES

Acceleration on Ice (seconds from 3 to 12 mph) Average calculated at different temps



STUDDED TIRES 36% BETTER THAN WINTER "STUDLESS" SNOW TIRES

Dry Asphalt Braking distance 77 MPH to 0 MPH - Finnish Tekniikan Study 2012f



Airman ResQ Pro + Tire Repair Kit

71063021

$59.99

- Sealant and inflation kit
- Sealant good from -4 to -140 F
- Great for SUVs, minivans, passenger vehicles
- Built-in pressure gauge with psi and bar indication
- Deflate button
- Lighted gauge
- Adaptors for bicycle tires, balls, and inflatable toys
- 12V power plug

Tire Size at 2.5 Bar	Time to Fill
40 litre	6 min
50 litre	7 min
60 ltre	8.5 min
70 litre	10 min

450ml Sealant

6500521

$19.99

VALVE THROUGH TECHNOLOGY · PARTICLE GEL SEALANT · TIRE SENSOR SAFE

High Country Safety Kit (HCSK)

Kit Includes:
- AirMan ResQ Pro+
- Tire guage
- Poly palm gloves
- Crank LED flashlight
- Drawstring backpack for storage

$64.99

for $80 value

336647

380962

GA105

C122

High Country Safety Kit+ (HCSKP)

Kit Includes:
- AirMan ResQ Pro+
- Tire guage
- Poly palm gloves
- Drawstring backpack for storage
- LifeLight crank LED flashlight safety tool

$84.99

for over $100 value

LifeLight Crank LED Flashlight safety tool

Full kit fits in bag!

Cranklight Plus

Emergency Flashlight - Window Breaker - Seat Belt Cutter - Cell Phone Charger USB - Compass - Brightest LED Beam - Rechargeable Flasher - Waterproof - Great Escape Tool - Auto - Camping - Hunting

AutoSock

the alternative to chains

- Less weight than chains
- No damage to vehicle
- No climbing under vehicles to grab broken chains
- Great for low wheel clearance vehicles

www.autosock.us • Approved across the U.S.

Showroom displays for the floor or counter available!

Call Today! 1-800-525-8888

Available for trucks and cars!

Contact us anytime for a 10 minute demonstration!

AutoSock
...brings you home!

Offered by McGee Company

How do Autosock® work?

Basically, it is all about friction. Dry snow and ice sticks to fabric, especially 'woolly' fabric as those of us who remember snowballing in woolen mittens will remember. AutoSock is made from a hairy fabric which sticks to the snow. The fibers, which become hairier with use, are arranged at right angles to the direction of travel to optimize grip. Very importantly, the specially developed textile also 'wicks away' any water that's found between the ground and the tire (generated e.g. by the warmth of the sun or wheel spin) thereby maximizing the friction grip.

How well to they work?

Astonishingly well! They are more effective than winter tires (and a lot cheaper) and are also more effective than snow chains in certain situations, especially on ice. They have been tested and formally approved in Europe by Audi, Citroen, Mercedes-Benz, Peugeot, Volkswagen, and BMW and in Japan by Toyota, Honda, and Volvo truck of Sweden. They are also approved by several European road transport research institutes and the German TUV. In the US, Colorado DOT was the first state with chain laws to approve the use of AutoSock. A range of test data is available at www.autoscok.us.

What sort of conditions can I use them in?

They'll improve traction on any snow or ice even in soft, deep snow or in wet snow. It's recommended that you take them off when you get back to clear roads, although the reality is that they probably will be drive on dry pavement during those intermittent dry/snow/dry/snow conditions experienced before leaving the snow for good. For CDOT approval, the AutoSock had to run at 20 MPH on dry pavement for 100 miles and still be deemed a useable traction device. AutoSock passed with flying colors, however, dry pavement driving is not recommended as it increases wear.

What's it like driving with AutoSock?

Silent and smooth as you'd expect. There's none of the loud rattling and bumpy ride associated with snow chains. Because there's no danger of damage to the vehicle structure, they are approved for speeds up to 30 mph in passenger vehicles and 20 mph in commercial: this is faster than is recommended for snow chains, although your speed should of course be appropriate to the weather and road conditions.

Is there anything else I should know about?

Nothing to be concerned about, although certain users may wish to note that you can use them with your vehicle's electronic aids left on unlike snow chains which should NOT be use with traction control/antiskid like ESP/ASC+T/ASR/ABS.

If my car has limited space between the wheel and the mechanical parts, can I use AutoSock?

Yes, AutoSock works even with vehicles which have low clearance between the tire and the body in addition to tight space between the tire and the suspension.



DATE:	Dec 06 2007	**AIR TEMP.:**	-7°C/25°F	**TIRE SIZE:**	205/55 R16	**INFLATION FA:**	3.0 bar	**TEST VEHICLE:**	Pontiac FWD
LOCATION:	Loveland Pass	**CONDIT.:**	Dry snow, cloudy	**ABS:**	on	**INFLATION RA:**	3.0 bar	**TEST SURFACE:**	Packed Snow



DATE:	Dec 06 2007	**AIR TEMP.:**	-7°C/25°F	**TIRE SIZE:**	295/70 R22.5	**INFLATION FA:**	8.0 bar	**TEST VEHICLE:**	Peterbilt
LOCATION:	Loveland Pass	**CONDIT.:**	Dry snow, cloudy	**ABS:**	on	**INFLATION RA:**	8.0 bar	**TEST SURFACE:**	Packed Snow

Laclede Single Truck Chains

- Recommended for highway use
- Available in R—regular side chain
- Available with cam side chain

Tire Sizes					Non-Cam Stock No.
7.00-14LT	P205/75R14	205/60R17.5			
185-14	195/75R14LT	28X8.50-14			2209R
H70-14ST		LR78-15	7.00-15LT	195/75R15LT	
H78-14ST	H78-15ST	6.70-15LT	P215/75R15	7-17.5LT	2211R
9-14.5MH	P235/75R15	8.00-16.5	225/75R16LT	235/65R17	
215/75R14LT	215/75R15LT	P225/70R16	255/75R16LT		2216R
H78-15LT	30x9.50-15	P225/75R16	P235/60R17		
P225/75R15	6.50-16LT	205R16	P235/65R17		
7.00-15TR	245/75R15LT	235/75R16LT	8-17.5	225/65R18	
7.50-15LT	7.00-16LT	245/70R16LT	8.50-17.5	235/60R18	
P275/60R15	8.75-16.5	255/65R16LT	215/70R17.5	235/65R18	2219R
235/75R15LT	215/80R16LT	8.75-16LT	P235/50R18	245/55R19	
245/70R15LT	215/85R16LT	P235/70R17	P255/45R18		
NR78-15	LR78-16	235/85R16LT	7.5-17		
7.50-15TR	7.50-16LT	7.00-17LT			2221R
275/60R15LT	9.50-16.5	215/75R17.5			
7.50-17	245/70R17LT	225/70R17.5	7.00-18	8-19.5 7.00-18 8-19.5	2214R
P245/65R15	P245/75R16	265/60R16LT	P245/55R17	275/60R17	
P245/70R15	P255/65R16	275/60R16LT	P245/65R17	P255/55R18	
P255/70R15	P255/70R16	30X9.50-16LT	245/65R17	255/55R18	
P265/70R15	P275/60R16	31X11.50-16	P245/70R17	255/60R18	2229R
P265/75R15	235/70R16LT	32X9-16LT	P255/55R17	235/55R19	
255/75R15LT	235/80R16	32X10.00-16LT	P255/60R17		
29X9.50-15	245/75R16LT	10-16.5LT	P255/65R17		
P235/70R16	255/70R16LT	225/75R17LT	P275/60R17		
P245/70R16	265/50R16LT	P235/75R17			
8.25-15TR	255/85R16LT	245/70R19.5	P275/60R20	275/55R20LT	
P275/70R16		275/55R20	245/70 19.5		2228R
7.50-18	265/70R19.5	6.50-20	7.00-20	7.00-20 6.50-20	2233CAM
9.00-15TR	9R17.5		8-22.5	255/70R22.5	
9.00-16LT	10R17.5	7.50-20	235/80R22.5		2237R
10-15TR	8.25-20	245/75R22.5	275/70R22.5		
11R17.5	9-22.5		QR78-16		2239R
9.00-20	10-22.5	255/80R22.5	265/75R22.5		2241R
10.00-20	11-22.5	275/80R22.5			2245R
295/75R22.5	305/70R22.5	285/75R24.5	275/80R24.5		2247R
10.00-22	11-24.5				2249R
11.00-15TR	11.00-20	12-22.5	12.5-22.5	295/80R22.5	2251R
12.00-20	13/80R20	11.00-22	315/80R22.5	12-24.5	2255R
13.00-20	14/80R20	365/80R20	12.00-24		2257R

Alpine Premier

Laclede Alpine Premier Chains

- Diamond pattern design provides superior traction
- Installed without lifting or moving vehicle
- Recommended for class “S” cars and ABS systems
- Recommended for front wheel drive

TIRE SIZES								STOCK NO.
12” & 13” RIMS		14” RIMS		15” RIMS		16” & OTHER RIMS		
145R12 P145/80R12	155R12 P165/70R12							1505
145R13 P145/80R13 P155/70R13	P165/65R13 P165/70R13 P155/60R15							1510
155R13 P155/80R13	175/60R13 P185/60R13	165/65R14 P175/60R14		135R15				1515
165R13 P165/80R13	P175/70R13 P195/60R13	165/70R14 P175/65R14		145R15 P175/55R15				1520
175R13 P175/75R13 P175/80R13 P185/70R13 P195/70R13	P205/60R13	165R14 P165/75R14 P175/70R14 P175/75R14	P195/60R14 P195/65R14 205/55R14	155R15 P185/55R15 P195/50R15 P195/55R15				1525
185R13 P185/80R13 P205/70R13		175R14 P185/70R14 P185/75R14 P195/70R14	P205/60R14 P215/60R14 185 6014	165R15 P165/80R15 P175/70R15 P185/60R15	P185/65R15 P195/60R15 P205/50R15 P205/55R15	195/50R16		1530
		185R14	P195/75R14	175R15 P185/70R15	195/60R15 195/65R15	P190/65R390		1535
		195R14 P205/70R14 P205/75R14 P215/65R14	P215/70R14 P225/60R14 P255/60R14 P255/70R14	185R15 P195/70R15 P205/60R15 P205/65R15	P215/60R15	P205/55R16 P205/60R16 P205/50R17		1540
		205R14 215R14 P215/75R14	P225/70R14 P235/60R14 27X8.50-14LT	P195/75R15 P205/70R15 P205/75R15	P215/65R15 P225/60R15	P205/65R16 P215/55R16 P215/60R16	P235/50R16 P215/70R17	1545
		P225/75R14 P245/60R14		P265/50R15		P205R16	P215/55R17	1547
				205R15 P215/70R15	P215/75R15 P235/60R15	P215/65R16 P215/70R16 P225/55R16	P225/60R16 8.00-16.5 P225/50R17	1550
				P225/70R15 P225/75R15 P245/60R15 P255/60R15		235/60R16 P245/55R16 6.50-16LT 215/60R17 P215/65R17	P225/55R17 225/60R17 P235/55R17 225/50R18 215/55/18	1553
				P235/65R15 P235/70R15 P275/50R15		215/75R16 235/65R16 P255/50R16	225/55R18 225/60R18 235/55R18 245/452R19	1555

Larger sizes available for 17” to 20” tires on SUV and light trucks.

McGee Company

Denver (HDQTR)
1140 South Jason St.
Denver, CO 80223
(800) 525-8888
(303) 777-2615
FAX (303) 777-7140

Salt Lake City
1101 S. 700 West
Salt Lake City, UT 84104
(800) 525-8888
(801) 487-8751
FAX (801) 487-8753

Albuquerque
4412 Prospect NE
Albuquerque, NM 87110
(800) 525-8888
(505) 883-9613
FAX (505) 883-1382

Dallas
8504 Chancellor Row
Dallas, TX 75427
(800) 525-8888
(214) 689-0400
FAX (214) 689-0448

Largest stock of tire chains in the Rocky Mountain Area!

Laclede™ Tire Chains

TIRE SIZES					Stock
Single mount				Dual Mount	Number
8.25-15LT 10-15LT 265/70R15LT 265/75R15LT 305/50R15 31X10.50-15LT 33X10.50-15 P265/70R16	P265/75R16 245/85R16LT 265/70R16LT 265/75R16LT 265/80R16LT 275/70R16LT 295/50R16LT 245/75R17LT	255/60R17 P255/70R17 P265/65R17 P265/70R17 265/70R17LT 275/65R17 235/75R17.5	245/70R17.5 P255/70R18 275/55R18 225/70R19.5 P265/65R18 255/70R18	275/55R19 265/50R19	3210R
PR78-15 11-15LT 31X11.50-15LT 32X11.50-15LT 33X9.50-15LT 33X13.50-15 34X9.50-15LT	PR78-16 12-16.5LT P285/60R16 275/65R16LT 285/60R16LT 32X11.50-16LT 33X13.50-16	34X9-16 31X10.50-16.5LT 285/60R17 285/70R17 305/45R17 P265/60R18 285/60R18	285/65R18LT 285/45R19 275/60R20 P285/50R20		3227R
285/75R16LT 31X12.50-16	265/70R18 275/65R18	275/70R18LT P275/60R18			3228R
12-15LT P315/70R15 325/60R15 31X13.5-15 32X12.50-15 33X12.50R15 33X14-15 33X14.50-15 35X12.50-15 35X14.5-15	11L16 285/70R16LT 295/75R16LT 305/70R16LT 305/85R16LT 35X12.5-16 35X13.5-16 36X13-16 32X12.50-16.5LT 33X12.5-16.5	33X15.5-16.5 275/70R17 285/75R17LT 295/70R17LT 305/70R17 33X12.50-17 10.50/80R18 285/75R18LT 325/60R18 33X13-18	275/65R20LT 305/50R20 305/55R20 285/50R22 33X11.5-22 285/55R20LT 32X11.50-20 275/70R18 295/70R18	275/55R20LT 33X12.50-20	3229R
QR78-15 35X13.5-15 37X13-15 345/55R16LT 37X12.50-16	38X13-16 35X12.50-16.5 38X12.50-16.5 315/70R17LT 325/70R17	345/55R17 35X12.50-17 37X12.50-17 305/60R18 305/70R18LT	325/65R18 35X12.50-20 325/50R22LT 35X12.5-22	315/75R16 38x12.50x16.5 295/65R20 295/60R22	3231R
35X14-15 36X12.50-15 37X13.50-15	35X14-16 36X12.5-16.5 36X14-16.5	37X12.5-16.5 38X15.5-16.5 355/70R17LT	37X13.5-17 14-17.5 285/70R19.5	37x13.50x18	3235R
37x14.50-15 39.5X15-15 40X17-15	38x14.50-16 325/80R16 39.5X15-16.5	40X17-16.5 355/65R18 37x13.50-20	37x13.50-22		3251R
355/80R20	13-22.5	15-22.5	385/65R22.5		3255R
42X15-16.5 355/60R20	38X13.5-20	335/80R-18			3259R
18-22.5	445/65R22.5				3261R
38.5X16-15 39.5X18-15	39.5X15-16 38.5X16-16	39.5X18-16.5 38X15.5-18	15-19.5 38X15.50-20	7.50-17 7.00-20	3265R
445/50R22.5	455/55R22.5				3269R
445/65R19.5	16.5-22.5	425/65R22.5			3271R

Wide Base Truck Cam Chains

Dual Truck Chains

DUO Tractor Chains

Tire Sizes					Stock No.
9.5-24	9.5-28	11.2-24			DUO214
9.5-32	11.2-28	230/95R32	355/80R20		DUO226
10.5/80-18	12-16.5	280/70R20	300/70R20	315/75D15	DUO225
12.4-24					DUO229
9.5-36	9.5-38	11.2-32	12.4-28		DUO218
13.9-36	320/85R34				DUO242
13.6-24	13.6-26	14.9-24			DUO240
14.9-26					DUO250
14.9-28	14.9-30				DUO252
13.6-28	16.9-24	320/85R38	340/85R28	380/85R34	DUO260
14.9-38	15.5-38	320/90R46			DUO254
17.5-24	17.5L-24				DUO263
16.9-26	16.9-28	420/85R28			DUO262
16.9-32					DUO266
16.9-34	230/95R44				DUO270
18.4-16.1	21.5L-16.1				DUO264
18.4-24	19.5L-24				DUO268
16.9-30	18.4-26	18.4-28	18.4-30	540/65R30	
550/65R25	600/65R28				DUO271
18.4-34	480/85R34	600/65R25			DUO273
16.9-38	18.4-38	20.8-34	380/90R50	420/80R46	
460/85R34	480/80R38				DUO272
18.4-42	18.4-46	380/90R54	480/80R46		DUO277
20.8-38					DUO276
24.5-32	23.1-34	28.1-34	620/70R42	650/75R32	DUO282

Passenger Car
No. 29110
Trucks Nos 29925 & 29229

Truck
No. 6032

Grader
No. 6304

Truck
No. 0218

Passenger Car
No. 39110
Trucks Nos 39925 & 39229

Tire Chain Adjusters

Ascot No.	Mfg. No.	Description	Qty.
458-29110	29110	Passenger Car - Rubber	2 per bag
458-29225	29225	Light Truck - Rubber	2 per bag
458-29229	29229	Heavy Truck - Rubber	2 per bag
	0218	Spider Truck	2 per bag
458-06302	6302	Light Truck - Spring	1 pair per container
458-06304	6304	Tractor/Grader - Spring	1 pair per container
	39110	Passenger Car - Rubber Arm Blue	2 per bag
	39225	Light Truck - Rubber Arm Grey	2 per bag
	39229	Heavy Truck - Rubber Arm Green	2 per bag

LG Cam Series Available

Tire Sizes			Tire Chain Stock No.
13.00-24/25	14.00-20/21	15.5-25	2612
14.00-24	14.00-25		2615
16.00-20/21	17.5-25		2624
16.00-24	16.00-25		2627
20.5-25			2633
18.00-25	18.00-24	18.00-26	2636
			2642
23.5-25			2645
26.5-25	755/70R25	30.5R32	2657
710/70R38		800/65R32	

POPULAR TPMS KITS AND STEMS

Avoid flat tires! New tires mounted on TPMS equipped vehicles require TPMS replacement kits.

TPMS Accessory Kits — Dill or Schrader - OE Approved

Ascot No.	McGee No.	Schrader Version	Description	Price
469-01030	1030K	SH20017AK	Siemens Kit for VW (Fits 1053 Sensor) (Orange)	$2.99
469-01050	1050K	SH20013AK/ SH20030AK	Siemens Kit for Chrysler (White) SH20013AK includes bottom ball	$2.79
469-01060	1060K	20001/20002/ 20135AK/20096AK	Fits Schrader SH20096 (Red)	$1.75
469-01070	1070K	20004/20116AK/ 20115AK/20107AK	Fits Dill 9076, 9107, 9115, 9116 (Blue)	$1.75
469-01080	1080K	20003/20007/ 20117AK/20028AK	Fits Dill 9028, 9034, 9064, 9081, 9117, 9161 (Green)	$1.75
469-01090	1090K	–	Compatible with Beru Sensors (Grey)	$3.60
469-20036	SH20036AK	–	Entire Valve (Schrader 20036) for Hyundai, Kia, Honda (Dill 1096)	$7.86
469-01100	1100K	SH20032AK	Compatible with Pacific Sensors for Toyota/Lexus (Purple)	$2.95
469-01110	1110K	SH20006AK	Compatible with Pacific Sensors for Toyota (Teal)	$2.95
469-01130	1130K	SH20030AK	Compatible with Schrader 20005 (Burgandy)	$2.65
469-20025	2000K	–	TRW Kit	$2.85
469-20010	2010K	SH20015AK	Compatible with Schrader Sensors for Volvo (non-stock) (Lt. Brown)	$1.64
469-20020	2020K	SH20030AK	Early 2007 GM Kit for Entire Sensors (Pink)	$1.92
469-20030	2030K	SH20016AK	Dill Sensors 9154, 9204, 9214	$1.92
469-02040	2040K	SH20019AK	Kit for Honda Civic (Lt. Blue)	$2.08
	VS919	–	For .625 stem hole, often in 19.5 wheels. For the trailer TPMS	$16.25
469-09250	VS925A	–	Aluminum Metal Replacement Valve for GM Snap-In	$3.63
	VS925C		Chrome Metal Replacement Valve for GM and Ford Snap-In	$3.74
469-00950	VS950	SH20018	Rubber Snap-In Replacement Valve for GM & Ford fits Schrader 46133500 (ea)	$1.86
469-09305	VS950SC	–	Chrome Replacement Valve for GM and Ford Snap-In	$2.50
	SH20020	–	Replacement Stem Chrysler, Uses Kit 1050K	$2.41
469-90660	9066K	–	Complete Replacement Stem Chrysler with Kit (9066B-Ball joint only)	$3.14
	7020K	–	Accessory Kit for Redi Sensor	$3.68
469-00770	VS70	–	Available on the following vehicle in various forms: Years 2010 to 2014 (Acura, Cadillac, Chryslter, Dodge, Honda, Hyundai, KIA, Mazda, Nissan) the sensor most associated with the VS-70 is 7001/HP or 7002.	$4.57
469-00080	VS80	–	Replacement Rubber Stem Kit Dill Redi Sensors	$3.33
469-00090	VS90	–	Key at base attaches via press clip; Fits Dodge Dart, Mitsubishi Mirage	$3.81
469-17208	46917208	–	Rubber Snap-in replacement valve for GM & Ford (not OE certified) China	$.99
469-17436	46917436	–	Smart Sensor Snap-In Valve for ITM, Cub, 31Inc, Pilot	$5.00
469-20014	SH20014AK	–	Kit Fits EZ Sensor 34000 Stem	$2.25
	VS1010	–	Fits Hyundai Sante Fe Snap-In 7mm	$2.10
	VS65	–	Base of stem is square Snap-In Fits Doge Rams, Jeep Cherokee	$2.36
	VS35	–	Dill TPMS clamp-in valve Dodge Ram	$5.21
	46934000	–	Alum Stem for Schrader 46133500 dual band	$4.71
469-20031	SH20031AK	–	Assy Kit for Pacific TPMS	$2.14
	VS965	–	Replacement valve stem for Hyundai / Kia	$3.50
469-00919	VS919	–	Replacement TPMS stem for 19.5 Trk Wheels	$16.25
469-20019	SH20019AK	–	Assy Kit Honda TPMS	$1.95
469-20035	SH20035AK	–	Assy Kit TRW Long Valve TPMS	$10.87

SH20036AK

VS919

VS925A

VS925C

469-00950

SH20020

9066K

VS70

VS80

VS90

469-17436

VS1010

VS65

EZ-sensor™

Programmable Tire Pressure Monitoring Sensor

#46133500
$37.95

EZ-sensor's New ONE Sensor Program for TPMS:

#VS950 Rubber Stem $1.86
#4693400 Alum Stem $4.71

- Combined 315MHz and 433MHz
- Adaptable to support new technologies
- Snap-in and clamp-in stem options
- Optimize inventory
- Reduce overall cost of service

BARTEC USA
TPMS PROFESSIONALS

Programmable with Bartec update R53 and newer

SCHRADER®
The Global Leader in TPMS

Dill® Air Controls Products

REDI-Sensor™

Simple and Accurate



- Installs right out of the box
- No programming required
- Reduces replacement sensor inventory
- Adjustable valve stem design
- All Dill parts are made and tested on OEM equipment

7001 & 7004 sensors cover over 90% of GM, Ford, Chrysler, Mazda, Suzuki, and Mitsubishi

70002A: Fits popular Honda, Hyundai, Kia, Lexus, Scion, Toyota and other Asian vehicles

7003: Fits popular VW, Mercedes, Audi, Lexus, Volvo, Toyota, Infiniti, Nissan, Chevy, GMC, Hummer, Isuzu, and Subaru.

Visit WWW.MCGEECOMPANY.COM resource page for latest TPMS application guide!

46107001 - Redi-Sensor 315 MHZ (7001HP)
46107011 - Redi-Sensor with rubber stem 315 MHZ (7001HPR)
46107003 - Redi-Sensors 315MHZ (7003)
46107004 - Redi-Sensor 433 MHZ (7004)
46107002 - Redi-Sensor 315 MHZ (70002A)
(Use 7020K Kit to repair Redi-Sensor)

Call Today 1(800) 525-8888

No programming required

TPMS ACCESSORIES

TPMS Torque Tool Set

$129.38

4065Dill

- Used for fast and accurate sensor hex nut installation
- Use High Torque (blue) or Low Torque (red)
- 5565 at 66 IN-LB, 5540 at 40 IN-LB
- Eliminate TPMS Torque arrows
- Speed up the time to properly torque

The Tech400Pro & Tech500 TPMS Scan Tools can now adjust the TPMS Placard Value!

Must have software 53 or newer loaded

When "plus sizing" on some vehicles, a change in recommended tire pressure is needed to maintain the original equipment load rating.

On vehicles equipped with TPMS, a change in the Placard Pressure Value [the air pressure value by which the "low pressure" indication is determined] is needed to insure the system remains operational.

Example: 2014 Ford F-150 with 265/70-R18 OE would be 35psi placard. If Plus size to 305/35-R24 (Plus six) the new Placard Value would need to be 42psi

- ☑ TEST BEFORE TOUCH
- ☑ USE TOOL TO SET PLACARD
- ☑ VERIFY and PRINT AUDIT REPORT
- ☑ ATTACH NEW PLACARD LABEL

Current Placard Coverage

Make	Model	Year
Dodge	Ram 1500	2008
Dodge	Ram 1500	2009
Ford	F-250/350	2015
Ford	F-150	2014
Chevrolet	Silverado 1500	2014
Chevrolet	Silverado 1500	2015
Chevrolet	Silverado 2500	2015
Chevrolet	Silverado 3500	2015
GMC	Sierra 1500	2014
GMC	Sierra 1500	2015
GMC	Sierra 2500	2015
GMC	Sierra 3500	2015

Fill in new information on the supplemental placard

Attach the supplemental placard close to the original placard label

WRTPLACARD 25 $42.99
WRTPLACARD100 $74.99

Core Tools

Ascot No.	McGee No.	Description	Price
469-00612	TL612	Standard Core Tool 8”	$4.70
469-00021	TL615	Standard Deflator Core Remover	$0.99
469-00607	TL620	Core Tool Screwdriver Handle	$1.99
469-00005	TL685	Standard and L/B Core Tool	$1.70
469-00002	4205	4 Way Tool Steel	$4.95
469-00044	46900044	Core Torque Tool	$16.34
469-00081	46900081	4 WayTool	$3.43

TPMS Valve Caps

Ascot No.	McGee No.	Description	Price
468-20495	SH20495	TPMS Alum Valve Cap Bx/100	**$26.27**
468-20055	SH20055	TPMS Electroless Valve Core Nickel Plated	**$11.95**
468-00635	635	TPMS Black Plastic Cap Long Skirt Bx/100	**$20.00**
	630A	TPMS Black Plastic Cap Short Skirt Bx/100	**$9.99**

Bartec Mechanical Tool Kit

$169.57

- Valve Core Torque Driver
- T-10 Torque Driver
- T-20 Torque Driver
- 3-Way Fishing Tool
- Grommet Tool
- Torque Wrench

Ascot No.	McGee No.	Description
469-10300	WRTMT104	Bartec Mechanical Tool Kit

$4.99

11mm and 12mm nut tool used to quickly remove TPMS nuts and to reseat grommets

#KTI71997

BARTEC USA
TPMS PROFESSIONALS

Proper TPMS Diagnostics Starts Here

TECH 300 PROC

Features:
- Wireless Bluetooth data transfer
- Inductive charging capable
- Programs aftermarket sensors
- Works with multi-protocol sensors
- TIA inside technology
- Included OBD connectivity
- Also available in an Activation Only Entry Level Tool

Benefits:
- Functions seamlessly with your OE or aftermarket scan tool
- Greater vehicle coverage means saying YES more often
- Ease of use means anyone in your business can use the tool
- Comprehensive health report makes discussing TPMS with your customer effective and easy

TECH 400 PRO

Features:
- Advanced TPMS technology
- Comprehensive OBD relearn coverage for import and domestic vehicles
- TPMS placard adjusting
- Programs aftermarket sensors
- Wi-Fi enabled
- Bluetooth enabled
- Bonus OBD coverage (Ford, GM, Chrysler Volvo)
- Exclusive passive key testing
- 2 year extended warranty

Benefits:
- Greater flexibility means more choices in sensor solutions and the ability to fix more cars
- The best in vehicle coverage means fixing more cars
- Wireless updates makes keeping your tool current easy
- Comprehensive health report makes discussing TPMS with your customer effective and easy

TPMS Tools

Part Number	Description
WRTPAD1	TPMS Programming Accessory Device [PAD]
WRT300PROC	Tech300PRO activation TPMS tool with OBDII module and OBDII cable [Tech300PROC]
WRT400PRO	Tech400PRO TPMS tool with Bluetooth
WRTMT104	Mechanical Tool Kit

Pro Series and TECH500 Accessories

Part Number	Description
WRTPROWMCC	Wall Mounted Charging Cradle & Bluetooth Printer Combination for the Pro Series and Tech500
WRTPROQIPAD	Inductive Charging Pad w/Power Supply
WRTOBD002	Mitsubishi Adaptor (not required for the Tech 500 or Pro Series)
WRTRST50	Loop Reset Tool forToyota (not required for the Tech400SD, Tech500, or the Pro Series)
WRTPLACARD25	Placard Labels (25 per roll); “Supplemental Tire Cold Inflation” label
WRTPLACARD100	Placard Labels (100 per roll); “Supplemental Tire Cold Inflation” label

Call today 1-800-525-8888
Ask about exclusive promotions only available from McGee Company

Copy-cat TPMS parts are a ticking time bomb

Here's why you should avoid TPMS parts that haven't been OE engineered and validated to meet the requirements set by NHTSA.

As TPMS is a safety system, failure to properly and safely maintain it puts your customers' safety at risk — and puts you in danger of legal action that could ruin your shop.

Unlike many competitors, all VDO TPMS products use only OE-validated parts that meet the functional requirements set by NHTSA in FMVSS No. 138. From the valve cores to the full sensor assemblies, all VDO TPMS Replacement Parts go through the stringent OE-validation procedures that apply to all parts we sell to both automakers and the aftermarket.

TPMS Profit Center

Remember, replacing the TPMS valve stem (snap-in rubber or clamp-in aluminum) or the TPMS service kit with each tire sale is done for the same reasons a traditional TR-413 snap-in is replaced with each new tire.

More information at mcgeecompany.com/stems

- McGee's top 6 stems
  - 8 - Vs70
  - 4 - 1096k
  - 4 - VS90
  - 8 - VS65
  - 8 - 9066K
  - 20 - VS950
- Color coded for easy selection
- 52 stems
- Extra dividers to fit your needs
- Heavy duty protective organizing case

TPC
$159.99

REDI-Sensor™

WORKS WITH EXISTING MAJOR TPMS SCAN TOOLS:

If a shop has the tools to handle OE sensors, it's ready for REDI-Sensor. Unlike other sensors that require the purchase of specialized tools and software upgrades, no additional purchases, training or investments are needed with REDI-Sensor.

It works with all major TPMS scan tools, including ATEQ, Bartec, OTC and T.I.P.S. With REDI-Sensor, technicians can use the OE scan tool procedures for TPMS service – no new service routines are required.

THE INDUSTRY SAYS, "REPLACE SERVICE KITS."

Every major car manufacturer and the Rubber Manufacturers Association recommend replacing the TPMS service kit or valve stem when dismounting the tire.

How much money are you leaving on the table by not doing TPMS?

	Valve Stem Shop Revenue	TPMS Sensor Rebuild Shop Revenue
Assumptions	100 Tires a Week	100 Tires a Week
Cost from WD	$ 0.12	$ 3.00
Sell price to customer	$ 2.75	$ 9.99
Profit per tire	$ 2.63	$ 6.99
Weekly profit	$ 263.00	$ 699.00
Annual profit (52 weeks)	$ 13,676.00	$ **36,348.00**

A shop doing TPMS makes nearly **three** times the amount doing TPMS versus valves alone in addition to pushing their customers to a competitor. **Be TPMS smart**; let McGee Company train you and set you up with the tools to be successful.

Reusing seals or using inferior seals = slow leaks

Reusing hex nuts or using inferior nuts = corrosion and a damaged sensor!

Unplated Valve Core, Corroded in Stem (valve core will not actuate)

Must replace grommet

Digital Pocket Gauge

Range: 0-150 PSI in .5 PSI increments
Accuracy: ±1 PSI
Large LCD display
Red backlight
Angled chuck head

476-32380
Digital Pocket Gauge

Ascot No.	Mfg. No.	Description	Price
476-32380	3238P	Digital Pocket Gauge w/Angled Chuck 1 150 PSI	$18.79

Now USA made Dill! **$3.95**
7212USA 20-120 PSI high pressure gauge

Automotive Tire Gauges

- Pencil, chrome tire gauges with nylon indicator bars

Imprinted Gauges Available with Your Name. Call for details!

Ascot #	McGee #	Range	Type	Price
476-10105	GA105	10-50 PSI	Passenger Gauge	$2.99
476-10115	GA115	20-120 PSI	High Pressure Gauge	$2.89
476-10100	GA100	1-20 PSI	Low Pressure Gauge	$3.14
476-10110	GA110	10-50 PSI	Passenger Gauge 75-340 kPa Calibrated in PSI & kPa	$2.74
476-10125	GA125	5-45 PSI	Air/Liquid Gauge - tractor	$3.12
476-10145	GA145	10-75 PSI	Mid-Range Gauge 70-500 kPa Calibrated in PSI & kPa	$2.60

468-05005 468-00660 468-00050 468-20495 468-05405 468-07572

Ascot No.	McGee No.	Description	Finish	Price
46805005	CAP S	Combination Cap/ Sleeve for TR413	Chrome	$.18
46800660	660V	Standard Black Plastic Valve Cap (100)	Plastic	$1.99

Ascot No.	Mfg. No.	Operating Pressure Range	Operating Pressure	Price
468-05405	5405V	0-200 PSI-Peaks of 300	90 PSIG	$10.99
5405V cannot be used in aluminum TPMS items				

Ascot No.	Mfg. No.	Description	TR No.	Operating Pressure	Finish	Price
468-07572	7572V	Dome-Shaped Top & Guide (100)	VC3	0-200 PSI	Nickel Plated	$12.99

Digital Hand-Held Tire Inflator*

- INFLATION RANGE: 0 - 174 PSI
- ACCURACY: +/- .2 PSI • 6' Hose
- Lightweight shock-resistant design
- High specification ceramic sensor
- Long life, easily replaceable battery
- Available in custom hose lengths and chuck styles
- Valve has provisions for checking air pressure during inflation
- Threaded for 1/4" male NPT hose fittings

477-10001

$121.42!

ASCOT NO.	McGEE NO.	DESCRIPTION
477-10001	47710001	Digital Hand-Held Tire Inflator

* This gauge provides more accurate air pressure readings which are essential with TPMS.

Green Valve Caps for Nitrogen Inflated Tires

468-00207 590021 590019 46800307 468-43607

Ascot No.	McGee No.	Description	Price
46800207	46800207	Green Plastic Ntrogen Cap (100/bx)	$ .03 ea
46800307	46800307	Green Valve Oring (100/bx)	$ .03 ea
46843607	436075	High Quality Green Stamped Chrome	$ .29
--	590021	Chrome Nitrogen Valve Cap (100/ box)	$29.00
--	590019	Aluminum Nitrogen Valve Cap (100/box)	$29.00

Use chrome caps on brass stems only and aluminum caps on aluminum stems

COUNTER DISPLAY

Retail Gauge Opportunity
Promote accurate tire inflation

941DIS – Counter Display with Ten 10-120 lb gauges
476-00941 **$25.95**

7277USA **$32.95**
Counter Display with ten USA made gauges –10-75 PSI

941DIS

Special $179.00

The new **Air Blast 500** bead seater features the new hi flow butterfly valve with forward pivot handle. This design allows for quicker release and maximized air flow to the tire.

Fast Release Hi-Flow Valve

McGee Company offers free assembly of air hose to your required length!

Air Hose

Made in the USA

Rubber Air Hose

1/4", 3/8" & 1/2" Multi Purpose Air Hose Assemblies Smooth cover, 300 PSI W.P., 1,200 lb. burst. Limited oil resistance tube & cover. Red.

Mfg. No.	Description	Price
W64RJ25	25', 3/8" Male NPT Hose, 1/4" MNPT	$28.52
W64RJ50	50', 3/8" Male NPT Hose, 1/4" MNPT	$51.97
W84RJ25	25', 1/2" Male NPT Hose, 1/2" MNPT	$42.37
W84RJ50	50', 1/2" Male NPT Hose, 1/2" MNPT	$76.29

Prevost Flexair Hose

McGee No.	Description	Price
RISB3850	3/8" hose with Ind 1/4" fitters 50 ft	$49.95
RUSB3850	3/8" hose with Auto 1/4" fitting 50 ft	$49.95

Each hose includes 1/4" Prevost coupler and nipple

Coil Hose



SafeCoil Hose

Safecoil is the easy way to keep work areas uncluttered, and hand tools handy. Safecoil is convenient, with full 360° swivel at each end, lightweight and quickly returns to its coiled position. Rated for working pressures to 200 P.S.I.

Mfg. No.	Hose I.D.	Hose Length	Male N.P.T. Both Ends	Standard Pack	Sale Price ea.
6127	1/4"	12'	1/4"	1	$14.25
6127A	1/4"	25'	1/4"	1	$7.37
6127B	1/4"	50'	1/4"	1	$11.69
6128A	3/8"	25'	3/8"	1	$34.58

Oetiker 2-Ear Clamps

- Especially suited for industrial or heavy vibrting equipment
- Medium pressure clamp that is used for maintenance and OEM applications
- Ruber hose, plastic tubing, coaxial and elecrical cable, rope are easily clamped
- For air, fluid, gas, steam line

McGee No.	Mfg. No.	Nominal Size	Inches Closed-Open	MM Closed-Open	Inner Inches	Width of Ear
31601113	1113	1/2"	.433-.512"	11-13mm	276"	7.0mm
31601315	1315	9/16"	.512-.591"	13-15mm	295"	7.5mm
31601518	1518	5/8"	.591-.708"	15-18mm	315"	8.0mm
31601720	1720	3/4"	.669-.787"	17-20mm	.335"	8.5mm
316-2-23	2023	7/8"	.787-.905"	20-23mm	354"	9.0mm

Call for other sizes!

TIRE INFLATION APPLICATIONS

- Quick lube shops
- Vehicle service centers
- Car Rental Facilities
- Automobile Dealerships
- Oil Change Stores
- Mobile Service Trucks

Outlet

89XDA© is designed to inflate a single tire at a time. Multiply inflation systems available.



MCGEE REPRESENTATIVES CAN HELP YOU SELECT THE BEST INFLATION SYSTEM.

1-800-525-8888

Air Tanks

- Patented built-in pressure by-pass valve
- Easy to read pressure gauge
- Heavy-gauge steel construction
- Maximum pressure up to 125 psi
- Portable design with easy carrying handle
- 4 foot rubber hose
- Durable valve chuck

$53.03!

W1010A

Oetiker 2-Ear Clamp Service Kit

The SK1098 Oetiker Service Kit contains the folowing sizes:

5/16"	15	3/4"	12
7/16"	15	7/8"	12
1/2"	15	15/16"	12
9/16"	15	1"	12
5/8"	12		

1 pair straight Jaw Pincers
1098 piecers - $29.95

Now! $107.30
SK1098

Ascot No.
316-91098

Mfg. No.
SK1098

Enkei Valves

- A high performance "No Show" type chrome plated valve that installs from the outside
- A rubber washer and nut are on the inside
- Fits .453" diameter hole

Ascot No.	McGee No.	Description	Price
462-06010	TV6010	3/4" Length, Standard	$1.59
462-06020	TV6020	Bent at 45° Angle	$2.27
462-06030	TV6030	1-1/4" Length, Standard	$3.12
462-06040	TV6040	1-3/4" Length, Standard	$2.99

Quality valves assure trouble free service!

Chrome-Sleeve Snap-in Type Tubeless Tire Valves

- Standard snap-in type tubeless tire valves are fitted with an attractively designed hexagon valve cap and chrome sleeve to cove the valve stem area **$1.29 ea**
- Available in two lengths to fit .453" valve holes.

Ascot No.	Mfg. No.	Eff. Length	Price
461-41211	412SC	7/8"	$ .49 ea
461-41311	413SC	1-1/4"	$ .59 ea
461-41811	418SC	2"	$ .79 ea

Couplers & Nipples

- Steel plated couplers with hardened steel balls and stainless steel springs
- Plugs heat-treated to reduce wear on critical mating surfaces
- Interchange with Tru-Flate 10 and 100 type series as well as units produced by other manufacturers
- Maximum working pressure 300 psi.

ASCOT

Automotive Standard Series "G"

Part No.	Description	Price
3505	1/4" Coupler Male	$4.72
3506	1/4" Nipple Male - USA	$1.31
3507	1/4" Nipple Female - USA	$1.35
3515	3/8" Coupler Male	$7.80
3517	3/8" Nipple Male	$1.93
3518	3/8" Nipple Female	$2.67
3512	1/2" Coupler Female - USA	$12.35
3513	1/2" Nipple Male - USA	$4.53
3514	1/2" Nipple Female - USA	$4.47

513811	1/4" Nipple Male - USA	$1.14
513911	1/4" Nipple Female - USA	$1.00

513911

PREVOST 1/4"

Automotive Style Couplers

- One hand push button design - red
- Fits all 1/4" automotive style adapters
- Longer lasting

URC061201 (red)

IRC061201 (blue)

Constructed of high impact tough composite material. Smooth finish will not scratch finishes and will not hang up like traditional couples. Press the button and the downstream air releases, and when the couple is discharged it automatically releases adapter or hose, preventing dangerous hose whip. Use with any automotive nipple. Industrial use with 513811, 513911, and 11E.

Mfr. No	Description - Automotive	Price
URC061201	1/4" FPT Automotive Coupler	$19.80
URC061251	1/4" MPT Automotive Coupler	$19.80

Use with industrial - blue button

Mfr. No	Description - Industrial	Price
IRC061201	1/4" FPT Industrial Coupler	$25.76

Dill – OE

Snap-In Tubeless Tire Valves

Made with special rubber compound to resist ozone damage and prevent premature deterioration caused by rim hole compression, heat, cold. Maximum inflation pressure is 65 P.S.I.

Valve Hole	McGee No.	TR No.	Effective Length	Standard Pack Box	Price
.453	412R	412	7/8"	500	$.28 ea.
.453"	TR413	413	1 1/4"	500	$.28 ea.
.453"	414R	414	1 1/2"	500	$.35 ea.
.453"	423R	423	1 1/2"	500	$.53 ea.
.453"	418R	418	2	500	$.33 ea.
.625"	415R	415	1 1/2"	500	$.31 ea.
.625"	425R	425	2	500	$.52 ea.

413 414 418 423 415 425

Machine Year Month Day

Snap-in tire valves have become a commodity even though they are critical in maintaining the correct tire pressure. As questions arise regarding the life of rubber components and as an effort to provide traceability for this product line, Dill provides a solution! Each Dill stem has the production data etched on it!

Now! EconomicalAsian stems TR413IV – $.14 ea. TR418IV - $.19 ea.

High Pressure Snap-In Valves — Dill OE

- Tubeless snap-in type valves for high pressure applications
- Maximum cold inflation pressure is 100 psi
- For .453" or .625" rim holes
- Do not use on tire rims that exceed .205" in thickness

Ascot No.	TR No.	Eff. Length	Valve Hole Dia.	Sale Price
461-00600	TV600HP	1.27"	.453"	$.69
461-00602	TV602HP	2"	.453"	$.89
461-00801	TV801HP	1.25"	.625"	$.89
461-00802	TV802HP	2"	.625	$.99

TV600HPIV import - 100 each - $.30 ea

TR416 Clamp-In Tubeless Tire Valves

- Nickel plated metal valves can be installed in all passenger cars, light trucks and industrial rims with .453" or .625" valve holes
- Rubber grommet forms a seal when valve is clamped to rim by tightening hex nut
- Maximum inflation pressure is 130 psi
- Includes 2 rubber grommets

Ascot No.	McGee No.	Eff. Length
462-00416	3640	1-1/4"
462-36415	3641	2"

3640 - 1 1/4"

$.99 ea.

Chrome Hi-Performance Valve

Perfect for Custom Wheels

Chrome plated valve and sealing cap. Especially suited to custom wheels. Includes grommets for .453" and .625" passenger car wheels.

5991B
462-00800
3/4"

$.79 ea.

Radial Commander Valve For 15° Disc Wheels

- 23° bend clamp-down valve for .625" valve hole
- Bend allows clearance of brake drum for tire service **$2.94 ea.**

Ascot No.	Part No.	Description
462-01147	N1147	Radial Commander Valve

VALVE HARDWARE

Master Air Pressure Station

$149.00

This station is used as a test pressure source for calibration of air gauges. Unit can be wall mounted on 1/2" npt pipe. TIA recommends regular calibration of truck tire gauges to maintain accuracy and assure proper tire inflation. The tire gauges listed below can be adjusted to maintain accuracy.

HALTEC CORPORATION

Easy Lock Air Chucks

- Use open chucks with inflation gauges & tire changers
- Closed chucks engage tire valve for air to flow
- Extended reach for dual wheels
- Improves the seal on flow-through caps

All chucks feature easy on/off application custom coupler lock with a slide release and automatic locking design. Hardened steel pins provide extended service life. 1/4" FPT. Includes 1/4" Automotive Style adapter.

ES308 Angled Chuck

ES301 Straight Chuck

ES306 Easy Lock Chuck

McGee No.	Description	Type	Length	Price
ES311	Easy Lock Chuck	Closed	3"	$28.22
ES312	Easy Lock Chuck	Open	3"	$28.22
ES313	Easy Lock Chuck	Closed	6"	$30.92
ES314	Easy Lock Chuck	Open	6"	$30.92
ES305	Easy Lock Chuck	Closed	12"	$33.62
ES306*	Easy Lock Chuck	Open	12"	$33.62
ES307	Angled Dual Foot Easy Lock Chuck	Closed	8"	$38.48
ES308*	Angled Dual Foot Easy Lock Chuck	Open	8"	$38.48
ES309	Angled Dual Foot Easy Lock Chuck	Closed	12"	$40.64
ES310	Angled Dual Foot Easy Lock Chuck	Open	12"	$40.64
ES300	Straight Dual Foot Easy Lock Chuck	Closed	12"	$35.24
ES301*	Straight Dual Foot Easy Lock Chuck	Open	12"	$35.24

*Stock Items

Lock On Air Chucks

Ascot No.	McGee No.	Description
478-05265	5265SH	Lock-On Air Chuck. Specially Designed To Lock Onto The Cap Of A Standard Bore Valve Stem When The Sliding Sleeve Is Pushed To Forward Position

Truck Service Gauges

- Wide variety of service gauges to accommodate the numerous tire and wheel configurations encountered by tire service personnel
- Available in chrome plated or protective black epoxy finish as indicated
- Calibrated from 10-150 psi in 2 pound increments
- Nylon or metal indicator bars

Ascot No.	McGee No.	Gauge Type	Price
476-10135	GA135	Angle Chuck With Nylon Bar	$8.55
476-11135	GA135S	Same As Above, Angle Chuck With Metal Bar	$9.63
476-10155	GA155	Straight-On With 30° Reverse Chuck	$12.79
476-10165	GA165	Same As Above, Straight-On With 30° Reverse Chuck, Black Epoxy Finish	$9.56
476-11155	GA155S	Same As Above, Straight-On With 30° Reverse Chuck, Metal Bar	$12.92
476-10185	GA185	Dual Foot Service Gauge With Nylon Bar, 180° Chuck, Chrome Plated	$11.77
476-01046	7285E	Externally Adjustable Metal Bar Truck Gauge – 10-150 psi	$13.94

Pocket Truck Gauges

Ascot No.	McGee No.	Description	Price
476-10150	GA150	Straight-On/Angled Gauge. 20-120 psi. Chrome Plated.	$7.99
476-10160	GA160	Straight-On/Angled Gauge. 20-120 PSI. Black Baked Epoxy Protective Finish.	$7.79
476-10130	GA130	Dual Foot Angled Pencil Gauge. 20-120 psi.	$4.45

Now USA made
7263USA **$9.95**

Straight-On/Angled Gauge
20-120 PSI. Black Baked Epoxy Protective Finish.

WH Series

Single Bend Swivel Valves

Ascot No.	McGee No.	TR No.	Bend Angle	Horizontal Length "L"	Vertical Height "H"	Price
465-00650	WH300J650	J-650	80°	$3^{1}/_{8}$	$1^{5}/_{64}$	**$9.95**
465-00653	WH300J653	J-653	80°	$2^{1}/_{2}$	$1^{5}/_{64}$	**$9.95**

Miscellaneous Valves

T670 H41 H42 H45

465-00670 T670 Loader Tire Valve complete with core, hex cap and "O" ring seal. Thread size is $1\text{-}^{1}/_{16}$-12. Height is $1\text{-}^{25}/_{32}$".	**$9.99**
465-00702 H41 Tubeless Spud (TR-SP-2), used with all Large Bore Swivel Valves. Fits $^{13}/_{16}$" rim hole. Height is $^{11}/_{16}$".	**$2.48**
465-06702 H42 Straight Valve (TR-J-670-2) equipped with core and hex cap. Height is $1^{1}/_{2}$".	**$7.54**
465-06703 H45 Spud and Valve Complete (TRJ-670-3) Consists of H-41 & H-42. Height is $1^{5}/_{8}$".	**$10.07**

LB Core $1.19 ea.

655TM 656 A145 A148 A149

Large Bore Caps and Cores

Ascot No.	McGee No.	Description	Price
465-00145	A145	Large Bore Core (Short) Fits 305-32 threads	**$1.19**
465-00148	A148	Screwdriver Valve Cap. Fits .482-26 threads	**$1.30**
465-00149	A149	Hex Valve Cap fits .482-26 threads	**$1.27**
468-00100	655TM	Adapts large bore down to std. (AD1)	**$1.99**
468-08007	656	Same as 655TM but cap style	**$2.27**

Large Bore Air Chucks

377 322 H4660A

Ascot No.	McGee No.	Description	Price
478-00377	377	Long Lock-On Air Chuck.	**$21.74**
478-00322	322	Large Bore Dual Foot Air Chuck. 45° Chuck For Easy Access To Valve. 1/4" NPT Female Thread.	**$33.83**
478-04660	H4660A	L/B Clip-on Air Chuck 1/4" NPT	**$23.55**

Tubeless Truck Clamp-in Valves Dill - with U.S.A. made grommet!

Straight clamp-in valves used on both demountable and non-demountable rims. For .625" diameter valve hole.

Available in BENT FORM - TR57213 - 13° - **$1.61 ea.**

McGee #	Effective Length	100 Ea.	Cost Each
TR500	2"	$1.00	$1.34
TR501	1 1/2"	$.98	$1.34
TR570	3 1/8"	$1.08	$1.40
TR571	3 3/8"	$1.06	$1.46
TR572	3 3/4"	$1.17	$1.52
TR573	4 3/8"	$1.23	$1.60
TR574	5"	$1.26	$1.64

Import TR572IV – $.99 ea!

Tire Valves - 540 Series

O-ring seal valves for Alcoa truck wheel (9.7MM Valve Hole)

Many production Alcoa aluminum wheels are manufactured with a 9.77MM valve hole that requires an O-Ring tire valve. Haltec valves have a high temperature resistant O-Ring and a heavy duty metal valve cap.

0330 O-ring available for TV540 Series NOW! 100 ea TV545D - **$1.59 ea**

Valve TR No.	A Height	Bend Angle	B Length	Price ea.
TV543	2.40	-	-	$2.61
TV543D	.98	60°	1.38	$2.74
TV543E	.98	75°	1.38	$2.64
TV544	2.90	-	-	$3.15
TV544D	.98	60°	1.94	$3.15
TV545	3.50	-	-	$3.24
TV545D	.98	60°	2.6	$1.99
TV546	4.25	-	-	$3.17
TV546D	.98	60°	3.35	$3.58
TV546E	.98	75°	3.35	$3.62
TV546G	.98	36°	3.35	$3.31

Metric Clamp-In Valves - 550 Series

Popular on all new Alcoa wheels!



Compatible with aluminum wheel designs with .389 valve hole.

- Viton grommets offer a greater temperature range, a better seal, and a longer service life — Maximum temperature 250°
- Easier installation with screwdriver slot.
- Recommend installation torque 45 in - lbs.

McGee #	A	B	C	Price ea.
TV553	2.31	-	-	$4.28
TV553C*	0.93	1.38	45°	$4.28
TV553E*	.98	1.38	75°	$4.28
TV554D*	.98	1.94	60°	$4.28
TV555D*	.98	2.6	60°	$4.28
TV555E	.98	2.6	75°	$4.28

*In Stock

Dual Foot Air Chucks

Ascot No.	McGee No.	Description	Price
478-01350	CH350LO	Straight-On/Angled Chuck. Protective Black Epoxy Finish (Normally Closed)	$7.59
478-00335	CH335	Angled Chuck. Plated Finish (Normally Closed)	$4.75
478-03300	CH330LO	Straight-On/Angled Chuck. With Lock-On Threads (Normally Closed)	$7.29
478-03301	CH330	Straight-On/Angled Chuck (Normally Closed)	$6.73
478-03330	CH333LO	Straight-On/Angled Chuck. 14" Long (Normally Closed)	$9.24

Ball Foot Chucks

Ascot No.	McGee No.	Description	Price
478-00335	5499	Ball Foot Chuck. 1/4" Female Thread (Normally Closed)	$2.79
478-00315	5567	Ball Foot Chuck With Lock-on Clip. 1/4" Female Thread (Normally Closed)	$7.49

478-00315

478-00305

478-00335


478-01350

478-03300

European-Style Clip-On Chucks

Ascot No.	McGee No.	Description	Price
478-02985	CH360	European-Style Clip-On Chuck. 1/4" Female Fitting. Silver Clip. (Normally Closed).	$6.78
478-02995	CH360OP	European-Style Clip-On Chuck. 1/4" Female Fitting. Black Clip. (Normally Open).	$6.78
478-01200	N1200	European-Style Clip-On Chuck. Serrated Shank for 1/4" I.D. Hose. Silver. (Normally Closed).	$4.59

Made in the USA

478-01200

478-02985

McGee No.	Description	Price
6293DUSA	European-Style Clip-On Chuck, 1/4" Female Fitting. Silver Clip. (Normally Closed). (CH360)	$7.29
6293EUSA	European-Style Clip-On Chuck. 1/4" Female Fitting. Black Clip. (Normally Open). (CH360001)	$7.29

Crossfire Dual Tire Pressure Equalization System

Includes four mounting brackets

A) Installed on the 5/8" or 3/4" drive axle bolts of both disc and spoke wheels. If the wheel has a hub cap, it can be snapped on over the bracket.

B) Mounts directly on the 1-1/4" lug bolt

T) Mounts on the 1/4" bolt that secures the hub cap to either a disc or spoke wheel

H) Mounts directly on lug with a hub-piloted nut



All sizes $57.95
Includes brackets BH and TA.
Other sizes available.

Under-inflation
20% under-inflation can cause a minimum 30% loss of tire life expectancy

Over-inflation
20% over-inflation can cause a minimum 10% loss of tire life expectancy

Proper-inflation
Mounted correctly, Crossfire's yellow indicator verifies that air is flowing freely from one tire to the other, equalizing the load

Order No.	Desc.	PSI	Ship Wt.	Order No.	Desc.	PSI	Ship Wt.
CF60ST	Equalizer	60	4 lbs	CF95ST	Equalizer	95	4 lbs
CF65ST	Equalizer	65	4 lbs	CF100ST	Equalizer	100	4 lbs
CF70ST	Equalizer	70	4 lbs	CF105ST	Equalizer	105	4 lbs
CF75ST	Equalizer	75	4 lbs	CF110ST	Equalizer	110	4 lbs
CF80ST	Equalizer	80	4 lbs	CF115ST	Equalizer	115	4 lbs
CF85ST	Equalizer	85	4 lbs	CF120ST	Equalizer	120	4 lbs
CF90ST	Equalizer	90	4 lbs				

Why Buy Crossfire?

When operating dual wheels, an inflation mismatch greater than 5PSI creates significant difference in the circumference of the tires. The tires will travel in the same distance in a single revolution; however, the larger tire will drag the smaller tire. This process results in considerably greater tread wear on the smaller tire.

During testing, the 5PSI differential between the dual wheels created a 5/16" circumference difference between the tires. This circumference difference results in the larger tire dragging the smaller tire 13 feet in a single mile. Over the course of a typical 100,000 mile year the tire is being dragged 246 miles.

Rema Minicombi Repair Units & Accessories

Part of Rema's renowned Blue Bonding System™, Minicombi features a metal pilot guide for easy installation and seating. Specially designed for tread area punctures on both radial and bias-ply tires, Minicombi should be used with Special Cement BL.

Ascot No.	McGee No.	REMA#	Description(Units/Box)	Price
581-67050	A3	A3	1/8" Minicombi A3 (50/Box)	$89.95
581-67340	A6	A6	1/4" Minicombi A6 (40/Box)	$110.95
581-68008	B8MC	B8-MC	5/16" Minicombi B8 (20)	$85.14

Rema tire tube patches are renowned for their easy application and extraordinary effectiveness. A unique rubber compound allows the patch to stretch evenly and equally in all directions upon inflation, assuring a reliable bond and minimal bulging in any service condition.

Ascot No.	McGee No.	Units Size	Per Box	Price
541-00410	1	1-1/2 " Round	30	$8.99
541-00420	2	1-3/4" Round	30	$16.95
541-00430	3	2" Round	30	$20.95

Patch should be 1/2-inch larger in both width and length than the injury.

RAD 100 Series Radial Repair Units

RL110 Bulk 30 Per Bag - $42.95

REMA RAD 100 Series center-over-injury repair units has replaced older styles of non-flex to non-flex patches throughout the entire world . . . virtually revolutionizing the process of radial repair patch reinforcement.

Ascot No.	McGee No.	Patch Size Inches	(mm)	Qty/ Box	Price
575-00110	RAD110	2 x 2-3/4	55 x 75	20	$39.95
575-00115	RAD115	3-1/2 x 3	70 x 115	10	$49.95
575-00120	RAD120	4-7/8 x 3	85 x 130	10	$49.95

Rema Tip Top Universal Patch

The Hole Solution™ - The only patch you'll ever need for making a nail hole repair. For radial and bias- ply passenger or truck tires.

Ascot No.	REMA No.	Injury Size	Qty.	Price
550-26707	UP3	Small Nailhole	100	$55.95
550-26714	UP45	3/16" Nailhole	300	$239.95
550-26721	UP6	1/4" Nailhole	50	$59.95
550-26745	UP8	5/16" Nailhole	50	$79.95

Markal® Paintstik® Marker

Permanent, waterproof and fadeproof. Marks on wet tires, withstands retreading temperatures. Nontoxic, contains no lead. Sold 12 per box. Other colors available.

Ascot No.	McGee No.	Color	Price
459-80257	MKWhite	White	$9.60
459-80258	MKYellow	Yellow	$9.99

Tire Marking Crayons

- Bright Color On Any Tire

Will not melt, soften or rub off in the pocket. A quality crayon that marks on tires, tubes and rubber. Sold 12 per box.

Ascot No.	McGee No.	Color	Price
459-51420	51420	White	$5.49
459-51421	51421	Yellow	$5.49

Professional Stitchers

- Corrugated ball bearing stitcher with hardened steel wheel and varnished wooden handle

Ascot No.	Part #	Description	Price
536-00001	30	1-1/2" Diameter x 1/16" Face	$8.41

- Used to inspect injuries in tires and to remove small stones and debris

Ascot No.	McGee No.	Description	Price
537-00001	1013P	Black Handle Awl	$5.02

Buffing Wheels

Ascot No.	McGee No.	Description	Price
539-00033	33	3/8" - 24 Arbor for mounting buffing wheels	$5.00
539-10001	BC1	Fine grit coarse, round-nose buffer wheel, Tungsten Carbide 2 1/2" diameter — use on tires or tubes	$3.98
538-13000	1030G	2" fine tooth buffing cone-Ideal for passenger inner liners	$14.95
538-01034	1034T	2" med. tooth buffing cone-Ideal for passenger inner liners	$19.95
539-00788		(2) No. BC-1 buffing wheels mounted back-to-back on No. 33 Arbor (order item separately)	
538-14000	RH140	Faster, cleaner buffing; avoid burning	$22.95

- This tool is a must for professional tire repairs
- Eliminates power buffing on many tire repairs
- Scraper removes material that might contaminate buffing wheels, ensuring a better repair every time

Ascot No.	McGee No.	Blade Length	Price
537-00004	933	Black Handle Inner Liner Scraper	$5.71

TIRE REPAIR ACCESSORIES

Heavy Duty Air Tire Buffer

- Quick change chuck for easy bit change
- Piped-away exhaust directs air away from work area and user (included)
- Comparable to CP873

15810873 – $69.95

Piped-away exhaust hose included

Overhose Kit

Ascot #	McGee #	Description	Price
173-09165	2500	Quick Change Chuck	$22.18
173-09201	2510	$1^{11}/_{16}$" x $^{3}/_{8}$"-24 Chuck Adap. w/Washer & Nut	$4.40
173-09202	2511JD	$2^{3}/_{4}$" x $^{3}/_{8}$"-24 Chuck Adap. w/Nut & Wheel Spacer	$6.20
173-09211	2512JD	$1^{7}/_{8}$" x $^{3}/_{8}$"-24 Threaded Adap. w/Washer & Nut - Quick Change	$2.78
173-09212	SLP9212	$2^{1}/_{4}$" long x $^{3}/_{8}$" - 24 Threaded Adap. w/ Washer & Nut Quick Change	$4.40
173-09213	2522	$1^{15}/_{16}$" Adap. w/Set Screw for $^{1}/_{8}$" Shank	$2.18
173-09215	2523JD	$1^{15}/_{16}$" Adapter w/Set Screw for $^{1}/_{4}$" Shank	$2.18
173-09216	SLP9216	$1^{15}/_{16}$" Adapter w/Set Screw for $^{5}/_{16}$" Shank	$3.00
173-09400	SLP9400	Overhose Kit	$19.96

Tire Repair Knife

- High carbon steel, round point skiver, round burnt finish handle (riveted)

Ascot No.	McGee No.	Blade Length	Price
531-75190	X2RF	4" (102mm)	$9.83

- High carbon steel, taper point, glaze finish, round burnt finish handle (riveted)

Ascot No.	McGee No.	Blade Length	Price
531-75190	X2T	4" (102mm)	$8.40

- Clean out small injuries

Rema No.	McGee No.	Description	Price
537-95893	261RT	Reamer	$5.89

Wire Brushes

Ideal for buzzout repair of radials

535-08014

535-15463

Copper Center® Wire Wheel Brushes-Wire Fill

Ascot #	Mfg. #	Dia.	Wire Size	Arbor RPM	Hole	Price
535-15463	15463	2"	.0118"	20,000	1/2"-3/8"	$9.00
535-15533	15533	3"	.006"	20,000	1/2"	$13.43
535-15543	15543	3"	.008"	20,000	1/2"	$11.03
535-15563	15563	3"	.0118"	20,000	1/2"-3/8"	$10.62

Knotted Brushes

535-08014	08014	3"	.014"	20,000	1/2-3/8"	$28.20
535-08034	08034	4"	.0118"	20,000	1/2-3/8"	$32.61

Make detecting leaks easy!

532-14881 Quart Cement Dispenser with Plastic handle Brush

Spray Bottle

Quart Cement Dispenser with Plastic Handle Brush

Ascot No.	Description	Price
532-14381	Quart Cement Dispenser with Plastic Handle Brush	$9.95

Carbide Cutting Tools

Part No.	Description	Prices
BU18T	1/8" Taper Burr (PCC1)	$7.69
BU14T	1/4" Taper Burr (PCC2)	$30.88
BU38T	3/8" Taper Burr (PCC4)	$27.13
BU12B	1/2" Ball Burr	$25.00
BU732N	7/32" Long Pointed Burr (Use with 1/4" Plug)	$30.00
BU516N	5/16" Long Pointed Burr (Use with 3/8" Plug) (PCC3)	$44.09
BU716N	7/16" Long Pointed Burr (Use with 1/2" Plug)	$98.76

Xlight Tire Service LED Work Light

- Designed for hands-free lighting during tire service and other work applications
- 12" adjustable spring-tube for optimum light positioning within tight spaces
- Compact high-power LED light provides up to 300 LUX for intense focus and optimum visibility.
- Clamp-on handle quickly and easily grips over the bead of a tire
- Compatible with all passenger, light truck & commercial truck tires
- Compatible with all tire spreaders
- Multiple high-power magnets on the handle and light head attach easily to most metal surfaces
- Lithium-Ion rechargeable battery

Ascot No.	McGee. No.	Description
312-14921	31214921	Xlight Tire Service LED Work Light

Rep Boy

#3050RB

WAS $495

NOW - $259.95

The Rep Boy has a 360° swivel top, adjustable tire spreader, four tilt settings, and a tool bin. The adjustable tire spreader can accommodate all tires from garden service right through to light truck tires. The Rep Boy is versatile enough to be used at the corner service center, high volume tire service centers, or section repair shops.

Manual Tire Spreader

- Lightweight and easy to use
- Special locking pin for safety
- Made from durable materials
- Locks both beads open for easy tire inspection and repair

Ascot No.	McGee No.	Description	Price
605-14191	MS1	Manual Tire Spreader	$46.99

Prema Universal Repairs

PREMA Universal Repairs are designed for NAILHOLE REPAIRING of tubeless tires in the CROWN area only. Universal Repairs are available in round or square versions. Install with PREMA Ultra Fast Dry Vulcanizing Cement. Always fill the injury channel with the appropriate Prema repair material.

Ascot No.	McGee No.	Description	L (in.)	W (in.)	Qty/Box	Price
550-00502	PUR2	Universal Round 2	2 1/4	--	50	$25.44
550-00522	PUS2	Universal Square 2	1 3/4	1 3/4	100	$34.07
550-00533	PUS3	Universal Square 3	2 1/2	2 1/2	100	$52.12
550-00534	PUS4	Universal Square 4	3	3	50	$39.19

PREMA

Prema Radial Repairs - Passenger and Light Truck

PREMA Center-Over-Injury Repairs are designed for use in all radial tires. The PREMA Radial Repair is intended for use in HOT or COLD applications. PREMA Radial Repairs are designed for use in the crown, sidewall and shoulder of radial tires. Install with PREMA Ultra Fast Dry Vulcanizing Cement. Refer to the PREMA Repair Chart for proper selection of the repair unit. Always fill the injury channel with the appropriate Prema repair material.

Ascot No.	McGee No.	Description	L (in.)	W (in.)	# Plies	Qty/ Box	Price
575-05109	PR109	Radial 109	3	1 3/4	1	20	$17.77
575-05100	PR110	Radial 110	3 1/4	2 1/4	1	20	$20.65
575-05105	PR110B	Radial 110	3 1/4	2 1/4	1	80	$80.23
575-05120	PR112	Radial 112	4 3/4	3	1	10	$17.30
575-05125	PR112B	Radial 112	4 3/4	3	1	40	$74.33
575-05130	PR113	Radial 112HD	5	3 1/4	1	10	$20.37
575-05140	PR114	Radial 114	5 1/4	3 1/2	1	10	$27.42
575-05200	PR120	Radial 120	5	3 1/4	2	10	$33.30
575-05350	PR135	Radial 135	7 1/2	5 1/2	4	10	$93.00
575-05400	PR140	Radial 140	7 3/4	4 1/4	3	10	$79.42

Ultra Fast Dry Vulcanizing Cement

PREMA Ultra Fast Dry Vulcanizing Cement is formulated to provide outstanding performance when used in conjunction with PREMA Repair Materials. Contains no ozone depleting chemicals.

Ascot No.	McGee No.	Description	Size	Price
501-00508	PFC8	Ultra Fast Dry Vulcanizing Cement (Flammable)	8 fl. oz.	$8.95
501-00532	PFC32	Ultra Fast Dry Vulcanizing Cement (Flammable)	32 fl. oz	$23.02

Pre-Buff Cleaner

PREMA Pre-Buff Cleaner is formulated to remove contaminants and silicone from the innerliner of the tire prior to buffing. Contains no ozone depleting chemicals.

Ascot No.	McGee No.	Description	Size	Price
505-00532	PPC32	Pre-Buff Cleaner (Flammable)	32 fl oz	$13.33
505-00516	PPC16	Pre-Buff Cleaner (Aerosol)	16 fl oz	$8.72

McGee Company
1140 South Jason Street
Denver CO 80223

PRSRT STD
U.S. POSTAGE
PAID
DENVER, CO
PERMIT NO 1772

ATTN: ROUTE TO SERVICE DEPARTMENT

©2016 McGee Company, Denver, Colorado

McGeeCompany.com • 1-800-525-8888

SERVICE EQUIPMENT AND SUPPLIES FOR AUTOMOTIVE AND TIRE SERVICE

New and Demo Aligners

Passenger and Truck Weights

Tire Valve Hardware

Compressors

Tire Repair - Patches

Tire Changers

Balancers

Automotive Lifts