

MSDS Document

Product Dynatex® 49665 Non-Chlorinated Brake & Parts Cleaner

1. Chemical Product and Company Identification

Trade Name of this Product Dynatex® 49665 Non-Chlorinated Brake & Parts Cleaner

MSDS ID DYN49665

Manufacturer

Dynatex Inc.
350 Ring Road
Elizabethtown, KY 42701


Phone Number

(270) 769-3385

Emergency Phone

CHEMTREC (800) 424-9300

Revision Date 7/10/2009



| | |
|-------------|---|
| Health: | 1 |
| Fire: | 4 |
| Reactivity: | 0 |
| Specific | |

2. Composition and Information on Ingredients

| Ingredient | CAS Number | Weight % | ACGIH TLV | PEL | STEL |
|------------------|------------|----------|-------------|--------------|--------------|
| Acetone | 67-64-1 | | 750 ppm | 750 ppm | 1000 ppm |
| Toluene | 108-88-3 | | 50 ppm skin | 100 ppm skin | 150 ppm skin |
| Petroleum Naptha | 64742-89-8 | | 300 ppm | 300 ppm | 400 ppm |
| Carbon dioxide | 124-38-9 | | 5000 ppm | 5000 ppm | |

3. Hazard Identification

Chronic Effects of Exposure

This product or one of its ingredients present 0.1% or more is not listed as a carcinogen or suspected carcinogen by NTP, IARC, or OSHA.

Other Precautions

Read label precautions carefully. Follow label directions to avoid injury.

Primary Routes of Entry

Eye contact, skin contact.

Skin Contact

Irritation, redness

Inhalation

High concentrations of vapors may irritate nose and throat and cause symptoms of intoxication such as dizziness, nausea, headache or indigestion.

Ingestion

While unlikely to occur during normal usage, ingestion can cause vomiting. Seek medical attention if this occurs.

Comments

Intentional misuse by deliberately concentrating and inhaling the contents may be harmful or fatal. Reports have associated repeated and prolonged occupational overexposure to solvents with permanent brain and nervous system damage.

4. First Aid Information

Eye Contact

Immediately flush eyes with water for at least 15 minutes. Get medical attention if irritation develops.

Skin Contact

Wash affected area thoroughly with soap and water. Remove contaminated clothing and launder before re-use. Get medical attention if irritation develops.

Inhalation

Move affected person to fresh air; if breathing is difficult, administer oxygen; if breathing has stopped, give artificial respiration. Get medical attention.

Ingestion

DO NOT INDUCE VOMITING. Seek immediate medical attention.

5. Fire Fighting Measures

Flammability (per flame projection)

Extremely flammable

Flammable Limits in Air (Propellants)

Lower: N/A

Upper: N/A

Extinguishing Media

Carbon Dioxide, Dry Chemical, Foam

Special Fire Fighting Procedures

Full protective equipment including self-contained breathing apparatus should be use. Water spray may be ineffective. If water is used, fog nozzles are preferable. Water may be used to keep cool closed containers to prevent build-up and possible auto-ignition or

explosion when exposed to extreme heat.. Use proper equipment to protect personnel from bursting containers.

Unusual Fire and Explosions Hazards

Contents under pressure. Do not expose to temperatures exceeding 120F as containers may vent, rupture or burst.

6. Accidental Release Measures

Steps to be taken in case of spill or release

Absorb spill with inert material then place in a chemical waste container. Dispose of spill material in accordance with regulations.

7. Handling and Storage

Handling

Do not puncture or incinerate containers. Keep out of reach of children. Read label precautions carefully. Follow label directions to avoid injury. Use only with adequate ventilation. Avoid breathing vapor and spray mist. Avoid contact with skin and eyes. Wash hands after using.

Storage

Do not store at temperatures above 120F. Store in accordance with NFPA 30B for Level 3 Aerosol.

Other Precautions

Read label precautions carefully. Follow label directions to avoid injury.

Important

Extremely flammable. Contents under pressure. Do not smoke while using or use near open flame. Container may explode if heated in any manner. Protect from sunlight and do not expose to temperatures exceeding 122F/50C (ex: electric lights). Do not pierce or burn container, even after use. Do not spray on a naked flame and any incandescent material. DO NOT SMOKE WHILE USING THIS PRODUCT.

8. Exposure Controls and Personal Protection

Precautionary Measures

Use only with adequate ventilation. Avoid contact with skin and eyes. Avoid breathing vapor and spray mist. Wash hands after using.

Eye Protection

Wear safety glasses with side shields. Eyewash fountains should be readily available.

Skin Protection

None required for normal application of aerosol products where minimal skin contact is expected. For long or repeated contact, wear chemical resistant gloves.

Ventilation

Local exhaust preferable. General exhaust acceptable if exposure is below applicable exposure limits.

Respiratory Protection

If personal exposure cannot be controlled below applicable limits by ventilation, wear a properly fitted organic vapor/particulate respirator approved by NIOSH/MSHA for protection against materials in Section 2.

Other Precautions

Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.

Note

These precautions are for room temperature handling. Use at elevated temperatures or aerosol/spray applications may require added precautions.

9. Physical and Chemical Properties

| | |
|---------------------|---|
| Physical State | Thin liquid |
| Specific Gravity | 0.8 |
| Color/Appearance | Water white to light straw color, clear |
| Odor | Sweet mild solvent odor |
| pH | Not applicable |
| Boiling/Cond. Point | 132F 56C |
| Solubility | Insoluble in water |
| Evaporation Rate | > 1 (BuAc=1) |
| VOC % | 19% |
| Vapor Pressure | (Propellant) Not established |

Note

The above information is not intended for use in preparing product specifications. Contact Accumetric LLC before writing specifications.

10. Stability and Reactivity

Chemical Stability

Stable

Hazardous Polymerization

Will not occur

Materials to Avoid

Avoid contact with strong oxidizers.

Conditions to Avoid

Open flames; Temperatures above 120F

Hazardous Decomposition Products

Carbon monoxide, carbon dioxide, hydrocarbons

11. Toxicological Information

Chronic Hazards

Intentional misuse by deliberately concentrating and inhaling the contents may be harmful or fatal. Reports have associated repeated and prolonged occupational overexposure to solvents with permanent brain and nervous system damage.

Special Hazard Information on Components

No known applicable information.

Component Toxicology Information

No known applicable information.

Carcinogenicity

No ingredient in this product is an IARC, NTP or OSHA listed carcinogen.

12. Ecological Information

Environmental Fate and Distribution

Complete information is not yet available.

Environmental Effects

Complete information is not yet available.

Fate and Effects in Waste Water Treatment Plants

Complete information is not yet available.

13. Disposal Considerations

We make no guarantee or warranty of any kind that the use or disposal of this product complies with all local, state, or federal laws. It is also the obligation of each user of the product mentioned herein to determine and comply with the requirements of all applicable statutes.

14. Transportation Information

DOT Road Shipment Information

Description: Consumer Commodity ORM-D

UN Number: UN1950

Hazard Class: 2

Packing Group: N/A

15. Regulatory Information

The contents of this MSDS comply with the OSHA Hazard Communication Standard 29 CFR 1910.1200.

TSCA Status

All chemical substances found in this product comply with the Toxic Substances Control Act inventory reporting requirements.

SARA Title III Section 302 Extremely Hazardous Substances

None

SARA Title III Section 304 CERCLA Hazardous Substances

None

SARA Title III Section 313 Toxic Chemicals

n-Hexane (110-54-3)

California Proposition 65

This product contains the following chemical(s) listed by the State of California under the Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65) as being known to cause cancer, birth defects or other reproductive harm:

None known

New Jersey

Carbon dioxide (124-38-9)

n-Hexane (110-54-3)

2-Propanol (67-63-0)

Pennsylvania

Carbon dioxide (124-38-9)

n-Hexane (110-54-3)

2-Propanol (67-63-0)

16. Other Information

Disclaimer

The data contained herein is based upon information that Accumetric LLC believes to be reliable. Users of this product have the responsibility to determine that suitability of use and to adopt all necessary precautions to ensure the safety and protection of property and persons involved in said use. All statements to suggestions are made without warranty, expressed or implied, regarding the accuracy of the information, the hazards connected with the use of the material or the results to be obtained from the use thereof.