

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND COMPANY/UNDERTAKING

Material Name : QUIN SYN PG

Uses : Mixture.

Manufacturer/Supplier : Quincy Compressor

701 N. Dobson Ave. Bay Minette, AL 36507

US.

Telephone : Please contact the nearest Quincy Compressor office in US: 251.937.5900

Emergency Telephone: Only for transport emergency call Chemtrec: +1 703 527 3887 or within USA:

800 424 9300.

2. HAZARDS IDENTIFICATION

Hazard Classification

Health Hazards : Specific Target Organ Toxicity - Category 2 Repeated Exposure

Unknown toxicity

Acute toxicity, oral : 0.0 %
Acute toxicity, dermal : 0.0 %
Acute toxicity, inhalation, vapor

: 94.3 %

Acute toxicity, inhalation, dust or mist

94.2 %

Label Elements Hazard Symbol



Signal Word : Warning

Hazard Statement : May cause damage to organs through prolonged or repeated exposure.

Precautionary Statement

Prevention : Do not breathe dust or mists.

Response : Get medical advice/attention if you feel unwell.

Disposal : Dispose of contents/container to an appropriate treatment and disposal

facility in accordance with applicable laws and regulations, and product

characteristics at time of disposal.

Other hazards which do not result in GHS classification

None identified.



3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS number	Percent by Weight
Polyether polyol	Confidential	60 - 70%
Alkarylamine	68411-46-1	5 - 10%
Barium sulfonate	Confidential	0.1 - 0.5%

Trade secret information: A specific chemical identity and/or percentage of composition has been

withheld as a trade secret.

4. FIRST AID MEASURES

General information : Get medical advice/attention if you feel unwell.

Ingestion : Rinse mouth. Call a POISON CENTER or doctor/physician if you feel unwell.

Inhalation : Remove exposed person to fresh air if adverse effects are observed.

Skin Contact: Take off contaminated clothing and wash before re-use. Wash with soap and

water. If skin irritation occurs, get medical attention. Launder contaminated

clothing before reuse.

Eye Contact : Any material that contacts the eye should be washed out immediately with

water. If easy to do, remove contact lenses.

Most important symptoms/effects, acute and delayed

Symptoms: See section 11.

Indication of immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

5. FIRE FIGHTING MEASURES

General Fire Hazards : Use water to cool containers exposed to fire.

Suitable (and unsuitable) extinguishing media

Suitable extinguishing media

: CO2, dry chemical, foam, water spray, water fog.

Unsuitable extinguishing media

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

See section 10 for additional information. Burning may produce irritating, toxic and obnoxious fumes. Container may rupture on heating. Material

creates a special hazard because it floats on water.

Special protective equipment and precautions for firefighters

Special firefighting procedures

No data available.



Special protective equipment for fire-fighters

: Wear full protective firegear including self-containing breathing apparatus operated in the positive pressure mode with full facepiece, coat, pants, gloves and boots.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

: Personal Protective Equipment must be worn, see Personal Protection Section for PPE recommendations.

Methods and material for containment and cleaning up

Dike far ahead of larger spill for later recovery and disposal. Pick up free liquid for recycle and/or disposal. Residual liquid can be absorbed on inert material.

Environmental Precautions

Avoid release to the environment. Do not contaminate water sources or sewer. Prevent further leakage or spillage if safe to do so. Material will float on water.

7. HANDLING AND STORAGE

Precautions for safe handling

Do not breathe dust/fume/gas/mist/vapors/spray. Observe good industrial hygiene practices. Provide adequate ventilation. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Avoid environmental contamination.

Keep containers closed when not in use. Avoid eye contact. Avoid repeated or prlonged skin contact. Avoid breathing dust, fume, gas, mist, vapors or spray. Use grounding and bonding connection when transferring material. Launder contaminated clothing before reuse. Empty containers retain material residue. Do not cut, weld, braze, solder, drill, grind or expose containers to heat, flame, spark or other sources of ignition.

Maximum Handling Temperature

Not determined.

Conditions for safe storage, including any incompatibilities

Store separately from oxidizers. Store in a dry, well-ventilated place. Keep container tightly closed. Do not store in open, unlabeled or mislabeled containers. Store away from incompatible materials. See section 10 for incompatible materials.

Maximum Storage Temperature

: Not determined.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

Occupational Exposure Limits

: None of the components have assigned exposure limits



Appropriate engineering controls

: Mechanical ventilation or local exhaust ventilation may be required.

Individual protection measures, such as personal protective equipment

General information: Use personal protective equipment as required.

Eye/face protection: If contact is likely, safety glasses with side shields are recommended.

Skin Protection

Hand Protection : Nitrile. Polyvinyl chloride (PVC). Suitable gloves can be recommended by the

glove supplier.

Other : Long sleeve shirt is recommended. Do not wear rings, watches or similar

apparel that could entrap the material.

Respiratory Protection: Use respirator with an organic vapor and dust/mist cartridge if the

recommended exposure limit is exceeded. Consult with an industrial

hygienist to determine the appropriate respiratory protection for your specific use of this material. A respiratory protection program compliant with all applicable regulations must be followed whenever workplace conditions require the use of a respirator. Use self-contained breathing apparatus for entry into confined space, for other poorly ventilated areas and for large spill

clean-up sites.

Hygiene measures : Observe good industrial hygiene practices.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Physical state : Liquid Form : liquid

Color : Colorless to yellow

Odor : Mild

Odor threshold : No data available.

PH : No data available.

Freezing point : No data available.

Boiling Point : No data available.

Flash Point : > 525.0 °F (273.9 °C) (Cleveland Open Cup)

Evaporation rate : No data available. **Flammability (solid, gas)**: No data available.

Upper/lower limit on flammability or explosive limits

Flammability limit - upper (%)

No data available.

Flammability limit - lower (%)

No data available.

Explosive limit - upper (%)

No data available.

Explosive limit - lower (%)

No data available.

Vapor pressure : No data available.
Vapor density : No data available.
Relative density : 0.977 68 °F (20 °C)

Solubility(ies)

Solubility in water : Slightly Soluble **Solubility (other)** : No data available.





Partition coefficient (n-octanol/water)

: No data available. **Auto-ignition temperature**: No data available.

Decomposition temperature

No data available.

Viscosity : 48.3 mm2/s (104 °F (40 °C)) 9.4 mm2/s (100 °C (212 °F))

Other information

Bulk density : 8.15 lb/gal 77 °F (25 °C)

10. STABILITY AND REACTIVITY

Reactivity : No data available.

Chemical Stability : Material is stable under normal conditions.

Possibility of Hazardous Reactions

Will not occur.

Conditions to Avoid : Do not expose to excessive heat, ignition sources, or oxidizing materials. **Incompatible Materials** : Avoid strong bases at high temperatures, strong acids, strong oxidizing

a sente and materials that react with budgeved commenced

agents and materials that react with hydroxyl compounds.

Hazardous Decomposition Products

Thermal decomposition or combustion may generate smoke, carbon monoxide, carbon dioxide, and other products of incomplete combustion

Nitrogen Oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation : No data available.

Ingestion: May be harmful if swallowed.Skin Contact: Causes mild skin irritation.

Eye contact : No data available.

Information on toxicological effects

Acute toxicity

Oral

Product : ATEmix > 2000 mg/kg.

Swallowing material may cause irritation of the gastrointestinal lining, nausea,

vomiting, diarrhea, and abdominal pain.

Dermal

Product : Not classified for acute toxicity based on available data.

Inhalation

Product : Not classified for acute toxicity based on available data.

Skin Corrosion/Irritation:

Product : Not classified as a primary skin irritant.

Remarks: Prolonged or repeated contact may cause irritation.

Serious Eye Damage/Eye Irritation:

Product : Remarks: Not classified as a primary eye irritant.

Respiratory sensitization: No data available



Skin sensitization

Alkarylamine : Classification: Not a skin sensitizer. (Literature) Not a skin sensitizer. Barium sulfonate : Classification: May cause sensitization by skin contact. (Literature)

Specific Target Organ Toxicity - Single Exposure

Polyether polyol : If material is misted or if vapors are generated from heating, exposure may

cause irritation of mucous membranes and the upper respiratory tract.

Alkarylamine : If material is misted or if vapors are generated from heating, exposure may

cause irritation of mucous membranes and the upper respiratory tract.

Barium sulfonate : If material is misted or if vapors are generated from heating, exposure may

cause irritation of mucous membranes and the upper respiratory tract.

Aspiration Hazard : No data available

Chronic Effects

Carcinogenicity : No data available

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans

No carcinogenic components identified

US. National Toxicology Program (NTP) Report on Carcinogens

No carcinogenic components identified

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

No carcinogenic components identified

Germ Cell Mutagenicity:

Alkarylamine : The Ames Salmonella test for mutagenicity was negative for this product.

Reproductive toxicity: No data available.

Specific Target Organ Toxicity - Repeated Exposure

Alkarylamine : Repeated overexposure may result in liver and kidney damage. Oral: Target

Organ(s): Liver, Kidney

12. ECOLOGICAL INFORMATION

Ecotoxicity

Fish

Alkarylamine : LC 50 (Zebra Fish, 4 d): > 100 mg/l

Aquatic Invertebrates :

Alkarylamine : EC 50 (Water flea (Daphnia magna), 2 d): 51 mg/l

Toxicity to Aquatic Plants

Alkarylamine : EC 50 (Green algae (Scenedesmus quadricauda), 3 d): > 100 mg/l

Toxicity to soil dwelling organisms

No data available

Sediment Toxicity : No data available

Toxicity to Terrestrial Plants


No data available

Toxicity to Above-Ground Organisms

No data available

Toxicity to microorganisms

Alkarylamine : EC 50 (Sludge, 0.1 d): > 100 mg/l





Persistence and Degradability

Biodegradation

Alkarylamine : OECD TG 301 B, 1 %, 28 d, Not readily degradable...

Bioaccumulative Potential Bioconcentration Factor (BCF)

No data available

Partition Coefficient n-octanol / water (log Kow)

No data available

Mobility : No data available

Other Adverse Effects : No data available.

13. DISPOSAL CONSIDERATIONS

Disposal instructions : Treatment, storage, transportation, and disposal must be in accordance with

applicable Federal, State/Provincial, and Local regulations.

Dispose of packaging or containers in accordance with local, regional, national and international regulations. Empty container contains product

residue which may exhibit hazards of product.

Contaminated Packaging: Container packaging may exhibit hazards.

14. TRANSPORT INFORMATION

DOT : Not regulated.IMDG : Not regulated.IATA : Not regulated

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

None known.

Shipping descriptions may vary based on mode of transport, quantities ,temperature of the material, package size, and/or origin and destination It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the material. Review classification requirements before shipping materials at elevated temperatures.

15. REGULATORY INFORMATION

US Federal Regulations

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

None present or none present in regulated quantities.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories : Chronic (Delayed)
SARA 302 Extremely Hazardous Substance
SARA 304 Emergency Release Notification
SARA 311/312 Hazardous Chemical



SARA 313 (TRI Reporting)

This product may contain chemical(s) regulated under the Superfund

Amendments and Reauthorization Act (SARA). For additional information

please contact Lubrizol Customer Assistance:

America(s): AmerLZAMCustomerAssistance@Lubrizol.com;

Europe: EMEAICustomerAssistance@Lubrizol.com;

Asia: APCustomerAssistance@Lubrizol.com

US State Regulations

US. California Proposition 65

No ingredient regulated by CA Prop 65 present.

Inventory Status

Australia (AICS): All components are in compliance with chemical notification requirements

in Australia.

Canada (DSL/NDSL)

All components are in compliance with the Canadian Environmental

Protection Act and are present on the Domestic Substances List.

China (IECSC): All components of this product are listed on the Inventory of Existing

Chemical Substances in China.

European Union (REACh)

To obtain information on the REACH compliance status of this product,

please visit Lubrizol.com/REACH, or e-mail us at REACH_MSDS_INQUIRIES@Lubrizol.com

Japan (ENCS): All components are in compliance with the Chemical Substances Control

Law of Japan.

Korea (ECL) : All components are in compliance in Korea.

New Zealand (NZIoC)

All components are in compliance with chemical notification requirements

in New Zealand.

Philippines (PICCS)

: All components are in compliance with the Philippines Toxic Substances

and Hazardous and Nuclear Wastes Control Act of 1990 (R.A. 6969).

Switzerland (SWISS)

All components are in compliance with the Environmentally Hazardous

Substances Ordinance in Switzerland.

Taiwan (TCSCA): All components of this product are listed on the Taiwan inventory.

United States (TSCA)


All components of this material are on the US TSCA Inventory.

The information that was used to confirm the compliance status of this product may deviate from the chemical information shown in Section 3.

16. OTHER INFORMATION

HMIS Hazard ID






Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe; RNP - Rating not possible; *Chronic health effect

NFPA Hazard ID

Issue Date



Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe; RNP - Rating not possible

: 03/07/2015

Version # : 1.0

Source of information: Internal company data and other publically available resources.

Further Information : Contact supplier (see Section 1)

Disclaimer : As the conditions or methods of use are beyond our control, we do not

assume any responsibility and expressly disclaim any liability for any use of this product. Information contained herein is believed to be true and accurate but all statements or suggestions are made without warranty, expressed or implied, regarding accuracy of the information, the hazards connected with the use of the material or the results to be obtained from the use thereof. Compliance with all applicable federal, state, and local regulations remains

the responsibility of the user.