Safety Data Sheet

A144 White Sidewall CleanerTM



Copying and/or downloading of this information for the purpose of properly utilizing Stoner Inc. product is allowed provided that: (1) the information is copied in full with no changes unless prior agreement is obtained from Stoner Inc., & (2) neither the copy nor the original is resold or otherwise distributed with intention of earning profit thereon.

1. IDENTIFICATION

Stoner Incorporated 1070 Robert Fulton Hwy. Quarryville, PA 17566 1-800-227-5538 Product Name: White Sidewall CleanerTM

Product Code: A144

Product Use: Automotive Cleaner

24-hour emergency phone: 1-800-424-9300 [CHEMTREC]

2. HAZARD IDENTIFICATION

POTENTIAL HEALTH EFFECTS

Classification of the chemical in accordance with paragraph (d) of §1910.1200;

GHS Hazard Symbols



GHS Classification Serious Eye Damage/Eye Irritation Category 2A

Acute Toxicity - Inhalation Vapour Category 4

Acute Toxicity - Dermal Category 4 Acute Toxicity - Oral Category 4

Signal Word Warning

Hazard Statements Harmful if swallowed, in contact with skin or if inhaled.

Causes serious eye irritation.

Precautionary Statements

Prevention Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 - Wash thoroughly after handling. Do no eat, drink or smoke when using this product.

Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.

Response P301+P312 - If swallowed: Call a poison center, doctor or medical center if you feel unwell.

P302+P352 - If on skin: Wash with plenty of soap and water.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

P312 - Call a poison center, doctor or medical center if you feel unwell.

P321 - Specific treatment (see on this SDS).

Rinse mouth.

If eye irritation persists: Get medical advice/attention.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulation for hazardous wastes.

3. COMPOSITION/INFORMATION ON INGREDIENTS

 COMPONENT
 CAS #
 Percent

 Nonionic Surfactant
 Mixture
 1-20

 Glycol ether
 111-76-2
 1-20

 Poly(oxy-1,2-ethanediyl), .alpha.-[(1,1,3,3-tetramethylbutyl)phenyl]-.omega.-hydroxy 9036-19-5
 1-20

 Phosphate
 126-73-8
 0.01 - 0.1

HMIS® III* HAZARDOUS WARNINGS:

Health: 3 Flammability: 2 Physical: 0 Personal See Section 8

4. FIRST AID MEASURES

Eyes: Immediately flush eyes gently with plenty of water for at least 15 minutes while holding eyelids apart. If symptoms persist or there

is visual difficulty, seek medical attention.

Skin Contact: In case of contact, immediately wash contaminated area with plenty of water for at least 15 minutes. Seek medical attention if

symptoms persist. Wash clothing before reuse.

Ingestion: Do not induce vomiting. Aspiration into the lungs can cause serious damage. If vomiting occurs spontaneously, keep head below

hips to prevent aspiration of liquid into lungs. Contact a physician, medical facility, or poison control center immediately.

Inhalation: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Seek immediate medical

attention. Keep the victim warm and quiet.

NOTES TO PHYSICIAN:

No additional first aid information available.

5. FIRE FIGHTING MEASURES

Fire and/or Explosion Hazards: Product is water based material, containing minor amounts of combustible ingredients. This product contains a

component(s) that is considered a combustible liquid, which has vapors that are heavier than air and may travel along the ground or be moved by ventilation and ignited by heat, pilot lights, or other flames and ignition sources at locations distant from the material's handling point."Empty" containers retain product residue and can be

dangerous

Fire Fighting Instructions: Use water spray, foam, dry chemical, or CO2. Do not direct a solid stream of water or foam into hot burning pools,

this may cause frothing and increase fire intensity.

6. ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED:

Remove all sources of ignition. Wear appropriate personal protective equipment (PPE). Stop or reduce discharge if it can be done safely. Ventilate contaminated area. Avoid run-off into storm sewers and ditches which may lead to natural waterways. If runoff occurs, notify authorities as required. Clean up with absorbent material. Place absorbent materials into container and close it tightly. Dispose of container properly.

7. HANDLING AND STORAGE

Handling: If ventilation is not sufficient, wear proper respiratory equipment. Do not use near ignition sources. Avoid prolonged or repeated breathing

of vapor. Normal precautions common to safe manufacturing practice should be followed in handling and storage. Avoid prolonged or repeated contact with skin. Avoid contact with eyes. Wash hands thoroughly after handling. Good housekeeping and controlling dust are

necessary for safe handling of dust.

Storage: Keep container tightly closed when not in use. Store in a cool, dry, well ventilated area away from all sources of ignition. Normal

precautions common to safe manufacturing practice should be followed in handling and storage.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering Controls: Ventilation should be adequate to prevent exposures above the limits indicated below in this section of the MSDS (from

known, suspected or apparent adverse effects). Local exhaust should be used in areas where exposure limits may be

exceeded. No exposure limits exist for the constituents of this product.

Eye Protection: Wear chemically resistant safety glasses with side shields when handling this product. Wear additional eye protection such as

chemical splash goggles and/or face shield when the possibility exists for eye contact with splashing or spraying liquid or

airborne material. Have an eye wash station available.

Skin Protection: The use of chemically resistant gloves is recommended if there is any possibility of prolonged or repeated liquid contact with

skin.

Respiratory Protection: Use NIOSH approved respirator where there is likelihood of inhalation of the product mist, spray or aerosol. The use of a

nuisance dust mask is recommended for prolonged or repeated use.

COMPONENT Nonionic Surfactant	CAS # Mixture	ACGIH TLV Not established	OSHA PEL Not established	OTHER Not established
Glycol ether	111-76-2	20 ppm [skin]	Not established	Not established
Poly(oxy-1,2-ethanediyl), .alpha[(1,1,3,3-tetramethylbutyl)phenyl]omegahydroxy-	9036-19-5	Not established	Not established	Not established
Phosphate	126-73-8	Not established	Not established	Not established

^{*} See www.paint.org/hmis or call the NPCA at 1 (202) 462-6272 for more information on this current rating system.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Bulk liquid Lower Flammability Limit (%): Not applicable Appearance: Hazy Clear Yellow Upper Flammability Limit (%): Not applicable Odor: None to very faint Vapor Pressure (PSIG @ 70°F): Not determined

Odor Threshold: None Vapor Density [air = 1]: > 1.0 12-13.5 Relative Density (H2O=1): 1.01 pH:

Solubility in Water: Melting/Freezing Point (°F): No data available Complete; 100% Boiling Point (°F): No data available Partial Coefficient: n-No data available

octanol/water:

Not applicable Autoignition Temperature (°F): Not applicable Flash Point (°F PMCC): Decomposition Temperature (°F): No data available **Evaporation Rate:** Not determined Flammability (solid, gas): No data available Viscosity, dynamic (cSt): No data available

Percent VOCs (%):

10. STABILITY AND REACTION

Chemical Stability: Stable.

Conditions to Avoid: Avoid contact with: Strong alkalies. Strong oxidizing agents. Reducing agents. Strong acids. Strong bases. Aluminum.

Ignition sources such as open flames, sparks, static discharges or glowing metal surfaces.

Decomposition Products: Burning can produce the following combustion products: Carbon dioxide and carbon monoxide. Ethers. Ketones.

Various hydrocarbons. Alcohols.

11. TOXICOLOGICAL INFORMATION

Reproductive & Developmental No data available.

Toxicity:

Polyethylene oxide

CAS# Ingredient **Toxicological Data**

Nonionic Surfactant Dermal LD50 Rabbit > 20 g/kg Mixture

Oral LD50 Rat > 20 g/kg

111-76-2 Dermal LD50 Mouse > 3500 mg/kg Glycol ether

Oral LD50 Rat = 2000 mg/kgInhalation LC50 (6h) Rat > 3 mg/L

Dermal LD50 Rabbit > 2000 mg/kg Poly(oxy-1,2-ethanediyl), .alpha.-[(1,1,3,3-9036-19-5 Oral LD50 Rat = 1900 mg/kgtetramethylbutyl)phenyl]-.omega.-hydroxy-

Dermal LD50 Rabbit > 5000 mg/kg 25322-68-3 Oral LD50 Rat > 5000 mg/kg

Inhalation LC50 (6h) Rat > 3 mg/L

12. ECOLOGICAL INFORMATION

No data available Ecological Toxicity: Mobility: No data available

Ingredient CAS# **Toxicological Data**

Nonionic Surfactant Aquatic LC50 (96h) Rainbow Trout > 20000 mg/L Mixture Glycol ether 111-76-2 Aquatic LC50 (96h) MINNOW = 72860 mg/L Aquatic LC50 (48h) Daphnia > 100 mg/L Aquatic LC50 (96h) Algae 6500 - 13000 mg/L

Aquatic LC50 (96h) Rainbow Trout = 7.2 mg/L Poly(oxy-1,2-ethanediyl), .alpha.-[(1,1,3,3-9036-19-5 tetramethylbutyl)phenyl]-.omega.-hydroxy-Aquatic LC50 (48h) Daphnia = 8.6 mg/L

IC50-16HR Bacteria = 5000 mg/L

Aquatic LC50 (96h) MINNOW > 100 mg/L Polyethylene oxide 25322-68-3

Aquatic LC50 (48h) Daphnia > 100 mg/L

72HR EC50 Algae > 100 mg/L

13. DISPOSAL CONSIDERATIONS

Disposal: Dispose according to Federal, State and local regulations.

14. TRANSPORTATION INFORMATION

Hazard Class Agency **UN Number Proper Shipping name Packing Group**

DOT Not regulated by agency IATA Not regulated by agency **IMDG** Not regulated by agency

15. REGULATORY INFORMATION

Warning: This product contains the following chemicals that are subject to reporting requirements for the following regulatory bodies listed below:

COMPONENT CAS# % BY WEIGHT Regulatory Body

No components listed in this section. SARA Section 313

Warning: This product may contain chemicals known to the State of California to cause cancer. See list below. No components listed in this section. Prop65 Cancer

Warning: This product may contain chemicals known to the State of California to cause birth defects. See list below.

No components listed in this section.

Prop65 Birth Defects

All components of this product are listed on the TSCA inventory.

16. OTHER INFORMATION

Other Information : MSDS Prepared by L. Dean Swartz, MSDS Coordinator

Version Date: 11/06/15

This information contained in this MSDS is believed to be accurate as of the version date, but is not warranted to be. Since the use of this information and the conditions of use of this product are not within the control of Stoner Inc, it is the user's obligation to determine the conditions of safe use.

Stoner Incorporated A144 PAGE 4