# **Safety Data Sheet**

# E841 Black Tire Paint<sup>TM</sup> Professional



Copying and/or downloading of this information for the purpose of properly utilizing Stoner Inc. product is allowed provided that: information is copied in full with no changes unless prior agreement is obtained from Stoner Inc., & (2) neither the copy nor the original is resold or otherwise distributed with intention of earning profit thereon.

# 1. IDENTIFICATION

Stoner Incorporated 1070 Robert Fulton Hwy. Quarryville, PA 17566 1-800-227-5538

**Product Name:** Black Tire Paint<sup>TM</sup> Professional

E841 **Product Code:** Product Use: Tire Paint

1-800-424-9300 [CHEMTREC] 24-hour emergency phone:

### 2. HAZARD IDENTIFICATION

POTENTIAL HEALTH EFFECTS

Classification of the chemical in accordance with paragraph (d) of §1910.1200;

GHS Hazard Symbols



**GHS Classification** Skin Sensitisation Category 1

Signal Word Warning

**Hazard Statements** May cause an allergic skin reaction.

**Precautionary Statements** 

Prevention Avoid breathing dust/fume/gas/mist/vapours/spray.

Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 - If on skin: Wash with plenty of soap and water. Response

P321 - Specific treatment (see on this SDS).

If skin irritation or rash occurs: Get medical advice/attention.

Wash contaminated clothing before reuse.

**Disposal** Dispose of contents/container in accordance with local/regional/national/international regulation for hazardous wastes.

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

**COMPONENT** CAS# **Percent** Nonionic Surfactant Mixture 0.1 - 0.99Anionic surfactant 577-11-7 0.1 - 0.99Preservative Mixture 0.1 - 0.99

HMIS® III\* HAZARDOUS WARNINGS:

Flammability: 0 0 Personal Health: Physical: See Section 8

Protective Equipment:

# 4. FIRST AID MEASURES

Eyes: Immediately flush eyes gently with plenty of water for at least 15 minutes while holding eyelids apart. If symptoms persist or there

is visual difficulty, seek medical attention.

Skin Contact: In case of contact, immediately wash contaminated area with plenty of water for at least 15 minutes. Seek medical attention if

symptoms persist. Wash clothing before reuse.

Ingestion: Do not induce vomiting. Have victim drink 8 to 10 ounces of water to dilute the material in the stomach. Contact a physician,

medical facility, or poison control center immediately.

<sup>\*</sup> See www.paint.org/hmis or call the NPCA at 1 (202) 462-6272 for more information on this current rating system.

Inhalation: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen.

NOTES TO PHYSICIAN:

No additional first aid information available.

#### 5. FIRE FIGHTING MEASURES

Fire and/or Explosion Hazards: Fire Fighting Instructions:

Product is a water base material and is not ignitable. Material can splatter above 212F. Dried product can burn. Use CO2, foam or dry chemical. Fire fighters should wear normal protective equipment and positive-pressure self-contained breathing apparatus.

#### 6. ACCIDENTAL RELEASE MEASURES

#### STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED:

Wear appropriate personal protective equipment (PPE). Avoid run-off into storm sewers and ditches which may lead to natural waterways. Clean up with absorbent material. Place absorbent materials into container and close it tightly. Dispose of container properly. If runoff occurs, notify authorities as required. Remove all sources of ignition. Do not use water for cleanup. Stop or reduce discharge if it can be done safely. Ventilate contaminated area. Absorb spill with inert material (e.g., dry sand or earth), then place in a chemical waste container.

# 7. HANDLING AND STORAGE

Handling: Use with adequate ventilation. Avoid prolonged or repeated contact with skin. Avoid prolonged or repeated breathing of vapor.

Storage: Keep container tightly closed when not in use. Keep from freezing. Store in a cool, dry, well ventilated area away from all sources of

ignition.

### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering Controls: No exposure limits exist for the constituents of this product. General room ventilation might be required to maintain operator

comfort under normal conditions of use. Local exhaust should be used in areas where exposure limits may be exceeded.

Eye Protection: Wear chemically resistant safety glasses with side shields when handling this product. Wear additional eye protection such as

chemical splash goggles and/or face shield when the possibility exists for eye contact with splashing or spraying liquid or

airborne material. Have an eye wash station available.

Skin Protection: The use of chemically resistant gloves is recommended if there is any possibility of prolonged or repeated liquid contact with

skin.

Respiratory Protection: Use NIOSH approved respirator where there is likelihood of inhalation of the product mist, spray or aerosol.

 COMPONENT
 CAS #
 ACGIH TLV
 OSHA PEL
 OTHER

 Nonionic Surfactant
 Mixture
 Not established
 Not established
 Not established

Anionic surfactant 577-11-7 Not established Not established Not established

Preservative Mixture Not established Not established Not established

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State:Bulk liquidLower Flammability Limit (%):Not applicableAppearance:BlackUpper Flammability Limit (%):Not applicableOdor:Typical water base paintVapor Pressure (PSIG @ 70°F):Not determined

 Odor Threshold:
 Mild
 Vapor Density [air = 1]:
 >1

 pH:
 8 - 9.5
 Relative Density (H2O=1):
 1.09

Melting/Freezing Point (°F): No data available Solubility in Water: Complete; 100% Boiling Point (°F): No data available Partial Coefficient: n- No data available

octanol/water:

Flash Point (°F PMCC): None Autoignition Temperature (°F): Not applicable
Evaporation Rate: Not determined Decomposition Temperature (°F): No data available
Flammability (solid, gas): No data available
Viscosity, dynamic (cSt): No data available

Percent VOCs (%): 0.1- 0.99

# 10. STABILITY AND REACTION

Chemical Stability: Stable.
Conditions to Avoid: None known.
Decomposition Products: Acrylic Polymers.

### 11. TOXICOLOGICAL INFORMATION

Reproductive & Developmental No data available.

Toxicity:

Ingredient CAS # Toxicological Data

Organic coating Mixture Dermal LD50 Rabbit > 5000 mg/kg Oral LD50 Rat > 5000 mg/kg

### 12. ECOLOGICAL INFORMATION

Ecological Toxicity: No data available Mobility: No data available

Ingredient CAS # Toxicological Data

Stoner Incorporated E841 PAGE 2

No data available

# 13. DISPOSAL CONSIDERATIONS

Disposal: Dispose according to Federal, State and local regulations.

### 14. TRANSPORTATION INFORMATION

Agency UN Number Proper Shipping name Hazard Class Packing Group

DOT Not regulated by agency IATA Not regulated by agency IMDG Not regulated by agency

# 15. REGULATORY INFORMATION

Warning: This product contains the following chemicals that are subject to reporting requirements for the following regulatory bodies listed below:

COMPONENT CAS # % BY WEIGHT Regulatory Body

No components listed in this section. SARA Section 313

Warning: This product may contain chemicals known to the State of California to cause cancer. See list below.

Diethanolamine 111-42-2 0.001- 0.01 Prop65 Cancer

Warning: This product may contain chemicals known to the State of California to cause birth defects. See list below.

No components listed in this section. Prop65 Birth Defects

All components of this product are listed on the TSCA inventory.

### 16. OTHER INFORMATION

Other Information: MSDS Prepared by L. Dean Swartz, MSDS Coordinator

Version Date: 10/26/15

This information contained in this MSDS is believed to be accurate as of the version date, but is not warranted to be. Since the use of this information and the conditions of use of this product are not within the control of Stoner Inc, it is the user's obligation to determine the conditions of safe use