## Safety Data Sheet

According to 29CFR1910/1200 and GHS Rev. 3

Effective date: 06.01.2015

### **STS OTR Tire Sealant**

### SECTION 1: Identification of the substance/mixture and of the supplier

### Product name: STS OTR Tire Sealant

### Manufacturer/Supplier Trade name: IMI

### Manufacturer/Supplier Article number: STS OTR Tire Sealant

### Recommended uses of the product and restrictions on use: Water-based tire sealant for pneumatic tires

### Manufacturer Details:

IMI 25 Penncraft Ave., Ste. C Chambersburg, PA 17201 800-233-7086

### Supplier Details:

IMI 25 Penncraft Ave., Ste. C Chambersburg, PA 17201 800-233-7086

### **Emergency telephone number:**

IMI: 800-233-7086

### **SECTION 2: Hazards identification**

### Classification of the substance or mixture:



Eye irritation Cat. 2A, H319

### Signal word: Warning

Hazard statements:
Causes serious eye irritation.
Precautionary statements:
If medical advice is needed, have product container or label at hand.
Keep out of reach of children.
Read label before use.
Wear eye protection.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do.
Continue rinsing. If eye irritation persists get medical advice/attention.
IF ON SKIN: Wash with soap and water. Specific treatment (see supplemental first aid instructions on this label). If

IF ON SKIN: Wash with soap and water. Specific treatment (see supplemental first aid instructions on this label). If skin irritation occurs: Get medical advice/attention.

**STS OTR Tire Sealant** 

WHMIS NFPA/HMIS





HMIS RATINGS (0-4)

**SECTION 3: Composition/information on ingredients** 

Ingredients:			
CAS 1333-86-4	Carbon Black	1-5%	
CAS 10101-89-0	TriSodiumPhosphate (TSP)	1-5%	
CAS 11130-12-4	Borax	Borax <1 %	
CAS 9006-04-6	Natural Rubber	Natural Rubber 1-5%	
CAS 2492-26-4	Sodium mercaptobenzothiazole	<1 %	
CAS 1344-09-8	Sodium Silicate	Sodium Silicate <1 %	
CAS 111-30-8	Glutaraldehyde	Glutaraldehyde <1 %	
CAS 7631-99-4	Sodium Nitrate	<1 %	
CAS 1314-13-2	Zinc oxide	<0.1 %	
		Percentages are by weight	

## SECTION 4: First aid measures

## Description of first aid measures

**After inhalation:** Not a likely route of exposure. Remove patient from exposure. Keep patient at rest and give oxygen if breathing difficult. If symptoms develop, obtain medical attention.

After skin contact: Wash hands and exposed skin with soap and plenty of water. Seek medical attention if irritation persists or if concerned.

**After eye contact:** Protect unexposed eye. Flush exposed eye gently using water for 15-20 minutes. Remove contact lenses while rinsing. Keep eyelids open while rinsing. Seek medical attention.

**After swallowing:** Ingestion is expected to cause irritation of the gastrointestinal tract. If swallowed, seek medical advice immediately and show this container or label. Do not induce vomiting. Make victim drink plenty of water.

Most important symptoms and effects, both acute and delayed:

Irritation.

Indication of any immediate medical attention and special treatment needed:

## Safety Data Sheet

According to 29CFR1910/1200 and GHS Rev. 3

Effective date: 06.01.2015

### **STS OTR Tire Sealant**

If seeking medical attention provide SDS document to physician. Physician should treat symptomatically.

### SECTION 5: Firefighting measures

### Extinguishing media

**Suitable extinguishing agents:** Use water foam, dry chemical, chemical foam, carbon dioxide, or alcohol-resistant foam.

For safety reasons unsuitable extinguishing agents: Direct water stream is not advisable.

### Special hazards arising from the substance or mixture:

Thermal decomposition could possibly lead to release of irritating gases and vapors.

#### Advice for firefighters:

**Protective equipment:** A self-contained breathing apparatus and suitable protective clothing should be worn infire conditions.

Additional information (precautions): None.

#### SECTION 6: Accidental release measures

### Personal precautions, protective equipment and emergency procedures:

Wear protective eyewear.

#### **Environmental precautions:**

Not applicable.

### Methods and material for containment and cleaning up:

Mix spilled product with sand, then shovel up into covered container. For small spills on hard surfaces, allow substance to harden, then scrape up and discard.

## Reference to other sections:

### SECTION 7: Handling and storage

### Precautions for safe handling:

Avoid contact with eyes.

#### Conditions for safe storage, including any incompatibilities:

Store at ambient temperature. Do not Store near heat or open flames. Do not freeze.

### SECTION 8: Exposure controls/personal protection



Control Parameters:	No applicable occupational exposure limits
Appropriate Engineering controls:	None.
<b>Respiratory protection:</b> Not required under normal conditions of use.	
Protection of skin:	Not required under normal conditions of use.
Eye protection:	Safety glasses or goggles are appropriate eye protection.
General hygienic measures:	Wash hands before breaks and immediately after handling the product. Avoid contact with eyes.

## Safety Data Sheet According to 29CFR1910/1200 and GHS Rev. 3

Effective date: 06.01.2015

## STS OTR Tire Sealant

### **SECTION 9: Physical and chemical properties**

Appearance (physical state, color):	Viscous blue liquid	Explosion limit lower: Explosion limit upper:	Not determined Not determined
Odor:	Faint polyol	Vapor pressure:	Not determined
Odor threshold:	Not determined	Vapor density:	Not determined
pH-value:	10.0-11.0	Relative density:	1.04-1.06
Melting/Freezing point:	12°F (11.1° C)	Solubilities:	Soluble in water
Boiling point/Boiling range:	Not determined	Partition coefficient (n- octanol/water):	Not determined
Flash point (open cup):	>300F(149C)	Auto/Self-ignition temperature:	Not determined
Evaporation rate:	Not determined	Decomposition temperature:	Not determined
Flammability (solid, gaseous):	Not determined	Viscosity:	3500-5000 cps

### **SECTION 10: Stability and reactivity**

Reactivity: Nonreactive under normal conditions.
Chemical stability: Stable under normal conditions.
Possible hazardous reactions: None under normal processing.
Conditions to avoid: Incompatible materials.
Incompatible materials: No information available.
Hazardous decomposition products: May produce carbon monoxide upon combustion.

### **SECTION 11: Toxicological information**

Acute Toxicity: No additional information.		
Chronic Toxicity: No additional information.		
Corrosion Irritation: No additional information.		
Sensitization:	No additional information.	
Single Target Organ (STOT):	No additional information.	
Numerical Measures:	No additional information.	
Carcinogenicity:	: 2B - Group 2B: Possibly carcinogenic to humans when airborne (Carbon back)	
Mutagenicity:	No additional information.	
Reproductive Toxicity:	No additional information.	

# Safety Data Sheet

According to 29CFR1910/1200 and GHS Rev. 3

Effective date: 06.01.2015

### **STS OTR Tire Sealant**

### **SECTION 12: Ecological information**

Eco toxicity: No information available.

Persistence and degradability: No information available.
Bio accumulative potential: No information available.
Mobility in soil: No information available.
Other adverse effects: No information available.

### SECTION 13: Disposal considerations

### Waste disposal recommendations:

Disposal should be in accordance with local, state or national legislation.

### SECTION 14: Transport information

#### **UN-Number**

Not Regulated

### UN proper shipping name

Not Regulated

Transport hazard class(es) Packing group: Not Regulated Environmental hazard: Transport in bulk: Special precautions for user:

#### **SECTION 15: Regulatory information**

#### **United States (USA)**

SARA Section 311/312 (Specific toxic chemical listings):

Acute

#### SARA Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

#### RCRA (hazardous waste code):

None of the ingredients are listed.

### **TSCA (Toxic Substances Control Act):**

All ingredients are listed.

### CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act):

10101-89-0 TriSodiumPhosphate (TSP) 5,000 lbs.

#### Proposition 65 (California):

Chemicals known to cause cancer:

1333-86-4 Carbon black (airborne, unbound particles of respirable size)

### Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

#### Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

#### Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

Effective date: 06.01.2015

# STS OTR Tire Sealant

#### Canada

### Canadian Domestic Substances List (DSL):

All ingredients are listed.

### Canadian NPRI Ingredient Disclosure list (limit 0.1%):

None of the ingredients are listed.

### Canadian NPRI Ingredient Disclosure list (limit 1%):

1333-86-4 Carbon Black 111-30-8 Glutaraldehyde 7631-99-4 Sodium Nitrate 1314-13-2 Zinc oxide

### **SECTION 16: Other information**

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations. Note: The responsibility to provide a safe workplace remains with the user. The user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment. The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by the use of this material. It is the responsibility of the user to comply with all applicable laws and regulations applicable to this material.

#### **GHS Full Text Phrases:**

### Abbreviations and acronyms:

**Effective date:** 06.01.2015 **Last updated:** 07.07.2015