# **SAFETY DATA SHEET**

Super Tough Hand Scrub Revision Date 9/5/2014

SECTION – 1 CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME Super Tough Hand Scrub PRODUCT USE Hand Soap ITEM

COMPANY NAME Southwest Commercial Products Office (800) 227-6994 2436 Ludelle St. Fax (817) 413-7889

Fort Worth TX 76105 Web <a href="http://www.handscrub.com/">http://www.handscrub.com/</a>

**EMERGENCY TELEPHONE NUMBER** .

SECTION - 2 HAZARDS INFORMATION

Irritant (eye)

CAUTION! Product contact with eyes can cause irritation. Prolonged product contact with skin may cause irritation or drying. May

be harmful if swallowed. KEEP OUT OF REACH OF CHILDREN

SECTION - 3 COMPOSITION INFORMATION (Exact percentage of the listed chemicals of composition has been withheld as a trade secret.)

 CHEMICAL NAME
 COMMON NAME AND SYNONYMS
 CAS #
 IMPURITIES
 PERCENT

 Nonylphenol Ethoxylate
 Polyoxyethylene Nonyl Phenyl Ether
 127087-87-0
 4 - 10%

SECTION - 4 FIRST AID MEASURES

EYE CONTACT Immediately flush eyes with cold water for at least 15 minutes while lifting upper and lower eyelids. Remove contact

lenses if present and easy to do without injury to the eye and continue rinsing, If irritation persists obtain immediate

medical attention, preferably from an ophthalmologist.

SKIN CONTACT Wash with water.

INHALATION Not Applicable

INGESTION DO NOT INDUCE VOMITING. If person is fully conscious, rinse mouth out and give one to two glasses of water to

dilute and obtain immediate medical attention. If vomiting occurs, keep head below hips to prevent aspiration into the

lungs.

Aspiration Hazard Not applicable

ACUTE SYMPTOMS OF SINGLE OVEREXPOSURE

Eyes Can cause eye irritation

Skin May cause mild skin irritation

Inhalation Not applicable

Ingestion May be harmful if swallowed

CHRONIC SYMPTOMS OF PROLONGED OR REPEATED OVEREXPOSURE

Eyes May cause serious eye irritation

Skin Can cause mild skin irritation, drying or cracking

Inhalation Not applicable

Ingestion Harmful if swallowed, May cause irritation, burning in the mouth, throat, and stomach, Slight acute toxicity if swallowed

## SECTION - 5 FIRE FIGHTING MEASURES

Extinguishing Media Suitable: Use DRY chemicals, CO2, alcohol foam. Water spray to cool or protect exposed materials

Hazardous Decomposition Burning or thermal decomposition can produce, carbon monoxide, carbon dioxide, and other toxic fumes

Reactive With Incompatible with, strong oxidizing agents, bleach

Explosion Hazards Not applicable
Static Discharge Not applicable
Mechanical Impact Not applicable

Protective Equipment Use MSHA/NIOSH approved self-contained breathing apparatus and full protective gear

## FLAMMABLE LIQUIDS HAZARD CLASSIFICATION

Criteria Flash point > 93.3°C (200°F)

NFPA Class III B
GHS Not applicable
WHMIS Not applicable

NFPA HAZARD	<u>RATINGS</u>
Health	1
Flammability	0
Reactivity	0
<b>Personal Protection</b>	FBG

### SECTION - 6 ACCIDENTAL RELEASE MEASURES

Emergency Procedures Warn personnel of spill

Personal Precautions Avoid slipping on spilled product

Protective Equipment Safety Glasses

Containment Use rags or towels to prevent spill from spreading

Clean Up Procedures Small Spills: Use wet vacuum or mop and wringer to pick up spilled material then mop area with clean water

Disposal Dispose of material in accordance with all State and Federal Guidelines and Regulations

## SECTION - 7 HANDLING AND STORAGE

Handling Avoid eye contact. Harmful if swallowed

Storage Keep container closed when not in use, KEEP OUT OF REACH OF CHILDREN

Incompatible Materials Incompatible with, strong oxidizing agents, bleach

## SECTION - 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE LIMITS

CHEMICAL NAME

ACGIH (TWA 8)

ACGIH (STEL)

OSHA PEL (TWA 8)

OSHA (CEIL)


Exposure

Nonylphenol Ethoxylate Not Established

## PERSONAL PROTECTIVE EQUIPMENT







**HMIS HAZARD RATINGS** 

Health 1
Flammability 0
Reactivity 0
Personal Protection

### SECTION - 9 PHYSICAL AND CHEMICAL PROPERTIES

Not applicable Specific Gravity / Relative Density Not determined Flash Point Not applicable Not determined Molecular Weight Flammable Limits Auto-Ignition Temp. Not applicable **Initial Boiling Point** Not determined Viscous Paste Not determined **Physical State Boiling Range** Yellow Gritty Paste Vapor Pressure Not determined **Appearance** Not determined Odor Pleasant Vapor Density **Odor Threshold** Not determined Freeze Point Not determined Solubility < 18% **Melting Point** Not determined Volatiles < 2% **Partition Coefficient** Not determined VOC < 1% Not determined **Decomposition Temperature** 7.2 **Evaporation Rate** Not determined pΗ

#### SECTION - 10 STABILITY AND REACTIVITY

Reactivity (Specific Test Data) None available

Chemical Stability Stable when stored below 49°C (120°F)

Hazardous Polymerization Will not occur

Conditions To Avoid Incompatible materials

Incompatible Materials Incompatible with, strong oxidizing agents, bleach

Thermal Decomposition Burning or thermal decomposition can produce, carbon monoxide, carbon dioxide, and other toxic fumes

#### SECTION - 11 TOXICOLOGICAL INFORMATION

#### **ROUTES OF EXPOSURE**

Eyes (Yes), Ingestion (Yes)

## ACUTE SYMPTOMS OF SINGLE OVEREXPOSURE

Eyes Can cause eye irritation

Skin May cause mild skin irritation

Inhalation Not applicable

Ingestion May be harmful if swallowed

### CHRONIC SYMPTOMS OF PROLONGED OR REPEATED OVEREXPOSURE

Eyes May cause serious eye irritation

Skin Can cause mild skin irritation, drying or cracking

Inhalation Not applicable

Ingestion Harmful if swallowed, May cause irritation, burning in the mouth, throat, and stomach, Slight acute toxicity if swallowed

Target Organs Eyes (Lens or cornea)

Medical Conditions Preexisting, eye, disorders may be aggravated by exposure to this product

Notes to Physician In case of ingestion, gastric lavage with activated charcoal can be used promptly to prevent absorption

**CARCINOGENIC – This product contains concentrations above 0.1% of the following:** 

CHEMICAL NAME NTP ACGIH IARC GHS Category

None Listed

## MUTAGENIC AND TERATOGENIC EFFECTS - May cause fetal and reproductive abnormalities.

CHEMICAL NAME Mutagenic Teratogenic Developmental GHS Category

None Listed

#### SECTION - 11 TOXICOLOGICAL INFORMATION - CONTINUED

<b>ACUTE TOXICITY</b>	<u>Type</u>	<u>Form</u>	<u>Subject</u>	Result Value	<b>Exposure Time</b>	<b>GHS Category</b>
Nonylphenol Ethoxylate	LD50	Oral	Rat	16,000 mg/kg		5 (>2000 mg/kg)
	LD50	Dermal	Rabbit	4,490 mg/kg		5 (>2000 mg/kg)

## SECTION - 12 ECOLOGICAL INFORMATION

CHEMICAL NAME	<u>Type</u>	Subject Subject Latin	Result Value	Exposure Time	GHS Category
Nonylphenol Ethoxylate	LC50	Fathead Minnow (Pimephales promelas)	3.8 mg/L	96 Hours	2 (>1, ≤10 mg/L)
	LC50	Water Flea (Daphnia magna)	9.3 mg/L	48 Hours	2 (>1. ≤10 mg/L)

Persistence And Degradability No specific biodegradation test data was located

Bioaccumulative Potential No data available
Mobility In Soil No data available
Other Adverse Effects No data available

#### SECTION - 13 DISPOSAL CONSIDERATIONS

DO NOT DUMP INTO ANY STORM SEWERS, ON THE GROUND, OR INTO ANY BODY OF WATER Dispose of any waste in accordance with all State and Federal Guidelines and Regulations

## SECTION - 14 TRANSPORT INFORMATION

## **D.O.T. CLASSIFICATION**

<u>UN Number</u> <u>Proper Shipping Name</u> Not Regulated Non Hazardous – Compounds Cleaning Liquid

Hazard ClassPacking GroupLabel CodesReportable Quantity (lbs)Response CodeMarine PollutantNonePG IIINoneNone154No

Page 5 of 6 **Super Tough Hand Scrub** 9/5/2014 **Revision Date** SECTION - 15 REGULATORY INFORMATION **TSCA CHEMICAL NAME** Sec 8(b) Inventory Sec 8(d) Health And Safety Sec 4(a) Chemical Test Rules Sec 12(b) Export Notification None Listed **REPORTABLE QUANTITIES Extremely Hazardous** Reportable Quantity **Emission Reporting CHEMICAL NAME** EPCRA TPQ Sec 302 EPCRA RQ Sec 304 **CERCLA RQ Sec 103** TRI Sec 313 **RCRA Code** RMP TQ Sec 112r None Listed **SARA** Section 311 Section 311 / 312 Hazards **CHEMICAL NAME Hazardous Chemical** Acute Chronic Flammable Pressure Reactive Nonylphenol Ethoxylate Yes Yes **RIGHT TO KNOW** STATE **CHEMICAL NAME** CA СТ FL IL LA NY PA ΜI MN MΑ RI WI NJ Yes Nonylphenol Ethoxylate Yes INTERNATIONAL REGULATIONS - The components of this product are listed on the chemical inventories of the following countries: **CHEMICAL NAME** Australia Canada **Europe (EINECS)** Japan Korea UK None Listed WHMIS Classification **CHEMICAL NAME** DSL Class Description None Listed DSCL (EEC) Definition (R-Phrases / S-Phrases) Code **R36** Irritating to eyes S2 Keep out of the reach of children

WARNING! This product contains chemicals known to the state of California to cause:

Ozone Class 2

Carcinogen

HS

**Clean Water Acts** 

PP

Developmental

TP

Reproductive Harm

**Ozone Class 1** 

**CALIFORNIA** 

None Listed

None Listed

**CHEMICAL NAME** 

**CHEMICAL NAME** 

**CLEAN AIR WATER ACTS** 

CAS#

CAS#

**Birth Defects** 

Clean Air Acts

**HAP** 

#### SECTION - 16 OTHER INFORMATION

SDS	Legend Description		
ACGIH	American Conference of Governmental Industrial Hygienists	LD50	Dose that is lethal to 50% of a given species by a given route of exposure
CAS	Chemical Abstracts Service Registry	LEL	Lower Explosive Limit
CEIL	Ceiling Limit (15 minutes)	NA	Not Applicable
CERCL	Comprehensive Environmental Response, Compensation, and Liability Act	ND	Not Determined
EPA	Environmental Protection Agency	NE	Not Established
FBG	Full Bunker Gear	NFPA	National Fire Protection Association
HAP	California Hazardous air pollutant Clean Air Act	NIOSH	National Institute for Occupational Safety and Health
HMIS-A	Safety Glasses	NTP	National Toxicology Program
HMIS-B	Safety glasses, gloves	OSHA	Occupational Safety and Health Administration
HMIS-C	Safety glasses, gloves, chemical apron	PEL	Permissible Exposure Limit (OSHA)
HMIS-D	Face shield, gloves, chemical apron	PP	California Priority Pollutant under the Clean Water Act
HMIS-E	Safety glasses, gloves, dust respirator	REL	Recommended exposure limit (NIOSH)
HMIS-F	Safety glasses, gloves, chemical apron, dust respirator	SARA	Superfund Amendments and Reauthorization Act
HMIS-G	Safety glasses, gloves, vapor respirator	STEL	Short Term Exposure Limit (15 minutes)
HMIS-H	Splash goggles, gloves, chemical apron, vapor respirator	TC Lo	Air concentration that is lethal to 50% of a given species in a given time
HMIS-I	Safety glasses, gloves, dust and vapor respirator	TD Lo	Lowest dose that is toxic to a given species
HMIS-J	Splash goggles, gloves, chemical apron, dust and vapor respirator	TLV	Threshold Limit Value (ACGIH)
HMIS-K	Air line hood or mask, gloves, full chemical suit, boots	TP	California Toxic Pollutant under the Clean Water Act
HMIS-X	Ask Supervisor	TSCA	Toxic Substances Control Act
HS	California Hazardous Substance under the Clean Water Act	TWA	Time Weighted Average (8 hours)
IARC	International Agency for Research on Cancer	UEL	Upper Explosive Limit
LC50	Air concentration that is lethal to 50% of a given species in a given time	WHMIS	Worker Hazardous Materials Information System (Canada)

## Southwest Commercial Products

and nCites, L.L.C. have compiled the information herein from sources believed to be reliable and up-to-date, and is accurate to the best of our knowledge. However, we cannot give any guarantees regarding information from other sources or the completeness and expressly do not make warranties, nor assume any liability for its use. The information contained herein is provided for reference purposes only and is intended only for persons having relevant technical skills. Because conditions and manner of use are outside of our control, the user is responsible for determining the conditions of safe use of the product. Buyers and users assume all risk, responsibility and liability whatsoever from any and all injuries, losses, or damages to persons or property arising from the use of this product or information.

Supersedes Safety Data Sheet Dated

6/8/2014