

# SAFETY DATA SHEET

# 1. Identification

Product identifier	Parts Wash Compound			
Other means of identification				
Product Code	1189			
Recommended use	Cleaning			
Recommended restrictions	None known.			
Manufacturer/Importer/Supplier/I	Distributor information			
Manufacturer				
Company name	Malco Products, Inc.			
Address	361 Fairview Ave			
	Barberton, OH 44203			
<b>-</b>	United States	000 050 050	、 、	
Telephone	Phone Fax	800-253-2526 330-753-2025	-	
Website	www.malcopro.com	330-753-2025	)	
E-mail	msdsinfo@malcopro.com			
Contact person	Technical Department			
Emergency phone number	Phone	1-800-424-930	00	
2. Hazard(s) identification				
Physical hazards	Not classified.			
Health hazards	Acute toxicity, oral		Category 4	
	Skin corrosion/irritation		Category 1	
	Serious eye damage/eye irritati	on	Category 1	
	Specific target organ toxicity, si	ngle exposure	Category 3 respiratory tract irritation	
Environmental hazards	Not classified.	-		
OSHA defined hazards	Not classified.			

 $\mathbf{\Lambda}$ 

Λ

Label elements

Signa	l word	Danger
Hazar	d statement	Harmful if swallowed. Causes severe skin burns and eye damage. Causes serious eye damage. May cause respiratory irritation.
Preca	utionary statement	
Р	revention	Do not breathe dust. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear eye protection/face protection. Wear protective gloves/protective clothing/eye protection/face protection.
R	esponse	If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Wash contaminated clothing before reuse.
S	torage	Store in a well-ventilated place. Keep container tightly closed. Store locked up.
D	isposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazard(s) classified	not otherwise (HNOC)	None known.
Suppleme	ntal information	38.59% of the mixture consists of component(s) of unknown acute oral toxicity.

# 3. Composition/information on ingredients

### **Mixtures**

Chemical name	Common name and synonyms	CAS number	%
Soda Ash - Dense		497-19-8	30 - < 40
DISODIUM METASILICATE		6834-92-0	10 - < 20
Tetrasodium Pyrophosphate		7722-88-5	1 - < 3
Other components below reportable level	ls		50 - < 60

\*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4.	First-aid	measures
<b></b>	I II OL UIU	1110404100

Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.
Skin contact	Take off immediately all contaminated clothing. Rinse skin with water/shower. Call a physician or poison control center immediately. Chemical burns must be treated by a physician. Wash contaminated clothing before reuse.
Eye contact	Do not rub eyes. Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician or poison control center immediately.
Ingestion	Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.
Most important symptoms/effects, acute and delayed	Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim warm. Keep victim under observation. Symptoms may be delayed.
General information	If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.
5. Fire-fighting measures	
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Move containers from fire area if you can do so without risk.

Specific methodsUse standard firefighting procedures and consider the hazards of other involved materials.General fire hazardsNo unusual fire or explosion hazards noted.

# 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

equipment/instructions Specific methods

**Fire fighting** 

Keep unnecessary personnel away. Wear appropriate protective equipment and clothing during clean-up. Do not breathe dust. Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels exceeding the exposure limits. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up	Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Stop the flow of material, if this is without risk. Absorb in vermiculite, dry sand or earth and place into containers. Collect dust using a vacuum cleaner equipped with HEPA filter.
	Large Spills: Wet down with water and dike for later disposal. Shovel the material into waste container. Following product recovery, flush area with water.
	Small Spills: Sweep up or vacuum up spillage and collect in suitable container for disposal. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.
7. Handling and storage	
Precautions for safe handling	Minimize dust generation and accumulation. Provide appropriate exhaust ventilation at places where dust is formed. Do not breathe dust. Do not get in eyes, on skin, or on clothing. Avoid prolonged exposure. Do not taste or swallow. When using, do not eat, drink or smoke. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Observe good industrial hygiene practices.
Conditions for safe storage, including any incompatibilities	Store locked up. Store in original tightly closed container. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS).

# 8. Exposure controls/personal protection

### **Occupational exposure limits**

#### **US. NIOSH: Pocket Guide to Chemical Hazards** Components Value Type TWA 5 mg/m3 Tetrasodium Pyrophosphate (CAS 7722-88-5) No biological exposure limits noted for the ingredient(s). **Biological limit values** Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates Appropriate engineering controls should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. If engineering measures are not sufficient to maintain concentrations of dust particulates below the Occupational Exposure Limit (OEL), suitable respiratory protection must be worn. If material is ground, cut, or used in any operation which may generate dusts, use appropriate local exhaust ventilation to keep exposures below the recommended exposure limits. Eye wash facilities and emergency shower must be available when handling this product. Individual protection measures, such as personal protective equipment Eye/face protection Wear safety glasses with side shields (or goggles) and a face shield. Skin protection Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove Hand protection supplier. Other Wear appropriate chemical resistant clothing. Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels **Respiratory protection** exceeding the exposure limits. Dust & vapor respirator. Wear appropriate thermal protective clothing, when necessary. Thermal hazards General hygiene Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash considerations work clothing and protective equipment to remove contaminants.

# 9. Physical and chemical properties

Appearance	
Physical state	Solid.
Form	Powder.
Color	Orange
Odor	None.
Odor threshold	Not available.

рН	12.1 1% in Water
Melting point/freezing point	1564.45 °F (851.36 °C) estimated
Initial boiling point and boiling range	Not available.
Flash point	Not available.
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or expl	losive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	0.00001 hPa estimated
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.
VOC (Weight %)	0 % w/w By Weight

# 10. Stability and reactivity

Reactivity	Reacts violently with strong acids. This product may react with oxidizing agents.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to avoid	Do not mix with other chemicals. Contact with incompatible materials.
Incompatible materials	Acids. Oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.

# 11. Toxicological information

# Information on likely routes of exposure

Inhalation	Dust may irritate respiratory system. Prolonged inhalation may be harmful.
Skin contact	Causes severe skin burns.
Eye contact	Causes serious eye damage.
Ingestion	Causes digestive tract burns. Harmful if swallowed.
Symptoms related to the physical, chemical and toxicological characteristics	Burning pain and severe corrosive skin damage. Causes serious eye damage. Dusts may irritate the respiratory tract, skin and eyes. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.
Information on toxicological eff	ects

# Information on toxicological effec

# Acute toxicity

Harmful if swallowed. May cause respiratory irritation.

Components	Species	1	Test Results
Soda Ash - Dense (CAS 497-19-	-8)		
<u>Acute</u>			
Inhalation	<b>.</b> .		
LC50	Guinea (		).8 mg/l, 2 Hours
	Mouse		I.2 mg/I, 2 Hours
	Rat	2	2.3 mg/l, 2 Hours
Oral			
LD50	Rat	4	1090 mg/kg
* Estimates for product may	be based on a	additional component data not shown.	
Skin corrosion/irritation	Causes se	evere skin burns and eye damage.	
Serious eye damage/eye rritation	Causes se	rious eye damage.	
Respiratory or skin sensitization	on		
<b>Respiratory sensitization</b>	Not a resp	iratory sensitizer.	
Skin sensitization	This produ	ict is not expected to cause skin sensitization.	
Germ cell mutagenicity		vailable to indicate product or any component or genotoxic.	s present at greater than 0.1% are
Carcinogenicity	This produ	ict is not considered to be a carcinogen by IA	RC, ACGIH, NTP, or OSHA.
OSHA Specifically Regula Not listed.	ted Substanc	es (29 CFR 1910.1001-1050)	
Reproductive toxicity	This produ	ict is not expected to cause reproductive or de	evelopmental effects
Specific target organ toxicity -	-	e respiratory irritation.	
ingle exposure	-		
Specific target organ toxicity - repeated exposure	Not classif	Not classified.	
choaren evhoanie			
	Not an asp	biration hazard.	
Aspiration hazard		piration hazard. inhalation may be harmful.	
Aspiration hazard Chronic effects 12. Ecological informatic	Prolonged		
Aspiration hazard Chronic effects	Prolonged		
Aspiration hazard Chronic effects 12. Ecological informatic	Prolonged	inhalation may be harmful. ct is not classified as environmentally hazardo	
Aspiration hazard Chronic effects 12. Ecological informatic Ecotoxicity	Prolonged <b>ON</b> The produ possibility	inhalation may be harmful. ct is not classified as environmentally hazardo that large or frequent spills can have a harmfo <b>Species</b>	ul or damaging effect on the environmen
Aspiration hazard Chronic effects I2. Ecological informatic Ecotoxicity Components	Prolonged <b>ON</b> The produ possibility	inhalation may be harmful. ct is not classified as environmentally hazardo that large or frequent spills can have a harmfo <b>Species</b>	ul or damaging effect on the environmen
Aspiration hazard Chronic effects I2. Ecological informatic Ecotoxicity Components DISODIUM METASILICATE	Prolonged <b>ON</b> The produ possibility	inhalation may be harmful. ct is not classified as environmentally hazardo that large or frequent spills can have a harmfo <b>Species</b>	ul or damaging effect on the environmen
Aspiration hazard Chronic effects 12. Ecological information Ecotoxicity Components DISODIUM METASILICATE Aquatic	Prolonged The produ possibility (CAS 6834-9	inhalation may be harmful. ct is not classified as environmentally hazardo that large or frequent spills can have a harmfo <b>Species</b> 2-0)	ul or damaging effect on the environment Test Results 0.28 - 0.57 mg/l, 48 hours
Aspiration hazard Chronic effects 12. Ecological informatic Ecotoxicity Components DISODIUM METASILICATE Aquatic Crustacea	Prolonged The produ possibility E (CAS 6834-9 EC50 LC50	inhalation may be harmful. ct is not classified as environmentally hazardo that large or frequent spills can have a harmfo Species 2-0) Water flea (Ceriodaphnia dubia)	ul or damaging effect on the environmen Test Results 0.28 - 0.57 mg/l, 48 hours
Aspiration hazard Chronic effects 12. Ecological informatic Ecotoxicity DISODIUM METASILICATE Aquatic Crustacea Fish	Prolonged The produ possibility E (CAS 6834-9 EC50 LC50	inhalation may be harmful. ct is not classified as environmentally hazardo that large or frequent spills can have a harmfo Species 2-0) Water flea (Ceriodaphnia dubia)	ul or damaging effect on the environmen Test Results 0.28 - 0.57 mg/l, 48 hours
Aspiration hazard Chronic effects 12. Ecological informatic Ecotoxicity DISODIUM METASILICATE Aquatic Crustacea Fish Soda Ash - Dense (CAS 49)	Prolonged The produ possibility E (CAS 6834-9 EC50 LC50	inhalation may be harmful. ct is not classified as environmentally hazardo that large or frequent spills can have a harmfo Species 2-0) Water flea (Ceriodaphnia dubia)	ul or damaging effect on the environmen Test Results 0.28 - 0.57 mg/l, 48 hours
Aspiration hazard Chronic effects 12. Ecological information Ecotoxicity DISODIUM METASILICATE Aquatic Crustacea Fish Soda Ash - Dense (CAS 49) Aquatic	Prolonged The produ possibility E (CAS 6834-9 EC50 LC50 7-19-8)	inhalation may be harmful. ct is not classified as environmentally hazardo that large or frequent spills can have a harmfo Species 2-0) Water flea (Ceriodaphnia dubia) Western mosquitofish (Gambusia affinis	ul or damaging effect on the environmen <b>Test Results</b> 0.28 - 0.57 mg/l, 48 hours ) 1800 mg/l, 96 hours
Aspiration hazard Chronic effects 12. Ecological informatic Ecotoxicity Components DISODIUM METASILICATE Aquatic Crustacea Fish Soda Ash - Dense (CAS 49) Aquatic Crustacea Fish Tetrasodium Pyrophosphate	Prolonged The produ possibility E (CAS 6834-9 EC50 LC50 7-19-8) EC50 LC50	<ul> <li>inhalation may be harmful.</li> <li>ct is not classified as environmentally hazardot that large or frequent spills can have a harmfore species</li> <li>2-0)</li> <li>Water flea (Ceriodaphnia dubia)</li> <li>Western mosquitofish (Gambusia affinis</li> <li>Water flea (Ceriodaphnia dubia)</li> <li>Bluegill (Lepomis macrochirus)</li> </ul>	ul or damaging effect on the environmen <b>Test Results</b> 0.28 - 0.57 mg/l, 48 hours ) 1800 mg/l, 96 hours 156.6 - 298.9 mg/l, 48 hours
Aspiration hazard Chronic effects 12. Ecological informatic Ecotoxicity Components DISODIUM METASILICATE Aquatic Crustacea Fish Soda Ash - Dense (CAS 49) Aquatic Crustacea Fish	Prolonged The produ possibility E (CAS 6834-9 EC50 LC50 7-19-8) EC50 LC50	<ul> <li>inhalation may be harmful.</li> <li>ct is not classified as environmentally hazardot that large or frequent spills can have a harmfore species</li> <li>2-0)</li> <li>Water flea (Ceriodaphnia dubia)</li> <li>Western mosquitofish (Gambusia affinis</li> <li>Water flea (Ceriodaphnia dubia)</li> <li>Bluegill (Lepomis macrochirus)</li> </ul>	ul or damaging effect on the environment <b>Test Results</b> 0.28 - 0.57 mg/l, 48 hours ) 1800 mg/l, 96 hours 156.6 - 298.9 mg/l, 48 hours 300 mg/l, 96 hours
Aspiration hazard Chronic effects 12. Ecological information Ecotoxicity Components DISODIUM METASILICATE Aquatic Crustacea Fish Soda Ash - Dense (CAS 49) Aquatic Crustacea Fish Tetrasodium Pyrophosphate Aquatic Fish	Prolonged The produ possibility E (CAS 6834-9 EC50 LC50 7-19-8) EC50 LC50 e (CAS 7722-8 LC50	inhalation may be harmful. ct is not classified as environmentally hazardo that large or frequent spills can have a harmfo Species 2-0) Water flea (Ceriodaphnia dubia) Western mosquitofish (Gambusia affinis Water flea (Ceriodaphnia dubia) Bluegill (Lepomis macrochirus) 8-5) Western mosquitofish (Gambusia affinis	ul or damaging effect on the environmen <b>Test Results</b> 0.28 - 0.57 mg/l, 48 hours ) 1800 mg/l, 96 hours 156.6 - 298.9 mg/l, 48 hours 300 mg/l, 96 hours
Aspiration hazard Chronic effects 12. Ecological informatic Ecotoxicity Components DISODIUM METASILICATE Aquatic Crustacea Fish Soda Ash - Dense (CAS 497 Aquatic Crustacea Fish Tetrasodium Pyrophosphate Aquatic Fish * Estimates for product may	Prolonged The produ possibility (CAS 6834-9 EC50 LC50 7-19-8) EC50 LC50 e (CAS 7722-8 LC50 be based on a	inhalation may be harmful. ct is not classified as environmentally hazardo that large or frequent spills can have a harmfo Species 2-0) Water flea (Ceriodaphnia dubia) Western mosquitofish (Gambusia affinis Bluegill (Lepomis macrochirus) 8-5) Western mosquitofish (Gambusia affinis additional component data not shown.	ul or damaging effect on the environmen <b>Test Results</b> 0.28 - 0.57 mg/l, 48 hours ) 1800 mg/l, 96 hours 156.6 - 298.9 mg/l, 48 hours 300 mg/l, 96 hours ) 1380 mg/l, 96 hours
Aspiration hazard Chronic effects 12. Ecological informatic Ecotoxicity DISODIUM METASILICATE Aquatic Crustacea Fish Soda Ash - Dense (CAS 49 Aquatic Crustacea Fish Tetrasodium Pyrophosphate Aquatic Fish * Estimates for product may Persistence and degradability	Prolonged The produ possibility (CAS 6834-9 EC50 LC50 7-19-8) EC50 LC50 e (CAS 7722-8 LC50 be based on a No data is	inhalation may be harmful. ct is not classified as environmentally hazardo that large or frequent spills can have a harmfor Species 2-0) Water flea (Ceriodaphnia dubia) Western mosquitofish (Gambusia affinis Water flea (Ceriodaphnia dubia) Bluegill (Lepomis macrochirus) 8-5) Western mosquitofish (Gambusia affinis additional component data not shown. available on the degradability of this product	ul or damaging effect on the environmen <b>Test Results</b> 0.28 - 0.57 mg/l, 48 hours ) 1800 mg/l, 96 hours 156.6 - 298.9 mg/l, 48 hours 300 mg/l, 96 hours ) 1380 mg/l, 96 hours
Aspiration hazard Chronic effects 12. Ecological information Ecotoxicity Components DISODIUM METASILICATE Aquatic Crustacea Fish Soda Ash - Dense (CAS 49) Aquatic Crustacea Fish Tetrasodium Pyrophosphate Aquatic Fish	Prolonged The produ possibility (CAS 6834-9 EC50 LC50 7-19-8) EC50 LC50 e (CAS 7722-8 LC50 be based on a	<ul> <li>inhalation may be harmful.</li> <li>ct is not classified as environmentally hazardo that large or frequent spills can have a harmferent species</li> <li>2-0)</li> <li>Water flea (Ceriodaphnia dubia)</li> <li>Western mosquitofish (Gambusia affinis</li> <li>Water flea (Ceriodaphnia dubia)</li> <li>Bluegill (Lepomis macrochirus)</li> <li>8-5)</li> <li>Western mosquitofish (Gambusia affinis</li> <li>additional component data not shown.</li> <li>available on the degradability of this product vailable.</li> </ul>	ul or damaging effect on the environmen <b>Test Results</b> 0.28 - 0.57 mg/l, 48 hours ) 1800 mg/l, 96 hours 156.6 - 298.9 mg/l, 48 hours 300 mg/l, 96 hours ) 1380 mg/l, 96 hours

# 13. Disposal considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

# 14. Transport information

### DOT

Not regulated as dangerous goods.

# IATA Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

# Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

# 15. Regulatory information

**US** federal regulations

ons This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. One or more components are not listed on TSCA.

# TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

### SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Hazard categories

### Superfund Amendments and Reauthorization Act of 1986 (SARA)

Immediate Hazard - Yes
Delayed Hazard - No Fire Hazard - No
Pressure Hazard - No
Reactivity Hazard - No

### SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous No

chemical

### SARA 313 (TRI reporting) Not regulated.

### Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

# Safe Drinking Water Act Not regulated.

(SDWA)

### **US state regulations**

US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100) Not listed.

# US. Massachusetts RTK - Substance List

Tetrasodium Pyrophosphate (CAS 7722-88-5)

US. New Jersey Worker and Community Right-to-Know Act

Tetrasodium Pyrophosphate (CAS 7722-88-5)

# US. Pennsylvania Worker and Community Right-to-Know Law

Tetrasodium Pyrophosphate (CAS 7722-88-5)

# US. Rhode Island RTK

Not regulated.

## **US. California Proposition 65**

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

### International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	No

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

# 16. Other information, including date of preparation or last revision

Issue date	05-18-2015
Version #	01
Disclaimer	Malco Automotive cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.