# malko

# SAFETY DATA SHEET

# 1. Identification

Product identifier Tire Mounting Paste

Other means of identification

Product Code 1976

Recommended use Tire Mounting Lubricant

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name Malco Products, Inc.

Address 361 Fairview Ave
Barberton, OH 44203

**United States** 

TelephonePhone800-253-2526

Fax 330-753-2025

Website www.malcopro.com
E-mail msdsinfo@malcopro.com
Contact person Technical Department

Emergency phone number Phone 1-800-424-9300

# 2. Hazard(s) identification

Physical hazards Not classified.

**Health hazards** Acute toxicity, oral Category 4

Serious eye damage/eye irritation Category 2A

Environmental hazards Not classified.

OSHA defined hazards Not classified.

Label elements



Signal word Warning

**Hazard statement** Harmful if swallowed. Causes serious eye irritation.

**Precautionary statement** 

Prevention Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Wear eye

protection/face protection.

**Response** If swallowed: Call a poison center/doctor if you feel unwell. If in eyes: Rinse cautiously with water

for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Rinse

mouth. If eye irritation persists: Get medical advice/attention.

**Storage** Store away from incompatible materials.

**Disposal** Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

# 3. Composition/information on ingredients

## Mixtures

Chemical name	Common name and synonyms	CAS number	%
Ethylene Glycol		107-21-1	5 - < 10
"2,2,2-Nitrilotriethanol"		102-71-6	1 - < 3

Material name: Tire Mounting Paste

Chemical name	Common name and synonyms	CAS number	<u></u>
"Poly(oxy-1,2-ethanediyl),?-hydro- hydroxy; Ethane-1,2-diol, Ethoxylated (>1 <4.5 Mol Eo)"	?-	25322-68-3	1 - < 3
Other components below reportable levels			90 - 100

<sup>\*</sup>Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

## 4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

Rinse mouth. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.

Get medical advice/attention if you feel unwell.

Most important symptoms/effects, acute and

Ingestion

delayed

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.

Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Keep victim warm. Keep victim under observation. Symptoms may be delayed.

**General information** Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

## 5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting equipment/instructions Move containers from fire area if you can do so without risk.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards No unusual fire or explosion hazards noted.

#### 6. Accidental release measures

Personal precautions. protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

**Environmental precautions** 

Avoid discharge into drains, water courses or onto the ground.

## 7. Handling and storage

Precautions for safe handling

Provide adequate ventilation. Do not get in eyes, on skin, or on clothing. Avoid prolonged exposure. Do not taste or swallow. When using, do not eat, drink or smoke. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

Material name: Tire Mounting Paste SDS US

## 8. Exposure controls/personal protection

#### Occupational exposure limits

## US. ACGIH Threshold Limit Values

Components	Туре	Value	Form
"2,2,2-Nitrilotriethanol" (CAS 102-71-6)	TWA	5 mg/m3	
Ethylene Glycol (CAS 107-21-1)	Ceiling	100 mg/m3	Aerosol.
US. Workplace Environmental Exp	oosure Level (WEEL) Guides		
Components	Туре	Value	Form
"Poly(oxy-1,2-ethanediyl),?-	TWA	10 mg/m3	Particulate.

**Biological limit values** 

No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station.

Individual protection measures, such as personal protective equipment

Eye/face protection Face shield is recommended. Wear safety glasses with side shields (or goggles).

Skin protection

Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove Hand protection

supplier.

Wear suitable protective clothing. Other

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash

work clothing and protective equipment to remove contaminants.

# 9. Physical and chemical properties

## **Appearance**

Physical state Liquid. Liquid. Paste. **Form** Color Not available. Characteristic. Odor **Odor threshold** Not available. Not available. Melting point/freezing point Not available. Initial boiling point and boiling 212 °F (100 °C)

range

Flash point Not available. **Evaporation rate** Not available. Not applicable. Flammability (solid, gas) Upper/lower flammability or explosive limits

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available. 0.1 hPa estimated Vapor pressure Not available. Vapor density

Not available. Relative density

Material name: Tire Mounting Paste

SDS US 1976 Version #: 02 Revision date: 05-11-2016 Issue date: 01-05-2016

Solubility(ies)

Solubility (water) Not available. 770 °F (410 °C) **Auto-ignition temperature** Not available. **Decomposition temperature Viscosity** Not available.

Other information

**Explosive properties** Not explosive.

Flammability class Combustible IIIB estimated

Not oxidizing. **Oxidizing properties** 

## 10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

**Chemical stability** Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Contact with incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

No hazardous decomposition products are known.

# 11. Toxicological information

# Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful.

Skin contact Prolonged or repeated exposure may cause liver and kidney damage. These effects have not

been observed in humans.

Eye contact Causes serious eye irritation.

Ingestion Harmful if swallowed.

Symptoms related to the physical, chemical and

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred

vision.

toxicological characteristics

## Information on toxicological effects

Harmful if swallowed. Acute toxicity

Components **Species Test Results** 

"2,2,2-Nitrilotriethanol" (CAS 102-71-6)

**Acute** 

Dermal

LD50 Rabbit > 20000 mg/kg

Oral

LD50 Guinea pig 5300 mg/kg

> Rat 8 g/kg

Ethylene Glycol (CAS 107-21-1)

**Acute** 

Dermal

LD50 Rabbit 9530 mg/kg

Oral

LD50 Guinea pig 8.2 g/kg

> Mouse 14.6 g/kg Rat 5.89 g/kg

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation.

Material name: Tire Mounting Paste

1976 Version #: 02 Revision date: 05-11-2016 Issue date: 01-05-2016

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

Serious eye damage/eye

irritation

Causes serious eye irritation.

Respiratory or skin sensitization

**Respiratory sensitization** Not a respiratory sensitizer.

**Skin sensitization** This product is not expected to cause skin sensitization.

Germ cell mutagenicity

No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

IARC Monographs. Overall Evaluation of Carcinogenicity

"2,2,2-Nitrilotriethanol" (CAS 102-71-6) 3 Not classifiable as to carcinogenicity to humans.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

US. National Toxicology Program (NTP) Report on Carcinogens

Not available.

Reproductive toxicity

This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

**Aspiration hazard** Not an aspiration hazard.

Chronic effects May be harmful if absorbed through skin. Prolonged inhalation may be harmful.

Prolonged or repeated exposure may cause liver and kidney damage. These effects have not

been observed in humans.

# 12. Ecological information

**Ecotoxicity** The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components Species Test Results

"2,2,2-Nitrilotriethanol" (CAS 102-71-6)

Aquatic

Crustacea EC50 Water flea (Ceriodaphnia dubia) 565.2 - 658.3 mg/l, 48 hours
Fish LC50 Fathead minnow (Pimephales promelas) 10610 - 13010 mg/l, 96 hours

"Poly(oxy-1,2-ethanediyl),?-hydro-?-hydroxy; Ethane-1,2-diol, Ethoxylated (>1 <4.5 Mol Eo)" (CAS 25322-68-3)

**Aquatic** 

Fish LC50 Atlantic salmon (Salmo salar) > 1000 mg/l, 96 hours

Ethylene Glycol (CAS 107-21-1)

Aquatic

Fish LC50 Fathead minnow (Pimephales promelas) 8050 mg/l, 96 hours

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

"2,2,2-Nitrilotriethanol" -1 Ethylene Glycol -1.36

Mobility in soil No data available.

Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

# 13. Disposal considerations

**Disposal instructions**Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

**Local disposal regulations** Dispose in accordance with all applicable regulations.

Material name: Tire Mounting Paste

1976 Version #: 02 Revision date: 05-11-2016 Issue date: 01-05-2016

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

## 14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

**IMDG** 

Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and Not established.

the IBC Code

# 15. Regulatory information

**US** federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

Ethylene Glycol (CAS 107-21-1)

Listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Nο

Immediate Hazard - Yes **Hazard categories** 

Delayed Hazard - Yes Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

chemical

SARA 313 (TRI reporting)

**Chemical name CAS** number % by wt. 107-21-1 5 - < 10 Ethylene Glycol

## Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Ethylene Glycol (CAS 107-21-1)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

#### **US** state regulations

US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100)

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd.

(a))

Ethylene Glycol (CAS 107-21-1)

Material name: Tire Mounting Paste

1976 Version #: 02 Revision date: 05-11-2016 Issue date: 01-05-2016

## **US. Massachusetts RTK - Substance List**

"2,2,2-Nitrilotriethanol" (CAS 102-71-6)

Ethylene Glycol (CAS 107-21-1)

## US. New Jersey Worker and Community Right-to-Know Act

"2,2,2-Nitrilotriethanol" (CAS 102-71-6) Ethylene Glycol (CAS 107-21-1)

## US. Pennsylvania Worker and Community Right-to-Know Law

"2,2,2-Nitrilotriethanol" (CAS 102-71-6) Ethylene Glycol (CAS 107-21-1)

#### **US. Rhode Island RTK**

Ethylene Glycol (CAS 107-21-1)

## **US. California Proposition 65**

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

## **International Inventories**

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes

<sup>\*</sup>A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

Toxic Substances Control Act (TSCA) Inventory

# 16. Other information, including date of preparation or last revision

 Issue date
 01-05-2016

 Revision date
 05-11-2016

Version # 02

United States & Puerto Rico

Disclaimer Malco Automotive cannot anticipate all conditions under which this information and its product, or

the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless

specified in the text.

**Revision Information**This document has undergone significant changes and should be reviewed in its entirety.

Material name: Tire Mounting Paste SDS US

Yes