Printing date 25.06.2014

Revision: 25.06.2014

1 Identification of the substance/mixture and of the company/undertaking
· 1.1 Product identifier
• Trade name: <u>Tire Talc</u>
<ul> <li>Article number: 14-550</li> <li>1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.</li> </ul>
Application of the substance / the mixture Sealant
<ul> <li>1.3 Details of the supplier of the Safety Data Sheet</li> <li>Manufacturer/Supplier: 31 Incorporated</li> <li>100 Enterprise Dr. Newcomerstown, OH 43832</li> <li>Phone: (740) 498-8324</li> </ul>
• <b>1.4 Emergency telephone number:</b> ChemTel Inc. (800)255-3924, +1 (813)248-0585
2 Hazards identification
<ul> <li>2.1 Classification of the substance or mixture</li> <li>Classification according to Regulation (EC) No 1272/2008</li> <li>health hazard</li> </ul>
Carc. 2 H351 Suspected of causing cancer.
<ul> <li>Classification according to Directive 67/548/EEC or Directive 1999/45/EC Not applicable.</li> <li>Information concerning particular hazards for human and environment:         <ul> <li>The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.</li> <li>Classification system:                  <ul></ul></li></ul></li></ul>
<ul> <li>• 2.2 Label elements</li> <li>• Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation.</li> <li>• Hazard pictograms</li> </ul>
GHS08
Signal word Warning     (Contd. on page 2

Printing date 25.06.2014

Trade name: Tire Talc

Revision: 25.06.2014

	(Contd. of page
. Hazard-d	etermining components of labelling:
	BH2(SiO3)4)
· Hazard st	
H351 Sus	pected of causing cancer.
	onary statements
P281	Use personal protective equipment as required.
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
	13 IF exposed or concerned: Get medical advice/attention.
P405 P501	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/internation regulations.
· Hazard d	escription:
	ymbols: Not hazardous under WHMIS.
· NFPA rat	ings (scale 0 - 4)
	Health $= 0$
	Fire = $0$
	Reactivity = $0$
· HMIS-rati	ngs (scale 0 - 4)
	□ Health = 0
	• Fire = 0
REACTIVITY	Reactivity = 0
* - Indica	tes a long term health hazard from repeated or prolonged exposures.
· HMIS Lor	ng Term Health Hazard Substances
None of the	ne ingredients is listed.
2 2 Othor	hazards
	of PBT and vPvB assessment
· Results o	applicable.
• Results o • PBT: Not	
• Results o • PBT: Not	t applicable.
• Results o • PBT: Not	
• Results o • PBT: Not • vPvB: No	

Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:			
	Talc (Mg3H2(SiO3)4)	25-50%	
EINECS: 238-877-9	substance with a Community workplace exposure limit		
	& Carc. 2, H351		
CAS: 546-93-0	Magnesite	25-50%	
	substance with a Community workplace exposure limit		
	(Conto	l. on page 3)	

GHS

Printing date 25.06.2014

Revision: 25.06.2014

(Contd. of page 2)

#### Trade name: Tire Talc

• Additional information: For the wording of the listed risk phrases refer to section 16.

#### 4 First aid measures

- · 4.1 Description of first aid measures
- · General information: No special measures required.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:
- Brush off loose particles from skin.
- Immediately wash with water and soap and rinse thoroughly.
- If skin irritation is experienced, consult a doctor.

#### · After eye contact:

Rinse opened eye for several minutes under running water.

Seek medical treatment in case of complaints.

# After swallowing:

Rinse out mouth and then drink plenty of water.

Seek immediate medical advice.

#### • **4.2 Most important symptoms and effects, both acute and delayed** Slight irritant effect on eyes.

Coughing

- · Hazards Limited evidence of a carcinogenic effect.
- 4.3 Indication of any immediate medical attention and special treatment needed

If necessary oxygen respiration treatment.

# **5 Firefighting measures**

- · 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · For safety reasons unsuitable extinguishing agents: None.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- Protective equipment:
- Wear self-contained respiratory protective device.
- Wear fully protective suit.
- · Additional information No further relevant information available.

#### 6 Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures
   Use respiratory protective device against the effects of fumes/dust/aerosol.
   Wear protective equipment. Keep unprotected persons away.
   Ensure adequate ventilation
   Avoid formation of dust.
   6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up: Pick up mechanically.

(Contd. on page 4)

Printing date 25.06.2014

Revision: 25.06.2014

#### Trade name: Tire Talc

#### · 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

# 7 Handling and storage

#### · 7.1 Precautions for safe handling

Prevent formation of dust.

Any unavoidable deposit of dust must be regularly removed.

- Do not dry clean dust covered objects and floors. Wash thoroughly with plenty of water.
- Information about fire and explosion protection: The product is not flammable.
- · 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Store away from foodstuffs.

Store away from water.

· Further information about storage conditions:

Store in dry conditions.

Protect from humidity and water.

• 7.3 Specific end use(s) No further relevant information available.

# 8 Exposure controls/personal protection

#### · Additional information about design of technical facilities: No further data; see item 7.

· 8.1 Control p	parameters	
· Ingredients v	with limit values that require monitoring at the workplace:	
14807-96-6 T	Γalc (Mg3H2(SiO3)4)	
PEL (USA)	Long-term value: 20 mppcf ppm (containing <1% Quartz)	
REL (USA)	Long-term value: 2* mg/m <sup>3</sup> *respirable dust	
TLV (USA)	Long-term value: 2* mg/m <sup>3</sup> *as respirable fraction; E	
EL (Canada)	Long-term value: 2 mg/m <sup>3</sup> respirable	
EV (Canada)	Long-term value: 2* mg/m³, 2 f/cc ppm *respirable	
	)0	Contd. on page 5)

(Contd. of page 3)

Printing date 25.06.2014

Colour:

· Odour:

Г

Revision: 25.06.2014

Trade name: Tire	Talc		
			(Contd. of page 4)
546-93-0 Mag			
PEL (USA)	Long-term value: 15* 5** i *total dust **respirable fra	action	
REL (USA)	Long-term value: 10* 5** r *total dust **respirable fra		
TLV (USA)	TLV withdrawn		
EL (Canada)	Long-term value: 10 mg/n	n <sup>3</sup>	
EV (Canada)	Long-term value: 10 mg/n total dust	n <sup>3</sup>	
• PNECs No fu	ther relevant information a rther relevant information a formation: The lists valid		
General protection     The usual precedent Wash hands to Do not inhale Avoid contact     Respiratory protection of For spills, respiratory of Eye protection	before breaks and at the endust / smoke / mist. with the eyes. brotection: espiratory protective device biratory protection may be hands: Gloves not requir	to be adhered to when handling chemicals. nd of work. ce in case of insufficient ventilation.	
Protection ma • Limitation an No further rele • Risk manage See Section 7	ion: Inder normal conditions of y be required for spills. Id supervision of exposu evant information available ment measures for additional information. evant information available	re into the environment e.	
9 Physical a	nd chemical properti	es	
· 9.1 Information · General Infort · Appearance:	on on basic physical and mation	d chemical properties	
Form:		Powder	
<b>O</b> ala			

Whitish

Nearly odourless

(Contd. on page 6)

Printing date 25.06.2014

Revision: 25.06.2014

Odour threshold:	Not determined.	(Contd. of page \$
· pH-value:	Not applicable.	
<ul> <li>Change in condition Melting point/Melting range: Boiling point/Boiling range:</li> </ul>	Not Determined. Undetermined.	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not determined.	
Auto/Self-ignition temperature:	Not determined.	
Decomposition temperature:	Not determined.	
Self-igniting:	Product is not self-igniting.	
Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits: Lower: Upper:	Not determined. Not determined.	
Vapour pressure:	Not applicable.	
<ul> <li>Density at 20 °C:</li> <li>Relative density</li> <li>Vapour density</li> <li>Evaporation rate</li> </ul>	2,75 g/cm <sup>3</sup> Not determined. Not applicable. Not applicable.	
<ul> <li>Solubility in / Miscibility with water:</li> </ul>	Insoluble.	
· Partition coefficient (n-octanol/wate	r): Not determined.	
<ul> <li>Viscosity:</li> <li>Dynamic:</li> <li>Kinematic:</li> <li>9.2 Other information</li> </ul>	Not applicable. Not applicable. No further relevant information available.	

# 10 Stability and reactivity

- · 10.1 Reactivity
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used and stored according to specifications.
- **10.3 Possibility of hazardous reactions** As the product is supplied it is not capable of dust explosion; however enrichment with fine dust causes risk of dust explosion.
- 10.4 Conditions to avoid Prevent formation of dust.
- 10.5 Incompatible materials: No further relevant information available.

(Contd. on page 7)

Printing date 25.06.2014

Revision: 25.06.2014

(Contd. of page 6)

#### Trade name: Tire Talc

• 10.6 Hazardous decomposition products: Possible in traces.

#### 11 Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity:
- Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information: Suspected of causing cancer.
- Repeated dose toxicity: May cause damage to organs through prolonged or repeated exposure.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction):

Carc. 2

### **12 Ecological information**

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · **vPvB:** Not applicable.
- 12.6 Other adverse effects No further relevant information available.

#### **13 Disposal considerations**

#### · 13.1 Waste treatment methods

· Recommendation

Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

(Contd. on page 8)

Printing date 25.06.2014

Revision: 25.06.2014

Trade name: Tire Talc

(Contd. of page 7)

#### · Uncleaned packaging:

· Recommendation: Disposal must be made according to official regulations.

14 Transport information		
· 14.1 UN-Number		
· DOT, ADR, ADN, IMDG, IATA	Not Regulated	
<ul> <li>14.2 UN proper shipping name</li> </ul>		
· DOT, ADR, ADN, IMDG, IATA	Not Regulated	
<ul> <li>14.3 Transport hazard class(es)</li> </ul>		
· DOT, ADR, ADN, IMDG, IATA		
· Class	Not Regulated	
· 14.4 Packing group		
· DOT, ADR, IMDG, IATA	Not Regulated	
<ul> <li>14.5 Environmental hazards:</li> </ul>		
• Marine pollutant:	No	
<ul> <li>14.6 Special precautions for user</li> </ul>	Not applicable.	
<ul> <li>14.7 Transport in bulk according to Anne</li> </ul>		
MARPOL73/78 and the IBC Code	Not applicable.	
<ul> <li>UN "Model Regulation":</li> </ul>	-	
_		

#### 15 Regulatory information

• 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture • United States (USA)

· SARA

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

Proposition 65 (California):

· Chemicals known to cause cancer:

14807-96-6 Talc (Mg3H2(SiO3)4)

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

 $\cdot$  Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

(Contd. on page 9)

Printing date 25.06.2014

Revision: 25.06.2014

(Contd. of page 8)

2B

A4

Trade name: Tire Talc

#### · Carcinogenic Categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· IARC (International Agency for Research on Cancer)

14807-96-6 Talc (Mg3H2(SiO3)4)

· TLV (Threshold Limit Value established by ACGIH)

14807-96-6 Talc (Mg3H2(SiO3)4)

#### · NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· Canada

#### · Canadian Domestic Substances List (DSL)

14807-96-6 Talc (Mg3H2(SiO3)4)

546-93-0 Magnesite

Canadian Ingredient Disclosure list (limit 0.1%)

None of the ingredients is listed.

· Canadian Ingredient Disclosure list (limit 1%)

None of the ingredients is listed.

#### · Other regulations, limitations and prohibitive regulations

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations.

· Substances of very high concern (SVHC) according to REACH, Article 57

None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

H351 Suspected of causing cancer.

#### · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

WHMIS: Workplace Hazardous Materials Information System (CSA)

(Contd. on page 10)

Printing date 25.06.2014

**Trade name: Tire Talc** 

Revision: 25.06.2014

(Contd. of page 9)

DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) Carc. 2: Carcinogenicity, Hazard Category 2

· Sources

SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com