




A7Pi Capacity 7,000 lbs.

S7Ti Capacity 7,000 lbs.

S10iW Capacity 6,000 lbs.

(Refer to Runway Manufacturer for Runway Capacity)
(500 Series Lifts)



PARTS
BREAKDOWN

IMPORTANT: When ordering parts or requesting service always give exact model and power unit serial number. Model number is shown on nameplate attached to power unit column. Power unit serial number is located on side of power unit.

OWNERS RECORD

Complete information
at right and keep in
a safe place.

Date Installed _____

Installed in Bay # _____

Power Unit Serial # _____

Power Unit Model # _____

Lift Serial # _____


Lift Model # _____


NOTE: For replacement parts -See your nearest Rotary Parts Distributor.

PB2-32-22


Rev. F 08/15/2006

S10i WABU (Base Model)







- | | |
|--|-----------|
| 1. 5/32" x 1" Cotter Pin | 41202 |
| 2. Hinge Pin | FC134-99 |
| 3. Rubber Pad | FJ2433 |
| 4. Left Rear Arm Weldment | N2184 |
| 5. Ramp Weldment (unassembled) | N2252 |
| 6. Left Pad Assembly | N2253 |
| 7. Front Arm Weldment | N2183 |
| 8. #10-24NC Phillips Truss Head MS | 40192 |
| 9. Ramp Slide | FC134-33 |
| 10. #10-24NC Flanged Whizlock Nut | 40633 |
| 11. 1/2"-13NC x 1-1/4" Lg. Grade 5 Flanged
Whizlock Screw | 40279 |
| 12. Right Pad Assembly | N2254 |
| 13. 3/8" Split Lockwasher | 40818 |
| 14. 3/8"-16NC Jam Nut | 40658 |
| 15. Adjustment Screw (foot) | FJ7465-15 |
| 16. 3/8" Flat Washer | 40820 |
| 17. Right Rear Arm Weldment | N2185 |
| 18. Arm Pin | FJ7838 |
| 19. 3/16" x 2" Long Cotter Pin | 41250 |
| 20. 1-1/2" Rubber Adapter Pad | FJ2427 |
| 21. 3" Rubber Adapter Pad | FJ2428 |




SPOA82 PLAN VIEW



1. 3/4"-10NC Hex Nut.....	40760
2. 3/4" Lockwasher.....	40917
3. Rear Rail Weldment	
Right Rear.....	N2189
Left Rear.....	N2188
4. 3/4" SAE Flat Washer.....	41021
5. 3/4"-10NC x 2"Lg. HHCS	40476
6. Front Rail Weldment	
Right Front.....	N2187
Left Front.....	N2186
7. Pan Weldment.....	N280
8. Arm Pin.....	N2171
9. 3/16" x 2" Long Cotter Pin	41250
10. Small Wheel Adapter	
Left Front/Right Rear	N263-5
Right Front/Left Rear	N263-6
11. Fork Weldment.....	N2169
12. Fork Adapter Weldment.....	N282
13. 3/4"-10NC x 2-1/2"Lg. HHCS(Full Thread)..	40478
14. 3/4"-10NC Hex Jam Nut.....	40759
15. Fork Adjustment Block.....	N233-4




TLO7 PLAN VIEW



CYLINDER HOSE ADAPTER DETAIL		
ITEM	DESCRIPTION	PART
1	Straight Adapter	FJ7352-3

SOLENOID / LOCKING LATCH ASSEMBLY



LOCKING LATCH DETAIL PARTS LIST		
ITEM	DESCRIPTION	PART
1	Solenoid	N613
2	5/16"-18NC x 3/8" PHMS	40227
3	Slider	N613-1
4	1-1/2" O.D. x 3/4" I.D. x .045 Mach. Bush.	41388
5	Latch Control Plate	N613-3
6	Locking Latch	N616
7	Truarc Klipring #5304-75 for 3/4" Shaft	41411
8	Latch Shaft	FJ7382-34
9	Latch Spring	N613-2

NOTES:

Rotary World Headquarters

2700 Lanier Drive
Madison, IN 47250, USA
www.rotarylif.com

North America Contact Information

Tech. Support: p 800.445.5438
f 800.578.5438
e userlink@rotarylif.com
Sales: p 800.640.5438
f 800.578.5438
e userlink@rotarylif.com

World Wide Contact Information

World Headquarters/USA: 1.812.273.1622
Canada: 1.905.812.9920
European Headquarters/Germany: +49.771.9233.0
United Kingdom: +44.178.747.7711
Australasia: +60.3.7660.0285
Latin America / Caribbean: +54.3488.431.608
Middle East / Northern Africa: +49.771.9233.0

© Rotary®, Printed in U.S.A., All Rights Reserved. Unless otherwise indicated, ROTARY, DOVER and all other trademarks are property of Dover Corporation and its affiliates.



A **DOVER** COMPANY

