



McGEE COMPANY

SINCE 1951



**Denver • Salt Lake
Albuquerque • Dallas**

1-800-525-8888

www.McGeeCompany.com

Automotive Service Equipment

Tire Service Supplies

Retreading Equipment & Supplies

Passenger/Truck/OTR

EXPIRES 9/30/17

All prices are F.O.B. our warehouse unless otherwise specified. Lease figures are approximate and subject to change.

PRICES SUBJECT TO CHANGE
VISA AND MASTERCARD ACCEPTED



Ascot Latex Mechanic Gloves

6 mil palm texture style

BL120 - Large

BL130 - XLarge

BL140 - XXLarge

\$9.95/box

Special case price

\$6.95/box (10 boxes

to case per size)



Now in Stock

Universal sensors

Schrader EZ & Dill Redi Sensor

Eliminate need to wait for parts delivery!



EZ Sensor

**Details
inside on
new**

**10 pack
461-33501
special
price!**

**McGee Company offers free
assembly of air hose to your
required length!**

Air Hose



Made in
the USA



- Rubber Air Hose
- 1/4", 3/8" & 1/2" Multi Purpose Air Hose Assemblies Smooth cover, 300 PSI W.P., 1,200 lb. burst. Limited oil resistance tube & cover. Red.

Mfg. No.	Description	Price
W64RJ25	25', 3/8" Male NPT Hose, 1/4" MNPT	\$28.52
W64RJ50	50', 3/8" Male NPT Hose, 1/4" MNPT	\$51.97
W84RJ25	25', 1/2" Male NPT Hose, 1/2" MNPT	\$42.37
W84RJ50	50', 1/2" Male NPT Hose, 1/2" MNPT	\$74.29

Tire Bead Lubricant

- Dries fast
- Prevents rim slippage
- Prevents rust

A liquid bead lubricant for easier mounting of tires.

435-07001 (TL1)

5 gallon version MPL5

**TL1
\$11.95**



432-00750 #75 - Mounting Paste 7.7 lb.

432-01750 #75N - Low Profile Pail

Eases mounting of stiff, low-profile tires. Aids in faster bead sealing during inflation. Preferred when servicing tires on ABS-equipped or HP vehicles. Prevents

vibration complaints as a result of tire moving on wheel after balancing.

437-43006 #73 - Brush, Angled Applicator

Allows for proper application of mounting paste.




\$10.59

1/2" DR Flip Socket Sale!

STD. "Flip" Socket
& Metric "Flip" Socket

Part No.	Description	Price
1291D	19mm-21mm	\$10.80
1246D	3/4"-13/16" deep	\$9.23
1246DT	Extra thin 1246D	\$9.00
2349D	7/8"-15/16" thin deep	\$9.00





Double-end reversible impact socket. Fits passenger and light truck wheel nuts.

FAST AND EASY FREE TRAINING!

Largest Stock of TPMS Sensors and Accessories

HUNTER
Engineering Company



1/2" Drive Super Duty Air Impact Wrench

- 2" extended anvil
- Handle exhaust
- Free speed: 8000 RPM
- Maximum torque: 600 ft./lbs.
- Proven design and the most popular configuration in the tire service industry
- Powered by the durable and high performing twin hammer mechanism
- Net weight: 5.6 lbs.

\$119.95



153-23120

Ascot No.	McGee No.	Description
153-23120	15323120	1/2" Drive Air Impact Wrench - 2" Extended Anvil

1/2" Drive Composite Impact Wrench

- 2" extended anvil
- Handle exhaust
- 700 ft./lbs. of torque
- Free speed: 8000 RPM
- Composite body offering lighter weight and improved balance
- Powered by the durable and high performing twin hammer mechanism
- Handle exhaust
- Net weight: 4.9 lbs.



153-12131

Ascot No.	McGee No.	Description	Price
153-12131	15312131	1/2" Drive Composite Impact Wrench 2" Extended Anvil	\$145.16

1" Drive Mini Air Impact Wrench

- 6" Extended Anvil
- Free speed: 5000 RPM
- Maximum torque: 2000 ft./lbs.
- Only 20 lbs – 50% less than the market leading 1" product
- Smallest and lightest 1" in the tire service industry
- Twin hammer clutch

\$459.95



155-26464

Ascot No.	McGee No.	Description
155-26464	15526464	1" Drive Mini Air Impact Wrench - 6" Extended Anvil

3/4" Drive Impact Wrench

- Short anvil
- 6-position power setting
- Deliver 1100 ft./lbs. of maximum torque with 5500 rpm free speed
- The most powerful 3/4" drive classic wrench
- Suitable for tire or engine work on truck, bus or farm machinery
- Comparable to the IR261



154-10261

Ascot No.	McGee No.	Description	Price
154-10261	15410261	3/4" Drive Short Shank Impact Wrench	\$429.95

Low Speed Tire Buffer with Quick Change Slip Chuck

15810873 - \$69.95

- Brass bushings provide performance and durability in tough working conditions
- Includes whip hose and exhaust hose
- Quick change slip chuck for fast and easy change of buffing wheel
- Built in regulator
- Lock off throttle to prevent accidental start ups
- Rear exhaust directs air away from work area
- Ideal for patchwork, roughing areas for recapping and cleaning tire moldings
- Equivalent to and has same dynamics as the CP 873k
- Overhose kit also available 175-00873



High Speed Tire Buffer Kit with Quick Change Chuck

15811871 - \$66.40

- Jacobs chuck for holding buffing accessories
- Lock-off throttle
- Free speed 22,000 RPM
- Good for the tire patchwork, roughing areas for recapping and cleaning tire moldings
- Includes overhose kit



High Speed Tire Buffer with Overhose Kit

15810871 - \$68.50

- Jacobs chuck for holding buffing accessories
- Lock-off throttle
- Free speed 22,000 RPM
- Good for tire patchwork roughing areas for recapping and cleaning tire moldings
- Includes overhose kit



Heavy Duty & High Torque!

(15617786 – Spline dr version - **\$439.95**)

155-17786

\$389.65!

- DURABLE: Steel end plates offering durability and extended life
- ADVANCED DESIGN: Proven motor and hammer technology; highly efficient air motor
- WORKING TORQUE RANGE: 370-1475 ft./lbs.
- 1 YEAR LIMITED WARRANTY on parts and workmanship
- COMPARE to CP77826

McGee #	Sq. Drive	Std. Bolt Size	Net Weight (lbs.)	Average Air Cons (cfm)	Air Inlet (NPTF)	Min. Hose Size	Working Torque Range ft.-lbs.	Max Torque ft.-lbs.
15517786	1"	1-1/4"	25.55	10 CFM	1/2"	1/2"	370-1475	1920

Wheel Weight Adhesive Removal Tool

A143252 - \$57.99 Replacement pad - A1432526 only - \$6.99

- Lock-off trigger for added safety
- High torque motor to cut through stubborn wheel weight adhesive, body pinstripes, etc.
- Rubber-insulated motor housing for comfort
- High RPM to prevent pad from bogging down
- 3,700 RPM free speed



Splitfit



FEATURES

- FREE FLEX AIRPRENE
- 3MM SHOCK ABSORBING PALM PADDING
- CLARINO® FINGER AND PALM MATERIAL
- UNIQUE SPLIT PALM DESIGN
- TOUGH SPANDEX TOP MATERIAL
- HIDDEN SEAM DESIGN
- SNUG FIT DESIGN

Reg. \$32.95 **NOW \$24.95**

14309 - Medium, 14310 - Large

14311 - XLarge, 14312 - XXL Large

HiTactile Professional Gloves

- CHEMTRILE nitrile coating is a liquid/oil repellent palm coat
- Breathable & lightweight weave with multi-directional stretch for comfort



143212 Large **\$6.24**
143312 XLarge

Super Red Pneumatic Air Tool Lubricant



- Dissolves gum and varnish formation
- Ensures smoother starts
- Special rust & oxidation inhibitor
- Clean and free running
- 12 bottles per case
- Usable on piston or rotary type air tools

Ascot #	McGee #	Price
181-00406	0406	\$5.92

Marvel Air Tool Oil

085 Marvel Air Tool Oil 32 Oz - 18100085 - **\$7.43**

- Prevents rust formation while providing positive lubrication for smooth starting and long tool life
- Assures maximum performance by dissolving gum and sludge that cut down tool speed and reduce power output



085

Blaster 16ATC - Air Tool Conditioner

- Restores & prolongs tool life - 16 oz.
- Provides a coating & lubrication for tools while in use
- Inhibits rust
- Increases RPM's
- Use for normal maintenance

\$6.32



16ATC
181-00404

Tool Covers

Protect air tools from dirt and abuse.

Ascot #	Order #	Fits Tool
177-23132	231P32	231 Style
177-26132	261P32	261 Series
177-28132	285P32	285 Series
175-26071	CA155537	C749 Series
175-39818	CA139818	797 Series



Couplers & Nipples

- Steel plated couplers with hardened steel balls and stainless steel springs
- Plugs heat-treated to reduce wear on critical mating surfaces
- Interchange with Tru-Flate 10 and 100 type series as well as units produced by other manufacturers
- Maximum working pressure 300 psi.

ASCOT

Automotive Standard Series "G"

Part No.	Description	Price
3505	1/4" Coupler Male	\$4.72
3506	1/4" Nipple Male - USA	\$1.31
3507	1/4" Nipple Female - USA	\$1.35
3515	3/8" Coupler Male	\$7.80
3517	3/8" Nipple Male	\$1.93
3518	3/8" Nipple Female	\$2.67
3512	1/2" Coupler Female - USA	\$12.35
3513	1/2" Nipple Male - USA	\$4.53
3514	1/2" Nipple Female - USA	\$4.47
513811	1/4" Nipple Male - USA	\$1.14
513911	1/4" Nipple Female - USA	\$1.00



513911

High Flow Nipple

- 1/4" male national pipe thread
- 1/2" nipple for "high flow"
- Maximum pressure of 300 pounds per square inch
- Air flow of 99 standard cubic feet per minute
- Maximum temperature of 250 degrees Fahrenheit



Prevost Flexair Hose

McGee No.	Description	Price
RISB3850	3/8" hose with Ind 1/4" fitters 50 ft	\$49.95
RUSB3850	3/8" hose with Auto 1/4" fitting 50 ft	\$49.95



Each hose includes 1/4" Prevost coupler and nipple

PREVOST 1/4"

Automotive Style Couplers

- One hand push button design - red
- Fits all 1/4" automotive style adapters
- Longer lasting

Constructed of high impact tough composite material. Smooth finish will not scratch finishes and will not hang up like traditional couplers. Press the button and the downstream air releases, and when the couple is discharged it automatically releases adapter or hose, preventing dangerous hose whip. Use with any automotive nipple. Industrial use with 513811, 513911, and 11E.

URC061201
(red)

IRC061201
(blue)



Mfr. No	Description - Automotive	Price
URC061201	1/4" FPT Automotive Coupler	\$19.80
URC061251	1/4" MPT Automotive Coupler	\$19.80

Use with industrial - blue button

Mfr. No	Description - Industrial	Price
IRC061201	1/4" FPT Industrial Coupler	\$25.76

CP Air Flex

8940171569 **\$69.00**

- 3600 Swivel makes all rigid hoses flexible and multi-directional
- Easy: Less effort due to hose rigidity, makes work easier in hard to reach areas
- Comfort and safety: No twisting, the hose remains in the ideal working position
- Less Wear: Reduces premature hose wear





Buy any 3 CP tools on one invoice* and get FREE CP torque wrench (1/2", 3/8" or 1/4")**

1/2" CP7748 - Extreme torque & durability

FEATURES

- Most powerful 1/2" air wrench in its class
- Twin hammer grease clutch
- Ergonomic rubber handle
- Reinforced nose wings and back housing cap for longer durability
- Max Torque 1200 ft. lbs.
- 922 ft. lbs. Working Torque



CP77482 - \$172.95


1/2" Cordless HD Impact Wrench

FEATURES

- Max torque 775 Ft/lbs
- 2 20V Li batteries, charger, blow molded case
- Runs at full power until battery depletion
- Great warranty!
 - Tool for 5 years
 - Batteries for 3 years
 - 1 Year No Hassle Replacement
- Assembled in the EU



CP88482K - \$379.85



155-77826
1" Heavy Duty Air Impact Wrench

ASCOT NO.	McGEE NO.	PRICE
155-77826	CP77826	\$479.95
155-17782	CP7782SP6	\$574.67

A CP77826 with CP873K buffer available while supplies last!

1" Heavy Duty Air Impact Wrench

2140 ft.lbs 2900 Nm of maximum torque in reverse

- Pinless closed reinforced rocking dog impact mechanism
- Socket retainer ring combined with hole retainer
- Ergonomic side handle
- Full teasing trigger
- Regulator with integrated forward/reverse with 3-position power settings in both directions

3/4" Maximum Power Impact Air Wrench

- 3/4" Maximum Power Impact Air Wrench
- 1350 ft./lbs. maximum reverse torque from a tool that weighs just 7.4 lbs. and is compact enough to access tight spaces
- Built to last and designed to withstand tough use in rugged environments
- An air motor that's 16% more efficient than its predecessor and an easy-to-clean inlet screen means less down time, better tool performance, and less money spent on compressed air
- Torque Range: 200-900 ft./lbs.



Ascot No.	McGee No.	Description	Price
154-12145	2145QiMAX	Standard Anvil	\$519.95
154-22145	2145QiMAX3	3" Extended Anvil	\$569.95
154-32145	2145QiMax6	6" Extended Anvil	\$599.95

**153-02312
231XP2**

\$149.95



1/2" Super Duty Extended Anvil Air Impact Wrench

This new model redefines the standards set by the classic IR231 model, with an enhanced Twin Hammer impact mechanism for more power and in-handle exhaust to direct air away from the operator and the work area.

Video on proper air tool maintenance; make your tools last!



<http://vimeo.com/212944966/>

1" Heavy Duty Air Impact Wrench

Perfect for the demanding world of truck tire and service work

- Combines exceptional power, durability and operator convenience
- Delivers 1450 ft./lbs. of maximum torque, with a 5000 RPM free speed and four-position power regulator 360° swivel inlet
- Available in 6" extended anvil and 6" extended #5 spline drive anvil for high production truck tire changing



155-02856

Ascot No.	McGee. No.	Description	Price
155-28560	IR285B	Standard Anvil	\$499.95
155-02856	IR285B6	6" Extended Anvil	\$479.95
156-28566	IR285BS6	#5 Spline Super Duty Anvil	\$559.95

6 RPG HYDRAULIC SERVICE PRODUCTS



3.5-Ton Service Jack

Also available in 2-Ton (super low profile) and 2.5-Ton models

- Advanced design: Safety bypass system for cylinder protection
- Easy Transportation: Industrial grade casters for easier movement
- Heavy Duty: Reinforced and heavy duty lift arm axle
- Ease of Use: Double pump piston to decrease required strokes needed to reach chassis
- Convenient: Quick-lift pedal design makes it easy to reach the lifting point under your car
- Universal joint mechanism
- Sturdy, one-piece handle
- Foam handle cover for vehicle protection
- Protective saddle pad to prevent damage to vehicle

Capacity	Min. Height	Max. Height	Handle Length	Overall Length	Saddle Diam.	Ship Weight
3.5 Ton	3.75"	21.75"	50.5"	31.125"	4.75"	107 Lbs



30262035 \$319.95



Replacement Power Unit

- Before you replace your jack, consider installing a new power unit
- Quick snap out for 30262035

30262357 \$98.68

2-Ton Service Jack

- True "low-profile" design with deep reach and minimum height for low clearance vehicles
- Universal joint mechanism
- Foam handle for vehicle protection
- Industrial grade casters for easy transport
- Safety bypass system for cylinder protection
- 24" max height for increased work space

30262021 \$276.99



3-Ton Jack Stands

- Ratchet height adjustment built within column
- Multi-level ductile iron ratchet bar adds strength and durability
- Sold in pairs of two

30263030 \$33.55



22-Ton Jack Stands

- Sturdy, welded steel construction for exceptional safety and strength
- Heavy gauge steel helps prevent distortion or twisting
- Multi-position column bar for convenient height adjustment
- Sold in pairs of two

30263220 \$174.50




Air/Hydraulic Truck Service Jack

- Designed for tire and wheel service on trucks, tractors and OTR vehicles. Includes return springs.
- One piece handle which includes extension set!

RPG 22-Ton

- Welded cylinder and reservoir for added strength and durability
- Chrome-plated rams to resist rust and wear
- Built-in bypass device to protect hydraulic system from pumping damage
- Steel wheel hub with metal bearings
- Adapters: .75", 2.25", 4" for extended reach
- Self-returning spring for ease of operation
- Built-in muffler to promote quiet operation
- Built-in in-line air filter for extended motor life

30262220 \$449.95



20-Ton Air Bottle Jack

- Welded cylinder and reservoir for added strength and durability
- Chrome plated rams to resist rust and wear
- Built in bypass device to protect hydraulic system from over-pumping damage
- Self-returning spring for ease of operation
- Built-in muffler to promote quiet operation
- Built-in in-line air filter for extended motor life
- High speed turbo motor for efficient, effortless operation
- 1/4" quick connect feature allows for ease of mobility and remote operation



30161206 \$265.72

Ascot No.	McGee No.	Capacity	Min Height	Max Height	Handle Length	Overall Length	Overall Width	Saddle Diameter	Shipping Weight
301-61206	30161206	20 Tons	10-1/2"	20-1/2"	18-7/8"	9-1/4"	6-7/8"	1-3/4"	38.5 Lbs

20-Ton Shorty Bottle Jack

- Same stats as above
- Compare to Shinn Fu 18209



30161207 \$252.30

Ascot No.	McGee No.	Capacity	Min Height	Max Height	Handle Length	Overall Length	Overall Width	Saddle Diameter	Shipping Weight
301-61207	30161207	20 Tons	8-1/4"	15-1/2"	18-7/8"	9-1/4"	6-7/8"	1-3/4"	34 Lbs

3-1/2 Ton Professional Heavy Duty Double-Pumper Floor Jack

Model 350SS
\$299.95

This unit offers all the features of our model 350GT with additional speed and efficiency thanks to AFF's double-pumper advantage for quicker lifting.

- Lifts from 4" to 19-1/2"
- Pinned steel saddle (1-1/8" stud) with rubber pad for added vehicle protection
- Rear-mounted 2-3/4" swivel casters for ease of maneuverability
- One-piece 50-1/4" padded handle parks upright
- Ship weight 119 lbs.



Replacement Power Unit

- Before you replace your jack, consider installing a new power unit
- Quick snap out for 30262035

Replacement Power unit **350SSKHU**



3 Ton Service Jack AFF3003

\$242.99

Value and efficiency in a double-pumper jack, the Model 3003 will get the load in the air faster and safer. AFF's double-pumper advantage and safety overload system, make this the jack for the DIY customer and weekend mechanics.

- Universal joint technology for precision release valve control
- Two-piece 50-1/4" handle for easy maneuverability and storage
- Optional cross beam adapter (Model 3167)
- Optional transmission adapter (Model 3165) for removal/installation of transmissions



3-Ton Jack Stands AFF3303

\$39.95

- Ratchet style
- Adjusts from 11.75-17"
- Thicker steel and HD design
- Welded feet for added stability



20 Ton Jack Stand AFF3314

\$169.95

- HD pin style stand
- Efficient pin-type post with four height adjustments
- Adjusts from 12-20"
- Large 3" x 5" saddle
- Sold individually



22 TON AIR/HYD AXLE JACK W/ 3PC EXT KIT 565E \$569.95

- Heat treated cylinder wall & chromed piston give added stability & longer jack life
- Alloy steel lifting mechanism for added durability and operator safety
- Precision engineered tolerances for maximum performance
- In-line filter to protect air motor from contaminants
- Corrosion-resistant aluminum and nylon composite air motor
- Ram extension kit included with 3/4", 2-3/4" and 4" extensions
- Large 7-3/4" rear wheels for easy positioning
- Automatic in-line oiler to lubricate air motor
- Grommet retainers - no need for clevis pins



Capacity	Ram Lift	Low Height	High Height	Reach	Width	Ship Weight
22 Tons	4-3/4"	8-3/4"	21-1/2"	61"	13"	107 lbs.

20 Ton Capacity Air/Hydraulic Super Duty Bottle Jack

- AFF's most innovative and robust air/hydraulic bottle jack to date
- Redesigned air motor
- Super thick base to increase stability on every surface
- High-strength Steel Ram and cylinder with long ram guide for greater safety in off-center load conditions
- Welded Tank (threaded and screwed to the base) endures the rigors of the in-service conditions and reduces risk of tilting out of the oil reservoir

- Low: 10.375
- High: 20.625
- Lift: 6.375
- Base: 5.75 x 9
- Ship weight: 45 lbs.

5620SD.....**\$269.95**

5520B.....**\$257.39**

Norco 76320A.....**\$286.51**



Bottle Jacks

- Extension screw on some models
- Rust protection covering
- Uniweld construction
- 50% overload factor
- Fewer moving parts

ZN12 12-Ton.....**\$99.99**

ZNB22 22-Ton.....**\$149.99**



Truck Wheel Dolly

- Perfect for 8-10 hole Budd type wheels
- Tire/wheel is rotated left or right on tiltable roller pads for perfect stud alignment
- Removes truck wheels and tires fast and easy
- Reduces manpower needs, increasing productivity
- Saves time and money—maintenance free
- Heavy duty tubular construction lifts 280 lbs.
- 3" caster wheels roll the truck wheels for effortless removal or replacement



Ascot No.	McGee No.	Description	Price
407-70130	AFF3591	Truck	\$99.95

JET TIRE REPAIR MATERIALS

Premium Quality Chemical Vulcanizing Rubber Patches — Value Pricing!

EZ Check Leak Detector

- Finds leaks in all tires
- Environmentally friendly
- Excellent foam formation
- Skin friendly
- Commercial use only



Ascot No.	McGee No.	Description	Price
433-25430	43325430	Ascot EZ Check Leak Detector, Quart (12 per case)	\$8.95
433-25431	43325431	Ascot EZ Check Leak Detector, Gallon (4 per case)	\$14.95

Compare to Kentool Detector Mist

Fast Dry Vulcanizing Cement

JET Fast Dry Vulcanizing Cement is formulated to provide outstanding performance when used with JET Repair Materials.



McGee No.	Description	Size	Price
1645J	Fast Dry Vulcanizing Cement (Flammable)	8 fl. oz.	\$3.68
1646J	Fast Dry Vulcanizing Cement (Flammable)	32 fl. oz.	\$9.60

Pre-Buff Cleaner

JET Pre-Buff Cleaner is formulated to remove contaminants and silicone from the innerliner of the tire prior to buffing.



McGee No.	Description	Size	Price
1718J	Cleaner (Flammable)	32 fl oz	\$11.25
1722J	Pre-Buff Cleaner (Aerosol)	16 fl oz	\$8.65

JET Radial Repairs - Passenger and Light Truck

JET Center-Over-Injury Repairs are designed for use in all radial tires. The JET Radial Repair is intended for use in HOT or COLD applications. JET Radial Repairs are designed for use in the crown, sidewall and shoulder of radial tires. Install with JET Fast Dry Vulcanizing Cement. Refer to the JET Repair Chart for proper selection of the repair unit. Always fill the injury channel with the appropriate JET repair material.



Radial Repair Units

Combi Units – JET Combi Repairs can be used for crown injuries only. Prepare the injury using the appropriate McGee Carbide Cutter. The JET Combi Repair comes with a guide wire, fills and seals the injury and repairs the inner liner all in one easy step. Install with JET Fast Dry Vulcanizing Cement.

Note: The JET Combi may only be used when the angle of the injury is LESS THAN 25°. If the injury angle is GREATER THAN 25°, repair with the appropriate two-piece stem and repair unit.



Stems Repair Unit


JSU - Combi

Repair Unit	Inch	mm	Cutter	Qty/Box	Price
CU03	1/8	3	BU18T	20	\$21.53
CU06	1/4	6	BU14T	25	\$18.43
CU08	5/16	8	BU516N	25	\$22.03
CU10	3/8	10	BU38T	10	\$17.57

Universal repairs - nail hole injuries in crown area only.

Bias or Radial — Universal Repair Units - Square

Repair Unit	Inch	mm	Qty/Box	Price
AS45	1 3/4 sq	45 sq	30	\$3.67
AS451000	1 3/4 sq	45 sq	1000	\$111.87
AS55	2 1/8 sq	55 sq	30	\$4.90
AS551000	2 1/8 sq	55 sq	1000	\$156.10




AS - Square

Bias or Radial — Universal Repair Units - Circular

Repair Unit	Inch	mm	Qty/Box	Price
AR45	1 3/4 dia	45 dia	30	\$3.90
AR451000	1 3/4 dia	45 dia	1000	\$118.73
AR55	2 1/8 dia	55 dia	30	\$4.77
AR551000	2 1/8 dia	55 dia	1000	\$146.10
AR75	3 dia	75 dia	20	\$7.87

Bulk packaging available



ACR - Circular



Repair Unit	Size		Qty/Box	Price
	Inch	mm		
R110	2 3/4 x 2	70 x 50	20	\$8.97
R110H	3 1/4 x 2 3/8	80 x 60	20	\$11.20
R112	4 3/8 x 2 1/2	110 x 65	10	\$13.90
R114	5 3/4 x 3	145 x 75	10	\$11.63
R120	5 x 3	125 x 75	10	\$11.27
R122	6 7/8 x 2 3/8	175 x 80	10	\$15.20
R124	8 1/4 x 3 3/8	210 x 85	10	\$19.90
R126	10 1/4 x 3	260 x 75	10	\$22.60

Rep Boy

#3050RB

WAS \$495

NOW - \$259⁹⁵

The Rep Boy has a 360° swivel top, adjustable tire spreader, four tilt settings, and a tool bin. The adjustable tire spreader can accommodate all tires from garden service right through to light truck tires. The Rep Boy is versatile enough to be used at the corner service center, high volume tire service centers, or section repair shops.



Manual Tire Spreader

- Lightweight and easy to use
- Special locking pin for safety
- Made from durable materials
- Locks both beads open for easy tire inspection and repair



Ascot No.	McGee No.	Description	Price
605-14191	MS1	Manual Tire Spreader	\$46.99

Xlight Tire Service LED Work Light

- Designed for hands-free lighting during tire service and other work applications



Xlight Tire Service LED Work Light
\$42.95

The clamp on handle quickly and easily grips over the bead of a tire.

Ascot No.	McGee No.	Description
312-14921	31214921	Xlight Tire Service LED Work Light

Automatic Truck Tire Spreader - Ascot

Ascot #603-00825

\$1,295⁰⁰

- Air lift allows operator to lift without lifting the tire/wheel
- Heavy gauge steel construction
- Work light included
- Air regulator/lubricator included
- Similar to AME 73200 & Rema 6551
- Common repair parts available
- Up to 20.5 x 25 tires



Markal® Paintstik® Marker

Permanent, waterproof and fadeproof. Marks on wet tires, withstands retreading temperatures. Nontoxic, contains no lead. Sold 12 per box. Other colors available.



Ascot No.	McGee No.	Color	Price
459-80257	MKWhite	White	\$9.80
459-80258	MKYellow	Yellow	\$9.99

Tire Marking Crayons

- Bright Color On Any Tire
- Will not melt, soften or rub off in the pocket. A quality crayon that marks on tires, tubes and rubber. Sold 12 per box.

Ascot No.	McGee No.	Color	Price
459-51420	51420	White	\$5.49
459-51422	51421	Yellow	\$5.49

Professional Stitchers

- Corrugated ball bearing stitcher with hardened steel wheel and varnished wooden handle



Ascot No.	Part #	Description	Price
536-00001	30	1-1/2" Diameter x 1/16" Face	\$8.41

- Used to inspect injuries in tires and to remove small stones and debris



Ascot No.	McGee No.	Description	Price
537-00001	1013P	Black Handle Awl	\$5.02

Overhose
Kit

SLP-9400



Ascot #	McGee #	Description	Price
173-09165	2500	Quick Change Chuck	\$22.18
173-09201	2510	1 ¹ / ₁₆ " x 3/8"-24 Chuck Adap. w/Washer & Nut	\$4.40
173-09202	2511JD	2 ³ / ₄ " x 3/8"-24 Chuck Adap. w/Nut & Wheel Spacer	\$6.20
173-09211	2512JD	1 ⁷ / ₈ " x 3/8"-24 Threaded Adap. w/Washer & Nut - Quick Change	\$2.78
173-09212	SLP9212	2 ¹ / ₄ " long x 3/8" - 24 Threaded Adap. w/ Washer & Nut Quick Change	\$4.40
173-09213	2522	1 ⁵ / ₁₆ " Adap. w/Set Screw for 1/8" Shank	\$2.18
173-09215	2523JD	1 ⁵ / ₁₆ " Adapter w/Set Screw for 1/4" Shank	\$2.18
173-09216	SLP9216	1 ⁵ / ₁₆ " Adapter w/Set Screw for 5/16" Shank	\$3.00
173-09400	SLP9400	Overhose Kit	\$19.00

Tire Repair Knife



- High carbon steel, round point skiver, round burnt finish handle (riveted)

Ascot No.	McGee No.	Blade Length	Price
531-75190	X2RF	4" (102mm)	\$9.83

- High carbon steel, taper point, glaze finish, round burnt finish handle (riveted)



Ascot No.	McGee No.	Blade Length	Price
531-75190	X2T	4" (102mm)	\$8.40



- Clean out small injuries

Rema No.	McGee No.	Description	Price
537-95893	261RT	Reamer	\$5.89



- This tool is a must for professional tire repairs
- Eliminates power buffing on many tire repairs
- Scraper removes material that might contaminate buffing wheels, ensuring a better repair every time

Ascot No.	McGee No.	Blade Length	Price
537-00004	933	Black Handle Inner Liner Scraper	\$5.71

Tire Denailer

- Blade length 3"
- Point diameter 5/16"
- Made in USA



537-00353
\$6.45

Developed by a tire repairman to probe the injury and push the nail back through the tire. Probe has a recess at the tip to accept the point of a nail or other puncturing object.

Wire Brushes

Ideal for buzzout repair of radials



535-08014



535-15463

Copper Center® Wire Wheel Brushes-Wire Fill

Ascot #	Mfg. #	Dia.	Wire Size	Arbor RPM	Hole	Price
535-15463	15463	2"	.0118"	20,000	1/2"-3/8"	\$9.00
535-15533	15533	3"	.006"	20,000	1/2"	\$13.43
535-15543	15543	3"	.008"	20,000	1/2"	\$11.03
535-15563	15563	3"	.0118"	20,000	1/2"-3/8"	\$10.62

Knotted Brushes

535-08014	08014	3"	.014"	20,000	1/2-3/8"	\$28.20
535-08034	08034	4"	.0118"	20,000	1/2-3/8"	\$32.61

Carbide Cutting Tools



BU18T

BU12B



BU732N

BU14N



BU516N

BU716N

Part No.	Description	Prices
BU18T	1/8" Taper Burr (PCC1)	\$7.69
BU14T	1/4" Taper Burr (PCC2)	\$30.88
BU38T	3/8" Taper Burr (PCC4)	\$27.13
BU12B	1/2" Ball Burr	\$25.00
BU732N	7/32" Long Pointed Burr (Use with 1/4" Plug)	\$30.00
BU516N	5/16" Long Pointed Burr (Use with 3/8" Plug) (PCC3)	\$44.09
BU716N	7/16" Long Pointed Burr (Use with 1/2" Plug)	\$98.76

Buffing Wheels



33



BC-1



539-00788

1030G

538-14000
RH140

Ascot No.	McGee No.	Description	Price
539-00033	33	3/8" - 24 Arbor for mounting buffing wheels	\$5.00
539-10001	BC1	Fine grit coarse, round-nose buffer wheel, Tungsten Carbide 2 1/2" diameter — use on tires or tubes	\$3.98
538-13000	1030G	2" fine tooth buffing cone-Ideal for passenger inner liners	\$14.95
538-01034	1034T	2" med. tooth buffing cone-Ideal for passenger inner liners	\$19.95
539-00788		(2) No. BC-1 buffing wheels mounted back-to-back on No. 33 Arbor (order item separately)	
538-14000	RH140	Faster, cleaner buffing; avoid burning	\$22.95

Prema Universal Repairs

PREMA Universal Repairs are designed for NAILHOLE REPAIRING of tubeless tires in the CROWN area only. Universal Repairs are available in round or square versions. Install with PREMA Ultra Fast Dry Vulcanizing Cement. Always fill the injury channel with the appropriate Prema repair material.



Ascot No.	McGee No.	Description	L (in.)	W (in.)	Qty/Box	Price
550-00502	PUR2	Universal Round 2	2 1/4	--	50	\$25.44
550-00522	PUS2	Universal Square 2	1 3/4	1 3/4	100	\$34.07
550-00533	PUS3	Universal Square 3	2 1/2	2 1/2	100	\$52.12
550-00534	PUS4	Universal Square 4	3	3	50	\$39.19

PREMA

Prema Radial Repairs - Passenger and Light Truck

PREMA Center-Over-Injury Repairs are designed for use in all radial tires. The PREMA Radial Repair is intended for use in HOT or COLD applications. PREMA Radial Repairs are designed for use in the crown, sidewall and shoulder of radial tires. Install with PREMA Ultra Fast Dry Vulcanizing Cement. Refer to the PREMA Repair Chart for proper selection of the repair unit. Always fill the injury channel with the appropriate Prema repair material.



Ascot No.	McGee No.	Description	L (in.)	W (in.)	# Plies	Qty/Box	Price
575-05109	PR109	Radial 109	3	1 3/4	1	20	\$17.77
575-05110	PR110	Radial 110	3 1/4	2 1/4	1	20	\$20.65
575-05111	PR110B	Radial 110	3 1/4	2 1/4	1	80	\$80.23
575-05112	PR112	Radial 112	4 3/4	3	1	10	\$17.30
575-15112	PR112B	Radial 112	4 3/4	3	1	40	\$74.33
575-05113	PR113	Radial 112HD	5	3 1/4	1	10	\$20.37
575-05114	PR114	Radial 114	5 1/4	3 1/2	1	10	\$27.42
575-05120	PR120	Radial 120	5	3 1/4	2	10	\$33.30
575-05135	PR135	Radial 135	7 1/2	5 1/2	4	10	\$93.00
575-05140	PR140	Radial 140	7 3/4	4 1/4	3	10	\$79.42

Ultra Fast Dry Vulcanizing Cement

PREMA Ultra Fast Dry Vulcanizing Cement is formulated to provide outstanding performance when used in conjunction with PREMA Repair Materials. Contains no ozone depleting chemicals.



Ascot No.	McGee No.	Description	Size	Price
501-00508	PFC8	Ultra Fast Dry Vulcanizing Cement (Flammable)	8 fl. oz.	\$8.95
501-00532	PFC32	Ultra Fast Dry Vulcanizing Cement (Flammable)	32 fl. oz.	\$23.02

Pre-Buff Cleaner

PREMA Pre-Buff Cleaner is formulated to remove contaminants and silicone from the innerliner of the tire prior to buffing. Contains no ozone depleting chemicals.



Ascot No.	McGee No.	Description	Size	Price
505-00532	PPC32	Pre-Buff Cleaner (Flammable)	32 fl oz	\$13.33
505-00516	PPC16	Pre-Buff Cleaner (Aerosol)	16 fl oz	\$8.72

Rema Minicombi Repair Units & Accessories

Part of Rema's renowned Blue Bonding System™, Minicombi features a metal pilot guide for easy installation and seating. Specially designed for tread area punctures on both radial and bias-ply tires, Minicombi should be used with Special Cement BL.



Ascot No.	McGee No.	REMA#	Description(Units/Box)	Price
581-67050	A3	A3	1/8" Minicombi A3 (50/Box)	\$89.95
581-67340	A6	A6	1/4" Minicombi A6 (40/Box)	\$110.95
581-68008	B8MC	B8-MC	5/16" Minicombi B8 (20)	\$82.95



Rema tire tube patches are renowned for their easy application and extraordinary effectiveness. A unique rubber compound allows the patch to stretch evenly and equally in all directions upon inflation, assuring a reliable bond and minimal bulging in any service condition.


Ascot No.	McGee No.	Units Size	Per Box	Price
541-00410	1	1-1/2" Round	30	\$8.99
541-00420	2	1-3/4" Round	30	\$15.95
541-00430	3	2" Round	30	\$20.95

Patch should be 1/2-inch larger in both width and length than the injury.

RAD 100 Series Radial Repair Units

RL110 Bulk 30 Per Bag - \$42.95

REMA RAD 100 Series center-over-injury repair units has replaced older styles of non-flex to non-flex patches throughout the entire world . . . virtually revolutionizing the process of radial repair patch reinforcement.



Ascot No.	McGee No.	Patch Size Inches	(mm)	Qty/Box	Price
575-00110	RAD110	2 x 2-3/4	55 x 75	20	\$39.95
575-00115	RAD115	3-1/2 x 3	70 x 115	10	\$48.95
575-00120	RAD120	4-7/8 x 3	85 x 130	10	\$48.95

Rema Tip Top Universal Patch

The Hole Solution™ - The only patch you'll ever need for making a nail hole repair. For radial and bias-ply passenger or truck tires.



Ascot No.	REMA No.	Injury Size	Qty.	Price
550-26707	UP3	Small Nailhole	100	\$54.95
550-26714	UP45	3/16" Nailhole	300	\$239.95
550-26721	UP6	1/4" Nailhole	50	\$59.95
550-26745	UP8	5/16" Nailhole	50	\$79.95

EZ-sensor™

Programmable Tire Pressure Monitoring Sensor



#46133500

\$37.95

#VS950 Rubber Stem \$1.86

#4693400 Alum Stem \$4.71

One Sensor To Rule Them All Program for TPMS:

- ▶ Combined 315 MHz & 433 MHz
- ▶ Reduce overall cost of service
- ▶ Snap-in or Clamp-in
- ▶ Optimize inventory
- ▶ Bulk 10 Pack 461-33501 **\$349.95**



BARTEC
USA
TPMS PROFESSIONALS

Programmable
with Bartec
update R53

SCHRADER
The Global Leader in TPMS

Dill®
Air Controls Products

REDI-Sensor™

Simple and Accurate



- Installs right out of the box
- No programming required
- Reduces replacement sensor inventory
- Adjustable valve stem design
- All Dill parts are made and tested on OEM equipment

7001 & 7004 sensors cover over 90% of GM, Ford, Chrysler, Mazda, Suzuki, and Mitsubishi

70002A: Fits popular Honda, Hyundai, Kia, Lexus, Scion, Toyota and other Asian vehicles

7003: Fits popular VW, Mercedes, Audi, Lexus, Volvo, Toyota, Infiniti, Nissan, Chevy, GMC, Hummer, Isuzu, and Subaru.

Visit **WWW.MCGEECOMPANY.COM**
resource page for latest
TPMS application guide!

46107001 - REDI-Sensor 315 MHz (7001HP)
46107011 - REDI-Sensor with rubber stem 315 MHz (7001HPR)
46107003 - REDI-Sensors 315 MHz (7003)
46107004 - REDI-Sensor 433 MHz (7004)
46107002 - REDI-Sensor 315 MHz (70002A)
(Use 7020K Kit to repair REDI-Sensor)

CALL TODAY
1(800)
525-8888

No programming required

POPULAR TPMS KITS AND STEMS

13

Avoid flat tires! New tires mounted on TPMS equipped vehicles require TPMS replacement kits.

TPMS Accessory Kits — Dill or Schrader - OE Approved

Ascot No.	McGee No.	Schrader Version	Description	Price
469-01030	1030K	SH20017AK	Siemens Kit for VW (Fits 1053 Sensor) (Orange)	\$2.99
469-01050	1050K	SH20013AK/ SH20030AK	Siemens Kit for Chrysler (White) SH20013AK includes bottom ball	\$2.79
469-01060	1060K	20001/20002/ 20135AK/20096AK	Fits Schrader SH20096 (Red)	\$1.75
469-01070	1070K	20004/20116AK/ 20115AK/20107AK	Fits Dill 9076, 9107, 9115, 9116 (Blue)	\$1.75
469-01080	1080K	20003/20007/ 20117AK/20028AK	Fits Dill 9028, 9034, 9064, 9081, 9117, 9161 (Green)	\$1.75
469-01090	1090K	—	Compatible with Beru Sensors (Grey)	\$3.60
469-20036	SH20036AK	—	Entire Valve (Schrader 20036) for Hyundai, Kia, Honda (Dill 1096)	\$7.86
469-01100	1100K	SH20032AK	Compatible with Pacific Sensors for Toyota/Lexus (Purple)	\$2.95
469-01110	1110K	SH20006AK	Compatible with Pacific Sensors for Toyota (Teal)	\$2.95
469-01130	1130K	SH20030AK	Compatible with Schrader 20005 (Burgandy)	\$2.65
469-20025	2000K	—	TRW Kit	\$2.85
469-20010	2010K	SH20015AK	Compatible with Schrader Sensors for Volvo (non-stock) (Lt. Brown)	\$1.64
469-20020	2020K	SH20030AK	Early 2007 GM Kit for Entire Sensors (Pink)	\$1.92
469-20030	2030K	SH20016AK	Dill Sensors 9154, 9204, 9214	\$1.92
469-02040	2040K	SH20019AK	Kit for Honda Civic (Lt. Blue)	\$2.08
469-09250	VS925A	—	Aluminum Metal Replacement Valve for GM Snap-In	\$3.63
469-09251	VS925C	—	Chrome Metal Replacement Valve for GM and Ford Snap-In	\$3.74
469-00950	VS950	SH20018	Rubber Snap-In Replacement Valve for GM & Ford fits Schrader 46133500 (ea)	\$1.86
469-09305	VS950SC	—	Chrome Replacement Valve for GM and Ford Snap-In	\$2.16
469-20020	—	SH20020	Replacement Stem Chrysler, Uses Kit 1050K	\$2.41
469-90660	9066K	—	Complete Replacement Stem Chrysler with Kit (9066B-Ball joint only)	\$3.14
469-07020	7020K	—	Accessory Kit for Redi Sensor	\$3.68
469-00770	VS70	—	Available on the following vehicle in various forms: Years 2010 to 2014 (Acura, Cadillac, Chrysler, Dodge, Honda, Hyundai, KIA, Mazda, Nissan) the sensor most associated with the VS-70 is 7001/HP or 7002.	\$4.57
469-00080	VS80	—	Replacement Rubber Stem Kit Dill Redi 7001-R	\$3.33
469-00090	VS90	—	Key at base attaches via press clip; Fits Dodge Dart, Mitsubishi Mirage	\$3.81
469-17208	46917208	—	Rubber Snap-in replacement valve for GM & Ford (not OE certified) China	\$9.99
469-17436	46917436	—	Smart Sensor Snap-In Valve for ITM, Cub, 31Inc, Pilot	\$5.00
469-20014	—	SH20014AK	Kit Fits EZ Sensor 34000 Stem	\$2.14
	VS1010	—	Fits Hyundai Sante Fe Snap-In 7mm	\$2.10
	VS65	—	Base of stem is square Snap-In Fits Dodge Rams, Jeep Cherokee	\$2.36
	VS35	—	Dill TPMS clamp-in valve Dodge Ram	\$5.21
	46934000	—	Alum Stem for Schrader 46133500 dual band	\$4.71
469-20031	—	SH20031AK	Assy Kit for Pacific TPMS	\$2.14
	VS965	—	Replacement valve stem for Hyundai / Kia	\$3.50
469-00919	VS919	—	Replacement TPMS stem for 19.5 Trk Wheels	\$16.25
469-20019	—	SH20019AK	Assy Kit Honda TPMS	\$1.95
469-20035	—	SH20035AK	Assy Kit TRW Long Valve TPMS	\$10.87
	VS20	—	Rubber Valve Stem for 2015 and newer GM and Ford	\$1.89



SH20036AK



VS919



VS925A




VS925C



469-00950



SH20020



9066K




VS70



VS80




VS90




469-17436



VS1010



VS65



VS20

Proper TPMS Diagnostics Starts Here




TPMS Tools



Part Number	Description
WRTPAD1	TPMS Programming Accessory Device [PAD]
WRT300PROC	Tech300PRO activation TPMS tool with OBDII module and OBDII cable [Tech300PROC]
WRT400PRO	Tech400PRO TPMS tool with Bluetooth
WRTMT104	Mechanical Tool Kit

Pro Series and TECH500 Accessories



Part Number	Description
WRTPROWMCC	Wall Mounted Charging Cradle & Bluetooth Printer Combination for the Pro Series and Tech500
WRTPROQIPAD	Inductive Charging Pad w/Power Supply
WRTOBD002	Mitsubishi Adaptor (not required for the Tech 500 or Pro Series)
WRTRST50	Loop Reset Tool for Toyota (not required for the Tech400SD, Tech500, or the Pro Series)
WRTPLACARD25	Placard Labels (25 per roll); "Supplemental Tire Cold Inflation" label
WRTPLACARD100	Placard Labels (100 per roll); "Supplemental Tire Cold Inflation" label

Schrader EZ Sensor Pad

Ascot #469-27028 Mfg #27028

\$259.99

- Quick and simple programming tool for EZ-sensor
- LIVE vehicle coverage updates re available immediately after release. No update required
- Both mobile and desktop friendly compatible with iOS, Android and Windows
- Long battery life - 8 hours or up to 120 sensors
- Works with the free Schrader TPMS app, while connected to the internet



Sensor and 300PROC Bundle

Part #46133501 - \$999.99

Buy 24 EZ Sensors and get the 300Proc nearly free!

Comes with:

- 2 years of free software updates
- 5 years of free software updates if trading in a competitive tool
- EZ sensors cover both 315 & 433 MHz
- Only programs EZ sensors

TECH 300 PROC

Offer good through August 1, 2017



Features:

- Wireless Bluetooth data transfer
- Inductive charging capable
- Programs aftermarket sensors
- Works with multi-protocol sensors
- TIA inside technology
- Included OBD connectivity
- Also available in an Activation Only Entry Level Tool

Benefits:

- Functions seamlessly with your OE or aftermarket scan tool
- Greater vehicle coverage means saying YES more often
- Ease of use means anyone in your business can use the tool
- Comprehensive health report makes discussing TPMS with your customer effective and easy

TECH 400 PRO



Features:

- Advanced TPMS technology
- Comprehensive OBD relearn coverage for import and domestic vehicles
- TPMS placard adjusting
- Programs aftermarket sensors
- Wi-Fi enabled
- Bluetooth enabled
- Bonus OBD coverage (Ford, GM, Chrysler Volvo)
- Exclusive passive key testing
- 2 year extended warranty

Benefits:

- Greater flexibility means more choices in sensor solutions and the ability to fix more cars
- The best in vehicle coverage means fixing more cars
- Wireless updates makes keeping your tool current easy
- Comprehensive health report makes discussing TPMS with your customer effective and easy

Tech400PRO Trade Up Promotion!

Alongside the purchase of a Tech400Pro, receive FREE

- \$100 gift card
- TIA Relearn Chart
- Mechanical Tool Kit
- A roll of 25 placard labels
- TPG100 digital tire pressure gauge
- 3 extra years of software for a total of 5 years

Offer valid through June 30th 2017



How much money are you leaving on the table by not doing TPMS?

	Valve Stem Shop Revenue	TPMS Sensor Rebuild Shop Revenue
Assumptions	100 Tires a Week	100 Tires a Week
Cost from WD	\$ 0.12	\$ 3.00
Sell price to customer	\$ 2.75	\$ 9.99
Profit per tire	\$ 2.63	\$ 6.99
Weekly profit	\$ 263.00	\$ 699.00
Annual profit (52 weeks)	\$ 13,676.00	\$ 36,348.00

A shop doing **TPMS** makes nearly **three** times the amount doing TPMS versus valves alone in addition to pushing their customers to a competitor. **Be TPMS smart**; let McGee Company train you and set you up with the tools to be successful.

The industry says, "Replace service kits."

Every major car manufacturer and the Rubber Manufacturers Association recommend replacing the TPMS service kit or valve stem when dismantling the tire.

TPMS Profit Center

Remember, replacing the TPMS valve stem (snap-in rubber or clamp-in aluminum) or the TPMS service kit with each tire sale is done for the same reasons a traditional TR-413 snap-in is replaced with each new tire.

More information at mcgeecompany.com/stems



TPC
\$169.99

- McGee's top 7 stems
 - * 8 - VS70
 - * 4 - 1096k
 - * 4 - VS90
 - * 8 - VS65
 - * 8 - 9066K
 - * 20 - VS950
 - * 4 - VS20
- Color coded for easy selection
- 52 stems
- Extra dividers to fit your needs
- Heavy duty protective organizing case



BUY 12 SENSORS, GET A FREE ACTIVATION TOOL!

TPMS as Simple as...

1 Scan and Remove Failed Sensor

2 Simply Copy ID

3 Install and Go

- Lifetime FREE updates.
- Snap-in and clamp-in sensors available.
- Covers 95% GM, Ford, and Chrysler
- 85% imports (Honda, Toyota, Nissan, BMW, Mercedes, VW, and more)

461117432

Snap-in stems

461117434

Clamp-in stems

Replacement Stems

461117431

461117433

461117436

461117438

461117439

Get started with activation tool and 12 sensors for

\$411.48

Pro+ Activation Tool

- Activation/Wake up tool
- Easy to use
- Program or copy a sensor in seconds
- OBDII sold separately



OBDII 4 Piece Kit
46917146

Smart Sensor Bartec Programming Fixture

You can program Smart Sensors with your Bartec with adapter



Ascot No.	McGee No.	Description	Price
469-17144	46917144	Smart Sensor Pro+ Program/Scan Tool	\$213.69
469-17146	46917146	Smart Sensor OBDII 4 PC. Kit for Tool	\$375.00
461-17431	46117431	315MHZ SMART SENSOR SNAP IN (GREEN)	\$34.29
461-17432	46117432	433MHZ SMART SENSOR SNAP IN (BROWN)	\$34.29
461-17433	46117433	315 MHz SMART SENSOR ALUM STEM (GREEN)	\$34.29
461-17434	46117434	433MHZ SMART SENSOR ALUM STEM (BROWN)	\$34.29
469-17436	46917436	Smart Sensor Snap-In Replacement Stem	\$5.00
469-17438	46917438	Smart Sensor Black; Alum Replacement Stem	\$7.30
469-17439	46917439	Smart Sensor Alum; Replacement Stem	\$7.30

MC Series fits more U.S. vehicles than any other weight!

"MCN" Series- Wheel Protectors® Coated

The "MCN" series is the recommended weight for all applications shown below. The "MCN" meets all OEM quality specifications.

"MC" Series-Uncoated

Fits most Chrysler, GM, Ford since 1990, Fiat



We recommend that coated weights be used on all vehicles having alloy wheels.

"MCN" Coated—25 pc. box. "MC" Uncoated—50 pc. box

MC

ACURA	Most since 1990
DAEWOO	All since 1999
HONDA	All since 1989
INFINITI	All since 1990
ISUZU	All since 1997
LEXUS	All since 1990
MAZDA	Many since 1990
NISSAN	All since 1990
TOYOTA	All since 1990



FN



5 to 70 g

See chart for exceptions

AUDI	JAGUAR
BMW	KIA
CATERA	MITSUBISHI (see chart)
GEO	SUBARU
HYUNDAI	SUZUKI
	VOLVO
	MINI
	LAND ROVER
	SMART CAR



IAW



5 to 60 g

AUDI	From 1997
HONDA	
& ACURA	All from 1980 to 1989
MERCEDES	
VW	



Also used on many after-market alloy wheels with thin rim flanges

EN



10 to 60 g

CHEVROLET	Use on full size pickup, Suburban
GMC	Yukon, Tahoe from 2000.
	Denali & Escalade use MCS for 2000
FORD	Expedition from 1997
	F-100, F-150 from 1997
LINCOLN	Navigator from 1998





We recommend the use of TS series weights on all full size pickup trucks and vans equipped with steel wheels. The use of "REG" series passenger weights on thicker truck rims may cause over-stressing of clips resulting in weight failures.



TS



1/4 oz to 3 oz

	7026	.25 oz.	Low Profile Premium Tape		48 strips/box	Width: 3/4" Depth: 1/8"	Lead 576 seg/box	Special! \$28.95
 Black	7026FEB	.25 oz.	Tape-On-Top Low Profile Premium Tape Black Polycoat	2 oz./strip	30 strips/box	Width: 3/4" Depth: 1/8"	Steel 240 Seg/box	Special! \$29.95
 Bracket Not Included	7026FER	.25 oz.	Bulk Roll Premium Tape Polycoat	Bulk Roll	1 strip/box	Width: 3/4" Depth: 1/8"	Steel 700 seg/box	Special! \$49.95
	200576FE	.25 oz.	Low Profile Coated		52 strips/box	Width: 3/4" Depth: 1/8"	Lead 576 pcs	Special! \$22.95

Wheel Cleaner

Stop Using Expensive Wheel Cleaning Solutions

A clean wheel is critical to good stick-on wheel weight adhesive.

- Water-Based • Non-Petroleum
- Biodegradable • Non-Toxic



A Note About Today's Wheels

For environmental reasons the car manufacturers recently started using water-based paint on wheels.

Unfortunately, those paints have an adverse effect on the adherence of wheel weights. The special formulation assures optimal adherence even on surfaces coated with water-based paint.

- 486-71510** 71510 Adhesive Wheel Weight Super Scraper Removes emblems, body side moldings and stick-on wheel weights. **\$14.95**
- 486-33580** 3358 KD/Bada Premium Weight Tool - Ideal for all weights, including coated..... **\$24.95**



Scraper 71510
486-071510



3358
486-33580

Ascot No.	Description	Price
48675032	Wheel Cleaner 32 Oz. Spray Bottle	\$9.00
48675017	Wheel Cleaner 1 Gallon Bottle	\$15.95



ADJUSTABLE BALL JOINT

These adjustable upper ball joints make front camber adjustments for many vehicles with upper control arms. By replacing the factory ball joint, this sliding ball joint allows for greater changes than previously available. With an OE quality replacement ball joint, this sliding plate assembly is perfect for vehicles that have been lowered for performance, or retain the factory ride height.

- **Best clearance in the industry**
- **Exclusive 'low-profile' design**
- **OEM strength built-in**
- **Preferred by professional installers**



\$79.⁹⁵ Each

Adjustment range: Camber $\pm 1.50^\circ$

Installation time: .6 hr/side Required: 1 per wheel

APPLICATIONS FRONT

67115	Ford: 2006 - 12 Fusion Lincoln: 2007 - 12 MKZ	Mazda: 2003 - 08 Mazda6 Mercury: 2006 - 11 Milan; 2006 Zephyr
67125	Acura: 2001 - 04 CL; 1997 - 99 CL (w/35.3mm Ball Joint Dia.) 1999 - 08 TL; 1996 - 98 TL 2.5; 2004 - 08 TSX Honda: 1998 - 02 Accord; 1989 - 91 Civic; 1988 - 92 CRX; 1995 - 98 Odyssey Isuzu: 1996 - 99 Oasis	
67135	Acura: 1996 - 00 EL; 1990 - 01 Integra; 1991 - 96 Legend; 1996 - 04 RL; 2009 - 14 TL; 1996 - 98 TL 3.2; 2009 - 14 TSX Honda: 2008 - 12 Accord; 2010 & Up Accord Crosstour; 1992 - 00 Civic; 1997 - 01 CRV; 1992 - 97 Del Sol; 2003 - 08 Odyssey 1997 - 02 Prelude (Non-SH)	
67145	Acura: 1996 - 99 CL (w/35.3mm Ball Joint Dia.)	Honda: 1990 - 97 Accord
67155	Honda: 1997 - 02 Prelude SH	
67165	Acura: 1992 - 94 Vigor Honda: 1992 - 96 Prelude; 1992 - 94 Prelude 4WS	
67170	Chrysler: 1995 - 00 Sebring Coupe Eagle: 1995 - 98 Talon Mitsubishi: 1995 - 99 Eclipse; 1994 - 98 Galant	Dodge: 1995 - 00 Avenger
67180	Chrysler: 1995 - 00 Cirrus; 2001 - 06 Sebring Sdn; 1996 - 06 Sebring Cnv. Dodge: 1995 - 06 Stratus Sedan Plymouth: 1996 - 00 Breeze	
67190	Hyundai: 2006 Azera (before 10/31/06); 1999 - 06 Sonata (before 9/21/06); 2001 - 05 XG300/350 Kia: 2004 - 06 Amanti; 2001 - 06 Optima	
67195	Hyundai: 2007 - 11 Azera (after 10/31/06); 2006 - 10 Sonata (after 9/21/06) Kia: 2007 - 11 Amanti	

APPLICATIONS REAR

67155	Honda: 1995 - 98 Odyssey	Isuzu: 1996 - 99 Oasis
67165	Honda: 1992 - 02 Prelude	

ADJUSTABLE ARMS

These remove and replace adjustable rear arms are perfect for camber or toe adjustment on a variety of vehicles. With OE style ball joints and bushings these arms keep the factory ride while giving extended alignment adjustment for the life of the vehicle.

Call for pricing



Installation time: .5 hr/side Req.: 1 per wheel

67570 APPLICATIONS

Rear Adjustment range: Camber: -2.0° to $+4.0^\circ$

Acura: 2007 - 13 MDX, 2010 - 2013 ZDX

67580 APPLICATIONS

Rear Adjustment range: Camber: -2.0° to $+4.0^\circ$

Honda: 2007 & Up CR-V

67466 APPLICATIONS

Rear Adjustment range: Camber: $\pm 3.0^\circ$

Acura: 2006 - 11 CSX; 2001 & Up ILX

Honda: 2006 - 15 Civic (Incl. Si/Hybrid)

67655 APPLICATIONS

Rear Adjustment range: Toe: $\pm 3.0^\circ$

Scion: 2013 - 16 FR-S

Subaru: 2013 & Up BRZ; 2009 & Up Forester
2010 & Up Legacy, Outback
2006 & Up Tribeca; 2008 - 16 Impreza
2008 & Up WRX (Incl. STi)
2012 & Up XV CrossTrek

Toyota: 2017 & Up 86

Get SPC's newest catalog - with over 60 new parts and tools and all the 2017 applications! Call today!



**#MTK Pouch****\$25.95**

Includes:

- 1 ea GA115 Gauge
20- 120 PSI
- 1 ea MK White Markal
- 1 ea 1246D Flip Socket 3/4-13/16 Thin Wall
- 1 ea 1291DT Flip Socket 19mm-21mm
- 1 ea 595TM Trend Depth Gauge
- 1 ea TL620 Core Tool

M Series

Ascot No.	McGee No.	Description	Price
477-00001	1406M	Safety Inflator Gauge. 12" Hose With Dual Foot Chuck. 10 To 120 PSI. Available 6ft, 9ft, & 12ft hose	\$39.95

**Ball Foot Chucks**

Ascot No.	McGee No.	Description	Price
478-00335	5499	Ball Foot Chuck. 1/4" Female Thread (Normally Closed)	\$2.79
478-00315	5567	Ball Foot Chuck With Lock-on Clip. 1/4" Female Thread (Normally Closed)	\$7.49



478-00315

478-00305

**European-Style Clip-On Chucks**

Ascot No.	McGee No.	Description	Price
478-02985	CH360	European-Style Clip-On Chuck. 1/4" Female Fitting. Silver Clip. (Normally Closed).	\$6.78
478-02995	CH360OP	European-Style Clip-On Chuck. 1/4" Female Fitting. Black Clip. (Normally Open).	\$6.59
478-01200	N1200	European-Style Clip-On Chuck. Serrated Shank for 1/4" I.D. Hose. Silver. (Normally Closed).	\$4.59



478-01200

Made in the USA



478-02985



McGee No.	Description	Price
6293DUSA	European-Style Clip-On Chuck, 1/4" Female Fitting. Silver Clip. (Normally Closed). (CH360)	\$7.29
6293EUSA	European-Style Clip-On Chuck. 1/4" Female Fitting. Black Clip. (Normally Open). (CH360001)	\$7.29

Lock On Air Chucks

Ascot No.	McGee No.	Description	Price
478-05265	5265SH	Lock-On Air Chuck. Specially Designed To Lock Onto The Cap Of A Standard Bore Valve Stem When The Sliding Sleeve Is Pushed To Forward Position	\$9.00

**Now USA made Dill!****\$3.95**

7212USA 20-120 PSI high pressure gauge

Automotive Tire Gauges

- Pencil, chrome tire gauges with nylon indicator bars

Imprinted Gauges Available with Your Name. Call for details!

Ascot #	McGee #	Range	Type	Price
476-10105	GA105	10-50 PSI	Passenger Gauge	\$2.99
476-10115	GA115	20-120 PSI	High Pressure Gauge	\$2.89
476-10100	GA100	1-20 PSI	Low Pressure Gauge	\$3.14
476-10110	GA110	10-50 PSI	Passenger Gauge 75-340 kPa Calibrated in PSI & kPa	\$2.74
476-10125	GA125	5-45 PSI	Air/Liquid Gauge - tractor	\$3.12
476-10145	GA145	10-75 PSI	Mid-Range Gauge 70-500 kPa Calibrated in PSI & kPa	\$2.60



468-05005 468-00660 468-00050 468-20495 468-05405 468-07572

Ascot No.	McGee No.	Description	Finish	Price
46805005	CAP S	Combination Cap/Sleeve for TR413	Chrome	\$1.18
46800660	660V	Standard Black Plastic Valve Cap (100)	Plastic	\$1.99

Ascot No.	Mfg. No.	Operating Pressure Range	Operating Pressure	Price
468-05405	5405V	0-200 PSI-Peaks of 300	90 PSIG	\$10.99

5405V cannot be used in aluminum TPMS items

Ascot No.	Mfg. No.	Description	TR No.	Operating Pressure	Finish	Price
468-07572	7572V	Dome-Shaped Top & Guide (100)	VC3	0-200 PSI	Nickel Plated	\$12.99

Green Valve Caps for Nitrogen Inflated Tires

468-00207



590021



590019



46800307



468-43607

Ascot No.	McGee No.	Description	Price
46800207	46800207	Green Plastic Nitrogen Cap (100/bx)	\$.03 ea
46800307	46800307	Green Valve Oring (100/bx)	\$.03 ea
46843607	436075	High Quality Green Stamped Chrome	\$.29
--	590021	Chrome Nitrogen Valve Cap (100/box)	\$29.00
--	590019	Aluminum Nitrogen Valve Cap (100/box)	\$29.00

Use chrome caps on brass stems only and aluminum caps on aluminum stems

Dill – OE

Snap-In Tubeless Tire Valves

Made with special rubber compound to resist ozone damage and prevent premature deterioration caused by rim hole compression, heat, cold. Maximum inflation pressure is 65 P.S.I.

Valve Hole	McGee No.	TR No.	Effective Length	Standard Pack Box	Price
.453	412R	412	7/8"	500	\$.28 ea.
.453"	TR413	413	1 1/4"	500	\$.28 ea.
.453"	414R	414	1 1/2"	500	\$.35 ea.
.453"	423R	423	1 1/2"	500	\$.53 ea.
.453"	418R	418	2"	500	\$.33 ea.
.625"	415R	415	1 1/2"	500	\$.31 ea.
.625"	425R	425	2"	500	\$.52 ea.



413 414 418 423 415 425



Machine Year Month Day

Snap-in tire valves have become a commodity even though they are critical in maintaining the correct tire pressure. As questions arise regarding the life of rubber components and as an effort to provide traceability for this product line, Dill provides a solution! Each Dill stem has the production data etched on it!

Now! Economical Asian stems TR413IV - \$.14 ea. TR418IV - \$.19 ea.

High Pressure Snap-In Valves — Dill OE

- Tubeless snap-in type valves for high pressure applications
- Maximum cold inflation pressure is 100 psi
- For .453" or .625" rim holes
- Do not use on tire rims that exceed .205" in thickness



Ascot No.	TR No.	Eff. Length	Valve Hole Dia.	Sale Price
461-00600	TV600HP	1.27"	.453"	\$.69
461-00602	TV602HP	2"	.453"	\$.89
461-00801	TV801HP	1.25"	.625"	\$.89
461-00802	TV802HP	2"	.625"	\$.99

TV600HPIV import - 100 each - \$.28 ea

TR416 Clamp-In Tubeless Tire Valves

- Nickel plated metal valves can be installed in all passenger cars, light trucks and industrial rims with .453" or .625" valve holes
- Rubber grommet forms a seal when valve is clamped to rim by tightening hex nut
- Maximum inflation pressure is 130 psi
- Includes 2 rubber grommets

Ascot No.	McGee No.	Eff. Length
462-00416	TR46	1-1/4"
461-01416	3641	2"

3640 - 1 1/4"

\$.69 ea.


Chrome Hi-Performance Valve

Perfect for Custom Wheels

Chrome plated valve and sealing cap. Especially suited to custom wheels. Includes grommets for .453" and .625" passenger car wheels.

5991B

462-00800

3/4"

\$.79 ea.


Radial Commander Valve For 15° Disc Wheels

- 23° bend clamp-down valve for .625" valve hole
- Bend allows clearance of brake drum for tire service **\$2.94 ea.**

Ascot No.	Part No.	Description
462-01147	N1147	Radial Commander Valve



Ford "F" Series Truck Valve

- Ford "F" series with dual wheels
- Alcoa aluminum 16" wheels
- Front and rear wheels
- Chrome finish
- Dual seal cap not included

\$2.49 ea.


Ascot No.	McGee No.	Description
462-01600	VS902WP	Ford "F" Series Valve

Ford "Cut-Away" and Cargo Van Series Valve

- Ford "cut-away" and cargo van series with single rear wheels
- Accuride steel 16" x 7" wheels
- Front and rear wheels
- Dual seal cap not included

\$1.86 ea.


Ascot No.	McGee No.	Description
462-01575	TR575	Ford "Cut-Away" & Cargo Van Series

Ford "F" Series Truck Valve

- Ford "F" series with dual wheels
- Accuride steel 16" x 6" wheels
- Front and rear wheels
- Nickel finish
- Includes dual seal cap

\$1.50 ea.


Ascot No.	McGee No.	Description
462-02416	VS962C	Ford "F" Series Valve

Enkei Valves

- A high performance "No Show" type chrome plated valve that installs from the outside
- A rubber washer and nut are on the inside
- Fits .453" diameter hole



Ascot No.	McGee No.	Description	Price
462-06010	TV6010	3/4" Length, Standard	\$1.49
462-06020	TV6020	Bent at 45° Angle	\$1.99
462-06030	TV6030	1-1/4" Length, Standard	\$2.31
462-06040	TV6040	1-3/4" Length, Standard	\$2.46

Quality valves assure trouble free service!

Chrome Sleeve TV600HPC

461-01600 (TV600HP-C)

- For use in high pressure applications
- Rated to 100 PSI
- Includes core, cap and chrome sleeve
- Fits .453" rim



Chrome-Sleeve Snap-in Type Tubeless Tire Valves

\$1.29 ea

- Standard snap-in type tubeless tire valves are fitted with an attractively designed hexagon valve cap and chrome sleeve to cove the valve stem area
- Available in two lengths to fit .453" valve holes.



Ascot No.	Mfg. No.	Eff. Length	Price
461-41211	412SC	7/8"	\$.49 ea
461-41311	413SC	1-1/4"	\$.59 ea
461-41811	418SC	2"	\$.79 ea

Truck Service Gauges



- Wide variety of service gauges to accommodate the numerous tire and wheel configurations encountered by tire service personnel
- Available in chrome plated or protective black epoxy finish as indicated
- Calibrated from 10-150 psi in 2 pound increments
- Nylon or metal indicator bars

Ascot No.	McGee No.	Gauge Type	Price
476-10135	GA135	Angle Chuck With Nylon Bar	\$8.55
476-11135	GA135S	Same As Above, Angle Chuck With Metal Bar	\$9.63
476-10155	GA155	Straight-On With 30° Reverse Chuck	\$12.79
476-10165	GA165	Same As Above, Straight-On With 30° Reverse Chuck, Black Epoxy Finish	\$9.56
476-11155	GA155S	Same As Above, Straight-On With 30° Reverse Chuck, Metal Bar	\$12.92
476-10185	GA185	Dual Foot Service Gauge With Nylon Bar, 180° Chuck, Chrome Plated	\$11.77
476-01046	7285E	Externally Adjustable Metal Bar Truck Gauge – 10-150 psi	\$13.94

Pocket Truck Gauges



Ascot No.	McGee No.	Description	Price
476-10150	GA150	Straight-On/Angled Gauge. 20-120 psi. Chrome Plated.	\$7.99
476-10160	GA160	Straight-On/Angled Gauge. 20-120 PSI. Black Baked Epoxy Protective Finish.	\$7.79
476-10130	GA130	Dual Foot Angled Pencil Gauge. 20-120 psi.	\$4.45



Now USA made
7263USA **\$9.95**

Straight-On/Angled Gauge
20-120 PSI. Black Baked Epoxy Protective Finish.

Dual Foot Air Chucks

Ascot No.	McGee No.	Description	Price
478-01350	CH350LO	Straight-On/Angled Chuck. Protective Black Epoxy Finish (Normally Closed)	\$7.59
478-00335	CH335	Angled Chuck. Plated Finish (Normally Closed)	\$4.75
478-03300	CH330LO	Straight-On/Angled Chuck. With Lock-On Threads (Normally Closed)	\$7.29
478-03301	CH330	Straight-On/Angled Chuck (Normally Closed)	\$6.73
478-03330	CH333LO	Straight-On/Angled Chuck. 14" Long (Normally Closed)	\$9.24



Digital Pocket Gauge

Range: 0-150 PSI in .5 PSI increments

Accuracy: ±1 PSI

Large LCD display

Red backlight

Angled chuck head

476-32380
Digital Pocket
Gauge



Ascot No.	Mfg. No.	Description	Price
476-32380	3238P	Digital Pocket Gauge w/Angled Chuck 1 150 PSI	\$18.79

Digital Hand-Held Tire Inflator*

- INFLATION RANGE: 0 - 174 PSI
- ACCURACY: +/- .2 PSI • 6' Hose
- Lightweight shock-resistant design
- High specification ceramic sensor
- Long life, easily replaceable battery
- Available in custom hose lengths and chuck styles
- Valve has provisions for checking air pressure during inflation
- Threaded for 1/4" male NPT hose fittings



477-10001

\$121.42!

ASCOT NO.	McGEE NO.	DESCRIPTION
477-10001	47710001	Digital Hand-Held Tire Inflator

* This gauge provides more accurate air pressure readings which are essential with TPMS.

COUNTER DISPLAY

Retail Gauge Opportunity
Promote accurate tire inflation

941DIS – Counter Display with Ten 10-120 lb gauges

476-00941 **\$25.95**

7277USA **\$32.95**
Counter Display with ten USA made gauges –10-75 PSI



941DIS

Tubeless Truck Clamp-in Valves Dill - with U.S.A. made grommet!

Straight clamp-in valves used on both demountable and non-demountable rims. For .625" diameter valve hole.

Available in BENT FORM - TR57213 - 13° - **\$1.61 ea.**



McGee #	Effective Length	100 Ea.	Cost Each
TR500	2"	\$1.00	\$1.34
TR501	1 1/2"	\$.98	\$1.34
TR570	3 1/8"	\$1.08	\$1.40
TR571	3 3/8"	\$1.06	\$1.46
TR572	3 3/4"	\$1.17	\$1.52
TR573	4 3/8"	\$1.23	\$1.60
TR574	5"	\$1.26	\$1.64

Import TR5721V - \$.99 ea!

Tire Valves - 540 Series

O-ring seal valves for Alcoa truck wheel (9.7MM Valve Hole)

Many production Alcoa aluminum wheels are manufactured with a 9.77MM valve hole that requires an O-Ring tire valve. Haltec valves have a high temperature resistant O-Ring and a heavy duty metal valve cap.




0330 O-ring available for TV540 Series
NOW! 100 ea TV545D - **\$1.59 ea**

Valve TR No.	A Height	Bend Angle	B Length	Price ea.
TV543	2.40	-	-	\$2.61
TV543D	.98	60°	1.38	\$2.74
TV543E	.98	75°	1.38	\$2.64
TV544	2.90	-	-	\$3.15
TV544D	.98	60°	1.94	\$3.15
TV545	3.50	-	-	\$3.24
TV545D	.98	60°	2.6	\$1.99
TV546	4.25	-	-	\$3.17
TV546D	.98	60°	3.35	\$3.58
TV546E	.98	75°	3.35	\$3.62
TV546G	.98	36°	3.35	\$3.31

Metric Clamp-In Valves - 550 Series Popular on all new Alcoa wheels!

Compatible with aluminum wheel designs with .389 valve hole.

- Viton grommets offer a greater temperature range, a better seal, and a longer service life — Maximum temperature 250°
- Easier installation with screwdriver slot.
- Recommend installation torque 45 in - lbs.



McGee #	A	B	C	Price ea.
TV553	2.31	-	-	\$4.28
TV553C*	0.93	1.38	45°	\$4.28
TV553E*	.98	1.38	75°	\$4.28
TV554D*	.98	1.94	60°	\$4.28
TV555D*	.98	2.6	60°	\$4.28
TV555E	.98	2.6	75°	\$4.28

*In Stock

Valve Core Insertion and Removal Tools



469-00005



469-00607

Ascot No.	McGee No.	Description	Price
469-00005	TL685	For both standard and large bore valves.	\$1.70
469-00607	TL620	Has plastic screwdriver handle for better grip and leverage.	\$1.99

Tire Tread Depth Gauges



454-00599



5124

Ascot No.	McGee No.	Description	Price
454-00599	595TM	Tire Tread Depth Gauge. Used to measure tire tread depth in 1/32" increments	\$2.39
	5124	Red-Yellow-Green Tread Depth Gauge: Allows your customer to visually display when tires should be replaced due to tread wear.	\$2.49

Valve and Core Tools

469-00992



469-43002



Ascot No.	McGee No.	Description	Price
469-00992	610	Tubeless Tire and Tire Valve Inserting and Removing Tool. For all sizes of snap-in passenger car tire valves	\$6.55
469-43002	43002	Plastic Valve Puller	\$10.95

Standard Bore Valve Tools

Install/Remove
Core




469-52000

Install/Remove
Cap



469-00004



469-00011

Ascot No.	McGee No.	Description	Price
469-52000	52000	Valvecapper is 11.5" long—designed to reach the inner valve on dual wheel. One end is for the removal/installation of valve caps and the other end is removal/installation of the core	\$12.95
469-00021	TL615	Double-Use Tool. Removes valve cores. Screws on valve mouth to open core.	\$.99
469-00011	TL645	Cable Valve Fishing Tool. Valve core wrench and deflating pin with flexible cable for fishing valve through rim hole. 24"	\$1.92
469-00004	604TM	Economy Standard Bore 4-Way Tool	\$1.59

ASCOT

22 TRUCK VALVE ACCESSORIES & TRUCK SOCKETS

Metric Rim Hole Valve - MS Series

(9.7mm Valve Hole)

- Some imported trucks will have steel wheels that incorporate the 9.7mm valve hole (.390")



Recommend installation torque 100 in - lbs

McGee No	Ascot No	ETRTO	Bend	A	B	Price (ea.)
70MS27	462-07025	V3-20-5	27°	1-3/16"	1-9/16"	\$2.99
80MS27	462-08027	V3-20-7	27°	1-3/16"	2"	\$2.99
90MS27	462-09027	V3-20-4	27°	1-3/16"	2-3/8"	\$2.99
115MS27	462-11527	V3-20-6	27°	1-3/16"	3-3/8"	\$3.99
41MS00	462-04100	V3-20-1	STR	1-3/16"	—	\$2.99

Truck Grommets



McGee #	Rim #	Fits	Used On
5953	RG-15	.625 Valve Hole	TV-500 Series, TV-570 Series
RG15S	RG-15	.625 Valve Hole	TV-500 Series, TV-570 Series red grommet 288°
G160	RG-22	.812 Valve Hole	H-41, T-81, T-30, DS-385, DS210
5093	RG-46	.625 Valve Hole	TV-509, 510, 511
G-174	RG-48	.625 Valve Hole	TV-513, 515
G170S		.625 Valve Hole	Heat-Resistant Grommet for TV-570 Series (400°) green
59765	RG-54	.453 Valve Hole	TV-416, 416L, 6008
525	RG-39	.625 Valve Hole	TV-416, 416L
G550	RG-70	.9975 Valve Hole	Fits TV-550 Series
0330	RG-30		TR-540 Series Valves

Valve Stem Ratchet Wrenches



469-00018

Ascot No.	McGee No.	Description	Price
469-00018	VSW18	For TR570 series valves	\$14.95
469-00020	VSW20	For TR540 series valves	\$16.95

Double Seal Cap



- A time, money and labor saving alternative to common valve caps
- Reduce pressure check time by 65%
- Designed for high pressure truck tire service
- Inflate, deflate or gauge directly thru the DS-1 saving time during inflation and pressure checks

**Now approved by
UPS and Ryder**

Visit McGee resource
page for details or link at:



Ascot #	McGee #	Description	Price
468-04191	DS1	Double Seal Cap	\$.69
468-02222	AE1	Alligator Double Seal Cap	\$.89

Popular Truck Sockets

1" DR Square Impact Sockets



Ascot No.	McGee No.	Description	Price
165-03026	3026S	1" Dr. x 13/16 square	\$19.60
165-03030	3030S	1" Dr. x 15/16 square	\$22.45

1" DR Combination Impact Sockets

Ascot No.	McGee No.	Description	Price
165-03323	3323C	1" Dr. 1-1/2" hex x 13/16" square	\$38.63
165-03321	3321MC	1" Dr. 41mm x 21mm square	\$49.83

1" DR 1-1/2" Budd Wheel Impact Sockets

Ascot No.	McGee No.	Description	Price
165-30481	3048D	1" Dr. x 1-1/2" Deep w/inside lip	\$33.63
165-30482	3048DR	1" Dr. x 1-1/2" Deep - standard	\$34.73

1" DR Metric Impact Sockets

Ascot No.	McGee No.	Description	Price
165-03033	3033MD	1" Drive x 33mm Deep	\$34.03
165-03035	3035MD	1" Drive x 35mm Deep	\$33.98
165-03041	3041MD	1" Drive x 41mm Deep	\$37.15

1" DR 10 Piece Truck Set

- Contains the following sizes: 13/16" square, 1-1/16", 1-1/8", 1-1/4" thin wall deep, 1-1/2" controlled standard socket, 17mm & 21mm square with inside lip, 33mm, 35mm & 41mm deep



Ascot No.	McGee No.	Price
165-03110	3110	\$179.95

3/4" DR 8 Piece SAE Deep Set

- * Contains the following sizes: 1", 1-1/16", 1-1/8", 1-1/4", 1-5/16", 1-3/8", 1-7/16", 1-1/2"

Ascot No.	McGee No.	Price
164-02181	2181D	\$145.23



Master Air Pressure Station

\$149.00

MAPS

This station is used as a test pressure source for calibration of air gauges. Unit can be wall mounted on 1/2" npt pipe. TIA recommends regular calibration of truck tire gauges to maintain accuracy and assure proper tire inflation.





1/8 - 16 Outer Cap Nut 891RZ/892LZ



995LZ/RZ 1/4 - 16 Super Single Cap Nut



269Z Flange Wheel Nuts



881M/333B Free Spinning Flange Nut 2203/2304



3/4 - 16 Outer Cap Nut 888RZ/889LZ



336RZ/337LZ - 13/16sq. Inner Nut for Steel/Aluminum Combination Longer Version - 621RY/622LY



708RZ/709LZ Grade 8.2 Inner Nut-Aluminum Wheels



988RZ/LZ - 13/16sq. Inner Cap Nut- Dual Aluminum Wheels

McGee No.	Mfg. No.	Similar To:		Sale Price
891RZ (RH)	GL-2001	Budd-37891/2	Euclid-5552-R/L	\$.88
892LZ (LH)	GL-2002	Nuturn-W-13/14	Batco-13-3012-R/L	\$.88
888RZ (RH)	GL-2101	Budd-37888/9	Euclid-5652-R/L	\$1.53
889LZ (LH)	GL-2102	Nuturn-W-15/16	Batco-13-3013-R/L	\$1.53
995LZ (LH)	GL-2103	Alcoa-5554	Euclid-5554-R/L	\$5.08
995RZ (RH)	GL-2104	Budd-70613/4		\$5.08
269Z	GL-2202	GMC-3771410		\$3.58
881M	GL-2302	(1 1/2 Hex) M.W. 88881		\$4.13
333B	GL-2301	(1 1/4 Hex) Budd 106333		\$2.03
Metric Outer Nuts				
GL2009	GL-2009	Hino-9004-21112	Isuzu-1-4233-023	\$5.20
GL2010	GL-2010	(Inner Thread = M30-1.5)		\$5.20

McGee No.	Mfg. No.	Similar To:		Sale Price
336RZ (RH)	GL-1003	Budd-35336/7	Euclid-5735 R/L	\$3.26
337LZ (LH)	GL-1004	Nuturn-W107/108	Batco-13-3007-R/L	\$3.26
621RY (RH)	GL-1005	Budd-22621/2	Euclid-5568 R/L	\$3.68
622LY (LH)	GL-1006	Nuturn-W105/106	Batco-13-3006-R/L	\$3.68
988RZ (RH)	GL-1011	Alcoa-5988-R/L	Nuturn-W-486/7	\$3.55
988LZ (LH)	GL-1012	Euclid - 5988-R/L	Batco 13-3026-R/L	\$3.55
Grade 8.2				
708RZ (RH)	GL-1001	Euclid-7895R/L	Budd-10708/9	\$1.53
709LZ (LH)	GL-1002	BWP-M128/9	Batco-13-3032R/L	\$1.53
Metric				
GL1009 (RH)	GL-1009	Hino-9004-23101	Isuzu-1-42335-005	\$7.33
GL1010 (LH)	GL-1010	(M20 Inner & M30 Outer Threads)		\$7.33


Hub-Centric Wheel Nuts - The Original! - High Quality

By filling the void between the stud hole, "clocking" is eliminated, and problems caused by clocking, such as wheel offs and wheel hub vibrations, are eliminated.

- Hub Centric Nut fills void standard flange nuts don't
- Stops rim from shifting forwards or backwards
- Eliminates "clocking" caused by standard wheel nuts not filling wheel hole completely
- Certified American Steel
- Each part tested for thread, fit and finish
- 50 per box



491-00133



Hub centric nut fills void between stud and hole.

Wheel Assembly with Hub Centric Nut

49100133
\$6.95 ea.

Skirt Nut

- Stops wheel/hub vibrations and many tire wearing problems
- Stops wheel movement (clocking) on the face of the hub
- Eliminates wasted fuel caused by rolling resistance or "drag"
- Meets and exceeds standards of SAE J1965 or torque tension
- Replaces all style M22 flange nuts on hub-piloted wheel
- Hex: 33mm
- Special graphite coating prevents nut from rusting onto the hub
- Fills in the gap between the stud and the bolt 3/16" (5mm)
- 50 per box

Extended threading allowing Skirt Nut to go down into Hub-Piloted Disc Wheel an extra 3/16" (5mm) into stud hole



New Skirt Nut Sizes!

Ascot No.	Mfg. No.	Description	Price
491-02906	GL-2906 333SN6	Haltec 6mm Sleeve Nut • Steel Steers	\$8.70
491-02919	GL-2919 333SN19	Haltec 19mm Sleeve Nut • Aluminum Steers • Steel/Steel Drives • Steel Outer/Aluminum Inner Drives	\$10.70
491-02928	GL-2928 333SN28	Haltec 28mm Sleeve Nut • HD Aluminum • Super Single • Wide Base • Aluminum Outer/Steel Inner Drives	\$11.38
491-02939	GL-2939 333SN39	Haltec 39mm Sleeve Nut • Dual Aluminum Drive Axle	\$11.60

Nut Loosener Penetrating Blaster - 16PB

A penetrating lubricant that frees everything! Displace moisture by saturating troubled area and allow to stand for a few minutes. 12.2 oz. spray.

\$5.45 ea
\$4.95 ea/case of 12



3-Piece Twist Socket Lug Nut Removal System

- Removal of damaged 3/4" and 19mm, 13/16" and 21mm lug nuts
- Two dual-sided twist sockets have a fluted design which gives the sockets a tight grip to remove the most difficult locking and damaged lug nuts from the socket
- Works with 1/2" impact gun or breaker bar for service calls
- Includes an extrator punch



Ascot No.	Mfg. No.	Description	Price
492-04300	4300	3-Piece Twist Socket Lug Nut Removal system	\$49.95
492-04200	4200A	Dual Sided Twist Socket Lug Nut Remover	\$27.49

Broken Inner Nut Remover

Remove broken inner budd nuts in MINUTES with our NEW tool



33105
\$57.48

"TS" Series

CHEVROLET GMC - Use on full size pickup, Suburban, Yukon, Tahoe from 2000. Denali & Escalade use MCS for 2000

FORD - Expeditions from 1997 - F-100, F-150 from 1997
LINCOLN - Navigator from 1998

We recommend the use of TS series weights on all full size pickup trucks and vans equipped with steel wheels. The use of "REG" series passenger weights on thicker truck rims may cause over-stressing of clips resulting in weight failures.

Part. No.	Weight	Part. No.	Weight	Part. No.	Weight
TS025	.25 oz	TS175	1.75 oz	TS325	3.25 oz
TS050	.5 oz	TS200	2 oz	TS350	3.5 oz
TS075	.75 oz	TS225	2.25 oz	TS375	3.75 oz
TS100	1 oz	TS250	2.5 oz	TS400	4 oz
TS125	1.25 oz	TS275	2.75 oz	TS450	4.5 oz
TS150	1.5 oz	TS300	3 oz	TS500	5 oz

**Truck Tape-On Weights**

300336FE	.50 oz.	Standard Profile Quick Tab with Premium Tape	30 strips/box	Width: 1"	Steel 360 pcs	\$29.95
----------	---------	--	---------------	-----------	---------------	----------------



300360	.50 oz.	Standard Profile Quick Tab with Premium Tape	30 strips/box	Width: 1"	Lead 360 pcs	\$54.95
--------	---------	--	---------------	-----------	--------------	----------------




CL6	1 oz.	Standard Profile Quick Tab with Premium Tape	30 strips/box	Width 3/4"	Lead 180 pcs	\$55.00
-----	-------	--	---------------	------------	--------------	----------------



CL12	2 oz.	Standard Profile Quick Tab with Premium Tape	8 strips/box	Width 1-1/4"	Lead 48 pcs.	\$36.00
------	-------	--	--------------	--------------	--------------	----------------

"TAL" Series Wheel Protectors® Coated Wheel Weights

A new special weight for all Alcoa and Accuride (from 1983) aluminum tubeless heavy truck wheels. The weights will fit both sides of the wheel. These new weights replace the "OS-TAL" and "DS-TAL" series. Use rim gauge RGT2 to verify correct application (either OS-TAL or DS-TAL slot).

"TAL" Coated

Part. No.	Weight
TAL030	3.0 oz.
TAL040	4.0 oz.
TAL060	6.0 oz.
TAL080	8.0 oz.

"I7" Series**BTLM = I7**

Most popular weight for the medium-duty truck. Used on most trucks with tube type tires. 25 per box except 10 & 12 oz.; 20/box & 14 & 16 oz.; 10/box.



Part. No.	Weight	Part. No.	Weight
I71	1.0 oz.	I78	8.0 oz.
I72	2.0 oz.	I710	10.0 oz.
I73	3.0 oz.	I712	12.0 oz.
I74	4.0 oz.	I714	14.0 oz.
I75	5.0 oz.	I716	16.0 oz.
I76	6.0 oz.		

CT**BTLT + I9 = CT**

Used on "section" type, straight flange, tubeless wheels, Good-year Super Single; Budd 7.50" and 8.25" wheels with Firestone or Goodyear discs. Uncoated.

Part. No.	Weight	Part. No.	Weight
CT2	2.0 oz.	CT10	10.0 oz.
CT3	3.0 oz.	CT12	12.0 oz.
CT4	4.0 oz.	CT14	14.0 oz.
CT6	6.0 oz.	CT16	16.0 oz.
CT8	8.0 oz.		

**Wheel Weight Adhesive Removal Tool**

A143252 - \$57.99 Replacement pad - A1432526 only - \$6.99

- Lock-off trigger for added safety
- High torque motor to cut through stubborn wheel weight adhesive, body pinstripes, etc.
- Rubber-insulated motor housing for comfort
- High RPM to prevent pad from bogging down
- 3,700 RPM free speed

**CEMB**

**C212 HD
Truck Balancer
\$8950 Delivered**

- Fully automatic cycle with braking
- Includes all adapters from passenger to heavy duty truck
- Electro-pneumatic stationary brake
- Automatic distance and diameter input
- Shows static and dynamic unbalance
- Self-diagnosis self-calibrating
- Built in pneumatic tire lift



Balance the Whole Truck Wheel Assembly

TIB10

10 oz. drop in bag

As low as \$10.29



Counteract Balancing Beads

- Automatic, readjusting, lifetime balance of the tire
- Increased fuel efficiency
- No more uneven treadwear or vibrations



The Counteract bag in bag application makes it easy to install, simply throw the inner bag into the tire when the tire is broken down. The product can also be easily injected into the tire through the valve stem. It is recommended that all wheel assemblies on the vehicle be balanced, decreasing the rolling resistance and resulting in increased tire tread life and improved fuel economy. Fuel savings of 5 – 12% annually have been reported by fleets of Commercial Over-the Road trucks and pickup trucks alike.

Counteract is the only balancing product on the market proven to improve fuel economy in two separate S.A.E and TMC type II tests.

Counteract comes in an outside white plastic package, simply tear open the bag and inside there is a pouch of Counteract in a special thin mil plastic. Simply throw that inner bag inside the tire, once the tire reaches 40 mph the bag will break open and the Counteract will be distributed throughout the tire.



Product	Description - Case Quantity Discounts
45100013	APPLICATOR PUMP FOR COUNTERACT
TIB4	TOSS-IN BAG 4 OZ CS/92
TIB6	TOSS-IN BAG 6 OZ CS/64
TIB8	TOSS-IN BAG 8 OZ BAL BEADS 52/CS
TIB10	TOSS IN BAG 10 OZ 40/CS
TIB12	TOSS IN BAG 12 OZ 36/CS

How it Works:



The balancing beads will be distributed around the tire as it begins to roll through centrifugal force. As the centrifugal force of the balance (heavy spot) increases and pulls up and down on the suspension, the beads will start to move in the opposite direction of the downward and upward through inertia. The beads continue to travel until the complete wheel assembly is balanced.

EQUAL

FLEXX

THE NEXT GENERATION OF EQUAL



FUEL COST



TIRE WEAR



PRODUCTIVITY



SMOOTHER RIDE

EQUAL FLEXX™ is the most scientifically tested and refined internal balancer available. 50+ compounds were put to the test.

The trucking industry continues to document the benefits of balancing all wheel positions and IMI has proven it in real world trials. Delivering significant tire and fuel savings with a superior return on investment for fleets.

THE NET RESULTS FOR DEALERS

EQUAL FLEXX offers enhanced performance and an even greater ROI than any other option available. This means greater sales opportunities for all of us.

- No filtered valve core required means simpler installation
- Drop in Bag application with simplified quantity chart
- Larger particle size makes it easier to remove
- No slip hazard on the shop floor

THE NET RESULTS FOR FLEETS

- More fuel savings, more even tire wear, and the smoothest ride
- 2x more vibration absorption power
- 15% better performance
- Easier to use



Wheel Size	Tread Width (mm)	Quantity
17.5" & 19.5" (Light Truck)	195 to 240	F/3 oz
	245 to 345	E/4
	350 to 440	D/6
	445	C/8

Wheel Size	Tread Width (mm)	Quantity
17.5" & 19.5"	225 to 245	D/6
	250 to 285	C/8
	290 to 315	B/10
	320 to 395	A/12
22.5" & 24.5"	400 to 445	W/16
	235 to 265	C/8
	270 to 290	B/10
	295 to 345	A/12
	350 to 495	W/16

Golden Tool Tubeless Truck Tire Mount/Demount Tool

- Demounts/mounts 17.5" to 24.5" tires
- Use on all tubeless truck tires including super single/duplex tires, radial and bias
- Eliminates the need to lift tire and rim to remove the bottom bead, preventing possible strain or even serious injury



TNT200
for Super
Singles

Ascot No.	McGee No.	Description	Price
448-00100	TNT100	Complete Tool	\$574.99

Economy Tire Mount/Demount Tool Set

- Mount tool assembly for 22.5 and 24.5 tires/wheels
- Demount assembly for 22.5 and 24.5 tires/wheels
- Nylon rollers protect the bead
- Heavy duty steel construction ensures long life
- Weight: 32 lbs. (14.5 kg)
- Sold as a complete set



448-12320

Ascot No.	McGee No.	Description	Price
448-12320	44812320	Complete Tool	\$299.00

Duck-Billed Bead Breaking Wedges – Fiberglass Handled



Ascot No.	McGee No.	Handle No.	Length	Weight	Price
424-35429	TG11E	TG11EH	32"	9.1 Lbs.	\$104.92

Fiberglass Replacement Handles for Duck-Billed Bead Breaking Wedges

Handles are constructed with a solid core which has thousands of fiberglass strands and a unique resin making them super strong all-weather, chemical and insect-resistant.

- Ergonomic non-slip grips for slippery conditions.
- Replacement Adapters available.



McGee No.	Description	Price
TG11DH	19" Fiberglass Hammer Handle	\$35.31
TG11EH	33" Fiberglass Hammer Handle	\$47.83

Wood handles available.

Tire Cages



479-36006



**CALL FOR DETAILS
ON TIRE CAGES**

1-800-525-8888

BLUE COBRA Truck Tire Demount Tool



35440KT

\$305.93

**INTRODUCING AN
AFFORDABLE ALTERNATIVE!**

Tougher build • Better price

Fast and easy, the Blue Cobra truck tire demounting tool is strong but economical the new "golden" standard for tire changing!

- Quickly demount nearly any 20", 22.5" and 24.5" tube-type and tubeless truck tire, up to a 13" wide wheel
- Solid steel Cobra head is press-fit into the steel handle — no fasteners to loosen or fall out
- Allows demounting of the tire without lifting the entire wheel and tire off the ground — helps to reduce back injuries.

Heavy Duty Truck Torque Wrench - 168-12017

- Robust construction gives accurate results to +/-4% even in arduous work conditions
- Supplied with a calibration certificate to satisfy requirements of ISO 9000
- Break back action gives an unmistakable signal
- Break angle improves accuracy by reducing the possibility of over-torquing
- Dual scaled, Nm and ft./lbs.



Also available

1" Female x 13" Socket Extension! 169-03013 03013 - \$42.99

Impact Bead Breaker



- Loosens the most stubborn beads with floating bead breaking foot and ram bar
- Forces wedge foot between head and rim flange
- Delivers blow directly to the tip
- Designed for shop or road use

Ascot No.	McGee No.	Description	Length	Length Ext	Weight Lb.	Price
427-35924	T24B	Economy	46"	72"	13.5 Lbs.	\$146.38
427-35926	T26B	Heavy Duty	50"	80"	23 Lbs.	\$185.50



Tubeless Tire Iron Sets



402-46001



402-45003

- Sets provide all irons necessary for a variety of tire changing applications
- Use C bar with the B extension bar for easier use on large, wide-base truck tires
- Use on standard and large truck tires, including industrial, farm, buses and tractors

Ascot No.	McGee No.	Description	Length	Stock	Weight	Price
STANDARD						
402-46001	T46A	Med. Duty Mount/Demount Iron	36"	3/4"	4.5 Lbs.	\$55.62
402-45003	T45A	Truck Tubeless Tire Iron	37"	3/4"	4.5 Lbs.	\$57.74

Torq-Right® Truck Tire and Wheel Mounting System.

To minimize wheel-offs and other problems associated with improperly mounted tire and wheel assemblies the Tire Industry Association and The Maintenance Council of the American Trucking Association have established recommended best practices to mount and torque tire and wheel assemblies.



SC100 Stud Cleaner \$149



SC100KIT Wheel Prep Kit \$395

The SC100 stud cleaner quickly and easily removes rust, road grime and foreign particles from wheel studs. Three carbon steel brushes engage the full thread and provide a clean surface for the wheel retaining nut allowing an accurate final torque.

Inspect all Components for Wear and Damage



Service Area OSHA Posters and Service Truck Booklets \$5.95

NEW OSHA 29 CFR 1910.177 wheel mounting procedure manual and charts. These are required by OSHA to be displayed in truck tire service areas or carried in road service trucks \$5.95 each.
#OSHA3400



Rotate Wheel Mount Pad to 12 o'clock



75520 65# torque limiting extension



Pre-Torque Wheel Nuts to 65 ft lbs


Check Studs for Wear



Worn Stud



New Stud



2215TPG \$12.95 22x1.5mm Thread Pitch Gauge for Uni-Mount Studs

Tighten Wheel Nuts to Final Torque



4AR1 Break Back Torque Wrench 600 Lb. Ft. Max
5R1 Break Back 750 Lb. Ft. Max with longer handle



47501 475 ft lb Pre-Set Torque Wrench

Call for special pricing on torque tools



Short Shank 1" dr Impact with torque limiting extensions



WARNING Wheels, studs, nuts and hubs that are not properly installed, inspected or maintained may not be safe. Failure to follow proper installation or maintenance practices may result in injury or death. **Always** use proper personal protection devices for safety and to avoid injury. **ALWAYS FOLLOW GUIDELINES IN OSHA 29 CFR 1910.77 FOR WHEEL MOUNTING**

Instant Puncture Protection

Instant puncture protection. Repairs any pneumatic tire, tubeless or tube type. Prevents flats from cactus needles, thorns, stickers, and most small nails. Also prevents high pressure and rim leaks.



McGee No.	Description	Price
FS15	Applicator pump with a 16" hose for 1 gallon size	\$11.68
FSP	Metal 5 gallon tire sealant pump with lid	\$77.33
STSOTR16	STS OTE tire sealant 16 oz	\$7.35
STSOTRCS4128	STS OTR tire sealant 1 gallon	\$30.65
STSOTR640	STS OTR tire sealant 5 gallon	\$117.72
TC405	Enforce highway tire sealant 1 gallon	\$26.20
TC415	Enforce Fibroseal OTR tire sealant 1 gallon	\$26.20
TC417	Enforce Fibroseal OTR tire sealant 5 gallon	\$71.04

Graco Pumps & Accessories



\$359.00

24G576
LD Series
3:1

- Ideal for low to medium volume applications
- Built-in thermal relief to protect product
- Handles up to 7.8 gpm (30 lpm)*



\$515.00

246775
Fireball 225
3:1

- Ideal for low to medium volume applications
- In-line design with fewer parts for minimal pump wear, less downtime and maintenance
- Handles up to 2 gpm (7.5 lpm)*



\$705.00

203876
Fireball 300
5:1

- Ideal for medium volume high-pressure fluid transfer
- High quality, corrosion-resistant design for longer pump life
- Handles up to 3 gpm (11 lpm)*

Graco Husky



AIR DIAPHRAGM PUMPS

3/4" **241906** 15 GPM **\$435.00**
1" **647016** 40 GPM **\$599.00**

- Simple, reliable transfer pumps ideal for oil, used oil, windshield wash, anti-freeze
- Packages designed specifically for pre-mixed windshield wash also available

Special \$159.00



AB500

The new **Air Blast 500** bead seater features the new hi flow butterfly valve with forward pivot handle. This design allows for quicker release and maximized air flow to the tire.

NEW!

Fast Release Hi-Flow Valve



C-Series Low Pressure Hose Reels

- Reels ideally suited for plant maintenance, service trucks or other industrial functions
- Standard hose for air and water
- Single set screw to access spring casing
- Drive spring mechanism lubricated for life
- One piece combination latch, spring arbor, main bearing and spool support for fewer moving parts
- Brass swivel reduces corrosion potential
- Durable powder coated finish



RB6
3/8" Ball stop **\$14.00**

HOSETRACT

Ascot No.	McGee No.	Operating Pressure	Hose ID	Hose Length	Ship Weight	Price
125-35000	LC350	300 psi	3/8"	50'	54 Lbs.	\$259.95
125-55000	LC550	300 psi	1/2"	50'	60 Lbs.	\$311.95

High Quality, Inexpensive, Double Wall Tanks!

- High density blow molded plastic, seamless inner tank
- UL listed
- Easier and faster to fill

Unique double wall design



McGee #	Tanks	Price
2335103401	110 Gallon Tank 29"W X 28"L x 44"H	\$799
2335101861	165 Gallon Tank 29"W X 28"L X 61"H	\$879
2335101862	275 Gallon Tank 43"W X 28"L X 61"H	\$1,137
2335102642	400 Gallon Tank 64"W X 30"L X 68"H	\$2,149

BEAT THE HEAT IN 2017!

Protect your employees from heat and dehydration. Nothing speeds fluid back into an active body faster than Gatorade.

	1-31	Case (32)
2 1/2 gallon pack 32 per case	\$5.85	\$5.11

03969 Original Lemon Lime
03970 Orange

33691 Fruit Punch
33673 Riptide Rush (grape)
33677 Glacier Freeze

**GATORADE
IN HANDY
2.5 GAL
INSTANT POWDER**



USED EQUIPMENT

29

Product	Desc1	Desc2	Qty OH	Whse	List Price
UE2062	08 COATS 8113383 BAL	ADA STUD PLATE 8 X 170MM	1	Denver	\$199.00
UE2063	08 COATS 112898 8 LUG	STUD PLATE 8 X 170MM	1	Denver	\$99.00
UE2093	08 USED 20- 22.5 X 7 1/2	EXPANDO HUB	1	Denver	\$595.00
UE2161	08 USED IR261 IMPACT	WRENCH 3/4" 1100 FT/LBS	1	Denver	\$250.00
UE2176	08 USED 7900 AMMCO TWIN	CUTTER TOOL	2	Denver	\$300.00
UE2234	4H USED IR285BS6	1" AIR TOOL IR	1	Salt Lake	\$300.00
UE2265	I3 USED IR553 COMPRESSOR	230V 5HP 1PH 60GAL	2	Denver	\$649.40
UE2333	07 USED ATX2 RTI TRANS.	FLUID EXCHANGER W/ BOOST	1	Denver	\$1,000.00
UE2345	08 USED XR1800 COATS	WHEEL BAL 115V 1PH	1	Denver	\$4,000.00
UE2368	08 USED 17700 2K R-12	RECYCLING AND RECHARGING	1	Denver	\$1,595.00
UE2387	2016681 HUNTER LEVEL 4	ADAPTER SET	1	Denver	\$1,400.00
UE2389	14 NEW 2019101 WHEEL BAL	PREFERRED ADA KIT HUNTER	1	Salt Lake	\$1,000.00
UE2390	2021531 HUNTER LOW	TAPER ADAPTOR KIT	1	Albuquerque	\$1,495.00
UE2391	2023871 LOW TAPER CONE	FLANGE PLATE MOUNT 40MM	1	Denver	\$1,295.00
UE2394	AF10 JOHNDOW EUROVENT	FAN 1.5 HP 220V	1	Salt Lake	\$995.00
UE2401	I0 CONSIGNMENT PALETEK	COMPRESSOR 460V 20HP 3PH	1	Denver	\$6,500.00
UE2402	03 EM3311T BALDOR MOTOR	213T 7.5HP 208V 230V	1	Denver	\$611.08
UE2403	09 5.1 JOHN BEAN	BALANCER 115 VOLTS 6 AMP	1	Denver	\$1,795.00
UE2404	08 NEW 20-2322-1 FRONT M	CONE STORAGE KIT HUNTER	1	Denver	\$200.00
UE2415	4B 256215 GRACO LDM5	ELECTRONIC METER, RIGID	1	Denver	\$275.00
UE2418	7H MTRF FOLDING TIRE	RACK FO TRK & BUS	1	Albuquerque	\$399.95
UE2420	08 JBC WHEEL LIFT FOR	BFH 1000, BFH 800 &	1	Denver	\$995.00
UE2423	08 1048DL TPMS FORD BAND	BANDED SENSOR LOW PRESS	4	Denver	\$20.00
UE2429	08 85606689 USED LEVER-	LESS POWER DUCKHEAD BEAD	1	Denver	\$1,995.00
UE2433	I5 USED QT7.5 GAS	COMPRESSOR 7.5HP 30GAL	1	Denver	\$1,900.00
UE2434	120 USED M2531T BALDOR	MOTOR 284T 25HP 230V	1	Denver	\$1,500.00
UE2440	120 USED 11510T BALDOR M	7.5HP 230 VOLT	1	Denver	\$911.00
UE2441	120 USED EM4103T-8	BALDOR MOTOR 284T 25HP	1	Denver	\$2,585.00
UE2442	120 USED M3313T BALDOR	MOTOR 215T 10HP 230V	1	Denver	\$435.00
UE2445	A0 CONSIGNMENT QGB20	COMPRESSOR 480V 20HP 3PH	1	Denver	\$15,000.00
UE2447	04 NEW RJ7000 ROLLING	JACK FOR ROTARY 4 POST	1	Salt Lake	\$2,480.00
UE2448	08 RJ9000-1 NEW	ROLLING JACK 9K SM181	2	Denver	\$2,774.00
UE2450	08 NEW T110555 ROTARY	SHOCKWAVE INGROUND	2	Denver	\$4,500.00
UE2452	08 NEW 131584A 5HP & 7HP	AIR COOLED COOLER 29CFM	1	Denver	\$743.67
UE2457	08 NEW DHW20 DRYER 20CFM	115V 1PH 1/2" W/ FILTER	1	Denver	\$1,399.00
UE2465	06 NEW DB-24MD & 20-24W	ALIGN STAND W/ ROLLERS	1	Denver	\$2,120.59
UE2467	06 NEW NXB-8 COMPRESSOR	460V 10HP 3 PH FS CURTIS	1	Denver	\$6,999.00
UE2472	08 ALEXEBK FRONT EXT.	FITS PRO CYCLE REG & DT	1	Denver	\$100.00
UE2473	08 NEW 910005B 10 TON	NORCO PORTA PULL	1	Denver	\$500.00
UE2474	08 NEW AL1BKD	MOTORCYCLE LIFT	1	Denver	\$595.00
UE2478	4H CP7782SP6 REPAIRED CP	#5 SPLINE IMPACT	1	Salt Lake	\$387.20
UE2491	08 NEW CP 4-SA412 SELF-	CONTAINED FRL KIT	1	Denver	\$658.75

UE2448



UE2234



UE2478



UE2474



UE2161



UE2433



UE2265



Good!**60X_H1****STEP UP****Best!****70X_3****STEP UP****For High
End Wheels!****90X_HL**

- Swing Arm Design
- Air or 110v Electric Motor
- Built-in Water Separator (Air)
- 6"-24" External Clamping Range
- Metal Clamps
- Hand Actuated Bead Loosener
- Single Point Sealer
- Extended Warranty
- Patented Robo-Arm®
- Metal and Plastic Duckhead

- Swing Arm Design
- Air or 110v Electric Motor
- Built-in Water Separator (Air)
- 6"-24" External Clamping Range
- Single Point Sealer
- Extended Warranty
- Patented Robo-Arm
- Grip Max® Plus Clamps
- Hand or Foot Actuated Bead Loosener
- Hybrid & Plastic Duckhead®
- MBD Duckhead Roller Combo
- Storage Cabinet

- Swing Arm Design
- Air or 2 Speed 110v Electric Motor
- Built-in Water Separator (Air)
- Hand Actuated Bead Loosener
- Single Point Sealer
- Extended Warranty
- Patented Robo-Arm®
- RoboRoller® (Right Side)
- Storage Cabinet
- Hybrid Leverless Duckhead®
- 6"-28" Ext. Clamping Range
- Grip Max® Plus Clamps & Extended

New COATS Tiltback Tire Changers!

An innovative tiltback design, built with the legendary reliability and durability of the Coats brand that you have come to rely on.

These rigidly built machines are capable of servicing tires from 6 to 24 inches in diameter. Built-in features increase the convenience of having all the power you need in one useful machine.

Reliable. Durable.
Up for the task.
Coats' version
of the tiltback tire
changer.



(GTS70 pictured)

Powered Roller Disk (GTS-70 & GTS-60)

Multiple uses include: Bead loosening, TPMS access, bottom bead removal and top bead mounting. This utility assist tool makes changing even the most difficult assemblies fast and easy.

Robo-Assist

Provides direct pressure on the tire sidewall to create a bead lock and keep the bead in the drop center during the tire mounting process.

Coats Duckhead® Mount/Demount Tool

All models in the GTS Series come with the metal duckhead. The GTS-70 model also comes with the plastic duckhead.



Tire Changer Duckhead Specials!

Plastic Duckhead Kit

Part # 183061

444-01220

Special
\$26.85


Grey Plastic High Spoke Mount/Demount Duckhead® Tool

For Coats 50X and 70X machines
Part #184432

\$34.95

Head, Mount/Demount, Polymer - Red

Hunter TC3250/3500
(1 ea.) Part #2216752

\$18.95 ea.

Drop Center Tool

Part # 435685

402-72100

Special
\$39.95


A Must for "V" & "Z" Rated Tires

8560716108
Replacement black grip for new style Grip Max
Plus **\$39.97**
(8 each)

8500059408 Replacement white grip for old style Grip Max
\$39.86
(8 each)

Plastic Inserts for 182788 Metal Mount/Demount Head (Pkg of 2)
Model 182961
444-82788

\$6.53

Plastic Inserts for 182788 Metal Mount/Demount Head (Pkg. of 12)
Model 182963
444-82963

\$23.04

Mount - Demount Tools

Part # 85609418
444-00768

Special
\$112.49


For All Center- Post Tire Changers

Part # 181354
444-81354

Special
\$34.95

For All Rim Clamp/Tire Changers



5500 Low Profile Bead Lever Tool **Now \$49.95**

Designed by technicians to assist with hard to change low profile tires. The easy grip ergonomically designed handle allows the user needed leverage for the toughest of sidewalls while remaining a safe distance from the face of the wheel.



Plastic Handled Brass Sidewall Brush

- Densely packed brass bristles
- Great for cleaning white sidewall tires



Wooden Handled Wire Brush with Metal Scraper



Ascot No.	McGee No.	Description	Price
395-13124	99593	8" Plastic Handled Brass Sidewall Brush	\$4.57
535-00150	25150	14" Wooden Handled Wire Brush	\$4.95

For Coats 50X and 70X
Part # 182788

\$99.00
Hunter TC500 Series (1 ea.)
Part #RP118314813

\$33.00 ea.

Coat 85608959

Hybrid Duckhead Mount/Demount Head

The Coats Hybrid Duckhead Mount/Demount Head is a two piece design that combines the advantages of the traditional plastic and metal mount/demount heads into a no compromise mount/demount device exclusive to Coats Tire Changers.


\$134.98

Coats 8560896106
Hybrid Duckhead Tail
\$79.57 6 pk

\$13.91

Coats Replacement Tire Changer Air Hose

Coats Replacement Tire Changer Air Hose with Euro Chuck
Part # W44RJ5

Coats® Rim Clamp® Wheel Protection Accessories

\$35.26/pkg

444-83604 (Package of 10)
183604 Quilted Clamp Sock

444-83606 (Package of 2)
183606 BL Shoe Sock

\$28.66/pkg

- Decrease the chance of damaging expensive alloy wheels by putting a "sock" over three Rim Clamp action points and eliminate metal to metal contact.
- Put your profits into the bank, not into replacing alloy wheels.
- The above socks fit all COATS Rim Clamp models.

Part # 108397
444-08397

Mount End

Special
\$1.76 ea.

Part # 108398
444-08398

Demount End

Special
\$1.76 ea.


Tire Changer Lube Bottles And Swabs



844-16572



844-16259



Ascot No.	McGee No.	Description	Price
844-16572	106572	Lube Bottle. Center-Post. Fits 4040, 4040SA and 4050	\$9.95
844-16259	106259	Lube Bottle. Rim Clamp®. Fits RC-15, RC-20, 5060, 5070, 50X and 70X Tire Changers	\$8.95
000491	437-00491	Lube Swab - 11 inch	\$1.49
TS3	437-00003	Lube Swab - 18 inch	\$3.71

ProCollet Kit 40mm

- Two-sided, low taper collets - 9 each
- Standard cone upgrade
- Low taper provides improved centering at wheel hub for more accurate balancing results
- Clad wheel Problem Solver

Now \$595.00

Ascot No.	Mfg. No.	Description
483-40110	HW150 400 110	ProCollet Kit 40mm shaft, 52.5mm - 122mm range

483-40110
ProCollet Kit 40mm

The Low-Taper Collets are superior to standard cones because they have more contact area and engage the wheel at a better angle; they are also necessary for Clad Wheels because they are shorter and only contact the metal part of the wheel. They can be used for "standard" wheels as a replacement for the cones.

In Stock — Call for best price!**Light Truck Cone Kit**
#113276 482-11559 28mm**\$293.60**

Allows balancing truck wheels with center holes from $4\frac{13}{16}$ " to $6\frac{7}{8}$ ". Used on rims with an alignment pin on the back. Double-sided cone fits all Coats balancers

40mm - 48340091 or 113277

**\$28.95****Model #61123**
482-89011

Balancer Calipers

Works on any passenger balancer. Equal to Coats 61123 or 309011

\$163.77

Part #85009998 08 40mm I.D. - Shaft, Hubnuts, & Press Drum

Nut-Slide, 2 Jaw, 40mm w/drum, for use on 700-1250 models with 40mm shaft

\$89.95**Model #112103**

40mm I.D. - Shaft, Hubnuts, & Press Drum

Hub Nut, Handle, Solid, 45mm for standard thread pitch (not for XR-Series) 28mm - 110543

\$238.00

8500920401 Balancer Shaft 40mm Balancer Shaft for 850, 950, 1050, 1055, 1250, XR, & 1150 Models

Steel ProGrip Quick Nut with Handles and Pressure Cup

483-40806

HW124408006
\$238.36**HUNTER. COATS**

All Hunter Models exc 700 and DSP9500 90-92; All Coats Models Quick Nut Only

Coats Models 700, 775, 800, 825, 850, 875, 925, 950, 1000, 1025, 1030, 1035, 1175, 1250, 1255 (40mm shaft upgrade), 6275HS

Slide Cover for Bead Lifting Tool

Protects custom rims.

85000783 - Slide Cover for Top of Bead Coats Lifting Tool - 10 pk **\$34.49**

85000783

RP640032 - 4 pk for Hunter tire machines Lever sleeve protector **\$34.24**107985 Air Gauge for most Coats tire changers including 70X **\$39.95**

107985

Coats Leverless DuckHead®

Coats Leverless DuckHead® hook and tail booties provide the proper rim protection for all leverless DuckHead® systems. 89233409 6 hooks, 2 tails **\$97.74**



Pictured: PN 89233409

High Grip Jaw Protectors

Polymer jaw covers prevent metal-to-metal contact when performing external clamping. - TC500 Series Machine RP11811100358 - 8 ea. - **\$78.93**



Call today
for best
prices!

1-800-
525-8888



- Extended 3 year warranty



1400

STEP UP

1500

STEP UP

1600

- Direct Drive Motor
- Laser Guided Tape-A-Weight Operation
- Automatic Data Entry (Distance/ Diameter)
- Side Shadow Board with Basic Pro Kit
- Auto Start Hood
- Static-On-Screen
- New Display Mounting Bracket

- Direct Drive Motor
- Laser Guided Tape-A-Weight
- Side Shadow Board with Basic Pro Kit
- Auto Start Hood
- Static-On-Screen
- New Display Mounting Bracket
- Automatic Data Entry (Distance/ Diameter/Width)
- 12 o'clock Inboard Laser
- Stop, Lock & Index

- Direct Drive Motor
- Laser Guided Tape-A-Weight
- Automatic Data Entry (Distance/ Diameter/Width)
- Side Shadow Board with Basic Pro Kit
- Auto Start Hood
- New Display Mounting Bracket
- 12 o'clock Inboard Laser
- Stop, Lock & Index
- ProBalance Technology™
- Touchscreen

Powered by Direct Drive

- Motor and spindle re combined into single, pre-balanced assembly that always stays calibrated to zero.

Laser Guided Operation

- Pinpoints the exact weight location, both radially and axially and eliminates trial and error.

Limited Quantity! 1100 balancers

\$3,595.00

Coats 1100 Series

All Coats 1100 Series Balancers come fully equipped with the following:

DIRECT BALANCING MODE SELECTION

Choose weight locations quickly, with the touch of a button.

MULTIPLE BALANCING MODES

Dynamic with simultaneous static, four standard alloy options and truck mode.

AUTO START HOOD

Blazing fast balancing cycle begins when you lower the hood.

REDESIGNED USER INTERFACE

Optimized for speed and simplicity.

DUAL OPERATOR MODE

The 1100 Series saves the vehicle data for two operators, maximizing shop work flow.

MATCH BALANCE

Determines the optimal position of the tire on the rim to minimize corrective weight.



Basic adapters
package
included with
1100 models

Quincy QT® Compressors "Rated #1"



Meticulously designed for maximum productivity. Completely rebuildable with stainless steel valves and heavy duty cast iron crank case and cylinders. Leading the industry with the most CFM per brake horse-power. Includes ASME receiver, enclosed belt guard, EPAct high efficiency motor, and loadless auto stop/start.

Part No.	HP	Electric Spec.	ACFM at 175 PSI	Tank Size	Tank Style	Price
251CS80VCB1MAG	5	230V, 1ph	17.2	80	vert.	\$2,295
271CS80VCB1MAG	7.5	230V, 1ph	22.6	80	vert.	\$2,495
P2103DS12VCB3MAG	10	230V, 3ph	35	120	horz.	\$3,695

5-Year Warranty Program



- Quincy's True Blue 5-Year Warranty
- Register unit within 10 days after purchase to activate warranty
- Purchase and use genuine Quincy filters and lubricant during the warranty period. (Proof of purchase required)
- Receive a 5-year limited warranty on the compressor.
- Receive a 2-year limited warranty on the package.
- Motors and engines are warranted by the original manufacturer.



QGS-7.5 High Performance Series 101-10000

Quiet Rotary Screw Air Compressors

- Quiet operation - lowest noise levels available
- 100% continuous duty operation
- Compact design in a complete package
- Simple and low cost maintenance
- Clean dry air
- Lower operating costs
- Proven design by a world leader in compressor technology
- 21.2 cfm @ 150 psi
- 208/230/460 - 3 ph



Pictured with dryer

5HP to 15HP Available
(5HP and 7.5HP Available 220V.1Ph.)

QGS7.5 - 3 ph \$5,149.00
QGS753 + Freight

Lubricants

McGee Company stocks a variety of lubricants in various weights to fit your needs. As summer approaches and your compressor heats up as well, make sure you have the appropriate weight lubricant in your system to protect against high temperatures and frictional wear of bearings and cylinders that reduces the life of your compressor. McGee Company carries Quincy specific Quin-Cip/Quin-Syn through our house brand.



Part No.	Description	Price	Appl.
112541G032	10 weight gal.	\$29.95	cold
112542G068	20 weight gal.	\$29.95	warm
112543G100	30 weight gal.	\$31.85	hot

Champion Gas Powered Compressor

Now \$2,395.00!

Heavy Duty 13HP
Honda engine, 2 stage
compressor, 23.2 CFM
at 175 PSI!

Model HGR73H

Champion Gasoline Air Compressors

- Truck Bed Mountable, ideal for Field Service Applications
- Heavy Duty Two-Stage Compressors
- V-Belt Drive with Totally Enclosed Belt Guard
- Centrifugal unloader for loadless start prolongs motor life
- Gasketless Design
- Vibration Isolators Included on 30 gallon models
- **Each new assembled unit comes with a five-year limited warranty**



Quincy Condensate Purifiers

Commercial and industrial sites have struggled with how to properly dispose of hazardous condensate waste for years. Section 309 of Federal Water Pollution Control Act provides for significant fines.

Quincy models are:

- High efficiency
- Easy to service
- Meet EPA standards
- Light weight



McGee No.	Price
QCS100	\$471.99
QCS450	\$1,198.99
QCS900	\$2,130.99


Don't forget lubricators, regulators, filters or combos to keep your system running properly!



ELIMINATE WATER!

Where Water Comes From

The atmospheric air entering a compressor intake contains water vapor. Because of the effects of compression, most of this water vapor turns into troublesome liquid water in your air lines.



HPR15	Hankison Dryer For 5 HP Compressor	115 V	\$749.00
HPR25	Hankison Dryer For 7 1/2 HP Compressor	115 V	\$995.00
HPR35	Hankison Dryer For 10 HP Compressor	115 V	\$1,295.00

Recover, Recycle, Recharge Machine

For R-134a & Hybrid Vehicles
ROB 34788NI-H

- Recover, recycle, evacuate, leak-test and recharge R-134a with 98.5% recovery
- Large graphical display
- Save & print before and after service data
- Visual & audible alarm notifies if service is incomplete
- Automatic air purge

ROBINAIR
AN SPX BRAND

\$3,895.00



Motor Vac - CPS FX Series Refrigerant Management Center

CPS Automotive proudly presents the latest in ease and endurance with its FX Series line of Refrigerant Management Centers that quickly and efficiently recover, recycle, and recharge automotive AC systems.

- 7" color touch screen control panel
- 1-2-5 Warranty
- Dual handle bars/hose drapes
- Displays maximum load up to 220 lbs. (up to 100 kg)
- Foam-filled wheels
- Refrigerant Management System monitors filter life and refrigerant usage
- Patented unique, fast and complete refrigerant change over system

**FX 134A
For R134A & Hybrid
Vehicles**

**Call for best
price!
800-525-8888
In stock!**



Recharge 134A

- The Cool-Tech 34288 combines simple operation with superior accuracy. It recovers, recycles, evacuates, leak tests, and recharges R-134A quickly and accurately
- Meets SAE J-2788 standards for accuracy: 95% refrigerant recovery and charging to +/- 1/2 oz.

Other features and functions:

- Automatic air purge
- Refrigerant charging
- Refrigerant management
- Vacuum function
- New 4x20 multilingual display
- Weight: 232 lbs.



**Model
34288**

CPS Advanced Dual Gas Refrigerant Management Center - SAE J3030 - FX3030

CPS Automotive proudly presents the latest in ease and endurance with its FX series line of Refrigerant Management Centers that quickly and efficiently recover, recycle, and recharge automotive AC systems.

Features

- 7" color touch screen control panel
- Patented motor-controlled ball valves
- Patented oil-less compressor
- 1-2-5 warranty
- All new ergonomic design
- Displays maximum load up to 220 lbs. (up to 100 kg)
- Refrigerant Management System monitors filter life and refrigerant usage
- Certified to meet SAE J3030 for use in R134a and R1234yf systems



Call for Price!

Oil Injector

Features and benefits:

- Can also be used for fluorescent dyes
- Just fill the barrel with the amount of oil needed (measurements are marked on the barrel body)
- Connect the injector fitting to the low side access port on the vehicle and press the plunger to deliver the oil charge
- Handy for adding dyes to A/C leak detection

ROBINAIR
AN SPX BRAND



16256
\$99.95



The World's Most Trusted Lift . . .

Since 1925, Rotary Lift has built quality in to everything we do. As the oldest U.S. lift manufacturer, our lifts are built and cycle tested for years of trouble-free service and ALI certification. Rotary lifts are backed by full warranty & supported by McGee Company.



SHOCKWAVE equipped lifts

- 2X Faster rise and descent than standard lifts
- DC powered which reduces installation/operating costs
- Two standard Group 24 batteries charged by the 110v that runs the lift removes the need for expensive 220v wiring and can operate during power loss
- Spotline motion activated laser helps spot vehicles the first time
- Available on lifts from 7,000-12,000 lbs



SPOA10

Two-post lifts

- Original "Double S" single piece column design maximizing strength
- Slider block bearings of Tivar 1000 polyethylene that self-lubricate and are maintenance free
- Overhead padded switch bar
- Adjustable height options with column extensions
- Asymmetrical and symmetrical designs to suit your needs
- Trio three stage arms for asymmetrical lifts
- Shockwave (10,000-12,000lbs) and standard (10,000-18,000lbs) configuration available in two-post
- Multi-position column locks

All new Trio

2-piece, 3-stage arms

Integrated, patented "third" stage adapter adjustment easily slides to a pinpoint location



SL210

Inground Smartlifts

- 10,000-12,000 lbs capacity models available
- High efficiency power and air per lifting cycle, selected in key LEED projects
- Reduces space usage and allows more lifts
- Trio three stage arms for pinpoint location
- Shockwave or standard available

Smartlift Green Features

- Uses only 19 quarts "Bio-Fluid"
- An entirely closed system housed in a recycled polymer composite containment which protects the environment and the lift
- The Smartlift uses only .045 kWh of electricity and .01 cfm of air per lifting cycle
- Steel components and housing can be harvested and recycled again at the end of the lift's lifecycle



ARO14 Alignment lift

- Available in open or closed front in shockwave or standard
- 14,000 lbs capacity
- Rise to over 78", industry best, for extra work area under the vehicle
- Louvered ramps with polymer rollers for increased traction and floor protection
- Extended length model available



ARO14



RJ7000Z
Rolling Jacks
Available!

78" Rise



RLP77

RLP77 Double Scissor Lift

- 7,700 lbs capacity drive over pad service lift
- Low profile double scissor designed with the industry's most innovative equalization & locking systems
- Hinged ramps drop down to a 65 angle for easy access to wheel service
- Flush mount kit available!



Mach Flex Mobile Column Lifts

- New higher column capacity 18,800 lbs
- Easy to use intuitive remote control operation
- Control all columns from anywhere in the bay with remote that comes with columns
- Includes LockLight™ on each column
- Vehicle Height and Weight digital display gauges

**2, 4, 6, & 8 column
configurations
available!**



Our experts can help you design your air piping systems, lift installations, and lubrication systems to fit your needs.

Wheel Arm for lifts

\$149.95

- 100 lbs Capacity
- Set of two arms
- Comes with 2 magnetic tool trays, hex key, and mounting shims



Wheel arms hold tires at the lift arm height -- great for tire rotations and brake jobs



92100



Two trays, hex key, and mounting shims included!



LOCK ENGAGED

LOCK NOT ENGAGED



Each **LOCKLIGHT™** includes:

- Indicator light assembly
- Pressure switch
- Mounting Bracket
- 10' of electrical wire

Part #FA834/110v

Part #FA835/220v



- Compatible with most surface and inground lifts using electric/hydraulic power units
- Retrofits to most existing lifts
- 110v and 220v configurations

Before any under vehicle service is performed by a technician, a lift should be set securely on its mechanical locks. But this doesn't always happen. Improper use can result in injuries and fines from agencies like OSHA and CCOHS. Either way, misuse of a lift's integrated locking system presents a major risk to a shop.

Norco 1/2 ton transmission Jack

- Fully adjustable universal saddle with adjustable corner brackets and safety chain, 72" raised height
- Safety overload system prevents jack from being used beyond rated capacity
- Foot operated pump and lowering pedals
- Two-stage flash chromed rams inhibit rust from entering hydraulic system
- Wide base with polyurethane wheels to protect floors.



72500E\$944.97

Air/Electric Utility Boxes

- Two 110v electric outlets and air connections mount easily to any column and provide quick access to utilities.
- The filter/regulator/lubricator extends the life of your airtools.



FA5911BK (with filter/regulator/lubricator)\$459.17

FA5910BK (without filter/regulator/lubricator)\$363.00

Door Defender™

Rotary's new door defender allows technicians to easily enter and exit the vehicle without damaging their customer's vehicles. The door defender is a low profile solid rubber guard designed to fit over the two-post lift carriage. The N823 door defender kit includes: 1 door defender, adhesive to attach to the lift, a Rotary decal and instructions.

Model#N823



Norco under hoist stand 3/4 ton

- Lightweight, slender design makes handling easy, even in close quarters
- Quick adjust spin handle with thrust bearing eliminates wear and provides ease of turning under load
- Extended height 81"



81033A ~ \$91.34

Featuring Pro-Cut, Hunter, and Ammco lathes!


**PFM 9.2 DRO
On-Car Brake Lathe**

- The most popular on-car lathe among OEMS.
- Can complete cut of a rotor in an average of 8 minutes.
- Designed for shops servicing cars through medium trucks.

DRO:

Constant live run-out readings to show and confirm lathe accuracy

Disk Lock Trolley


Disk lock system with dual sealed bearings allows zero gravity movement with full lock-down capability!

Free Demo


Call 800-525-8888
for configuration details



Speed-Lock Cutting Head
All new cutting head can be moved and set with one hand!



**Also available - the A10 Warthog designed to handle
any vehicle up through many medium duty trucks**

**BITS — AMMCO, HUNTER,
PRO-CUT, ACCUTURN**
Silencers

Ascot No.	Part No.	Description	Sale Price
418-40410	940410	Carbide Insert, Pos. Rake, for FMC1 Lathes, 10pk.	\$36.94
418-40415	940415	Carbide Insert, Pos. Rake, for Kwik-Way2 Lathes, 10pk.	\$56.46
418-40420	940420	Carbide Insert, Neg. Rake, for HUNTER3 Lathes, 10pk.	\$28.24
418-40430	940430	Carbide Insert, Neg. Rake, for PERFORMANCE4 Lathes, 10pk.	\$21.73
418-40435	940435	Carbide Insert, Pos. Rake, for ACCUTURN5 Lathes, 10pk.	\$44.09
418-16263	2216263	Carbide Insert for Hunter OCL 360 on the car lathe, 10pk.	\$80.85
418-06914	691410	Carbide Insert, Negative Rake AMMCO lathes, 10pk., 1000, 2002, 3000, 4000, 4100, 7000, 7700	\$21.70
418-69186	69186	Carbide Insert, Positive Rake, AMMCO 3850 Lathe, 6pk.	\$32.93
418-06910	06910	Carbide Insert for Pro Cut On-The-Car Lathe, 10pk.	\$31.21


Drum & Rotor Silencers

Ascot #	Part #	AMMCO Description	Price
416-05280	5280	Silencer Band - Drum 1-3/4"	\$28.36
416-05290	5290	Silencer Band - Drum 2-3/4" Truck Drums	\$39.33
416-06920	6920	Silencer Band - Ventilated Rotor	\$20.14
416-06921	6921	Silencer Band - Non-Vented Rotor 6.5" (Pkg 2)	\$6.80
416-06922	6922	Silencer Band - Non-Vented Rotor 9.250" (Pkg 2)	\$6.80
416-06930	6930AM	Silencer Band - Rotor - Heavy Duty. Ventilated	\$47.74
416-07075	7075	Rotor Friction Silencer for 2002, 4000, 4100, 7000	\$245.31
417-08500	8500	Drum Micrometer	\$378.91
416-08756	8756	Abrasive pads for 8750	\$14.09
416-09183	9183	Replacement Pressure Pads - Non-Asbestos (Pkg 2)	\$11.57
416-09800	9800	Silencer Assembly - Spring - Vented - Rotor	\$29.11

**Now! 06610 round bits
Faster turn!**

Round Carbide Bits for all Tool, Ammco, Hunter BL500 series, Performance and Rels lathes.

Use with 06700 holder. **\$94.34**



06610 - \$46.71

**Why pay for propellant?****Sure-Shot Sprayer**

Great way to dispense brake cleaner and other chemicals. To operate, load liquid and pressurize with air chuck. Easy!



Ascot #	McGee #	Description	Price
632-02400	2000	1 Qt Rust Resistant Chrome Plated Brass Tank	\$89.65
	KM10	Repair Kit for 2000	\$30.30

Pro Park 8 Plus

PP8P

\$2,495.00



PROPARKS include

- Jack tray
- Caster kit (polyurethane)
- 4 drip trays
- Power unit 110v 1HP

X-Force UTV

FR2275P000BL

\$2,495.00

- Perfect for UTVs, motor-cycles, golf carts, etc.
- 85" table length with ramps
- Diamond plate surface
- Powder coated
- Hydraulic operated/conventional pedestal mounted controls



Make sure your lift is Gold Certified!

Direct-Lift's Pro Park series four-post lifts are now ALI Certified. It takes a combination of the design, engineering excellence and quality manufacturing to earn this certification. It is extra assurance for you that your lift meets the highest industry safety and performance standards. Look for the Gold label.



Pro Park 8S

PP8S

GOLD CERTIFIED
8,000 LB. CAPACITY

72" Lifting
Height

\$2,195.00

F.O.B. Factory



**VERSATILE TOOL FOR AUTO
LIFT AND STORAGE NEEDS**

Pro-Park Lift Features:

- Exclusive adjustable lock ladder leveling system
- ALI/ETL Certified
- Powder coat finish
- Single point lock release
- Steel approach ramps included



Prebuilt Garage Kits!

\$104.99
GARAGE KIT 1
20 ft
1 outlet
1/2" (16 mm)
190 PSI pressure rate

*Additional fittings and
pipe available*

\$164.99
GARAGE KIT 2
50 ft
2 outlets
1/2" (16 mm)
190 PSI pressure rate

\$194.99
GARAGE KIT 3
75 ft
3 outlets
1/2" (16 mm)
190 PSI pressure rate

Professional compressed air piping system for your GARAGE and your SHOP!



8 gallon oil lift drain

- Reinforced base will not warp with hot oil
- Wide working range from 36.5-74"
- Low center of gravity for increased stability
- 4 swiveling, easy roll wheels
- Heavy adjustment clamp with large handle and large pour spout that is threaded.
- Built-in strainer with funnel

11102
\$120.37

700 lbs Telescopic Transmission Jack



- Economical single stage ram design
- Adjustable saddle
- Large 360 swivel casters
- Safety overload system

AFF2145
\$299.99

Low Height	High Height	F/R Tilt	Head Width
53"	73"	12	10-14"

**Call today for
details!**
1-800-525-8888



McGee Company
1140 South Jason Street
Denver CO 80223

PRSRT STD
U.S. POSTAGE
PAID
DENVER, CO
PERMIT NO 1772

ATTN: ROUTE TO SERVICE DEPARTMENT

©2017 McGee Company, Denver, Colorado

McGeeCompany.com • 1-800-525-8888

Coats Special ~ \$6,695.00

60XEH1

- Swing Arm Design
- Air or 110v Electric Motor
- Built-in Water Separator (Air)
- 6"-24" External Clamping Range
- Metal Clamps
- Hand Actuated Bead Loosener
- Single Point Sealer
- Extended Warranty
- Patented Robo-Arm®
- Metal and Plastic Duckhead



Limited
Quantity!
In Stock

MacPherson Strut Spring Compressor

The new Model 7600 has all the features you expect from Branick and more. It's the new answer for all your strut work. The 7600 can handle the heaviest coil-over-shocks, the Ford F-150 and even the Toyota RAV-4 without need for additional adaptors.

Extra long springs? Bring 'em on! Long, short, narrow or angled, the 7600 will easily do the job! And we're listening too... We opened up the front for easier access and added longer handles for extra torque. We also have an optimal benchmount and mobile cart.



SPECIAL \$719.00 (Stand sold separately)

**Quincy QT® Compressors
"Rated #1"**



Meticulously designed for maximum productivity. Completely rebuildable with stainless steel valves and heavy duty cast iron crank case and cylinders. Leading the industry with the most CFM per brake horse-power. Includes ASME receiver, enclosed belt guard, EPA high efficiency motor, and load-less auto stop/start.

Part No.	HP	Electric Spec.	ACFM at 175 PSI	Tank Size	Tank Style	Price
251CS80VCB1MAG	5	230V, 1ph	17.2	80	vert.	\$2,295
271CS80VCB1MAG	7.5	230V, 1ph	22.6	80	vert.	\$2,495
P2103DS12VCB3MAG	10	230V, 3ph	35	120	horz.	\$3,695

5-Year Warranty Program



- Quincy's True Blue 5-Year Warranty
- Register unit within 10 days after purchase to activate warranty
- Purchase and use genuine Quincy filters and lubricant during the warranty period. (Proof of purchase required)
- Receive a 5-year limited warranty on the compressor.
- Receive a 2-year limited warranty on the package.
- Motors and engines are warranted by the original manufacturer.



**LUBRICATION SPECIALISTS
CALL TODAY ~ 800-525-8888
30+ YEARS EXPERIENCE!**



**Fireball
Pumps**

**Air
Diaphragm
Pumps**



**Enclosed and Open Reels
Lightweight,
Electronic Meters**

