# Safety Data Sheet

Issue Date: 09-Jun-2015	Revision Date:	20-Jun-2016	Version 1		
1. IDENTIFICATION					
<u>Product Identifier</u> Product Name	Flammable Chemical Vulcanizing Cement, Flammable Chemical Vulcanizing Cement Fast Dry, Flammable Chemical Vulcanizing Cement Blue, Flammable Chemical Vulcanizing Cement Heavy Duty Blue, Flammable Chemical Vulcanizing Cement Fast Dry Blue, Clear Fast Dry Cement, Blue Fast Dry Cement				
Other means of identification SDS #	ELG-006				
Product Code	Catalog Numbers: 1-654, 1-655, 1-656, 1-657, 1-658, 2-654, 2-655, 2-656, 2-657, 2-658, 4-654, 4-655, 4-656, 4-657, 4-658, 1-664, 1-665, 1-666, 1-667, 1-668, 2-664, 2-665, 2-667, 2-668, 4-664, 4-665, 4-666, 4-667, 4-668, 1-674, 1-675, 1-676, 1-677, 1-678, 2-674, 2-675, 2-676, 2-677, 2-678, 4-674, 4-675, 4-676, 4-677, 4-678, 1-700, 1-701, 1-702, 1-703, 1-704, 2-700, 2-701, 2-702, 2-703, 2-704, 4-700, 4-701, 4-702, 4-703, 4-704, 1-644, 1-645, 1-646, 1-647, 1-648, 2-644, 2-645, 2-646, 2-647, 2-648, 4-644, 4-645, 4-646, 4-647, 4-648, CH20, CH21, CH22, CH23, CH24, WCH20, WCH21, WCH22, WCH23, WCH24, ASV8, ASV32, ASV8BL, ASV32BL, ASV8BLHD, ASV32BLHD				
UN/ID No	UN1133				
<u>Recommended use of the chemica</u> Recommended Use	l and restrictions on use Rubber adhesive.				
Details of the supplier of the safety Supplier Address ELGI Rubber Company, LLC 600 N. Magnolia Ave. Luling, TX 78648 Ph: 830-875-5539	data sheet				
Emergency Telephone Number Emergency Telephone (24 hr)	INFOTRAC 1-352-323-35 1-800-535-5053 (North /				
	2. HAZARDS II	DENTIFICATION			
Appearance Blue high viscosity liqu	uid Physical s	<b>tate</b> Liquid	Odor Petrolic		
Skin corrosion/irritation Serious eye damage/eye irritation			Category 2 Category 2		
Skin sensitization Germ cell mutagenicity			Category 1 Category 2		
Carcinogenicity			Category 1A		
Specific target organ toxicity (single e	xposure)		Category 3		
Aspiration toxicity	1 - 1		Category 1		
Flammable Liquids			Category 2		
Hazards Not Otherwise Classified (	HNOC)				

May be harmful in contact with skin

<u>Signal Word</u> Danger

# Hazard statements

Causes skin irritation Causes serious eye irritation May cause an allergic skin reaction Suspected of causing genetic defects May cause cancer May cause drowsiness or dizziness May be fatal if swallowed and enters airways Highly flammable liguid and vapor



# **Precautionary Statements - Prevention**

Obtain special instructions before use Do not handle until all safety precautions have been read and understood Use personal protective equipment as required Wash face, hands and any exposed skin thoroughly after handling Avoid breathing dust/fume/gas/mist/vapors/spray Contaminated work clothing must not be allowed out of the workplace Use only outdoors or in a well-ventilated area Keep away from heat/sparks/open flames/hot surfaces. — No smoking Keep container tightly closed Ground/bond container and receiving equipment Use explosion-proof equipment Use only non-sparking tools Take precautionary measures against static discharge Keep cool Wear protective gloves/protective clothing/eye protection/face protection

# **Precautionary Statements - Response**

If exposed or concerned: Get medical advice/attention IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower If skin irritation or rash occurs: Get medical advice/attention Wash contaminated clothing before reuse IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician Do not induce vomiting IN CASE OF FIRE: Use CO2, dry chemical, or foam for extinction

# Precautionary Statements - Storage

Store locked up Store in a well-ventilated place. Keep container tightly closed

# Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

#### Other hazards

Very toxic to aquatic life with long lasting effects

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Weight-%
N-Heptane	142-82-5	85-95
Trichloroethylene	79-01-6	5-15
Zinc dibutyldithiocarbamate	136-23-2	0-2

\*\*If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.\*\*

# 4. FIRST AID MEASURES

First Aid Measures	
General Advice	Provide this SDS to medical personnel for treatment.
Eye Contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Skin Contact	Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse.
Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If symptoms persist, call a physician. If not breathing, give artificial respiration.
Ingestion	Do not induce vomiting. Immediately call a poison center or doctor/physician. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration.
Most important symptoms and effe	<u>cts</u>
Symptoms	Causes skin irritation. May be harmful in contact with skin. May cause an allergic skin reaction. Causes serious eye irritation. May cause pulmonary edema. May cause drowsiness or dizziness. Possible symptoms are irritation of the mucous membranes, dry

#### Indication of any immediate medical attention and special treatment needed

and loss of coordination.

Notes to Physician Treat symptomatically. Aspiration of material into the lungs due to vomiting can cause chemical pneumonitis which can be fatal. Epinephrine and other sympathomimetic drugs may initiate cardiac arrhythmias in persons exposed to high concentrations of hydrocarbon solvents. The use of other drugs with less arrhythmogenic potential should be considered. If sympathomimetic drugs are administered, observe for the development of cardiac arrhythmias.

cough and respiratory difficulty. Other symptoms may include dizziness, headache, nausea,

# **5. FIRE-FIGHTING MEASURES**

# Suitable Extinguishing Media

Water spray (fog). Alcohol resistant foam. Dry chemical. Carbon dioxide (CO2).

Unsuitable Extinguishing Media Do not use solid water streams.

#### Specific Hazards Arising from the Chemical

Highly flammable liquid and vapor. The liquid vapor may settle into low areas or may travel along the ground or surface to ignition sources where they might ignite or explode. Flash back possible over considerable distance.

Hazardous Combustion Products Carbon monoxide. Carbon dioxide (CO2).

#### Explosion Data

Sensitivity to Static Discharge Take precautionary measures against static discharge.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Use water spray to keep fire-exposed containers cool. Fight fire remotely due to the risk of explosion.

# 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Personal Precautions	Wear protective clothing as described in Section 8 of this safety data sheet. Evacuate personnel to safe areas. Remove all sources of ignition. Ensure adequate ventilation. Avoid breathing vapors or mists.
Environmental precautions	
Environmental precautions	Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See Section 12, Ecological Information.
Methods and material for containn	nent and cleaning up
Methods for Containment	Prevent further leakage or spillage if safe to do so. Prevent evaporation by covering with foam. Soak up and contain spill with an inert (i.e. vermiculite, dry sand or earth) absorbent material.
Methods for Clean-Up	Use only non-sparking tools. Place in properly labeled, sealed, non-leaking containers. Dispose of contents/container via a licensed waste disposal contractor. For waste disposal, see section 13 of the SDS.
	7. HANDLING AND STORAGE
Precautions for safe handling	
Advice on Sofe Handling	Obtain anagial instructions before use. Do not bandle until all asfaty processitions have been

Advice on Safe Handling Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Wash face, hands, and any exposed skin thoroughly after handling. Avoid breathing dust/fume/gas/mist/vapors/spray. Contaminated work clothing must not be allowed out of the workplace. Use only outdoors or in a well-ventilated area. Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Ground/bond container and receiving equipment. Use spark-proof tools and explosion-proof equipment. Take precautionary measures against static discharges. Keep cool. Wear protective gloves/protective clothing and eye/face protection.

# Conditions for safe storage, including any incompatibilities

Storage Conditions	Keep containers tightly closed in a cool, well-ventilated place. Store locked up. Heat sensitive-store under inert gas.
Incompatible Materials	Strong oxidizing agents.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
N-Heptane	STEL: 500 ppm	TWA: 500 ppm	IDLH: 750 ppm
142-82-5	TWA: 400 ppm	TWA: 2000 mg/m <sup>3</sup>	Ceiling: 440 ppm 15 min
		(vacated) TWA: 400 ppm	Ceiling: 1800 mg/m <sup>3</sup> 15 min
		(vacated) TWA: 1600 mg/m <sup>3</sup>	TWA: 85 ppm
		(vacated) STEL: 500 ppm	TWA: 350 mg/m <sup>3</sup>
		(vacated) STEL: 2000 mg/m <sup>3</sup>	_
Trichloroethylene	STEL: 25 ppm	TWA: 100 ppm	IDLH: 1000 ppm
79-01-6	TWA: 10 ppm	(vacated) TWA: 50 ppm	
		(vacated) TWA: 270 mg/m <sup>3</sup>	
		(vacated) STEL: 200 ppm	
		(vacated) STEL: 1080 mg/m <sup>3</sup>	
		Ceiling: 200 ppm	

# Appropriate engineering controls

Engineering Controls	Apply technical measures to comply with the occupational exposure limits. Showers Eyewash stations Ventilation systems. Explosion-proof general and local exhaust ventilation.	
Individual protection measures, su	ich as personal protective equipment	
Eye/Face Protection	Wear goggles or chemical safety glasses. Refer to 29 CFR 1910.133 for eye and face protection regulations.	
Skin and Body Protection	Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace. Refer to 29 CFR 1910.138 for appropriate skin and body protection.	
Respiratory Protection	If necessary, wear a MSHA/NIOSH-approved respirator. Refer to 29 CFR 1910.134 for respiratory protection requirements.	
General Hygiene Consideration	ns Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and immediately after handling the product.	

# 9. PHYSICAL AND CHEMICAL PROPERTIES

# Information on basic physical and chemical properties

Physical state Liquid

Appearance Color	Blue high viscosity liquid Blue	Odor Odor Threshold	Petrolic Not determined
<u>Property</u> pH	<u>Values</u> Not determined	Remarks • Method	
Melting Point/Freezing Point	-90.0 to -90.1 °C / -131.7 to - 130.3 °F		
Boiling Point/Boiling Range	98.1 to 98.7 °C / 208.5 to 209.6 °F		
Flash Point	-4.0 °C / 24.8 °F		
Evaporation Rate	4	(butyl acetate = 1)	
Flammability (Solid, Gas)	Not determined		
Flammability Limits in Air		Not applicable	
Upper Flammability Limits	7%		
Lower Flammability Limit	1.1%		
Vapor Pressure	110.7 hPa (83.0 mmHg) at 37.7 $\degree$ C		
	(99.9°F), 53.3 hPa (40.0 mmHg) at		
	20.0 ° C (68.0° F)		
Vapor Density	3.30	(Air=1)	
Relative Density	0.684 g/mL at 25°C (77°F)	(/ / )	
Water Solubility	Not determined		
Solubility in other solvents	Insoluble		
Partition Coefficient	log Pow > 3.000		
Auto-ignition Temperature	223.0 °C / 433.4 °F		
Decomposition Temperature	Not determined		
Kinematic Viscosity	Not determined		
Dynamic Viscosity	Not determined		
Explosive Properties	Not determined		
Oxidizing Properties	Not determined		
Other Information			
Molecular weight VOC Content (%)	100.2 g/mol N/A		

# **10. STABILITY AND REACTIVITY**

# Reactivity

Not reactive under normal conditions.

# **Chemical Stability**

Stable under recommended storage conditions.

# **Possibility of Hazardous Reactions**

None under normal processing.

#### **Conditions to Avoid** Heat, flames and sparks.

# **Incompatible Materials**

Strong oxidizing agents.

<u>Hazardous Decomposition Products</u> None known based on information supplied.

# **11. TOXICOLOGICAL INFORMATION**

# Information on likely routes of exposure

Product Information	
Eye Contact	Causes serious eye irritation.
Skin Contact	Causes skin irritation. May be harmful in contact with skin. May cause an allergic skin reaction.
Inhalation	May cause drowsiness or dizziness. May cause irritation to the mucous membranes and upper respiratory tract.
Ingestion	May be fatal if swallowed and enters airways. May cause gastrointestinal irritation, nausea, diarrhea, and vomiting.

# Component Information

Chemical Name	ATEmix (oral)	ATEmix (dermal)	Inhalation LC50	
N-Heptane 142-82-5	-	= 3000 mg/kg (Rabbit)	= 103 g/m <sup>3</sup> (Rat)4 h	
Trichloroethylene 79-01-6	= 4920 mg/kg (Rat)= 4290 mg/kg (Rat)	= 29000 mg/kg (Rabbit)> 20 g/kg (Rabbit)	= 26 mg/L (Rat)4 h	

# Information on physical, chemical and toxicological effects

**Symptoms** Please see section 4 of this SDS for symptoms.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization	May cause an allergic skin reaction.		
Germ cell mutagenicity	Suspected of causing genetic defects.		
Carcinogenicity	May cause cancer.		

Chemical Name	ACGIH	IARC	NTP	OSHA			
Trichloroethylene	A2	Group 1	Reasonably Anticipated	Х			
79-01-6							
Legend							
	nce of Governmental Industrial	Hygienists)					
	A2 - Suspected Human Carcinogen						
	IARC (International Agency for Research on Cancer) Group 1 - Carcinogenic to Humans						
	NTP (National Toxicology Program)						
	asonably Anticipated to be a Hur	nan Carcinogen					
· · ·	y and Health Administration of	the US Department of Labor)					
X - Present							
STOT - single exposi	May cause of	May cause drowsiness or dizziness.					
Aspiration hazard	May be fatal	May be fatal if swallowed and enters airways.					
Numerical measures of toxicity							
The following values are calculated based on chapter 3.1 of the GHS document							
ATEmix (oral)	28,600.00	mg/kg					
ATEmix (dermal)	3,085.00 n	na/ka					
ATEmix (inhalation-d	•	0 0					
	acciliacy of too mg/l	st or too myre					

# 12. ECOLOGICAL INFORMATION

# **Ecotoxicity**

Very toxic to aquatic life with long lasting effects.

# Component Information

Chemical Name	Algae/aquatic plants	Fish	Crustacea
N-Heptane 142-82-5		375.0: 96 h Cichlid fish mg/L LC50	10: 24 h Daphnia magna mg/L EC50
Trichloroethylene 79-01-6	175: 96 h Pseudokirchneriella subcapitata mg/L EC50 450: 96 h Desmodesmus subspicatus mg/L EC50	31.4 - 71.8: 96 h Pimephales promelas mg/L LC50 flow-through 39 - 54: 96 h Lepomis macrochirus mg/L LC50 static	2.2: 48 h Daphnia magna mg/L EC50
Zinc dibutyldithiocarbamate 136-23-2		520: 96 h Oncorhynchus mykiss mg/L LC50 880: 96 h Lepomis macrochirus mg/L LC50	0.74: 48 h Daphnia magna mg/L EC50

# Persistence/Degradability

Not determined.

# **Bioaccumulation**

Not determined.

# **Mobility**

Chemical Name	Partition Coefficient
N-Heptane 142-82-5	4.66
Trichloroethylene 79-01-6	2.29

# **Other Adverse Effects**

Not determined

# 13. DISPOSAL CONSIDERATIONS

# Waste Treatment Methods

Disposal of WastesWhatever cannot be saved for recovery or recycling should be managed in an appropriate<br/>and approved waste disposal facility. Processing, use or contamination of this product may<br/>change the waste management options. State and local disposal regulations may differ<br/>from federal disposal regulations. Dispose of container and unused contents in accordance<br/>with federal, state and local requirements.Contaminated PackagingDisposal should be in accordance with applicable regional, national and local laws and<br/>regulations.

# US EPA Waste Number

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	<b>RCRA - U Series Wastes</b>
Trichloroethylene	U228	Included in waste streams:	0.5 mg/L regulatory level	U228
79-01-6		F001, F002, F024, F025,		
		F039, K018, K019, K020		

Chemical Name	RCRA - Halogenated Organic Compounds	RCRA - P Series Wastes	RCRA - F Series Wastes	RCRA - K Series Wastes
Trichloroethylene	Category I - Volatiles		Toxic waste	

79-01-6	waste number F025
	Waste description:
	Condensed light ends, spent
	filters and filter aids, and
	spent desiccant wastes from
	the production of certain
	chlorinated aliphatic
	hydrocarbons, by free radical
	catalyzed processes.
	These chlorinated aliphatic
	hydrocarbons are those
	having carbon chain lengths
	ranging from one to and
	including five, with varying
	amounts and positions of
	chlorine substitution.

# California Hazardous Waste Status

Chemical Name	California Hazardous Waste Status
N-Heptane	Toxic
142-82-5	Ignitable
Trichloroethylene 79-01-6	Тохіс
Zinc dibutyldithiocarbamate 136-23-2	Тохіс

# 14. TRANSPORT INFORMATION

# Note

Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.

DOT UN/ID No Proper Shipping Name Hazard Class Packing Group	UN1133 Adhesives 3 II
<u>IATA</u> UN/ID No Proper Shipping Name Hazard Class Packing Group	UN1133 Adhesives 3 II
IMDG UN/ID No Proper Shipping Name Hazard Class Packing Group Marine Pollutant	UN1133 Adhesives 3 II Yes

# **15. REGULATORY INFORMATION**

# International Inventories

Chemical Name	TSCA	DSL/NDSL	EINECS/E LINCS	ENCS	IECSC	KECL	PICCS	AICS
N-Heptane	Х	Х	Х	Present	Х	Present	Х	Х
Trichloroethylene	Х	Х	Х	Present	Х	Present	Х	Х
Zinc dibutyldithiocarbamate	Х	Х	Х	Present	Х	Present	Х	Х

#### Legend:

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

# US Federal Regulations

#### **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Trichloroethylene	100 lb 1 lb		RQ 100 lb final RQ
79-01-6			RQ 45.4 kg final RQ RQ 1 lb final
			RQ
			RQ 0.454 kg final RQ

# SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	CAS No.	Weight-%	SARA 313 - Threshold Values %
Trichloroethylene - 79-01-6	79-01-6	5-15	0.1
Zinc dibutyldithiocarbamate - 136-23-2	136-23-2	0-2	1.0

# CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Trichloroethylene	100 lb	Х	Х	Х
Zinc dibutyldithiocarbamate		Х		

# US State Regulations

# California Proposition 65

This product contains the following Proposition 65 chemicals.

Chemical Name	California Proposition 65

Trichloroethylene - 79-01-6	Carcinogen
	Developmental
	Male Reproductive

# U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
N-Heptane 142-82-5	Х	X	Х
Trichloroethylene 79-01-6	Х	X	Х
Zinc dibutyldithiocarbamate 136-23-2	Х		Х

# **16. OTHER INFORMATION**

<u>NFPA</u> HMIS	Health Hazards 1 Health Hazards 1	Flammability 3 Flammability 3	Instability 0 Physical hazards 0	Special Hazards Not determined Personal Protection Not determined
lssue Date: Revision Date: Revision Note:	09-Jun-2015 20-Jun-2016 New format			

# **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

# **End of Safety Data Sheet**