McGee Company

SINCE 1951

Denver • Salt Lake
Albuquerque • Dallas

1-800-525-8888

www.McGeeCompany.com

Now Atlanta!

Automotive Service Equipment

Tire Service Supplies

Retreading Equipment & Supplies

Passenger/Truck/OTR

EXPIRES 2/28/2023
All prices are F.O.B. our warehouse unless otherwise specified.
Lease figures are approximate and subject to change.

PRICES SUBJECT TO CHANGE
VISA AND MASTERCARD ACCEPTED

Largest stock of tire chains in the Rocky Mountain Area!

See page 21

Wide Base Truck Cam Chains

Autosock

DUO Tractor Chains

Floor Jacks

- Double pump design for quick lifting and improved efficiency
- Heavy steel construction for maximum durability
- Equipped with a foot pedal to allow for hands free positioning
- 2-Ton, 2-1/2-Ton, 3-Ton, 3-1/2-Ton & 4-Ton capacity

$269.99

AS5605

Adhesive Wheel Weight Rolls

- Oversized white paper tape - easy peel
- Easy to tear by hand
- Available in grey steel or black steel
- 3 rolls per case
- 50287 recommended stand
- Cold weather tape available

NEW

276922 - IMPACT WRENCH SD 2" EXTD ANVIL CORDLESS 1/2" DR

$549.99 *

Huge Bundle Promo!

- 4CUSTOMIZABLE MODES: Provides multiple fastening torque outputs designed for sedans, light trucks and box trucks
- POWERSTATETM BRUSHLESS MOTOR: Delivers up to 750 ft./lb. of fastening torque &1,100 ft./lb. of nut-busting torque
- LONGMOTORLIFE: POWERSTATETM Brushless Motor delivers maximum power and long motor life
- Includes extra battery, case and charger.

*Stubby and bare tool available as well.

With FREE ½" drill driver while supplies last."

Ask about our other Milwaukee bundles

Adhesive Wheel Weight Roll Stand

- All-metal construction
- Accommodates three rolls
- Floor mount
- Easy to assemble
- Fits all rolls except 520FE

$159.95

486-31281
Adhesive Wheel Weight Roll Stand

Ascot No.	McGee No.	Description
486-31281	WWR3	Adhesive Wheel Weight Roll Stand

Ascot No.	McGee No.	Description	Case Price
484-51500	AVL315FeB	Black Steel Adhesive Roll: 1/4 oz. Segments (2880 Segments per case	$153.83
484-51501	AVL315FeS	Grey Steel Adhesive Roll: 1/4 oz. (2880 Segments per case)	$150.25
484-61500	AVL415FeB	Black Steel Adhesive Roll: 1/2 oz. (1440 Segments per case)	$153.83
484-61501	AVL415FeS	Grey Steel Adhesive Roll: 1/2 oz. (1440) Segments per case)	$150.75

MCGEE COMPANY HISTORY

This year has been big for McGee Company. McGee Company added its first new branch since 1992 in April in Atlanta. We have a great warehouse team in Atlanta servicing Georgia, Tennessee, and Alabama. As of August 1st, Chuck McGee has transitioned to a part time role and plans on full retirement during 2023. Chuck's role split into two positions with Ian McGee as the President of Sales and Michael McGee as the President of Operations. Both have been with the company fulfilling similar roles for extended periods of time. Chuck is confident "McGee Company is in capable hands, with leaders who care for team and our customers above all else while pursing long term growth."

The Atlanta Team

Family owned since 1951, the McGee Company has always operated with one simple goal: To anticipate the needs of our customers by having the right product available to them—right when they need it. Founded by Charles J. McGee Senior, in lower downtown Denver, McGee Company originally sold rubber for retreading. Soon, the business expanded to meet all the needs of the tire shop. Meeting those requirements meant that McGee needed to be able to install and service equipment and so AirMac Service was born. McGee Company moved to its current location at 1140 S. Jason St. in 1961.

Joanne, Charles Sr., & Chuck 1990

As the McGee territory grew, so did the warehousing needs of the company. McGee set up branches in Salt Lake City and Albuquerque. In the mid-seventies, the second generation of leadership entered McGee with Joanne and Chuck McGee. The acquisition of Paris Rubber Supply in 1992 continued the family feel for McGee Company as second generation employees from Paris & McGee began working in the various branches and taking the company to new heights.

Ian, Chuck, Michael, & Joanne 2017

Expansion continued in Texas with David Lane & Sons in 1994 and Burdette Supply in Oklahoma City in 1999. Southern states are now serviced from a warehouse facility in Dallas, Texas. The owners of each acquired company have been actively involved with day-to-day operations for the McGee Company. In 2015 McGee Company added service and installation in the Salt Lake City market for lifts, lubrication systems, and compressed air systems. Five D Supply of Kansas came aboard with McGee Company in late 2016 to increase the foot print throughout the State. The average employment time speaks for itself, with many of employees working for McGee Company for over ten years. McGee Company is celebrating in 2021 its 70th year servicing the transportation industry with third generation Ian & Michael McGee in leadership roles. Here at McGee Company, we are an extended family and strive to bring the largest inventory of products possible to best serve our customers every day.

Rema Minicombi Repair Units & Accessories

Part of Rema's renowned Blue Bonding System™, Minicombi features a metal pilot guide for easy installation and seating. Specially designed for tread area punctures on both radial and bias-ply tires, Minicombi should be used with Special Cement BL.

Ascot No.	McGee No.	REMA#	Description(Units/Box)	Price
581-67050	A3	A3	1/8" Minicombi A3 (50/Box)	$122.12
581-67340	A6	A6	1/4" Minicombi A6 (40/Box)	$146.34
581-68008	B8MC	B8-MC	5/16" Minicombi B8 (20)	$104.04

Rema tire tube patches are renowned for their easy application and extraordinary effectiveness. A unique rubber compound allows the patch to stretch evenly and equally in all directions upon inflation, assuring a reliable bond and minimal bulging in any service condition.

Ascot No.	McGee No.	Units Size	Per Box	Price
541-00410	1	1-1/2 " Round	30	$9.92
541-00420	2	1-3/4" Round	30	$17.26
541-00430	3	2" Round	30	$22.21

Patch should be 1/2-inch larger in both width and length than the injury.

Rema Tip Top Universal Patch

The Hole Solution™ - The only patch you'll ever need for making a nail hole repair. For radial and bias- ply passenger or truck tires.

Ascot No.	REMA No.	Injury Size	Qty.	Price
550-26707	UP3	Small Nailhole	100	$69.35
550-26714	UP45	3/16" Nailhole	300	$308.32
550-26721	UP6	1/4" Nailhole	50	$75.82
550-26745	UP8	5/16" Nailhole	50	$101.60

RAD 100 Series Radial Repair Units

RL110 Bulk 30 Per Bag - $44.75

REMA RAD 100 Series center-over-injury repair units. Due to our fully-integrated blue bonding layer and center over injury design, REMA TIP TOP Radial-Ply repair units are suitable for use with all current vulcanizing systems. For best results, always select the corresponding REMA TIP TOP Stem insert unit.

Ascot No.	McGee No.	Patch Size Inches	(mm)	Qty/ Box	Price
575-00110	RAD110	2 x 2-3/4	55 x 75	20	$51.73
575-00115	RAD115	3-1/2 x 3	70 x 115	10	$62.02
575-00120	RAD120	4-7/8 x 3	85 x 130	10	$61.35

PREMA

Prema Radial Repairs - Passenger and Light Truck

PREMA Center-Over-Injury Repairs are designed for use in all radial tires. The PREMA Radial Repair is intended for use in HOT or COLD applications. PREMA Radial Repairs are designed for use in the crown, sidewall and shoulder of radial tires. Install with PREMA Ultra Fast Dry Vulcanizing Cement. Refer to the PREMA Repair Chart for proper selection of the repair unit. Always fill the injury channel with the appropriate Prema repair material.

Ascot No.	McGee No.	Description	L (in.)	W (in.)	# Plies	Qty/ Box	Price
575-05109	PR109	Radial 109	3	1 3/4	1	20	$22.81
575-05110	PR110	Radial 110	3 1/4	2 1/4	1	20	$28.45
575-05111	PR110T	Radial 110	3 1/4	2 1/4	1	80	$102.91
575-05112	PR112	Radial 112	4 3/4	3	1	10	$22.19
575-15112	PR112B	Radial 112	4 3/4	3	1	40	$87.28
575-05113	PR113	Radial 112HD	5	3 1/4	1	10	$24.23
575-05114	PR114	Radial 114	5 1/4	3 1/2	1	10	$35.16
575-05120	PR120	Radial 120	5	3 1/4	2	10	$42.70
575-05135	PR135	Radial 135	7 1/2	5 1/2	4	10	$119.25
575-05140	PR140	Radial 140	7 3/4	4 1/4	3	10	$101.81

Pre-Buff Cleaner

PREMA Pre-Buff Cleaner is formulated to remove contaminants and silicone from the innerliner of the tire prior to buffing. Contains no ozone depleting chemicals.

Ascot No.	McGee No.	Description	Size	Price
505-00532	PPC32	Pre-Buff Cleaner (Flammable)	32 fl oz	$17.08
505-00516	PPC16	Pre-Buff Cleaner (Aerosol)	16 fl oz	$10.93

Prema Universal Repairs

PUR2

PREMA Universal Repairs are designed for NAILHOLE REPAIRING of tubeless tires in the CROWN area only. Universal Repairs are available in round or square versions. Install with PREMA Ultra Fast Dry Vulcanizing Cement. Always fill the injury channel with the appropriate Prema repair material.

Ascot No.	McGee No.	Description	L (in.)	W (in.)	Qty/Box	Price
550-00502	PUR2	Universal Round 2	2 1/4	--	50	$31.89
550-00522	PUS2	Universal Square 2	1 3/4	1 3/4	100	$39.15
550-00533	PUS3	Universal Square 3	2 1/2	2 1/2	100	$66.84
550-00534	PUS4	Universal Square 4	3	3	50	$43.20

Ultra Fast Dry Vulcanizing Cement

PREMA Ultra Fast Dry Vulcanizing Cement is formulated to provide outstanding performance when used in conjunction with PREMA Repair Materials. Contains no ozone depleting chemicals.

Ascot No.	McGee No.	Description	Size	Price
501-00508	PFC8	Ultra Fast Dry Vulcanizing Cement (Flammable)	8 fl. oz.	$11.55
501-00532	PFC32	Ultra Fast Dry Vulcanizing Cement (Flammable)	32 fl. oz	$29.56

TIRE REPAIR — MONEY SAVING IDEAS!

Premium Quality Chemical Vulcanizing Rubber Patches

Stems Repair Unit

SCU Combi

Note: The JET Combi may only be used when the angle of the injury is LESS THAN 25°. If the injury angle is GREATER THAN 25°, repair with the appropriate two-piece stem and repair unit.

(Poly coated stem style)

Repair Unit	Inch	mm	Cutter	Qty/Box	Price
SCU03	1/8	3	BU18T	24	$26.11
SCU06	1/4	6	BU14T	24	$32.78
SCU08	5/16	8	BU516N	24	$39.14
SCU10	3/8	10	BU38T	10	$33.06

Carbide Cutting Tools

BU12B

BU732N

BU14N

BU18T

BU516N

BU716N



Part No.	Description	Rec Adapters	Prices
BU18T	1/8" Taper Burr (PCC1)	51043	$10.09
BU14T	1/4" Taper Burr (PCC2)		$40.10
BU38T	3/8" Taper Burr (PCC4)	2523JD	$35.35
BU12B	1/2" Ball Burr	2523JD	$32.58
BU732N	7/32" Long Pointed Burr (Use with 1/4" Plug)	2523JD	$39.08
BU516N	5/16" Long Pointed Burr (Use with 3/8" Plug) (PCC3)		$57.38
BU716N	7/16" Long Pointed Burr (Use with 1/2" Plug)	SLP9216	$128.83

Wire Brushes

Ideal for buzzout repair of radials

535-08014

535-15463

Copper Center® Wire Wheel Brushes-Wire Fill

Ascot #	Mfg. #	Dia.	Wire Size	Arbor RPM	Hole	Price
535-15463	15463	2"	.0118"	20,000	1/2"-3/8"	$9.20
535-15533	15533	3"	.006"	20,000	1/2"	$13.73
535-15543	15543	3"	.008"	20,000	1/2"	$11.74
535-15563	15563	3"	.0118"	20,000	1/2"-3/8"	$11.12

Knotted Brushes

535-08014	08014	3"	.014"	20,000	1/2-3/8"	$37.91
535-08034	08034	4"	.0118"	20,000	1/2-3/8"	$39.83

Professional Stitchers

- Corrugated ball bearing stitcher with hardened steel wheel and varnished wooden handle

30

Ascot No.	Part #	Description	Price
536-00001	30	1-1/2" Diameter x 1/16" Face	$9.99
	30GN	1-1/2" x 1/8" Gooseneck	$7.77
	6005GN	2" x 1/4" Gooseneck	$14.99

The newly designed GOOSENECK STITCHER has been proven to enhance stitching performance, providing ample pressure at all points on the tire without causing muscle fatigue for the tire technician.

Gooseneck

Bead Sealer

JET Bead Sealer provides a seal between the bead area of the tire and rim, assisting in the prevention of leaks caused by minor surface imperfections.

McGee No.	Description	Size	Price
1770J	Bead Sealer	32 fl. oz.	$16.20

Bead Sealer

JET Radial Repairs - Passenger and Light Truck

JET Center-Over-Injury Repairs are designed for use in all radial tires. The JET Radial Repair is intended for use in HOT or COLD applications. JET Radial Repairs are designed for use in the crown area of radial tires. Install with JET Fast Dry Vulcanizing Cement.

Radial Repair Units

Repair Unit	Size		Qty/Box	Price
	Inch	mm		
SR110	2 3/4 x 2	70 x 50	20	$16.62
SR110H	3 1/4 x 2 3/8	80 x 60	10	$10.49
SR112	4 3/8 x 2 1/2	110 x 65	10	$12.91
SR114	5 3/4 x 3	145 x 75	10	$21.58
SR120	5 x 3	125 x 75	10	$20.89
SR122	6 7/8 x 2 3/8	175 x 80	10	$28.07
SR124	8 1/4 x 3 3/8	210 x 85	10	$36.81

Additional sizes - SR133, SR140, SR142

Universal repairs - nail hole injuries in crown area only. Techno cushion gum for max adhesions.

Bias or Radial — Universal Repair Units - Square

Repair Unit	Inch	mm	Qty/Box	Price
SSA45	1 3/4 sq	45 sq	100	$25.37
SSA45T	1 3/4 sq	45 sq	100	$23.45
SSA55	2 1/8 sq	55 sq	80	$27.17
SSA55T	2 1/8 sq	55 sq	100	$37.47

AS - Square

Bias or Radial — Universal Repair Units - Round

Repair Unit	Inch	mm	Qty/Box	Price
SRA45	1 3/4	45	30	$7.98
SRA45T	1 3/4	45	100	$21.70
SRA55	2 1/8	55	30	$9.75
SRA55T	2 1/8	55	100	$27.60

AR - Round

Fast Dry Vulcanizing Cement

JET Fast Dry Vulcanizing Cement is formulated to provide outstanding performance when used with JET Repair Materials.

McGee No.	Description	Size	Price
1645J	Fast Dry Vulcanizing Cement (Flammable)	8 fl. oz.	$6.22
1646J	Fast Dry Vulcanizing Cement (Flammable)	32 fl. oz	$15.70

Pre-Buff Cleaner

JET Pre-Buff Cleaner is formulated to remove contaminants and silicone from the innerliner of the tire prior to buffing.

McGee No.	Description	Size	Price
1723J	Cleaner (Flammable)	32 fl oz	$21.42
1722J	Pre-Buff Cleaner (Aerosol)	16 fl oz	$14.17

Wall Mount Repair Cabinet

Empty cabinet
#PCAB1

$129.00!

McGee Company can help you determine tire repair items needed to get started. Call for details.

TIRE REPAIR - TEMPORARY SOLUTIONS

McGee Company does not recommend "temporary" tire repairs. All repairs should perform the function of filling or replacing the injured section as recommended by the RMA and other industry associations.

Vulcanized Tubeless Tire Repair Seals

- For emergency repair use only
- String repairs are not designed to be used in lieu of a permanent repair
- Repair a punctured tire in a matter of minutes
- Made from high-strength yarn and butyl rubber

362UBX
361UBX

Made in USA

McGee No.	Description	Qty/Box	Price
361UBX	4" Brown String Repair	50	$10.99
362UBX	8" Brown String Repair	25	$12.50
370UBX	7" Thin Black String Repair	50	$13.60

Clean out small injuries

Rema No.	McGee No.	Description	Price
537-95893	261RT	Reamer	$9.90

- Used to inspect injuries in tires and to remove small stones and debris

Ascot No.	McGee No.	Description	Price
537-00001	1013P	Black Handle Awl	$7.51

Tire Denailer

537-00353

$12.82

- Blade length 3"
- Point diameter 5/16"
- Made in USA

Developed by a tire repairman to probe the injury and push the nail back through the tire. Probe has a recess at the tip to accept the point of a nail or other puncturing object.

537-15227

537-15230

Ascot No.	Mfg. No.	Description	Price
537-15227	23113IR	Insert Tool Open Needle	$4.65
537-15230	20000	Insert T Handle Open Needle	$22.90

McGee Company can help you determine the tire repair items needed to get started. Call for details!

Safety Seal® Truck Tire Repair Refills

- 24 plies of a custom made high tensile (350 lb break strength) chemical resistant nylon yarn
- Each yarn is immersed in proprietary rubber sealant system (250% rubber to yarn)
- Patented manufacturing process assures the final Safety Seal® repair has an equal amount of rubber sealant (250% rubber to yarn) throughout the Safety Seal® Repair
- **Includes:** 30 8" (20cm) refill repairs per kit (Can use 362ubx)

Ascot No.	McGee No.	Description	Price
585-30820	SSRT	Truck Tire Repair Refills 30 8" (20cm) Repairs	$22.67 per box

Safety Seal® Deluxe Tire Repair Kit

For autos and light trucks

"On the Wheel" design for the professional who wants to fix a flat quickly and easily

Repairs punctures up to 1/4" and seals entire puncture from tread to inner liner

Also available in other sizes: truck, off-road and heavy equipment

SSKTP

Ascot No.	McGee No.	Description	Price
571-22960	SSKAP	Deluxe Tire Repair Kit	$50.00
571-22926	SSKTP	Deluxe Truck Kit	$50.85

#MTK Pouch - $25.95

Includes:

1 ea	GA115 Gauge 20-120 PSI
1 ea	MK White Markal
1 ea	1246D Flip Socket 3/4-13/16 Thin Wall
1 ea	1291DT Flip Socket 19mm-21mm
1 ea	595TM Tread Depth Gauge
1 ea	TL620 Core Tool

Rep Boy #3050RB

WAS $495 NOW - $299.95

The Rep Boy has a 360° swivel top, adjustable tire spreader, four tilt settings, and a tool bin. The adjustable tire spreader can accommodate all tires from garden service right through to light truck tires. The Rep Boy is versatile enough to be used at the corner service center, high volume tire service centers, or section repair shops.

Manual Tire Spreader

$69.99

- Lightweight and easy to use
- Special locking pin for safety
- Made from durable materials
- Locks both beads open for easy tire inspection and repair

Ascot No.	McGee No.	Description	Price
605-14191	MS1	Manual Tire Spreader	$69.99

Channel Lock Cutters

- Precision made of fine polished, high carbon steel
- Distinctive CHANNEL LOCK Blue comfort grips



CHA358 CHA437 CHA447

Ascot #	McGee No.	Description	Price
319-00358	CHA358	8" Cutting plier with end cutter	$36.95
319-00437	CHA437	7" Cutting plier – box joint	$29.95
319-00447	CHA447	7.75" Curved diagonal cutting plier – lap joint	$34.99

Tire Repair Knife

- High carbon steel, round point skiver, round burnt finish handle (Riveted X2RF)



X2RF
X2T

Ascot No.	McGee No.	Blade Length	Price
531-75150	X2RF	4" (102mm)	$12.00
531-75190	X2T	4" (102mm)	$10.63

TIRE REPAIR ACCESSORIES

Low Speed Tire Buffer with Quick Change Slip Chuck
15810873 - $74.95

- Includes whip hose and exhaust hose 175-00873
- Built in regulator
- Lock off throttle to prevent accidental start ups
- Rear exhaust directs air away from work area
- Quick change slip chuck for fast and easy change of buffing wheel
- Ideal for patchwork, roughing areas for recapping and cleaning tire moldings
- Equivalent to and has same dynamics as the CP 873k

High Speed Tire Buffer Kit with Quick Change Chuck
15811871 - $75.99
15810871 - with Jacobs - $75.99

- Lock-off throttle
- Free speed 22,000 RPM
- Includes overhose kit

Overhose Kit

Ascot #	McGee #	Description	Price
173-09165	2500	Quick Change Chuck	$26.62
173-09201	2510	$1^{11}/_{16}$" x $^{3}/_{8}$"-24 Chuck Adap. w/Washer & Nut	$5.31
173-09202	2511JD	$2^{3}/_{4}$" x $^{3}/_{8}$"-24 Chuck Adap. w/Nut & Wheel Spacer	$7.76
173-09211	2512JD	$1^{7}/_{8}$" x $^{3}/_{8}$"-24 Threaded Adap. w/Washer & Nut - Quick Change	$3.91
173-09212	SLP9212	$2^{1}/_{4}$" long x $^{3}/_{8}$" - 24 Threaded Adap. w/ Washer & Nut Quick Change	$5.31
173-09213	2522	$1^{15}/_{16}$" Adapter w/Set Screw for $^{1}/_{8}$" Shank	$3.07
173-09215	2523JD	$1^{15}/_{16}$" Adapter w/Set Screw for $^{1}/_{4}$" Shank	$3.07
173-09216	SLP9216	$1^{15}/_{16}$" Adapter w/Set Screw for $^{5}/_{16}$" Shank	$3.07
173-09400	SLP9400	Overhose Kit - Rear Exhaust	$26.62

Scraper

- This tool is a must for professional tire repairs
- Eliminates power buffing on many tire repairs
- Scraper removes material that might contaminate buffing wheels, ensuring a better repair every time

Ascot No.	McGee No.	Blade Length	Price
537-00004	933	Black Handle Inner Liner Scraper	$7.49

Buffing Wheels

Ascot No.	McGee No.	Description	Price
539-00033	33	$^{3}/_{8}$" - 24 Arbor for mounting buffing wheels	$7.15
539-10001	BC1	36 grit, round-nose buffer wheel, Tungsten Carbide $2^{1}/_{2}$" diameter — use on tires or tubes	$4.99
538-13000	1030G	2" fine tooth buffing cone-Ideal for passenger inner liners	$16.67
538-01034	1034T	2" med. tooth buffing cone-Ideal for passenger inner liners	$20.58
539-00788		(2) No. BC-1 buffing wheels mounted back-to-back on No. 33 Arbor (order item separately)	
538-14000	RH140	Faster, cleaner buffing; avoid burning	$26.48

RPG Air Powered Tire Repair Vacuum

- Quick change from blow to vacuum function
- KIT INCLUDES: Plastic body gun, dust bag, 2 extension tubes, shop brush, flat tube, tiny tube

BLOW/ VACUUM FUNCTIONS

$51.99

Ascot No.	Mfg. No.	Description
537-00003	VGB2	RPG Air Powered Tire Repair Vacuum

Tire Marking Crayons

459-54222

- Bright Color On Any Tire

Will not melt, soften or rub off in the pocket. A quality crayon that marks on tires, tubes and rubber. Sold 12 per box.

The White Markal Crayon in use.

Ascot No.	McGee No.	Color	Price
459-51420	51420	White	$7.60
459-51422	51421	Yellow	$7.60

Paintstik® Marker Holder

$24.99 459-85100

ASCOT NO.	MFG. NO.	COLOR
459-85100	85100	6" Push-Button Metal Holder for B-Paintstik

Paintstik® Marker

Markal®

Permanent, waterproof and fadeproof. Marks on wet tires, withstands retreading temperatures. Nontoxic, contains no lead. Sold 12 per box. Other colors available.

Ascot No.	McGee No.	Color	Price
459-80257	MKWhite	White	$12.99
459-80258	MKYellow	Yellow	$13.49

Stow & Go™ 4-Way HD Lug Wrench - 35636

$25.48

- The Stow & GoTM 4-Way HD Lug Wrench folds to save space in your trunk and locks into place for easy use.
- Push button in center allows wrench to fold after use.
- Sliding arms give extra leverage for removing lug nuts.
- Made of heavy duty and durable alloy steel.
- 17mm, 19mm, 21mm sockets, and 1/2" square drive adaptor to be used with other sockets.
- 16" in length.
- Resale setup available.

T115 Truck Tire Changing Stand $295.96

Stand handles wheels or open rims 16.5″ to 24″. Double-slide adjustment with locking device prevents twisting so it stays aligned with the wheel or rim. Stand is the ideal height for driving off beads or demounting tires.



T950 IronMan™ Ergonomic Wheel Lifting Bar $89.99

Reduces back strain. Easily and safely lift heavy, awkward truck tire and wheel assemblies. Extremely useful in outdoor conditions – when truck tire and wheel assemblies can become wet and slippery. Standard sizes including 22.5″ and 24.5″ wheels, plus European (which have 1″ lug holes), Super Wide and even the Super Single

Slide Hammer Bead Breaker HD

T26B $251.94

T26B has exclusive spring action design to reduce user fatigue associated with slide hammer kickback.



Wrench Lug LT Truck 4-Way

T90 - $49.33

- Sockets:7/8″ deep well, 15/16″, 1″, & 1-1/16″
- Various 4-way wrenches available.

Golden Tool Tubeless Truck Tire Mount/Demount Tool

- Demounts/mounts 17.5" to 24.5" tires
- Use on all tubeless truck tires including super single/duplex tires, radial and bias
- Eliminates the need to lift tire and rim to remove the bottom bead, preventing possible strain or even serious injury

Ascot No.	McGee No.	Description	Price
448-00100	TNT100	Complete Tool	$549.99
448-12320	44812320	Economy Complete Tool (AME)	$399.99

TNT200 for super singles

BLUE COBRA Truck Tire Demount Tool

35440KT

$379.99

INTRODUCING AN AFFORDABLE ALTERNATIVE!

Tougher build • Better price

Fast and easy, the Blue Cobra truck tire demounting tool is strong but economical the new "golden" standard for tire changing!

- Quickly demount nearly any 20", 22.5" and 24.5" tube-type and tubeless truck tire, up to a 13" wide wheel
- Solid steel Cobra head is press-fit into the steel handle — no fasteners to loosen or fall out
- Allows demounting of the tire without lifting the entire wheel and tire off the ground — helps to reduce back injuries.

Duck-Billed Bead Breaking Wedges – Fiberglass Handled

Ascot No.	McGee No.	Handle No.	Length	Weight	Price
424-35429	TG11E	TG11EH	32"	9.1 Lbs.	$118.63

McGee No.	Description	Price
TG11DHK	18" Fiberglass Smooth Hammer Handle	$46.43
TG11EH	33" Fiberglass Hammer Handle	$51.10

KenTool Porkchop™ Wrenches

- Holds outer cap nut on dual wheels while turning inner nut
- Lip fits in hole to secure wrench in place
- Fits standard and metric cap nuts

Ascot #	McGee #	Description	Size	Weight	Price
406-30609	TX9	SAE	1-1/2"	.4 Lbs.	$22.99
406-30610	TX10	Metric	35 mm	.4 Lbs.	$22.99
406-30612	TX12	Metric	41 mm	.4 Lbs.	$22.99

Lt Spare Tire Removal Tool Set

Hot Deal!

$89.99

#96090A

- Lower spare tire in 10 seconds
- Eliminates hunt for customer's tool
- Hanger included
- Do not use impact wrench
- 7 piece kit
- Replacement tools available

Tubeless Tire Irons



- Use C bar with the B extension bar for easier use on large, wide-base truck tires
- Use on standard and large truck tires, including industrial, farm, buses and tractors

Ascot No.	McGee No.	Description	Length	Price
402-00900	T9A	Small Tire Mount/Demount	9"	$22.57
402-33220	T20A	Curved Tire Mount/Demount Spoon	30"	$31.35
402-33219	T19A	Straight Spoon	30"	$31.35
	T45A	Tubeless Mount/Demount	37"	$65.31
402-34645	T45AC	Classic T45 Truck Tire Tubless Iron	37"	$76.95
402-45004	T45HD	HD Truck Tire Tubless Iron	41"	$94.72
402-46001	T46A	Med. Duty Mount/Demount Iron	36"	$64.20
402-46002	T46B	Mount/Demount Iron	36"	$76.08
402-46003	T46C	Offset Bar For Deep Well Tires	22"	$52.67
402-33223	T23A	Lock Ring Tool	30"	$30.65
402-34648	T48A	Lock Ring Tool	37"	$65.03

SOCKET SETS

Half Size Flip Socket

- Set includes the sizes below: 18.5mm x 19.5mm; -21mm x 21.5mm; 21.5mm x 22.5mm; -22mm x 22.5mm - Extractor punch
- Made from durable chromoly steel
- Coated with a rust and corrosion resistant black oxide finish
- Sizes are laser etched on each socket

Ascot No.	Mfg. No.
167-12051	000524

$70.13

1/2” DR 13 Piece SAE Deep Set

- Contains the following sizes: 7/16”, 1/2”, 9/16” 5/8”, 11/16”, 3/4”, 13/16”, 7/8”, 15/16”, 1”, 1-1/16”, 1-1/8”, 1-1/4”

Ascot No.	McGee No.	Price
163-01151	1151D	$129.25

1/2” DR 5 Piece Deep Thin Wall Flip Socket Set

McGee #1205D

- Includes the following 1/2” drive deep thin wall flip sockets:
- 3/4” x 13/16”
- 19mm x 21mm
- 7/8” x 15/16”
- 17mm x 19mm
- 3” extension
- Packaged in a durable plastic blow molded case
- 17mm x 19mm flip socket for European applications
- Equivalent to Grey 1504FW but with an extra socket

Ascot No.	McGee No.	Price
167-12050	1205D	$54.51

1/2" Dr. 14-Piece Metric Deep Set

- Set includes the following sizes: 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 16mm, 17mm, 18mm, 19mm, 21mm, 22mm, 26mm, 27mm

Ascot No.	Mfg. No.	Description	Price
163-01153	1153MD	1/2" Dr 14-Piece Metric Deep Set	$109.12

1/2" Dr. 4-Piece Flank Bite Damaged Nut Remover Socket Set

163-22219 - $49.95

- New Flank Bite design works on up to an industry leading 90% rounded lug nut
- Also safe for forward tightening of lug nuts without damage
- Includes following sizes: 17mm, 19mm, 21mm, 22mm

Locking Lug Master Key Set

The set was designed explicitly for the purpose of removing locking lug nuts on aftermarket wheels. The 16 piece set comes with both standard (SAE) and metric pieces that can be used on Spline, Star, Hex and Fluted Hex fasteners.

40201283 - $99.99

Ask us about individual and replacement sockets

3/4” DR 10 Piece Truck Set

Contains the following sizes: 13/16” square socket, 1-1/16”, 1-1/8”, 1-1/4” thin wall deep sockets, 1-1/2” budd wheel socket, 17mm & 21mm square socket, 33mm, 35mm & 41mm deep sockets

Ascot No.	Mfg. No.	Description	Price
164-02110	2110	3/4" Dr 10-Piece Truck Set	$286.64
164-02181	2181D	3/4" Dr 8-Piece SAE Deep Set Contains the following sizes: 1", 1-1/16", 1-1/8", 1-1/4", 1-5/16", 1-3/8", 1-7/16", 1-1/2"	$175.73

1” DR 10 Piece Truck Set

Contains the following sizes: 13/16” square, 1-1/16”, 1-1/8”, 1-1/4” thin wall deep, 1-1/2” controlled standard socket, 17mm & 21mm square with inside lip, 33mm, 35mm & 41mm deep

Ascot No.	McGee No.	Price
165-03110	3110	$365.61

1” DR 7 Piece Metric Truck Set

Contains the following sizes: 17mm, 21mm, 4pts. budd wheel standard length, 27mm, 33mm, 36mm, 41mm deep

Ascot No.	Mfg. No.	Description	Price
165-03197	3197M	1" Dr 7-Piece Metric Truck Set	$205.75

1/2" Dr Extra Thin Wall 9-Piece SAE & Metric Wheel Protector Socket Set



Durable outer sleeve and insert protects high polished wheels and lug nuts from damage.

- CR-MO alloy steel for long life
- Fully guaranteed
- Heavy duty blow mold case

Includes 6 SAE Sockets: 3/4" (light green), 13/16" (purple), 7/8" (green), 15/16" (brown), 1" (silver), and 1-1/16" (black)
Includes 3 metric sockets: 17mm (blue), 19mm (yellow) and 21mm (red)

Ascot No.	Price
163-02849	$129.99

TC2022 2022 Lug Nut Torque Application Chart

$14.99

- Wall chart measuring 26-3/4" x 39-1/4"
- Provides lug nut specifications fc cars and light trucks to Model Ye 2022
- For use with Original Equipment wheels
- Laminated for durability
- Shipped in a protective mailing tube

1/8 - 16 Outer Cap Nut
891RZ/892LZ

995LZ/RZ
3/4 - 16 Super Single Cap Nut

269Z
Flange Wheel Nuts

881M/333B
Free Spinning Flange Nut
2203/2304

3/4 - 16 Outer Cap Nut
888RZ/889LZ

336RZ/337LZ - 13/16sq.
Inner Nut for Steel/Aluminum
Combination
Longer Version - 621RY/622LY

708RZ/709LZ
Grade 8.2 Inner
Nut-Aluminum Wheels

988RZ/LZ - 13/16sq.
Inner Cap Nut- Dual
Aluminum Wheels

Bulk Discounts Available!

McGee No.	Mfg. No.	Similar To:		Sale Price
891RZ (RH)	GL-2001	Budd-37891/2	Euclid-5552-R/L	$1.15
892LZ (LH)	GL-2002	Nuturn-W-13/14	Batco-13-3012-R/L	$1.15
888RZ (RH)	GL-2101	Budd-37888/9	Euclid-5652-R/L	$1.96
889LZ (LH)	GL-2102	Nuturn-W-15/16	Batco-13-3013-R/L	$1.96
995LZ (LH)	GL-2103	Alcoa-5554	Euclid-5554-R/L	$5.04
995RZ (RH)	GL-2104	Budd-70613/4		$5.04
269Z	GL-2202	GMC-3771410		$3.11
881M	GL-2302	(1 1/2 Hex) M.W. 88881		$4.57
333B	GL-2301	(1 1/4 Hex) Budd 106333		$2.49
Metric Outer Nuts				
GL2009	GL-2009	Hino-9004-21112	Isuzu-1-4233-023	$5.48
GL2010	GL-2010	**(Inner Thread = M30-1.5)**		$5.48

McGee No.	Mfg. No.	Similar To:		Sale Price
336RZ (RH)	GL-1003	Budd-35336/7	Euclid-5735 R/L	$3.37
337LZ (LH)	GL-1004	Nuturn-W107/108	Batco-13-3007-R/L	$3.37
621RY (RH)	GL-1005	Budd-22621/2	Euclid-5568 R/L	$3.83
622LY (LH)	GL-1006	Nuturn-W105/106	Batco-13-3006-R/L	$3.83
988RZ (RH)	GL-1011	Alcoa-5988-R/L	Nuturn-W-486/7	$4.17
988LZ (LH)	GL-1012	Euclid - 5988-R/L	Batco 13-3026-R/L	$4.17
Grade 8.2				
708RZ (RH)	GL-1001	Euclid-7895R/L	Budd-10708/9	$1.84
709LZ (LH)	GL-1002	BWP-M128/9	Batco-13-3032R/L	$1.84
Metric				
GL1009 (RH)	GL-1009	Hino-9004-23101	Isuzu-1-42335-005	$7.28
GL1010 (LH)	GL-1010	**(M20 Inner & M30 Outer Threads)**		$7.28

Hub-Centric Wheel Nuts - The Original! - High Quality - Skirt Nut

By filling the void between the stud hole, "clocking" is eliminated, and problems caused by clocking, such as wheel offs and wheel hub vibrations, are eliminated.

- Hub Centric Nut fills void standard flange nuts don't
- Stops rim from shifting forwards or backwards
- Eliminates "clocking" caused by standard wheel nuts not filling wheel hole completely
- Certified American Steel
- Each part tested for thread, fit and finish
- 50 per box

Wheel Assembly with Standard Nut


Void (Highlighted in Green) between stud and hole.

Wheel Assembly with Hub Centric Nut


Hub centric nut fills void between stud and hole.

1) YELLOW HIGHLIGHT shows void between stud and stud hole.

2) Hub Centric Nut fills void between stud and hole.

Other Sizes Available

Ascot No.	Description	Price
491-00133	33mm Hex X 1.5mm Thread - Two Piece Elongated Neck- Made in USA	$11.49
491-01133	33mm Hex Nut - Replaces Standard Nuts on 11.25" Hub Piloted Wheels	$8.75

Made in USA

RIST Procedure Guidelines

Extended threading allowing Skirt Nut to go down into Hub-Piloted Disc Wheel an extra 3/16" (5mm) into stud hole

Ascot No.	Mfg. No.	Description	Price
491-02906	GL-2906 333SN6	**Haltec 6mm Sleeve Nut** • Steel Steers	$10.19
491-02919	GL-2919 333SN19	**Haltec 19mm Sleeve Nut** • Aluminum Steers • Steel/Steel Drives • Steel Outer/Aluminum Inner Drives	$12.52
491-02928	GL-2928 333SN28	**Haltec 28mm Sleeve Nut** • HD Aluminum • Super Single • Wide Base • Aluminum Outer/Steel Inner Drives	$13.28
491-02939	GL-2939 333SN39	**Haltec 39mm Sleeve Nut** • Dual Aluminum Drive Axle	$13.56

Nut Loosener Penetrating Blaster - *16PB*

A penetrating lubricant that frees everything! Displace moisture by saturating troubled area and allow to stand for a few minutes. 12.2 oz. spray.

$6.75 ea.

G503 Oil Can
$15.85

3-Piece Twist Socket Lug Nut Removal System

- Removal of damaged 3/4" and 19mm, 13/16" and 21mm lug nuts
- Two dual-sided twist sockets have a fluted design which gives the sockets a tight grip to remove the most difficult locking and damaged lug nuts from the socket
- Works with 1/2" impact gun or breaker bar for service calls
- Includes an extrator punch

4300

$65.99

WHEEL MOUNTING PROCEDURES

Torq-Right© Truck Tire and Wheel Mounting System

To minimize wheel-offs and other problems associated with improperly mounted tire and wheel assemblies, the Tire Industry Association and the Maintenance Council of the American Trucking Association have established recommended best practices to mount and torque tire and wheel assemblies.

Made in USA

Tire Toolz SC100 Stud Cleaner

SC100 Stud Cleaner

SC100KIT Wheel Prep Kit

The SC100 stud cleaner quickly and easily removes rust, road grime and foreign particles from wheel studs. Three carbon steel brushes engage the full thread and provide a clean surface for the wheel retaining nut allowing an accurate final torque.

VIDEO

Call us to arrange a visit and individualized review of your wheel mounting procedures. We can also schedule a Torq-Right© class to update your techs on TIA and ATA recommended best practices.

Inspect all Components for Wear and Damage

ATG9755 5 in 1 22x1.5mm stud and nut inspection tool. Helps check for worn and over-sized wheel holes, worn studs and bell mouthed flange nuts.

2215TPG **22x1.5mm**
Thread Pitch Gauge for Uni-Mount

Pre-Torque Wheel Nuts to 65 ft lbs

Rotate Wheel Mount Pad to 12 o'clock

28065 65# torque limiting extension



NEW OSHA 29 CFR 1910.177 wheel mounting procedure manual and charts. These are required by OSHA to be displayed in truck tire service areas or carried in road service trucks. **$7.75 ea for OSHA24 booklet.**

Tighten Wheel Nuts to Final Torque

4AR1 Break Back Torque Wrench 600 Lb. Ft. Max
or economy version 600FHTW

47501 475 ft lb Pre-Set Torque Wrench

Full RIST Procedures

Short Shank 1" dr Impact with torque limiting extensions **(Extension kit KT130940)**

WARNING: Wheels, studs, nuts and hubs that are not properly installed, inspected or maintained may not be safe. Failure to follow proper installation or maintenance practices may result in injury or death. Always use proper personal protection devices for safety and to avoid injury. **ALWAYS FOLLOW GUIDELINES IN OSHA 29 CFR 1910.77 FOR WHEEL MOUNTING.**

Complete Truck Service Package featuring Quincy Powered Compressor

Quincy COMPRESSOR

Complete Truck Service Package **$3,659.99!**

McGee #STP10
Includes these items:

- 13HP Champion or Quincy Compressor with Honda engine - HGR73H or G213H30HCB
  - Electric Start
  - Automatic Idle
  - Fuel Pump
  - Air Gauge
  - Easy Access Tank Drain
- 10 Piece Truck Socket Set - 3190
  - 13/16" Square, 7/8" hex, 13/16" hex, 1" hex, 1-1/16" hex, 1-1/2" hex, 1-1/16" deep, 1-1/8" deep, 1-1/4" deep
  - Plus metal box
- 15517786 1" Square Drive Impact
- Dual Foot Air Chuck
- Truck Air Pressure Gauge
- 50 ft. 1/4" Air Hose
- 50 ft. 1/2" Air Hose
- Air Couplers
- 20-ton Hydraulic Jack

Steel surcharge may apply

Items may vary slightly from photos above.

Let McGee Company design the right kit for you or customize your own package from large to small OTR!

Auto Inflators save time and money. Proper inflation creates longer tire wear and increased fuel mileage. These self-calibrating units are accurate to +/- .03 psi. Can be used as a reference point to calibrate hand held gauges.

Allows remote control of the inflation process, allowing the technician to avoid the "blast zone" during inflation.

Let us design a custom installation for your shop

Single Unit Controller

89XDB2

*Two tire inflation system includes two 10 ft. flex polyurethane inflation hoses with fittings. 89XDB4 includes two 10 ft. and two 8 ft. flex polyurethane inflation hoses with fittings.

- In-Line air filter provides clean air for long term durability and trouble free operation
- USA manufactured air chucks assure leak-free tire valve connection.
- Flexible, light weight polyurethane inflation hoses with swivel connections provide quick, secure inflation.

TRUCK SERVICE PRODUCTS

13000AME

AJ506B

422-10303 422-10302 422-10301

55- and 100-Ton Aluminum Rams

Get the strength of a steel ram but with about half the weight. These single-acting, spring-return rams are easily carried around the shop, or into the field for on-the-vehicle repairs. They are ideal for truck axle correction, trailer frame straightening, general vehicle maintenance, and heavy-duty lifting.

McGee No.	Capacity	Low Ht.	Raised Ht.	Wt	Price
AJ506B (13141)	55-ton	12.25"	18.25"	29 lbs	$999.99 (base included)
13000AME	100-ton	11"	17.5"	53 lbs	$1,999.99 (base not included)

11076 - Original Maxi Bead Breaker

- Lightweight aluminum reduces weight by 40%
- Adjustable clamp allows for a perfect fit - regardless of the size of wheel
- Unit delivers 10 tons of force
- 2.75" (7 cm) stroke breaks beads often with only one "bite"
- Weight 31 lbs (14.1 kg) (Competitive to IMT1000)

11076
$1,999.99

Hydraulic Rams

Used to push off rear rim flange and tire bead on earthmover wheels

- For all earthmover tires, trucks and perfect for construction

Mfg. No.	Cap. (Tons)	Collapsed Height	Stroke	Price
10301	10	4-3/4"	2-1/8"	$249.99
10302	10	6-3/4"	4"	$259.99
10303	10	9-3/4"	6-1/8"	$279.99

Air Reducer with 6" Whip Hose

The ESCO Air Reducer, for Air/Hydraulic Pumps, is designed to regulate the air pressure of air tools. Maintaining air pressure when using Hydraulic Equipment will increase the Proper Functioning of Hydraulic Equipment, Protect Air/Hydraulic Pumps from Over-Flow of Air, & Keep Hydraulic Products in their PRIME.

- Maintain a Tools Recommended working Air Pressure
- Tamper-proof preset value, 110 PSI
- Assist in lengthening the life of hydraulic pumps & lifting equipment

10601k

$49.99

Bead breaker pump chart

Single Piece Rim

The Most common rim in the Over-the-Road Catagory.

Some Include:
Backhoes, Small Construction Equipment, Aerial Platforms, Compact Trailers, Recreational & ATV, Lawn & Garden Equipment, Small Wheel Loaders, Hub Wheels, Sprocketed Hub Drive Wheels, Trailers, Skid Steer Loaders, and More.

Three Piece Rim



Three Piece Rims are the most common in off-the-road, agricultural, & mining applications. *Pieces include Locking Ring, Rim Base, & Front Flange.*

Some Include:
Construction Equipment, Telehandlers, Wheel Loaders & Graders, Articulate Haulers, Military Trucks & Trailers, Surface, Underground Mining Equipment, and More.

Modified "Combi" Tire Bead Breaker Kit

- Modified 11010, the most popular tool for breaking beads on all agriculture wheels
- Most affordable bead breaker for new 3 piece wheel assemblies
- Modified jaw and feet allow for larger grab on larger wheel assembly



15920 422-12020 (full kit)

Ascot No.	McGee No.	Description	Price
422-12020	12020	Bead Breaker Kit. INCLUDES: 11010 Bead Breaker, 15920 Pump and 16040 Hose Assembly	$1645.99

Hy-Flo Hydraulic Coupler

10600 Set

10606 10605

- Lightweight yet durable - 3/8" couplers
- Includes ram and hose portions
- Interchanges with OTC, Power Team, AME & ESCO hydraulic products

AHP20H

Ascot No.	McGee No.	Description	Price
318-09795	10600	Hy-Flo Hydraulic Coupler Set (9795)	$48.33
318-09796	10606	Ram Female Half (9796)	$23.85
318-0978	10605	Hose Male Half (9798)	$13.84
318-04960	AHP20H	Nylon Core Synthetic Fiber Reinforced 8ft x 3/8" & half coupler 10605	$62.15

"Combi" Tire Bead Breaker

- Works on a single, two and three-piece truck, agricultural and earthmover tire/rim
- Breaks beads in seconds using 10,000 lbs. of force
- No screws, bolts or attachments
- "Combi" bead breaker will not work on five-piece earth mover giant wheel/rim

422-11010

422-16200

The 16200 upgrade kit can be added to Combi Bead Breakers in order to convert the tool so that it can work on new 3 piece wheels.

Ascot No.	McGee No.	Description	Price
422-11010	10101	Bead Breaker	$658.99
422-11020	11020	Modified "Combi" Tire Bead Breaker	$1059.99
422-16200	16200	Conversion Kit for Combi Bead Breaker	$479.99

Two Piece Rim

Two Piece Rims are not as common however, ESCO products can be used on any combination of rim/wheel assemblies. *Pieces Include Front Flange & Rim Base.*

Some Include:
Industrial Forklifts, Demountable Rims & Components Used on Heavy Trucks, Military Trucks & Trailers, Two Piece Bolt Together Style Rims, Utility Vehicles, Ground Support Equipment, and More.

Five Piece Rim

Five Piece Rims are specific to mining & are most commonly large tire specific. *Pieces include Locking Ring, Bead Seat Band, Front Flange, Rim Base, & Back Flange.*

Some Include:
Haul Trucks, Mining Vehicles, Articulating Haulers, Wheel Loaders, Rubber Tired Dozers, and More.

Large Bore Air Chucks

Ascot No.	McGee No.	Description	Price
478-00377	377	Long Lock-On Air Chuck.	$22.95
478-00322	322	Large Bore Dual Foot Air Chuck. 45° Chuck For Easy Access To Valve. 1/4" NPT Female Thread.	$37.32
478-04660	H4660A	L/B Clip-on Air Chuck 1/4" NPT	$24.95
	5620	L/B 8 Piece Tool Kit	$139.99

Tubeless Type Air-Liquid Valves

These clamp-in valves have a removable 5789 Core Housing to permit fast filling of tires with liquid ballast solution. Fit .625" valve holes.

Ascot No.	McGee No.	TR No.	Straight Length	Price
464-00618	TR618A	618A	1-15/16"	$2.95
	TR218A	—	1-15/16" rubber snap in	$1.97
464-00218	9TLB	218A	— Box of 10	$128.62

Ascot No.	McGee No.	TR No.	Bent Length	Bend Angle	Price
464-00623	TR623A	623A	1-19/32"	65°	$13.16
464-00622	TR622A	622A	3-7/8"	90°	$12.56
464-00621	TR621A	621A	2-5/16"	65°	$4.80

Air-Liquid Core Housing and Accessories

6008B Tractor Front Wheel Valve Low profile tubeless valve offers minimum protrusion above rim hole. Effective length: $^{9}/_{16}$". Chrome finish. Fits .625" or .453" rim hole. Standard Pack: 10/box.	$3.11 ea
468-00203 594TM (TR-CH-3) Core Housing Screws into all valves and extensions shown here. Features O-ring seal. Standard Pack: 10 /box.	$1.05 ea
468-00201 9252 (TR-CH-1) Core Housing Screws onto base of old TR218 and TR220 tube valves. Standard Pack: 10/box.	$2.66
468-00010 LN10P Nylon Rim Nut Standard Pack: 100/box (LN-10 - Brass - $.35 ea 50/box)	$.42 ea

Super Large Bore Air-Liquid Valve For Tractor & Grader

464-00216 R372 (CH-16) Fits T81, C-100 & TR SP 816 Tube Spud.	$5.90
464-00208 T81 (SP-8) Fits 13/16" Dia. Rim Hole.	$7.90
466-00910 H50 (TR-F-910) Straight Valve Assembly Components T81 Spud and R372 Core Housing.	$13.92

LB Core $1.18 ea.



Large Bore Caps and Cores

Ascot No.	McGee No.	Description	Price
465-00145	A145	Large Bore Core (Short) Fits 305-32 threads	$1.28
465-00148	A148	Screwdriver Valve Cap. Fits .482-26 threads	$1.49
465-00149	A149	Hex Valve Cap fits .482-26 threads	$1.32
468-00100	655TM	Adapts large bore down to std. (AD1)	$2.49
468-08007	656	Same as 655TM but cap style (8807W-3)	$2.83

Single Bend Swivel Valves

Made in USA Dill

Ascot No.	McGee No.	TR No.	Bend Angle	Horizontal Length "L"	Vertical Height "H"	Price
465-00650	WH300J650	J-650	80°	$3^{1}/_{8}$	$1^{5}/_{64}$	$10.95
465-00653	WH300J653	J-653	80°	$2^{1}/_{2}$	$1^{5}/_{64}$	$12.92

Other links and styles available

Flexible Extension - Haltec

Made with tough rubber hose and reusable hydraulic-type fittings. Equipped with 2 lock nuts and 3/4" hex sealing nut. A Teflon gasket seals on end of valve. The lead seal in the sealing nut is forced into the threads for a second seal, positively locking extension to valve. Cap and core are not included. They should be removed from valve and transferred to extension.
8" to 40" available.

Hand-Bendable - Extensions

Teflon gasket seals on end of valve, the lead seal in the sealing nut is forced into the threads for a second seal, positively locking extension to valve. Cap and core not included. They should be removed from valve and transferred to extension. The extension should be anchored to rim. 3" to 32" available
7535 - series

Miscellaneous Valves

Made in USA Dill

465-00670 T670 Loader Tire Valve complete with core, hex cap and "O" ring seal. Thread size is $1\text{-}^{1}/_{16}$-12. Height is $1\text{-}^{25}/_{32}$".	$10.92
465-00702 H41 Tubeless Spud (TR-SP-2), used with all Large Bore Swivel Valves. Fits $^{13}/_{16}$" rim hole. Height is $^{11}/_{16}$".	$2.99
465-06702 H42 Straight Valve (TR-J-670-2) equipped with core and hex cap. Height is $1^{1}/_{2}$".	$8.46
465-06703 H45 Spud and Valve Complete (TRJ-670-3) Consists of H-41 & H-42. Height is $1^{5}/_{8}$".	$11.67

TRUCK TIRE VALVES

Hex bottom for tightening

Tubeless Truck Clamp-in Valves
Dill - with U.S.A. made grommet!

Straight clamp-in valves used on both demountable and non-demountable rims. For .625" diameter valve hole.

McGee #	Effective Length	Cost Each	100 Ea.
TR500	2"	$1.62	$1.25
TR501	1 1/2"	$1.62	$1.25
TR501IV	1 1/2"	$1.31	$1.25
TR570	3 1/8"	$1.68	$1.30
TR571	3 3/8"	$1.72	$1.40
TR572	3 3/4"	$1.80	$1.42
TR572IV	3 3/4"	$1.21	$1.21
TR57213	13° bend in valve	$2.07	—
TR573	4 3/8"	$1.90	$1.36
TR573IV		$1.36	$1.30
TR57313	13° bend in valve	$1.90	—
TR573HT13	13° bend in valve high temp	$2.42	—
TR574	5"	$2.04	$1.57
TR575	1-1/8"	$1.50	$1.50

IV is Ascot branded product.

Remember - Bending a valve after it is in the wheel will often ruin the grommet and will cause a valve leak.

Tubeless Valves for Aluminum Disc Wheels

For drop-center aluminum disc wheels with 5/8" bottom valve hole

Ascot No.	McGee No.	Effective Length	Price ea.
463-00509	509TR	4-3/4"	$2.95
463-00510	510TR	5-1/2"	$2.95
463-00511	511TR	4-1/4"	$3.49
468-05093	509-3TR	Replacement Rubber Grommet	

Tire Valves - 540 Series

O-ring seal valves for Alcoa truck wheel (9.7MM Valve Hole)

Many production Alcoa aluminum wheels are manufactured with a 9.77MM valve hole that requires an O-Ring tire valve. Valves have a high temperature resistant O-Ring and a heavy duty metal valve cap.

Valve TR No.	A Height	B Length	C Bend Angle	Price ea.	100 ea.
TR543	2.40	-	-	$2.81	$1.60
TR543D	.98	1.38	60°	$2.94	$1.60
TR543E	.98	1.38	75°	$2.84	$1.60
TR544	2.90	-	-	$3.35	$1.77
TR544D	.98	1.94	60°	$3.35	$1.77
TR545	3.50	-	-	$3.44	$1.91
TR545DL	Dill	--	--	$3.84	$2.29
TR545D	.98	2.6	60°	$1.99	$1.79
TR546	4.25	-	-	$3.37	$1.99
TR546D	.98	3.35	60°	$3.78	$1.99
TR546E	.98	3.35	75°	$3.82	$1.99
TR546G	.98	3.35	36°	$3.51	$2.85

Metric Clamp-In Valves - 550 Series

Popular on all new Alcoa wheels!

Compatible with aluminum wheel designs with .389 valve hole.

- Viton grommets offer a greater temperature range, a better seal, and a longer service life — Maximum temperature 250°
- Easier installation with screwdriver slot.
- Recommend installation torque 45 in - lbs.

McGee #	A	B	C	Price ea.	100 ea.
TR553	2.31	-	-	$3.92	$2.75
TR553C	0.93	1.38	45°	$3.92	$2.75
TR553E	.98	1.38	75°	$3.92	$2.87
TR554D	.98	1.94	60°	$3.92	$2.82
TR555DL	.98	2.6	60°	$3.92	$1.96
TR555E	.98	2.6	75°	$3.92	$2.27

TR555D import $1.82 each!
Use TR550 series for better seal than TR540 series

Valve Stem Ratchet Wrenches

469-00018

168-00916

Ascot No.	McGee No.	Description	Price
469-00018	VSW18	For TR570 series valves	$18.51
469-00020	VSW20	For TR540 & TR550 series valves	$21.59
168-00058	NSPTW58	5/8" Preset Torque Wrench for TR540-550 Series Valve Hex Nuts	$54.52
168-00916	NSPTW916	9/16" Preset Torque Wrench for TR570 Series Valve Hex Nuts	$54.52

Truck Grommets

G550 5093 0330 5953 59765 G170S

McGee #	Rim #	Fits	Used On
5953	RG-15	.625 Valve Hole	TV-500 Series, TV-570 Series
RG15S	RG-15	.625 Valve Hole	TV-500 Series, TV-570 Series red grommet 288°
G160	RG-22	.812 Valve Hole	H-41, T-81, T-30, DS-385, DS210
5093	RG-46	.625 Valve Hole	TV-509, 510, 511
G174	RG-48	.625 Valve Hole	TV-513, 515
G170S		.625 Valve Hole	Heat-Resistant Grommet for TV-570 Series (400°) green
59765	RG-54	.453 Valve Hole	TV-416, 416L, 6008
525	RG-39	.625 Valve Hole	TV-416, 416L
G550	RG-70	.9975 Valve Hole	Fits TV-550 Series - 400°
0330	RG-60		TR-540 Series Valves - 400°

DILL Commercial Truck Tire Valves

- Parts are individually date coded for traceability
- Grommets are high temperature verified and ozone resistant
- 570 series valves are made with 7/32" hex for easy installation
- OEM Approved
- EQ series (Vitron o-ring-high temp) are made with 14mm hex to prevent spinning during torque process
- 550 series valves are designed with a screwdriver slot for easy installation
- Many truck valves are made with USA grommets and o-rings

Ford "F" Series Truck Valve

- Ford "F" series with dual wheels
- Alcoa aluminum 16" wheels
- Front and rear wheels
- Chrome finish
- Dual seal cap not included

$2.59 ea.

Ascot No.	McGee No.	Description
462-01600	VS902WP	Ford "F" Series Valve

Ford "Cut-Away" and Cargo Van Series Valve

- Ford "cut-away" and cargo van series with single rear wheels
- Accuride steel 16" x 7" wheels
- Front and rear wheels
- Dual seal cap not included

$1.50 ea.

Ascot No.	McGee No.	Description
462-01575	TR575HPDS1	Ford "Cut-Away" & Cargo Van Series

Ford "F" Series Truck Valve

- Ford "F" series with dual wheels
- Accuride steel 16" x 6" wheels
- Front and rear wheels
- Nickel finish
- Includes dual seal cap

$2.69 ea.

23° bend

Ascot No.	**McGee No.**	Description
462-02416	TR416MC	Ford "F" Series Valve

Enkei Valves

- A high performance "No Show" type chrome plated valve that installs from the outside
- A rubber washer and nut are on the inside
- Fits .453" diameter hole

Ascot No.	McGee No.	Description	Price
462-06010	TR6010	3/4" Length, Standard	$2.04
462-06020	TR6020	Bent at 45° Angle	$2.15
462-06030	TR6030	1-1/4" Length, Standard	$2.31
462-06040	TR6040	1-3/4" Length, Standard	$4.79

Quality valves assure trouble free service!

Chrome Hi-Performance Valve

Perfect for Custom Wheels

Chrome plated valve and sealing cap. Especially suited to custom wheels. Includes grommets for .453" and .625" passenger car wheels.

5991B
462-00800
3/4"

$1.12 ea.

Radial Commander Valve For 15° Disc Wheels

- 23° bend clamp-down valve for .625" valve hole
- Bend allows clearance of brake drum for tire service

$1.98 ea.

Ascot No.	Part No.	Description
462-01147	N1147	Radial Commander Valve Dill

TR416 Clamp-In Tubeless Tire Valves

- Nickel plated metal valves can be installed in all passenger cars, light trucks and industrial rims with .453" or .625" valve holes
- Rubber grommet forms a seal when valve is clamped to rim by tightening hex nut
- Maximum inflation pressure is 130 psi
- Includes 2 rubber grommets

3640 - $1^1/_4$"

Ascot No.	McGee No.	Eff. Length	Price
462-00416	TR416 (3640)	1-1/4"	$1.12
461-01416	TR416L (3641)	2"	$1.19

Dill – OE - Stem

Snap-In Tubeless Tire Valves

Made with special rubber compound to resist ozone damage and prevent premature deterioration caused by rim hole compression, heat, cold. Maximum inflation pressure is 65 P.S.I.

Valve Hole	McGee No.	Effective Length	Standard Pack Box	50 Pk Price
.453	TR412	$^7/_8$"	500	$.34
.453"	TR413	$1^1/_4$	500	$.35
.453"	TR414	$1^1/_2$	500	$.42
.625"	TR415	$1^1/_2$	500	$.46
.453"	TR418	2	500	$.38
.453"	TR423	$2^1/_2$	500	$.63
.625"	TR425	2	500	$.75
Special prices on boxes of 500 each.				

413 414 418 423 415 425

Machine Year Month Day

Snap-in tire valves have become a commodity even though they are critical in maintaining the correct tire pressure. As questions arise regarding the life of rubber components and as an effort to provide traceability for this product line, Dill provides a solution! Each Dill stem has the production data etched on it!

Now! EconomicalAsian stems TR413IV – $.17 ea. TR418IV - $.21 ea.

Chrome-Sleeve Snap-in Type Tubeless Tire Valves

- Standard snap-in type tubeless tire valves are fitted with an attractively designed hexagon valve cap and chrome sleeve to cove the valve stem area
- Available in two lengths to fit .453" valve holes.

Ascot No.	Mfg. No.	Eff. Length	Price
461-41211	412SC	7/8"	$ .49 ea
461-41311	413SC	1-1/4"	$ .59 ea
461-41811	418SC	2"	$ .79 ea

High Pressure Snap-In Valves — Dill OE

- Tubeless snap-in type valves for high pressure applications
- Maximum cold inflation pressure is 80 psi
- For .453" or .625" rim holes
- Do not use on tire rims that exceed .205" in thickness

Ascot No.	TR No.	Eff. Length	Valve Hole Dia.	Sale Price
461-00600	TR600HP	1.27"	.453"	$.79
461-00602	TR602HP	2"	.453"	$.89
461-00801	TR801HP	1.25"	.625"	$.95
461-00802	TR802HP	2"	.625	$1.03

TR600HPIV import - 100 each - $.32 ea
TR600HPC Chrome Available

Now approved by UPS and Ryder

Visit McGee resource page for details or link at:

Double Seal Cap

- Reduce pressure check time by 65%
- Designed for high pressure truck tire service
- Inflate, deflate or gauge directly thru the DS-1 saving time during inflation and pressure checks

Ascot #	McGee #	Description	Price
468-04191	DS1	Double Seal Cap - Haltec	$.72
468-02222	AE1	Alligator Double Seal Cap	$.99

SEATERS AND INFLATION GAUGES

5-Gallon Bead Seater

$169.99

473-01500
5-Gallon Bead Seater

- 5-gallon capacity
- Equipped with a butterfly valve for maximum air discharge
- Designed for commercial use on large truck tires, passenger and ATV tires to 24.5”
- Made in Taiwan
- Parts interchangeable with competitive products

Truck Service Gauges

Adjusting screw in end of indicator bar

- Wide variety of service gauges to accommodate the numerous tire and wheel configurations encountered by tire service personnel
- Available in chrome plated or protective black epoxy finish as indicated
- Calibrated from 10-150 psi in 2 pound increments
- Nylon or metal indicator bars

Pocket Truck Gauges

Ascot No.	McGee No.	Description	Price
476-10150	GA150	Straight-On/Angled Gauge. 20-120 psi. Chrome Plated.	$9.37
476-10160	GA160	Straight-On/Angled Gauge. 10-120 PSI. Black Baked Epoxy Protective Finish.	$9.99
476-10130	GA130	Dual Foot Angled Pencil Gauge. 20-120 psi.	$6.40
476-07263	7263USA	Straight-On/Angled Gauge USA Made 20-120 PSI. Black Baked Epoxy Protective Finish	$11.11

Safety Inflation Gauges

1-2% ACCURACY

M Series



477-00001
10-120 PSI
Standard 12" hose and dual ft. chuck

$49.95

Specify hose 6', 9', or 12'

Recommended for All Types of Vehicles – 10-120 PSI

477-11235 - RPG Digital Inflator: 20" Hose w/Clip-On Chuck – 0-174 PSI Accuracy +/- 1 PSI - **$79.30**

477-11237 with 6’ hose - **$89.99**

Bead Bazooka

- Ultra compact design for fitting in truck cabinets
- More powerful than previous design

Ascot No.	Description	Price
473-00103	3 Liter Cars & SUV Tires	$309.95
473-00106	6 Liter Car & Commercial Tires	$358.95
473-00110	10 Liter Car & CommercialTires	$429.95

Automotive Tire Gauges

476-03501
Black Plated Master Tire Gauge

- Pencil, chrome tire gauges with nylon indicator bars

Imprinted gauges available with your name. Call for details!

Ascot #	McGee #	Range	Type	Price
476-10105	GA105	10-50 PSI	Passenger Gauge	$3.74
476-10115	GA115	20-120 PSI	High Pressure Gauge	$3.64
476-07212	7212USA	20-120 PSI	High Pressure Gauge	$4.39
476-10100	GA100	1-20 PSI	Low Pressure Gauge	$3.38
476-10110	GA110	10-50 PSI	Passenger Gauge 75-340 kPa Calibrated in PSI & kPa	$3.49
476-07213	7213USA	10-50 PSI	Passenger Gauge 75-340 kPa Calibrated in PSI & kPa	$3.95
476-10125	GA125	5-45 PSI	Air/Liquid Gauge - tractor	$3.38
476-07230	7230USA	5-45 PSI	Air/Liquid Gauge - tractor	$7.13
476-10145	GA145	10-75 PSI	Mid-Range Gauge 70-500 kPa Calibrated in PSI & kPa	$3.04
476-03501	3501	10-100 PSI	Master Tire Gauge & Black Angle Bend	$17.58

Ascot No.	McGee No.	Gauge Type	Price
476-10135	GA135	Angle Chuck With Nylon Bar	$12.17
476-11135	GA135S	Same As Above, Angle Chuck With Metal Bar	$11.16
476-10155	GA155	Straight-On With 30° Reverse Chuck	$12.79
476-10165	GA165	Same As Above, Straight-On With 30° Reverse Chuck, Black Epoxy Finish	$10.64
476-11155	GA155S	Same As Above, Straight-On With 30° Reverse Chuck, Metal Bar	$12.92
476-10185	GA185	Dual Foot Service Gauge With Nylon Bar, 180° Chuck, Chrome Plated	$10.38
476-01046	7285E	Externally Adjustable Metal Bar Truck Gauge – 10-150 psi	$15.34

Dill USA Truck Service Gauges

Ascot #	McGee #	Range	Type	Price
476-00001	SG1	10-150 PSI	Dual Foot Head; Chrome Body with Black Markings on a White Bar	$24.52
476-00002	SG2	10-150 PSI	Dual Foot Head; Chrome Body with White Markings on a Black Bar - Adjustable	$26.23
476-00003	SG3	10-150 PSI	Dual Foot Head; Black Powder Coated Body with White Marking on a Black Bar - Adjustable	$26.75

Couplers & Nipples

- Steel plated couplers with hardened steel balls and stainless steel springs
- Plugs heat-treated to reduce wear on critical mating surfaces
- Interchange with Tru-Flate 10 and 100 type series as well as units produced by other manufacturers
- Maximum working pressure 300 psi.

ASCOT

131-61523 131-61524 131-61539 131-62523 131-61579

Automotive Series

Ascot #	Dill No.	Milton No.	Amflo No.	McGee No.	Thread	NPT	Price
COUPLERS							
131-61523	D-13	785	C2	3504	Female	1/4"	$5.18
131-61524	D-12	786	C1	3503	Male	1/4"	$7.93
131-62523	D13R	--	--	3505	Female	1/4"	$6.06
ADAPTER PLUGS							
131-61539	D-3C	784	CP2	3507	Female	1/4"	$1.74
131-61538	D-2C	783	CP1	3506	Male	1/4"	$1.52

Industrial Interchange

Ascot #	Dill No.	Milton No.	Amflo No.	McGee No.	Thread	NPT	Price
COUPLERS							
131-61573	102	715	C20	514212	Female	1/4"	$5.62
131-61574	103	716	C21	514112	Male	1/4"	$6.58
ADAPTER PLUGS							
131-61578	110	727	CP21	513811	Male	1/4"	$1.29
131-61579	109	728	CP20	513911	Female	1/4"	$1.29

European-Style Clip-On Chucks

Ascot No.	McGee No.	Description	Price
478-02985	CH360	European-Style Clip-On Chuck. 1/4" Female Fitting. Silver Clip. (Normally Closed).	$9.90
478-02995	CH360OP	European-Style Clip-On Chuck. 1/4" Female Fitting. Black Clip. (Normally Open).	$9.00
478-01200	N1200	European-Style Clip-On Chuck. Serrated Shank for 1/4" I.D. Hose. Silver. (Normally Closed).	$7.00

Made in the USA

478-01200

478-02985

McGee No.	Description	Price
6293DUSA	European-Style Clip-On Chuck, 1/4" Female Fitting. Silver Clip. (Normally Closed). (CH360)	$8.06
6293EUSA	European-Style Clip-On Chuck. 1/4" Female Fitting. Black Clip. (Normally Open). (CH360001)	$8.09

Lock On Air Chucks

Ascot No.	McGee No.	Description
478-05265	5265SH	Lock-On Air Chuck. Specially Designed To Lock Onto The Cap Of A Standard Bore Valve Stem When The Sliding Sleeve Is Pushed To Forward Position

$11.00

133-61563 133-61471 133-61569 133-01855
1/2" Nipple - 1/4" NPT

Automotive Series

Ascot #	Dill No.	Milton No.	Amflo No.	McGee No.	Thread	NPT	Price
COUPLERS							
133-61563	D-17	1815	C10	3512	Female	1/2"	$14.40
133-61564	D-16	1816	C9	3511	Male	1/2"	$13.69
133-61471	D-17R	--	--	D17R	Female	1/2"	$14.53
ADAPTER PLUGS							
133-61569	D-3F	1818	CP10	3514	Female	1/2"	$5.72
133-61568	D-2F	1817	CP9	3513	Male	1/2"	$5.48
133-61474	D-0F	1819	CP9-03	3537	Male	3/8"	$3.42
133-01855	N/A	1855	N/A	1855MI	Male	1/4"	$3.20

Dual Foot Air Chucks

Ascot No.	McGee No.	Description	Price
478-01350	CH350LO	Straight-On/Angled Chuck. Protective Black Epoxy Finish (Normally Closed)	$12.43
478-00335	CH335	Angled Chuck. Plated Finish (Normally Closed)	$8.40
478-03300	CH330LO	Straight-On/Angled Chuck. With Lock-On Threads (Normally Closed)	$9.06
478-03301	CH330	Straight-On/Angled Chuck (Normally Closed)	$7.15
478-03330	CH333LO	Straight-On/Angled Chuck. 14" Long (Normally Closed)	$11.27

478-00335

478-03300

478-01350



Ball Foot Chucks

Ascot No.	McGee No.	Description	Price
478-00335	5499	Ball Foot Chuck. 1/4" Female Thread (Normally Closed)	$3.93
478-00315	5567	Ball Foot Chuck With Lock-on Clip. 1/4" Female Thread (Normally Closed)	$6.90

478-00315

478-00305

Air Hose

McGee Company offers free assembly of air hose to your required length!

- **Rubber Air Hose**
- **1/4", 3/8" & 1/2" Multi Purpose Air Hose Assemblies** Smooth cover, 300 PSI W.P., 1,200 lb. burst. Limited oil resistance tube & cover. Red.

Made in the USA

Mfg. No.	Description	Price
W64RJ25	25', 3/8" Hose, 1/4" MNPT	$39.90
W64RJ50	50', 3/8" Hose, 1/4" MNPT	$69.90
W84RJ25	25', 1/2" Hose, 1/2" MNPT	$69.90
W84RJ50	50', 1/2" Hose, 1/2" MNPT	$104.50

TIRE VALVE TOOLS & MOUNTING COMPOUNDS



Ascot No.	McGee No.	Description	Price
469-52000	52000	Valvecapper is 11.5" long-designed to reach the inner valve on dual wheel. One end is for the removal/installation of valve caps and the other end is removal/installation of the core	$16.95
469-00011	TL645	Cable Valve Fishing Tool. Valve core wrench and deflating pin with flexible cable for fishing valve through rim hole. 24"	$2.95

Valve and Core Tools

Ascot No.	McGee No.	Description	Price
469-00992	610	Tubeless Tire and Tire Valve Inserting and Removing Tool. For all sizes of snap-in passenger car tire valves	$9.68
469-43002	43002	Plastic Valve Puller	$10.95
469-00014	–	Install/Remove Removal Tool. Rubber block adds leverage	$9.95

Murphy's Liquid Lubricant

- Ready to use liquid for easy application
- Designed to assist in mounting rubber tires and tubes on all types of wheels
- Easy clean up and non-toxic
- Contains rust inhibitor to help fight rust

433-02020
Murphy's Liquid Lubricant, 1 Gallon

McGee No.	Mfg. No.	Description
MPL1	2020	Murphy's Liquid Lubricant, 1 Gallon (4 per case)
MPL5	2023	Murphy's Liquid Lubricant, 5 Gallons

TL1 - McGee Liquid Lube - Super Slick - **$13.95**

Special!
MPL1 - $13.95

Ascot Tire and Tube Mounting Compound

MP25 AS25

- Makes tire mounting and dismounting faster and easier
- Now with rust inhibitor
- Approved by major rubber companies
- Lubricates all rubber parts, stops rubber squeaks

McGee No.	Description - Murphy's Private Label
AS8	Tire/Tube Mounting Compound, 8 Lbs. Pail
AS25	Tire/Tube Mounting Compound, 25 Lbs. Pail **AS25 - $44.95**
AS40	Tire/Tube Mounting Compound, 40 Lbs. Pail

McGee No.	Mfg. No.	Description
MP8	2000	Murphy's Concentrated Tire & Tube Mounting Compound, 8 lb. Pail (4 per case)
MP25	2005	Murphy's Concentrated Tire & Tube Mounting Compound, 25 lb. Pail
MP40	2008	Murphy's Concentrated Tire & Tube Mounting Compound, 40 lb. Pail

Core Tools



Ascot No.	McGee No.	Description	Price
469-00612	TL612	Standard Core Tool 8"	$9.11
469-00021	TL615	Standard Deflator Core Remover	$1.30
	5411	Core Tool Screwdriver Handle - USA Made	$2.49
469-00005	TL685	Standard and L/B Core Tool	$2.25
469-00002	4205	4 Way Tool Steel	$4.95
469-00044	46900044	Core Torque Tool	$26.69
469-00081	46900081	4 WayTool - "The Best"	$5.00

Tire Tread Depth Gauges

Ascot No.	McGee No.	Description	Price
454-00599	595TM	Tire Tread Depth Gauge. Used to measure tire tread depth in 1/32" increments	$2.39
454-015124	5124	Red-Yellow-Green Tread Depth Gauge: Allows your customer to visually diplay when tires should be replaced due to tread wear.	$2.49

432-00750 **#75 - Mounting Paste 7.7 lb. - $18.95**
432-01750 **#75N - Low Profile Pail**

Rema

The Original Euro Paste

Eases mounting of stiff, low-profile tires. Aids in faster bead sealing during inflation. Preferred when servicing tires on ABS-equipped or HP vehicles. Prevents vibration complaints as a result of tire moving on wheel after balancing.

Tire Swabs and Brush



Now! $1.93 ea. 000491

Ascot No.	McGee No.	Description	Price
437-00001	000491	Tire Swab - 11" OAL X 2" Diameter	$1.93
437-00002	TS2	Tire Swab - 15" OAL X 2" Diameter	$3.95
437-00003	TS3	Tire Swab - 18" OAL X 3" Diameter	$7.99
437-40006	73	Tire Lubricating Brush	$13.95

AUTOSOCK® – AVAILABLE FOR CARS AND TRUCKS

- Less weight than chains
- No damage to vehicle
- No climbing under vehicles to grab broken chains
- Great for low wheel clearance vehicles
- Faster to put on, less than 5 minutes!

Showroom displays for the floor or counter available!

DISTRIBUTORS WANTED

A specially designed surface pattern that makes the total contact area exposed to dry friction as large as possible.

AutoSock® gets fuzzy "hairs" between and at the contact areas in order to increase the friction on snow and ice.

Mesh keeps snow out of the tread and wheel well while the orange straps help with centering and easy removal.

Colorado DOT demonstration

AutoSock for Passenger Cars - *Max. Traction Force on Snow*



DATE:	Dec 06 2007	**AIR TEMP.:**	-7°C/25°F	**TIRE SIZE:**	205/55 R16	**INFLATION FA:**	3.0 bar	**TEST VEHICLE:**	Pontiac FWD
LOCATION:	Loveland Pass	**CONDIT.:**	Dry snow, cloudy	**ABS:**	on	**INFLATION RA:**	3.0 bar	**TEST SURFACE:**	Packed Snow

AutoSock for Truck - *Max. Traction Force on Snow*



DATE:	Dec 06 2007	**AIR TEMP.:**	-7°C/25°F	**TIRE SIZE:**	295/70 R22.5	**INFLATION FA:**	8.0 bar	**TEST VEHICLE:**	Peterbilt
LOCATION:	Loveland Pass	**CONDIT.:**	Dry snow, cloudy	**ABS:**	on	**INFLATION RA:**	8.0 bar	**TEST SURFACE:**	Packed Snow

TRACTION LAWS

AutoSock has the OE Approvals!

AutoSock is mentioned by name in the above OE manuals.

AutoSock is approved by leading international car manufacturers.

Why sell or use AutoSock

- OE trusted & approved by name
- The original ATD pioneered by textile scientists
- Fewer SKUs than the competition
- Faster/easier to put on than chains
- Multilayered design for durability & wear indications
- Approval all the way through six axel vehicles throughout the US

www.AutoSock.us

CALIFORNIA

California Alternative Traction Devices (ATD)-Section 1070-1074-Title 13 California code of regulations. As of July 1, 2019, the California Highway Patrol (CHP) new regulations require all ATD to prove they can exceed or equal the performance of approved metal traction devices in all aspects of traction. The specifics of the traction requirements are outlined in the new regulation and follow the ÖNORM Austrian standards for traction devices. AutoSock® meets the ÖNORM standards and each pair of AutoSock® are the only textile ATD labelled as required in California with the ÖNORM symbol of compliance. AutoSock® can be used instead of tire chains in California.

COLORADO

House Bill 19-1207 changes the game in Colorado for passenger vehicles. Starting August 2, 2019, the legislation updated requirements for drivers using state highways during winter months. Specifically, it changed the required minimum tire tread for vehicles on snowy roads to 3/16 of an inch. The law reaffirms the department's ability to close state highways during inclement weather, and requires any motor vehicles to have one or more of the following:

- Tire chains
- A CDOT approved alternative traction device like AutoSock®
- Four-wheel drive with adequate tire tread
- All-wheel drive with adequate tread and/or
- Tires with manufacturer marking for snow/mud and adequate tread

ÖNORM symbols

Be wary of textile traction devices that don't have the ÖNORM label and are not approved for use in all States!

Check your traction laws

Traction Laws in Colorado and California!

Largest stock of tire chains in the Rocky Mountain Area!

Laclede™ Wide Base Truck Chains

Tire Sizes			Non-Cam Stock No.	Cam Stock No.
8.25-15LT	275/70R16LT	235/75R17.5	3210R	3210CAM
10-15LT	285/65R16	245/70R17.5		
265/70R15LT	295/50R16LT	245/75R17.5		
265/75R15LT	235/80R17	255/65R18		
305/50R15	245/75R17LT	P255/70R18		
31X10.50-15LT	255/60R17	P265/65R18		
33X10.50-15	P255/70R17	255/70R18		
P265/70R16	P265/65R17	275/55R18		
P265/75R16	P265/70R17	265/50R19		
245/85R16LT	265/60R17	275/55R19		
265/70R16LT	265/70R17LT	225/70R19.5		
265/75R16LT	265/75R17	245/60R20		
265/80R16LT	275/65R17	265/60R20		
PR78-15	275/65R16LT	305/45R17	3227R	3227CAM
11-15LT	285/60R16LT	P265/60R18		
31X11.50-15LT	32X11.50-16LT	285/60R18		
32X11.50-15LT	33X13.50-16	285/65R18LT		
33X9.50-15LT	34X9-16	285/45R19		
33X13.50-15	12-16.5LT	275/60R20		
34X9.50-15LT	31X10.50-16.5LT	P285/50R20		
PR78-16	285/60R17			
P285/60R16	285/70R17			
275/75R16	265/70R18	275/50R20	3228R	3228CAM
285/75R16LT	P275/60R18	275/45R21		
31X12.50-16	275/65R18			
12-15LT	35X12.5-16	295/70R18LT	3229R	3229CAM
P315/70R15	35X13.5-16	325/60R18		
325/60R15	36X13-16	33X12.5-18		
31X13.5-15	32X12.50-16.5LT	33X13-18		
32X12.50-15	33X12.5-16.5	275/65R20LT		
33X12.50R15	33X15.5-16.5	285/55R20LT		
33X14-15	275/70R17	285/60R20		
33X14.50-15	285/75R17LT	295/55R20		
35X12.50-15	295/70R17LT	305/50R20		
35X14.5-15	305/65R17	305/55R20		
11L16	305/70R17	32X11.50-20		
285/70R16LT	33X12.50-17	33X12.5-20		
295/75R16LT	10.50/80R18	285/50R22		
305/70R16LT	275/70R18LT	33X11.5-22		
305/85R16LT	285/75R18LT			
QR78-15	315/70R17LT	35X12.5-18	3231R	3231CAM
35X13.5-15	325/70R17	285/65R20		
37X13-15	345/55R17	295/65R20		
315/75R16LT	35X12.50-17	325/60R20		
345/55R16LT	37X12.50-17	35X12.50-20		
37X12.50-16	305/60R18	325/50R22LT		
38X13-16	305/70R18LT	35X12.5-22		
38X12.50-16.5	325/65R18	295/60R22.5		
35X14-15	36X14-16.5	37X13.5-18	3235R	N/A
36X12.50-15	37X12.5-16.5	285/70R19.5		
36X13.5-15	38X15.5-16.5	275/75R20		
37X13.50-15	355/70R17LT	37X12.50-20		
35X14-16	37X13.5-17			
36X12.5-16.5	14-17.5			
37X14.50-15	38X14.50-16	37X13.50-20	3251R	N/A
39.5X15-15	39.5X15-16.5	37X13.50-22		
40X17-15	40X17-16.5			
325/80R16	355/65R18			
355/80R20	15-22.5		3255R	3255CAM
13-22.5	385/65R22.5			
18-22.5	445/65R22.5		3261R	N/A
38.5X16-15	39.5X15-16	15-19.5	3265R	N/A
39.5X18-15	39.5X18-16.5	38X15.50-20		
38.5X16-16	38X15.5-18			
445/50R22.5	455/55R22.5		3269R	3269CAM
445/65R19.5	16.5-22.5	425/65R22.5	3271R	3271CAM

Wide Base Truck Cam Chains

Dual Truck Chains

DUO Tractor Chains

Tractor Chains

Tire Sizes					Stock No.
9.5-24	9.5-28	11.2-24			DUO214
9.5-32	11.2-28	230/95R32	355/80R20		DUO226
10.5/80-18	12-16.5	280/70R20	300/70R20	315/75D15	DUO225
12.4-24					DUO229
9.5-36	9.5-38	11.2-32	12.4-28		DUO218
13.9-36	320/85R34				DUO242
13.6-24	13.6-26	14.9-24			DUO240
14.9-26					DUO250
14.9-28	14.9-30				DUO252
13.6-28	16.9-24	320/85R38	340/85R28	380/85R34	DUO260
14.9-38	15.5-38	320/90R46			DUO254
17.5-24	17.5L-24				DUO263
16.9-26	16.9-28	420/85R28			DUO262
18.4-16.1	21.5L-16.1				DUO264
18.4-24	19.5L-24				DUO268
16.9-30	18.4-26	18.4-28	18.4-30	540/65R30	DUO271
550/65R25	600/65R28				
18.4-34	480/85R34	600/65R25			DUO273
16.9-38	18.4-38	20.8-34	420/80R46	460/85R34	DUO272
480/80R38					
18.4-42	18.4-46	380/90R54	480/80R46		DUO277
20.8-38					DUO276
24.5-32	23.1-34	28.1-34	620/70R42	650/75R32	DUO282

Tire Chain Adjusters

Passenger Car No. 29110 Trucks Nos 29925 & 29229

Truck No. 6032

Grader No. 6304

Truck No. 0218

Passenger Car No. 39110 Trucks Nos 39925 & 39229

Ascot No.	Mfg. No.	Description	Qty.
458-29110	29110	Passenger Car - Rubber	2 per bag
458-29225	29225	Light Truck - Rubber	2 per bag
458-29229	29229	Heavy Truck - Rubber	2 per bag
	0218	Spider Truck	2 per bag
458-06302	6302	Light Truck - Spring	1 pair per container
458-06304	6304	Tractor/Grader - Spring	1 pair per container
	39110	Passenger Car - Rubber Arm Blue	2 per bag
	39225	Light Truck - Rubber Arm Grey	2 per bag
	39229	Heavy Truck - Rubber Arm Green	2 per bag

Grader Chains

TIre Sizes			Tire Chain Stock No.
13.00-24/25	14.00-20/21	15.5-25	2612
14.00-24	14.00-25	400/75R28	2615
16.00-20/21	17.5-25		2624
16.00-24	16.00-25		2627
20.5-25			2633
18.00-25	18.00-24	18.00-26	2636
23.5-25			2645
26.5-25	755/70R25	30.5R32	2657
710/70R38		800/65R32	

LG Cam Series Available



TIRE CHAINS

Laclede Single Truck Chains

- Recommended for highway use
- Available in R—regular side chain
- Available with cam side chain

Tire Sizes					Non-Cam Stock No.	Cam Stock No.	Weight Per Pair	Cross Chains Per 1/2 Pair	Replacement Cross Chain
7.00-14LT	P205/75R14	28X8.50-14			2209R	N/A	19	11	6219
185-14	195/75R14LT	205/60R17.5							
H70-14ST	H78-15ST	6.70-15LT	P215/75R15	7-17.5LT	2211R	2211CAM	23	13	6219
H78-14ST	LR78-15	7.00-15LT	195/75R15LT						
215/75R14LT	P235/75R15	P225/70R16	255/60R16	P235/65R17	2216R	2216CAM	22	12	6221
9-14.5MH	215/75R15LT	P225/75R16	255/75R16LT	235/65R17					
H78-15LT	30X9.50-15	205R16	8.00-16.5						
P225/75R15	6.50-16LT	225/75R16LT	P235/60R17						
7.00-15TR	245/75R15LT	235/75R16LT	8-17.5	P255/45R18	2219R	2219CAM	24	13	6221
7.50-15LT	7.00-16LT	245/70R16LT	8.50-17.5	225/65R18					
P275/60R15	8.75-16LT	255/65R16LT	215/70R17.5	235/60R18					
235/75R15LT	215/80R16LT	8.75-16.5	P235/50R18	235/65R18					
245/70R15LT	215/85R16LT	P235/70R17		245/55R19					
NR78-15	LR78-16	9.50-16.5			2221R	2221CAM	26	14	6221
7.50-15TR	7.50-16LT	7.00-17LT							
275/60R15LT	235/85R16LT	215/75R17.5							
7.50-17	245/70R17LT	225/70R17.5	7.00-18	8-19.5	2214R	2214CAM	28	15	6221
P245/65R15	P245/75R16	265/60R16LT	P245/65R17	P255/55R18	2229R	2229CAM	24	12	6225
P245/70R15	P255/65R16	275/60R16LT	P245/70R17	255/55R18					
P255/70R15	P255/70R16	30X9.50-16LT	P255/55R17	255/60R18					
P265/70R15	P275/60R16	31X11.50-16	P255/60R17	235/55R19					
P265/75R15	235/70R16LT	32X9-16LT	P255/65R17						
255/75R15LT	235/80R16	32X10.00-16LT	P275/60R17						
29X9.50-15	245/75R16LT	10-16.5LT	225/75R17LT						
P235/70R16	255/70R16LT	P235/75R17	245/65R17						
P245/70R16	265/50R16LT	P245/55R17	275/60R17						
8.25-15TR	P275/70R16	245/70R19.5	275/55R20		2228R	2228CAM	27	14	6225
285/75R15	255/85R16LT	P275/60R20							
7.50-18	265/70R19.5	6.50-20	7.00-20		N/A	2233CAM	38	11	6251
9.00-15TR	9R17.5	7.50-20	235/80R22.5	255/70R22.5	2237R	2237CAM	40	12	6251
9.00-16LT	10R17.5	8-22.5							
10-15TR	11R17.5	9-22.5	275/70R22.5		N/A	2239CAM	44	13	6251
QR78-16	8.25-20	245/75R22.5							
9.00-20	10-22.5	255/80R22.5	265/75R22.5		2241R	2241CAM	46	14	6251
10.00-20	11-22.5	275/80R22.5			2245R	2245CAM	49	15	6251
285/75R22.5	295/75R22.5	305/70R22.5	275/80R24.5	285/75R24.5	2247R	2247CAM	48	14	6253
10.00-22	11-24.5				2249R	2249CAM	53	15	6253
11.00-15TR	11.00-20	12-22.5	12.5-22.5	295/80R22.5	2251R	2251CAM	62	14	6260
12.00-20	13/80R20	11.00-22	315/80R22.5	12-24.5	2255R	2255CAM	67	14	6263

Online Size Lookup

Laclede Snow Blower & Garden Tractor Chains

Tire Sizes		Stock No.
4.00/4.80 x 8		1301G
16 x 6.50 x 8	15 x 6.00 x 6	3300G
18 x 8.50 x 8		3307G
20 x 10 x 8	20 x 10 x 10	7145G
20 x 8.00 x 10	20 x 8 x 8	1308G
23 x 9.50 x 12	23 x 10.50 x 12	5307G

Other sizes available - call for details.

Laclede Forklift Chains

- Square link alloy cross chains

Tire Sizes				Stock No.
6.50-10				2108FL
7.50-10	7.00-12	25 x 8.50-14		2110FL
7.00 x 15 27 x 8.50-15	28 x 9-15 28 x 9.50-15	29 x 8-15	8.15-15	2116FL
7.50-15				2121FL
250-15	27 x 10.50-15			2129FL
8.25-15				2128FL
300-15	28 x 12.50-15			3129FL

Laclede ATV/UTV Chains

- Reinforced cross chain for increased wear and traction
- Two link spacing cross chain

Tire Sizes					Stock No.
24 x 9 x 11 24 x 11 x 9 24 x 11 x 10	24 x 11 x 11 24 x 11 x 12 25 x 8 x 12	25 x 10 x 11 25 x 10 x 12 25 x 11 x 9	25 x 11 x 12 26 x 9 x 12 26 x 9 x 14	26 x 10 x 12 26 x 10 x 14	618

Call for details on other sizes.

McGEE COMPANY

1-800-525-8888

Denver (HDQTR)
1140 South Jason St.
Denver, CO 80223
(303) 777-2615
FAX (303) 777-7140

Salt Lake City
1101 S. 700 West
Salt Lake City, UT 84104
(801) 487-8751
FAX (801) 487-8753

Albuquerque
4412 Prospect NE
Albuquerque, NM 87110
(505) 883-9613
FAX (505) 883-1382

Dallas
8504 Chancellor Row
Dallas, TX 75427
(214) 689-0400
FAX (214) 689-0448

Atlanta
3922 Shirley Dr.
Atlanta, GA 30336

Why studded tires are the best choice for winter driving!



35% BETTER THAN 'STUDLESS' WINTER TIRES



STUDDED TIRES 36% BETTER THAN WINTER "STUDLESS" SNOW TIRES



Stud Gun, Studding Equipment

458-00010

458-00500

ASCOT NO.	MFG. NO.	DESCRIPTION
458-00010	10G	**Stud Gun**. Standard of the Industry. Automatic. Light weight.
458-00002	KFP2	**Stud Feeder**. Fully automatic with 110 Volt motor, fast loading. Provides positive stud orientation. Feeds up to 225 studs per minute.
458-04048	4048	**Feederboy Stud Gun**. Designed for fast feeding studs of the AS-9 Gun. Attaches with screw clamp. Operates by manually turning the feeder cap.
458-00005	K5	**Stud Stand**. Saddle, extension for feeder & tray. Welded steel construction. K5M doesn't have tall post.
458-00500	K500	**Studding Equipment Kit**. INCLUDES: K-5 stand, AS-9 gun, KFP2 automatic stud feeder.

Ugigrip®, Self-Adjusting Carbide Tire Stud

- **Delivers full-time traction, increases the safety, convenience and security.**
- To order studs to best fit your customers' tire, use the TSMI number recommended by the tire manufacturer

SINGLE FLANGE STUDS:

TSMI Size	11	12	13	15	16	17	19
Overall Length	.345"	.375"	.470"	.520"	.585"	.615"	.635"
Jacket Dia.	.197"	.197"	.197"	.197"	.197"	.197"	.250"
Bottom Dia	.354"	.354"	.354"	.354"	.354"	.354"	.435"
Nearest 32" to Hole Depth	11/32"	12/32"	13/32"	15/32"	16/32"	17/32"	19/32"

MADE IN FRANCE FOR OVER 50 YEARS!

Parts Breakdown

Stud Gun Parts Video



STUD GUN PARTS (AS-9 MODEL)

Part No.	Description
0084	External Finger
0087	O-Ring
0088	O-Ring
0089	O-Ring
0090	O-Ring
0091	O-Ring
0092	Piston Cup
0095	Trigger Spring
0096	Trigger Pin
0098	Trigger
0099	Trigger Sleeve
0126	Pressing Spring
0127	Internal Finger
0128	Handle Body
0129	Piston
0130	Feed Tube
0131	Tapered Sleeve
0132	Head (Steel)
0133	Ring Nut
0134	Compression Spring
0135	Ring
0136	O-Ring
0383	Piston Cup



STUD FEEDER PARTS (KFP2 MODEL)

Part No.	Description
0169	Deflector Spring
0172	Snap Ring
0173	Screw
0174	Washer
0175	Clamp
0177	Motor
0180	Drive Shaft Pin
0428	Washer
0513	Clear Tube
0519	Feed Wheel
0520	Base Plate
0521	Retaining Ring
0522	Feed Tube
0523	Screw
0524	Shaft
0525	Hex Bolt

Stud Gun Repair & Conversion Kits

ASCOT NO.	STUDDING GUN	USE WITH STUDS NUMBERED
458-03810	0381	**Tire Stud Mini Repair Kit.** INCLUDES: (3) 0084 External Fingers; (1) 0087 O-ring; (1) 0088 O-ring; (3) 0126 Pressing Springs
458-03820	0382	**Tire Stud Gun Large Repair Kit.** INCLUDES: (6) 0126 Pressing Springs; (3) 0084 External Fingers; (2) 0087 O-ring; (2) 0088 O-ring; (1) 0092 Piston Cup; (1) 0136 O-ring
458-00911	0911	AS-9 to AS-11 Conversion Kit. Converts AS-9 Gun to AS-11 Truck model. Includes (1) 0401 Truck Feded Tube, (1) 0400 Truck Stud Gun Head, (3) 0127 Truck Stud Gun Internal Fingers

Tire Bags, Seat Protectors, Steering Wheel Covers, Paper Floor Mats, Parts Bags

Dispensing Racks

Centralize your cleanliness products for the professional image your business needs and the convenience your employees deserve. The top tray holds paper floor mats and elastic band steering wheel covers. Rollers are for seat covers, tire bags, and parts bags.

Order No.	Description	Ship Wt. Lbs.
PSC	Seat Protectors - Roll of 500	20
SWC	Car Steering Wheel Covers - 500 pkg	10
HDTB	Large Tire Bag for SUV - Roll of 250	30
FPFM	Heavy Duty Paper Floor Mat - Box of 500	32
WPB	Parts Bags, 12" x 20" - Roll of 500	15
DR	Dispenser Stand Only	25
41110	Large Tire Bag - Roll of 100	13

#PSC

#SWC - 500 ea

250 Bags! - HDTB

#FPFM

#DR

#WPB

Chain 'Em Up is a HD, non-skid, drive on/off ramp with safety features that will shorten your chain up time to one simple step and allow you to accomplish chaining up in just minutes!

CHAIN 'EM UP

$99.95
each ramp
#Ramp1

LARGE WEIGHT CAPACITY
Tested to support maximum truck and cargo loads.

VERSATILE UTILITY TOOL
Great for any maintenance on elevated tires, quicker and easier than a jack.

LIGHT WEIGHT
Easy to carry and maneuver.

STRONG AND DURABLE
High-impact plastic.

4" LIFT HEIGHT
Heavy-Duty Non-Skid Traction.

Featuring advanced engineering and durable,high-impact plastic to support CMV weights while still being light-weight.

INSTALLING CHAINS ON TIRES THAT ARE ELEVATED IS JUST EASIER – *PURE AND SIMPLE*!

POPULAR TPMS KITS AND STEMS

Avoid flat tires! New tires mounted on TPMS equipped vehicles require TPMS replacement kits.

Stem Base: VS15, VS950, VS950S | VS20 | VS30, VS90, VS45 | VS1010 | VS65* *VS925A & VS925C(silver), VS280SB & VS925B(black)

Ascot No.	McGee No.	Schrader Version	Description	Price
469-01030	1030K	SH20017AK	Siemens Kit for VW (Fits 1053 Sensor) (Orange)	$3.25
469-01050	1050K	SH20013AK/ SH20030AK	Siemens Kit for Chrysler (White) SH20013AK includes bottom ball	$3.12
469-01060	1060K	20001/20002/ 20135AK/20096AK	Fits Schrader SH20096 (Red)	$1.78
469-01070	1070K	20004/20116AK/ 20115AK/20107AK	Fits Dill 9076, 9107, 9115, 9116 (Blue)	$1.75
469-01080	1080K	20003/20007/ 20117AK/20028AK	Fits Dill 9028, 9034, 9064, 9081, 9117, 9161 (Green)	$1.75
469-01090	1090K	–	Compatible with Beru Sensors (Grey)	$3.60
469-20036		SH20036AK	Entire Valve (Schrader 20036) for Hyundai, Kia, Honda (Dill 1096)	$8.72
469-01100	1100K	SH20032AK	Compatible with Pacific Sensors for Toyota/Lexus (Purple)	$3.02
469-01110	1110K	SH20006AK	Compatible with Pacific Sensors for Toyota (Teal)	$2.95
469-01130	1130K	SH20030AK	Compatible with Schrader 20005 (Burgandy)	$2.95
469-20025	2000K	–	TRW Kit for Honda, Acura	$3.75
469-20010	2010K	SH20015AK	Compatible with Schrader Sensors for Volvo (non-stock) (Lt. Brown)	$1.92
469-20020	2020K	SH20030AK	Early 2007 GM Kit for Entire Sensors (Pink)	$1.92
469-20030	2030K	SH20016AK	Dill Sensors 9154, 9204, 9214	$1.95
469-02040	2040K	SH20019AK	Kit for Honda Civic (Lt. Blue)	$2.13
469-09250	VS925A	–	Aluminum Metal Replacement Valve for GM Snap-In	$4.18
469-09251	VS925C		Chrome Metal Replacement Valve for GM and Ford Snap-In	$4.53
469-00950	VS950	SH20018	Rubber Snap-In Replacement Valve for GM & Ford fits Schrader 46133500 (ea)	$1.99
469-17208	VS950IV	VS950IV	Rubber Snap-in like VS950 for GM & Ford (Import)	$ .99
469-09305	VS950SC	–	Chrome Replacement Valve for GM and Ford Snap-In	$2.50
469-34000	46934000		Alum Stem for Schrader 46133500 dual band	$5.50
469-20020	–	SH20020	Replacement Stem Chrysler, Uses Kit 1050K	$2.29
469-90660	9066K	–	Complete Replacement Stem Chrysler with Kit (9066B-Ball joint only)	$4.20
469-07020	7020K	–	Accessory Kit for Redi Sensor	$3.76
469-00770	VS70	–	Available on the following vehicle in various forms: Years 2010 to 2014 (Acura, Cadillac, Chryslter, Dodge, Honda, Hyundai, KIA, Mazda, Nissan) the sensor most associated with the VS-70 is 7001/HP or 7002.	$8.09
469-00080	VS80	–	Replacement Rubber Stem Kit Dill Redi 7001-R	$5.40
469-00090	VS90	–	Key at base attaches via press clip; Fits Dodge Dart, Mitsubishi Mirage	$5.25
469-17436	1743016	–	Smart Sensor Snap-In Valve for ITM, Cub, 31Inc, Pilot	$3.34
469-20014	–	SH20014AK	Kit Fits EZ Sensor 34000 Stem	$2.13
	VS1010	–	Fits Hyundai Sante Fe Snap-In 7mm	$2.48
	VS65	–	Base of stem is square Snap-In Fits Doge Rams, Jeep Cherokee	$3.75
	VS65IV	–	Base of stem is square Snap-In Fits Doge Rams, Jeep Cherokee Import	$2.08
	VS35	–	Dill TPMS clamp-in valve Dodge Ram	$7.16
469-20031	–	SH20031AK	Assy Kit for Pacific TPMS	$2.13
	VS965	–	Replacement valve stem for Hyundai / Kia	$4.05
469-00919	VS919	–	Replacement TPMS stem for 19.5 Trk Wheels, parallel key	$3.72
	VS241	–	2017 Ford F350 Super Duty dually aluminum	$5.92
	VS20	–	Rubber Valve Stem for 2015 and newer GM and Ford	$2.53
469-20280	RV1000	–	Autel MX-Sensor Rubber press release stem	$3.25
469-20279	MV1000	–	Autel MX-Sensor Metal press release stem	$3.08
469-20281	CV001	–	Autel Black MX-Sensor Black Metal Valve	$4.17
469-20282	CV002	–	Autel MX-Sensor Titanium Grey Metal Valve	$4.17
469-20283	CV003	–	Autel MX-Sensor Chrome Valve	$9.95
469-17393	VS920		.625" valve hole square found in Ford Super trucks/sprinters (VS919 Parallel key)	$4.47
469-17398	1750398		Short Snap in good for custom applications parallel key	$1.48
	VS490		Tesla OEM stem uses T20 screw, aftermarket wheel compatible	$7.50

SH20036AK

VS919

VS925A

VS925C

VS950

SH20020

VS70

VS80

VS90

469-17436

VS1010

VS65

VS20

VS-20

RV1000

46917393

1750398

VS490

AUTEL TPMS

Ask us about our competitor tool trade up program

AUTEL MX-SENSOR PROGRAMMABLE UNIVERSAL TPMS SINGLE SENSOR

- Combines 315MHz & 433MHz frequencies into a single sensor • 98% vehicle coverage • The exclusive MX-Sensor patented PRESS release valve allows rubber and metal valve stems to freely interchange by hand without requiring a tool • Built to match or exceed OEM sensors in frequency strength and durability
- 100% ID cloneable with no relearn required • Quickly update during installation with an Autel wireless programming tool

Qty discounts available!

Ascot No.	McGee No.	Description	Price
461-20326	1-Sensor	Autel MX-Sensor Programmable Universal TPMS Single Sensor	$29.00 Quantity breaks available

AUTEL MX-SENSOR REPLACEMENT VALVE STEMS

Patented PRESS release valve design • No valve tools required to attach to stem • Simply click in and press out • *Cap and core included*

Ascot No.	McGee No.	Description	Price
469-20280	RV1000	Autel MX-Sensor Replacement Rubber Valve Stem	$3.25
469-20227	MV1000	Autel MX-Sensor Replacement Metal Valve	$3.08
469-20281	CV001	Autel Black MX-Sensor Replacement Metal Valve	$4.17
469-20282	CV002	Autel Titanium Grey MX-Sensor Replacement Metal Valve	$4.17
469-20283	CV003	Autel MX-Sensor Chrome Valve	$9.95

$799.00 Bundle with 12 sensors only*

*Tool sold separately as well

MaxiTPMS ITS600K12

AUTEL®

Sick of your technicians not being able to read tire DOT codes or read what they wrote down?

ITS600 is the first tool to scan DOT numbers for expiration and recall lookup!

TBE200 Video

ITS600 Video

FREE SOFTWARE UPDATES

$360*

MaxiTPMS TS508K12

- 1 - Autel TS508 Complete TPMS Tool
- 4 - Metal Valve Stems
- 12 - 1Sensor TPMS Programmable Sensors
- Wifi Version Available

Quick Mode

BASIC FUNCTIONS

EASY & FAST

- Activate All Known TPMS Sensors
- Read Sensor ID, Temperature, Pressure
- Read Sensor Battery Condition
- On-Tool OE Sensor Information
- Program MX-Sensor With 3 Programming Options
- Batch Program 1-16 MX-Sensors

Advanced Mode

COMPLETE FUNCTIONS

POWERFUL

- Same TPMS Features as Quick Mode
- TPMS Status Screen - View System Faults
- Read & Clear TPMS DTCs
- On-Tool DTCs Description
- Program MX-Sensors by Copying ECU Sensor IDs
- On-Tool Relearn Procedure Guide
- Widest Vehicle Coverage For OBD Relearn
- Tire Pressure Placard Value Reset



AUTEL TPMS TOOL

- The MaxiTPMS® TS508 is a new generation TPMS diagnostic & service tool specially designed to activate all known TPMS sensors,read TPMS sensor status,check TPMS system health condition, program MX-sensors and conduct TPMS relearn
- With Quick Mode and Advanced Mode options, you can save time and energy by choosing the most suitable way to complete TPMS work

FREE SOFTWARE UPDATES

ACTIVATE ALL KNOWN TPMS SENSORS

TS508

ITS600 TPMS, Diagnostics, and Tire Service Tool

- Activates, reads and relearns all known sensors
- OBDII relearn for most vehicles with 99% coverage of OE sensors
- Copy By OBD sensor programming & four MX-Sensor program modes; batch program up to 20 MX-Sensors
- Includes wireless Bluetooth vehicle communication interface (VCI)
- Tire pressure placard value reset
- Read/Clear TPMS system codes & view live data
- Free Wi-Fi software updates for the life of the tool

ProUpgrade $120

- Rapid VIN acquisition via optical VINScan
- QR Code Scan / Barcode Scan, Plate scan, Auto VIN detect and manual input
- Identify MMY and sensor OE part number via VIN decoding

Integrate with the TBE200 for:

- Precise laser measurement of tread depth & brake disc wear
- Create comprehensive Test Report w/TPMS health, Tread depth, brake disc wear characteristics, & Repair tips

TBE200 $449.99

TBE in action

REDI-Sensor™

Simple and Accurate

REDI-SENSOR MULTI-APPLICATION SENSOR

- Installs right out of the box • No programming required, saving you 8-10 minutes per vehicle
- Reduces replacement sensor inventory
- Adjustable valve stem design • Fits over 90% of the market • No additional training required • All REDI-Sensors are available in a rubber stem format

WORKS WITH EXISTING MAJOR TPMS SCAN TOOLS: If a shop has the tools to handle OE sensors, it's ready for REDI-Sensor. Unlike other sensors that require the purchase of specialized tools and software upgrades, no additional purchases, training or investments are needed with REDI-Sensor.

McGee No.	Description	Price	Ascot No.
46107001	315MHz REDI-Sensor Multi-Application Sensor (Clamp-In Style)	$33.14	461-07001
46107002	315 MHz REDI-Sensor for Honda, Hyundai, Kia, Lexus, Toyota & Scion	$34.57	461-07002
46107003	315MHz REDI-Sensor Multi-Application Sensor (Clamp-In Style)	$34.57	461-07003
46107004	433MHz REDI-Sensor Multi-Application Sensor (Clamp-In Style)	$34.57	461-07004
7001R	315MHz REDI-Sensor Multi-Application Sensor (Snap-In Style)	$33.14	461-07011
5001R	433MHz Multi-Application Sensor (Clamp-In Style)	$34.29	

TPMS Profit Center

Remember, replacing the TPMS valve stem (snap-in rubber or clamp-in aluminum) or the TPMS service kit with each tire sale is done for the same reasons a traditional TR-413 snap-in is replaced with each new tire.

More information at mcgeecompany.com/stems

TPC $174.99

- McGee's top 7 stems
  - 8 - VS70
  - 4 - 1096k
  - 4 - VS90
  - 8 - VS65
  - 8 - 9066K
  - 20 - VS950
  - 4 - VS20
- Color coded for easy selection
- 52 stems
- Extra dividers to fit your needs
- Heavy duty protective organizing case

How much money are you leaving on the table by not doing TPMS?

	TR413 Valve Stem	TPMS Rebuild 9066k
Assumptions	100 Tires per Week	100 Tires per Week
Cost to WD	$ 0.29	$ 4.03
Sell price	$ 1.90	$ 8.95
Profit per tire	$ 1.61	$ 4.92
Weekly profit	$ 161.00	$ 492.00
Annual profit (52 weeks)	**$ 8,372.00**	$ **25,584.00**

A shop doing **TPMS** makes over **three** times the amount doing TPMS versus valves alone in addition to pushing their customers to a competitor. **Be TPMS smart**; let McGee Company train you and set you up with the tools to be successful.

EZ-sensor™

Innovation by Schrader

S57 Tool Features:

- Schrader's strong OE pedigree, EZ-sensor®, and its latest generation EZ-sensor® GO, provides users with 70% EV coverage for national brands. The OE quality sensors cover some of the most popular EV applications in North America, such as:
  - Tesla 3 (2017 – 2020)
  - Ford Mustang Mach-E (2021)
  - Tesla S (2014 – 2021)
  - Nissan Leaf (2011 – 2022)
  - Chevrolet Bolt (2017 – 2022) and more

Covers over 98% of TPMS equipped vehicles

S57
33700

33700
Adjustable Angle Aluminum Clamp-In

Designed to eliminate multiple sensors required for TPMS work

APPLICATIONS:

Covers most GM, Chrysler, Honda, Nissan, Toyota, Lexus, Scion, Ford, Lincoln, & Mercury vehicles and some Mitsubishi, Subaru & Suzuki vehicles • Fully programmable • Compatible with Bartec, Schrader and SPX/OTC programming tools • Sensor features Wireless Auto Locate or WAL that allows the vehicle's TPMS system to locate and identify each TPMS sensor's specific location

Schrader TPMS Solutions | ATEQ

TPMS Tool Comparison

VEHICLE COVERAGE	ST-1	S57
Universal sensor coverage	EZ-sensor Exclusive	EZ-sensor + Other Programmable Sensors
Triggers/scans/reads/activates/relearns 100% OEM sensors	✓	✓
RELEARN FUNCTIONALITY	**ST-1**	**S57**
OBDII and Sync-ID (OBDII routines for Ford, Mitsubishi, Suzuki etc.) technologies	✓	✓
Tread depth gauge measurement (PN: 21301)	✓	✓
ECU unlock feature	✓	✓
Clears and retrieves TPMS Diagnostic Trouble Code (DTC) information	✓	✓
Decodes TPMS Diagnostic Trouble Code (DTC) information	X	✓
HARDWARE & SOFTWARE	**ST-1**	**S57**
Keyfob test & PN lookup	✓	✓
WiFi and live update capable	✓	✓
DOT (Department of Transportation) recording	X	✓
Allows placard pressure adjustments	✓	✓
EZ-sensor® image display capability	✓	X
ID match function (matches sensor IDs with the ones stored in the vehicle)	✓	X
Schrader's unique and user-friendly software	✓	X
Customer/Job management feature	✓	✓
Built-in TPMS tool training	X	✓
VIN barcode scanner to select Make-Model-Year (US only)	X	✓
Supports trailer TPMS relearns	X	✓
Touchscreen	X	✓
5 years of free software updates	✓	✓

McGee No.	Description	Price
46133560	Dual Band 315 &433 Mhz EZ Sensor	$29.99
46133561	Bulk 10 Pack EZ Sensor	$259.99
46934000	Aluminum Stem for EZ Sensor	$5.49
VS950	Rubber Stem for EZ Sensor	$1.99
33700	High Speed EZ Sensor	$34.99
21355	ST1 Tool with 28 EZ Sensors	$699.00
21057	S57 Tool w/100 EZ Sensors	$2,299.00

HYDRAULIC SERVICE PRODUCTS

20-Ton 72090A

INTENDED USE: Heavy duty truck, agricultural and heavy construction equipment. Ideal for loaded truck and trailer roadside service calls.

- Its light weight makes it perfect for mobile repair service.
- Long handle with 36-1/2" reach helps in positioning jack under vehicles with low overhang.
- Parkerized coating on pump piston, extension screw and extension adapters and chrome coated ram offer protection against rust.
- Removable extension screw with two 4" extension adapters (included) for added height.
- Self-retracting ram eliminates manual lowering.
- 5 1/4" diameter high impact composite wheels make maneuverability easy.
- Fast efficient air pump reduces lifting time and has a built-in relief mechanism which prevents the jack from being used beyond its maximum allowable capacity.
- Convenient push button air valve connected to an in-line filter prohibits contaminates from entering the air/hydraulic system.

Please call for pricing and availability

Low Lift Height	8.625"	Base Size	9.25" x 17.25"
High Lift Height	22.75"	P.S.I. Range	100-130
Stroke	4.125"	Shipping Weight	63 lbs.
Screw Extension	2"		

22 Ton Air/Hyd Axle Jack with 3pc Ext Kit

New 565F1 from AFF - Now with reinforced frame

Call for availability and pricing

72200D from Norco - Call for availability and pricing

AFF565F1 $695.99



- Specially engineered air motor delivers fast and efficient operation
- Long t-handle design allows easy access to vehicles with long overhangs
- Large 8 inch diameter rubber wheels provide effortless travel in the shop or roadside
- Fully welded hydraulic pump and cylinder delivers maximum strength and leak free operation
- Heavy duty wiper seals protect the system from contaminants and ensures long service life
- Overload safety valve provides added operator safety

Capacity	Ram Lift	Low Height	High Height w/extensions	Length	Front Width	Rear Width
22 tons	4-3/4"	8-1/4"	21-1/2"	20-1/4"	6-15/16"	12-13/16"

25-Ton Blackhawk Platinum Air/Hydraulic Jack

- Chrome-plated ram
- Improved bearing surfaces
- High cycle durability
- Long life seals
- High/low temp functionality
- 5 year warranty with electronic registration
- Made in Taiwan

302-00225 .....$899.99

Ascot No.	McGee No.	Capacity	Min. Height	Max. Height	Saddle Extensions
302-00225	BP225	25 Tons	9-5/32"	22" w/ext.	1", 2.5", 6", & 7"

Truck Wheel Dolly

BJT300A for 19.5-24.5" Wheels

- Easily handles new super wide tires that are becoming prevalent in the trucking industry.
- Provides technician with the leverage needed to handle the removal and installation of large tires
- Heavy duty tubular steel construction
- Bent handle design improves leverage and reduces user strain
- 14" rollers turn and pivot for accurate & efficient alignment of mounted truck tires with hub stud
- 26" wide carriage handles tire diameters 36"- 48"; 450 lb. capacity

Ascot No.	McGee No.	Description	Price
407-70130	AFF3591	Truck	$135.99

Bottle Jacks

- Extension screw on some models
- Rust protection covering
- Uniweld construction
- 50% overload factor
- Fewer moving parts

ZN12 Jack Bottle Standard 12-Ton.....$138.99
ZNB22 Jack Bottle Standard 22-Ton $213.99
ZNB12 Jack Bottle Low Profile 12 Ton $144.16
ZNB22 Jack Bottle Low Profile Screw Out Ext 22 Ton $222.40

22 Ton Jack Stand 6522 $199.99

- Sold individually, 22 ton capacity when used in pairs
- Ideal for supporting trucks, trailers and equipment in industrial, agricultural, construction and industrial work environments
- Large v-shaped saddle allows better contact with the load
- Pin style design provides maximum security even under the heaviest loads
- Adjusts to four positions from 12" to 20"

20 Ton Capacity Air/Hydraulic Super Duty Bottle Jack

- AFF's most innovative and robust air/hydraulic bottle jack to date
- Redesigned air motor
- Super thick base to increase stability on every surface
- High-strength Steel Ram and cylinder with long ram guide for greater safety in off-center load conditions
- Welded Tank (threaded and screwed to the base) endures the rigors of in-service conditions and reduces risk of tilting out of the oil reservoir

Low	10.375
High	20.625

Ship weight 45 lbs.

Lift	6.375
Base	5.75 x 9

5620SD	20-ton standard	$355.99
5621SD	Low profile design	$335.99
5630SD	30-ton super duty	$439.99
76320B	20-ton Norco	$399.99

Jack Oil
HF100
$7.99 Qt.

*PRICING SUBJECT TO CHANGE DUE TO STEEL SURCHARGES

400SS 4 Ton HD Floor Jack

$409.99

- Twin hydraulic system for fast and efficient lifting
- Heavy duty pump, ram, and cylinders are precision machined and inspected to ensure long service life
- High grade U-cups seals and high-pressure plunger for maximum performance
- Rear mounted swivel casters for easy maneuverability
- Universal joint technology provides a more controlled descent
- Pinned and padded saddle for extra vehicle protection
- Flanged side plates for increased stability
- Integrated parts tray keeps small components from getting lost

3-1/2 Ton Professional Heavy Duty Double-Pumper Floor Jack

Model 350SS - $395.99

This unit offers all the features of our model 350GT with additional speed and efficiency thanks to AFF's double-pumper advantage for quicker lifting.

- Lifts from 4" to 19-1/2"
- Pinned steel saddle (1-1/8" stud) with rubber pad for added vehicle protection
- Rear-mounted 2-3/4" swivel casters for ease of maneuverability
- One-piece 50-1/4" padded handle parks upright
- Ship weight 119 lbs.

Replacement Power unit 350SSKHU - **$144.99**

Ask us about our no mar options!

ASCOT & RPG JACKS & STANDS

20-Ton Air/Hydraulic Bottle Jacks

- Thick jack base provides exceptional support and stability in severe conditions
- Quick-connect feature on air valve allows easy disconnect and connection of air hose & more compact storage

22-Ton Air/Hydraulic Truck Jack

- Large air motor provides an exceptional quick lifting experience
- Narrow chassis fits between tandem truck wheels
- Comes with three adapters in different sizes that cater to different working requirements

AS2022S

AS1915

NEW

Floor Jacks

- Double pump design for quick lifting and improved efficiency
- Heavy steel construction for maximum durability
- Equipped with a foot pedal to allow for hands free positioning
- 2-Ton, 2-1/2-Ton, 3-Ton, 3-1/2-Ton & 4-Ton capacity

AS5605

AS5614

Ascot No.	McGee No.	Description	Min. Hgt.	Max. Hgt..	Hyd.Lift Range	Exten. Screw	Chassis Size	Saddle Size	Handle Length	Ship Wt. (LBS)	Price
301-20221	AS2022S	20-Ton Short Air/Hydraulic Bottle Jack	7"	12-5/8"	3-3/8"	2-3/9"	N/A	N/A	9-3/8"	30.6	**$239.99**
302-19150	AS1915	22-Ton Air/draulic Truck Jack	10-1/2"	21-1/8"	6-1/8"	4-1/2"	N/A	N/A	45-1/4"	101.9	**$469.99**
302-05605	AS5605	Ascot 3-1/2-Ton Floor Jack	3-3/4"	20-1/2"	16-3/4"	N/A	27.2" x 14.25"	4-1/4"	47-7/8"	100	**$269.99**
302-05614	AS5614	Ascot 4-Ton Floor Jck	4-3/8"	20-1/4"	16"	N/A	27.7" x 14.4"	4-1/4"	47-7/8"	102.5	**$299.99**

30251005 10-Ton High Jack Stands (pair)

- Pin-style stands with supporting range from 27.95" to 47.56" suitable for high-height applications
- HD tubular steel design provides stability and rigidity
- Multiple pin holes to allow easy adjustments
- Saddle with lugs for easy positioning of the load

$399.50

3-Ton Jack Stands

- Ratchet height adjustment built within column
- Multi-level ductile iron ratchet bar adds strength and durability
- Sold in set of two

3-Ton – 30263030 **$37.99**
6-Ton – 30263060 **$77.99**

Universal Handle Protector - GHP01 $11.99

Made of a durable synthetic rubber

- Unique design ensures a tight fit on jack/tool handle without slippage
- Protects vehicles from scratches or dents caused by falling jack handles and unstable tools in the shop

22-Ton Jack Stands

- Sturdy, welded steel construction for exceptional safety and strength
- Heavy gauge steel helps prevent distortion or twisting
- Multi-position column bar for convenient height adjustment
- Sold in set of two

30263220 **$245.99**

RPG™

Basic Jack Maintenance

ASK US ABOUT OUR TRANSMISSION AND UNDER HOIST JACKS TODAY!

1-800-525-8888

3.5 Ton Service Jack

- Patent pending Air- Breather for pressure balance for optimum jack performance
- Safety bypass system for cylinder protection
- Industrial grade casters for easier transportation
- Heavy duty chassis for increased strength and durability
- Bolt-on reinforced and heavy duty lift arm axle
- Universal joint mechanism
- Sturdy, one-piece handle
- Foam handle for vehicle protection
- Protective saddle pad to prevent damage to the vehicle

Version	McGee #	Price
Traditional	30262035	$349.99

Capacity	Min. Height	Max. Height	Handle Length	Overall Length	Saddle Diam.	Ship Weight
3.5 Ton	3.75"	21.75"	50.5"	31.125"	4.2"	107 Lbs

Accessories for RPG Ton Service Jacks


Coated Wheels

Ascot No	McGee No	Description
302-62351	620351	Front wheel assembly
302-62359	620359	Rear caster assembly
302-62375	6203513PU	Coated wheels and casters - set of 4
302-62357	30262357	Replacement power unit for 3.5 ton

2-Ton Service Jack

- True "low-profile" design with deep reach and minimum 2.75" height for low clearance vehicles
- Universal joint mechanism
- Foam handle for vehicle protection
- Industrial grade casters for easy transport
- Safety bypass system for cylinder protection
- 24" max height for increased work space

30262021 **$299.99** *Low profile design!*

RPG AIR TOOLS

Kilfrost

Winter is here!

K16 Kilfrost Pneumatic Tool Anti-Freeze Lubricant, 16 Oz. bottle - 18184581 - **$10.99**

- Prevents the freezing of pneumatic equipment caused by the formation of ice in and around exhaust ports and valves. Kilfrost absorbs the water in the airline. Is a semi-synthetic lubricant which has none of the draw-backs associated with normal oils.

1" Drive Mini Air Impact Wrench

- 6" Extended Anvil
- Free speed: 5000 RPM
- Maximum torque: 2000 ft/lbs
- Only 20 lbs – 50% less than the market leading 1" product, smallest and lightest 1" in the tire service industry
- Twin hammer clutch

155-26464

$499.99

Ascot No.	McGee No.	Description
155-26464	15526464	1" Drive Mini Air Impact Wrench - 6" Extended Anvil

6" EXTENDED ANVIL

1" Drive Super Duty Impact Wrench

$399.99!

155-17786

Heavy Duty & High Torque!

- DURABLE: Steel end plates offering durability and extended life
- ADVANCED DESIGN: Proven motor and hammer technology; highly efficient air motor
- WORKING TORQUE RANGE: 370-1475 ft./lbs.
- 1 YEAR LIMITED WARRANTY on parts and workmanship
- COMPARE to CP77826

1/2" Drive Super Duty Air Impact Wrench

$119.99

- 2" extended anvil
- Handle exhaust
- Free speed: 8000 RPM
- Maximum torque: 600 ft./lbs.
- Proven design and the most popular configuration in the tire service industry
- Powered by the durable and high performing twin hammer mechanism
- Net weight: 5.6 lbs.

153-23120

Protect your investment with bootie JB04BLUE.

Ascot No.	McGee No.	Description
153-23120	A2312	1/2" Drive Air Impact Wrench - 2" Extended Anvil

1/2" Drive Composite Impact Wrench

- Convenient one-hand operated forward/reverse push button
- Four-setting torque adjustment switch
- 685 ft./lbs., 8000 RPM, 4.2 lbs
- Twin hammer mechanism provides smooth balance
- Energy efficient motor for maximum performance with precise speed control
- Swivel air inlet prevents hose from twisting

Now with forward/ reverse button!

153-12260

Ascot No.	McGee No.	Description	Price
153-12260	A21312COM	1/2" Drive Composite Impact Wrench 2" Extended Anvil	$149.99

- 6" extended anvil
- 3-position forward and reverse
- High efficiency 6-vane motor
- Pinless clutch mechanism
- Swoop back side handle for maneuverability/balance
- Working Torque 1,800-2,000
- Free Speed 5,000 RPM

Ascot No	McGee No	Description	Price
155-12856	A2856	1" Drive Super Duty Impact	$399.99
156-12856	A285SP6	#5 Spline Super Duty Impact	$499.99

Super Red Pneumatic Air Tool Lubricant

- Dissolves gum and & varnish formation
- Ensures smoother starts
- Special rust & oxidation inhibitor
- Clean and free running
- 12 bottles per case
- Usable on piston or rotary type air tools

Ascot #	McGee #	Price
181-00406	0406	$6.99

JB04blue

Marvel Air Tool Oil

085 Marvel Air Tool Oil 32 Oz - 18100085 - **$8.99**

- Prevents rust formation while providing positive lubrication for smooth starting and long tool life
- Assures maximum performance by dissolving gum and sludge that cut down tool speed and reduce power output

085

Blaster 16ATC - Air Tool Conditioner

- Restores & prolongs tool life - 11 oz.
- Provides a coating & lubrication for tools while in use
- Inhibits rust, increases RPMGS for normal maintenance

16ATC
181-00404

$7.99
(Case price available)

Ascot #	McGee #	Descriptions	Price
395-00016	16CBD	Blaster Citrus Degreaser - 11 oz.	$9.50

Video on proper air tool maintenance; make your tools last! (También en español)

http://vimeo.com/212944966/

CP7748TL2 Torque Limited ½" Drive

Chicago Pneumatic

- Limited ½" Drive
- "Best Practice Tool" bubble on side
- The CP7748TL series is intended to be used as a "snugging" tool prior to final tightening with a calibrated torque wrench to reach the specified torque rating
- Torque limited in forward: 60/70 ft. Lbs. - 90/100 Nm, Full in reverse
- Insulation & Comfort: Contoured comfort grip handle instead of TPR injected in handle
- Low sound level suited for all light vehicle tire changing applications
- 360° swivel air inlet

ASCOT	MCGEE NO.	PRICE
153-77483	CP7748TL2	$204.99

1/2" CP77482 - Extreme Torque & Durability

- Most powerful 1/2" air wrench in its class
- Twin hammer grease clutch
- Ergonomic rubber handle
- Reinforced nose wings and back housing cap for longer durability
- Max Torque 1200 ft. lbs.
- 922 ft. lbs. Working Torque

CP77482
$215.99

CP7736-2 1/2 Impact $139.99* *While supplies last

Patented spring hammer clutch for smooth operation and extended durability

Low air consumption and high torque make this tool very efficient

- ULTIMATE TORQUE: 550 ft./lbs.
- Comfort and control with new ergonomic grip and trigger

1" Heavy Duty Air Impact Wrench

2140 ft.lbs 2900 Nm of maximum torque in reverse

- Pinless closed reinforced rocking dog impact mechanism
- Socket retainer ring combined with hole retainer
- Ergonomic side handle
- Full teasing trigger
- Regulator with integrated forward/ reverse with 3-position power settings in both directions

155-77826
1" Heavy Duty Air Impact Wrench

ASCOT NO.	McGEE NO.	PRICE
155-77826	CP77826	$639.99
155-17782	CP7782SP6	$699.99
	CP77786	$669.99

CP77786 $669.99

- The Classic CP77786 for HD applications
- integrated forward/reverse 3-position power settings regulator and directional control.



CP77786

286922HD - IMPACT WRENCH SD EXT ANVIL CORDLESS 1" DR $1299.99* Bundles available!

- POWERSTATETM Brushless Motor delivers up to 2,000 ft-lbs of nut-busting torque & 1,900 ft-lbs of fastening torque
- Install up to 200 1-1/4" bolts on a single battery
- M18TM REDLITHIUMTM Battery Packs are compatible with all M18TM tools
- The ONE-KEYTM Technology allows you to customize, track, and manage the impact wrench with the ability to set a repeatable torque output for maximum control
- Kit Includes:
- M18 FUELTM 1" D-Handle High Torque Impact Wrench w/ ONE-KEYTM (2868-20)
- M18 REDLITHIUMTM HIGH OUTPUTTM HD12.0 Battery Pack (48-11-1812)
- M18TM & M12TM Rapid Charger (48-59-1808)
- Contractor Bag

153-02312 Ingersoll Rand

231XP2 with free air hose, while supplies last

1/2" Super Duty Extended Anvil Air Impact Wrench

$174.95

2235TIMAX2

This new model redefines the standards set by the classic IR231 model, with an enhanced Twin Hammer impact mechanism for more power and in-handle exhaust to direct air away from the operator and the work area.

Ascot No.	McGee No.	Description	Price
153-00231	IR231	Air Wrench 1/2" Dr Short Anvil	$159.99
	2235TIMAX2	Air Wrench 1/2" Long Anvil Titanium	$354.99
	2235QTIMAX2	1/2" Dr Quiet Air Wrench Long Anvil	$364.99
	2235TIMAX	Air Wrench 1/2" Dr Short Anvil Titanium	$349.99

3/4" Maximum Power Impact Air Wrench

- 3/4" Maximum Power Impact Air Wrench
- 1350 ft./lbs. maximum reverse torque from a tool that weighs just 7.4 lbs. and is compact enough to access tight spaces
- Built to last and designed to withstand tough use in rugged environments
- An air motor that's 16% more efficient than its predecessor and an easy-to-clean inlet screen means less down time, better tool performance, and less money spent on compressed air
- Torque Range: 200-900 ft./lbs.

Ascot No.	McGee No.	Description	Price
154-12145	2145QiMAX	Standard Anvil	$564.99
154-22145	2145QiMAX3	3" Extended Anvil	$644.99
154-32145	2145QiMax6	6" Extended Anvil	$689.99
154-00261	IR261	HD 3/4" SD Wrench 1100 Ft/Lb Torq	$549.88
154-02616	2616	3/4" Super Duty Air Impact w/6" Ext. Anvil	$659.99

1" Heavy Duty Air Impact Wrench

155-02856

- Combines exceptional power, durability, and operator convenience
- Delivers 1450 ft./lbs. of maximum torque, with a 5000 RPM free speed and four-position power regulator 360° swivel inlet
- Available in 6" extended anvil and 6" extended #5 spline drive anvil for high production truck tire changing

Ascot No.	McGee No.	Description	Price
155-28560	IR285B	Standard Anvil	$699.99
155-02856	IR285B6	6" Extended Anvil	$545.99
156-28566	IR285BS6	#5 Spline Super Duty Anvil	$739.99

Protect your investment with a boot. Ask your rep for the right size.

276922 - IMPACT WRENCH SD 2" EXTD ANVIL CORDLESS 1/2" DR $549.99 *

- 4CUSTOMIZABLE MODES: Provides multiple fastening torque outputs designed for sedans, light trucks and box trucks
- POWERSTATETM BRUSHLESS MOTOR: Delivers up to 750 ft./lb. of fastening torque &1,100 ft./lb. of nut-busting torque
- LONGMOTORLIFE: POWERSTATETM Brushless Motor delivers maximum power and long motor life
- Includes extra battery, case and charger.

*Stubby and bare tool available as well.

With FREE ½" drill driver while supplies last."

**All prices subject to change.*

BALANCING SOLUTIONS

Passenger Tape-on Weights

	200576FE	.25 oz.	Low Profile Coated	3 oz./ strip	48 strips/ box	Width: 3/4" Depth: 1/8"	Steel 576 pcs	$41.95
	200576FER Roll	.25 oz	Low Profile Coated	Roll		Width: 3/4" Depth: 1/8"	Steel 700 pcs	$44.88
Black	200576FEBLK	.25 oz.	Low Profile Premium Tape	3 oz./ strip	48 strips/ box	Width: 3/4" Depth: 1/8"	Steel 576 Seg/box	$49.95
	FSF101CP	.25 oz.	Low Profile Economy Tape	3 oz./ strip	48 strips/ box	Width: 3/4" Depth: 1/8"	Steel 576 pcs	$24.95
	145KG	.25 oz.	Low Profile Coated Steel	Roll	White Tape	Width: 3/4" Depth: 1/8"	Steel 700 pcs	$65.95
	320FE	.25 oz	Premium Coated Steel	Roll	Double Tape	Width: 3/4" Depth: 1/8"	Steel 1272	$108.30
	7026	.25 oz.	Low Profile Pre-mium Tape	3 oz./ strip	48 strips/ box	Width: 3/4" Depth: 1/8"	Lead 576 seg/box	$49.95
Plombco Style	WR31252CW	.25 oz.	Cold Weather Tape	3 oz./ strip	52 strips/ box	Width: 3/4" Depth: 1/8"	Lead 624 pcs	$99.95
Plombco Style	312FE52CW	.25 oz	Cold Weather Tape	3 oz./ strip	52 strips/ box	Width: 3/4" Depth: 1/8"	Steel 624 pcs	$49.95
Plombco Style	WR41230CW	.50 oz.	Cold Weather Tape	3 oz./ strip	30 strips/ box	Width: 3/4"	Lead 360 pcs	$94.95

Truck Tape-On Weights

	300360	.50 oz.	Standard Profile Quick Tab with Premium Tape	30 strips/ box	Width: 1"	Lead 360 pcs	$89.90
	300224FE	.50 oz.	Standard Profile Quick Tab with Premium Tape	24 strips/ box	Width: 1"	Steel 224 pcs	$44.16
Black	300224FE BLK	.50 oz.	Standard Profile Quick Tab with Premium Tape	24 strips/ box	Width: 1"	Steel 224 pcs	$56.70
	420FE	.50 oz.	Standard Profile	Roll	Width: 1"	Steel 640 pcs	$119.95
	CL6	1 oz.	Standard Profile Quick Tab with Premium Tape	30 strips/box	Width 3/4"	Lead 180 pcs	$96.18
	1184	1 oz.	Standard Profile with Premium Tape	18 strips	Width 3/4"	Steel 72 pcs	$35.04
	48410300	1 oz.	Standard Profile with Economy Plastic Tape	36 strips	Width 3/4"	Steel 144 pcs	$34.85
Black	48410301	1 oz.	Standard Profile with Economy Plastic Tape	36 strips	Width 3/4"	Steel 144 pcs	$36.30
	CL12	2 oz.	Standard Profile Quick Tab with Premium Tape	8 strips/box	Width 1-1/4"	Lead 48 pcs	$64.95
	FSF104C	2 oz.	Standard Profile with Plastic Tape	18 strips	Width 1-1/4"	Steel 54 pcs	$33.61

Wheel Cleaner

Stop Using Expensive Wheel Cleaning Solutions

Ascot No.	Description	Price
48675032	Wheel Cleaner 32 Oz. Spray Bottle	$8.75
48675017	Wheel Cleaner 1 Gallon Bottle	$19.95

A clean wheel is critical to good stick-on wheel weight adhesive.

- Water-Based
- Biodegradable
- Non-Petroleum
- Non-Toxic

A Note About Today's Wheels

For environmental reasons the car manufacturers recently started using water-based paint on wheels. Unfortunately, those paints have an adverse effect on the adherence of wheel weights. The special formulation assures optimal adherence even on surfaces coated with water-based paint.

MC Series fits more U.S. vehicles than any other weight!

"MCN" Series- Wheel Protectors® Coated

MC

The "MCN" series is the recommended weight for all applications shown below. The "MCN" meets all OEM quality specifications.

"MC" Series-Uncoated
Fits most Chrysler, GM, Ford since 1990, Fiat

We recommend that coated weights be used on all vehicles having alloy wheels.
"MCN" Coated—25 pc. box. "MC" Uncoated—50 pc. box

IAW

AUDI
BMW
CATERA
GEO
HYUNDAI
JAGUAR
KIA
MITSUBISHI (see chart)
SUBARU
SUZUKI
VOLVO
MINI
LAND ROVER
SMART CAR

5 to 60 g

EN

AUDI
HONDA
& ACURA
MERCEDES
VW

From 1997

All from 1980 to 1989

Also used on many after-market alloy wheels with thin rim flanges

10 to 60 g

"I7" Series

BTLM = I7

Most popular weight for the medium-duty truck. Used on most trucks with tube type tires. 25 per box except 10 & 12 oz.;
20/box & 14 & 16 oz.; 10/box.

Part. No.	Weight
I71	1.0 oz.
I72	2.0 oz.
I73	3.0 oz.
I74	4.0 oz.
I75	5.0 oz.
I76	6.0 oz.

Part. No.	Weight
I78	8.0 oz.
I710	10.0 oz.
I712	12.0 oz.
I714	14.0 oz.
I716	16.0 oz.

I7 Series

CT

BTLT + I9 = CT

Used on "section" type, straight flange, tubeless wheels, Goodyear Super Single; Budd 7.50" and 8.25" wheels with Firestone or Goodyear discs. Uncoated.

Part. No.	Weight
CT2	2.0 oz.
CT3	3.0 oz.
CT4	4.0 oz.
CT6	6.0 oz.
CT8	8.0 oz.

Part. No.	Weight
CT10	10.0 oz.
CT12	12.0 oz.
CT14	14.0 oz.
CT16	16.0 oz.

Lead, Steel, and Plasteel Weight Options Available!

FN

ACURA	Most since 1990
DAEWOO	All since 1999
HONDA	All since 1989
INFINITI	All since 1990
ISUZU	All since 1997
LEXUS	All since 1990
MAZDA	Many since 1990
NISSAN	All since 1990
TOYOTA	All since 1990

See chart for exceptions

5 to 70 g

3358HD
486-33581

Scraper 71510
486-071510

486-71510	71510 Adhesive Wheel Weight Super Scraper Removes emblems, body side moldings and stick-on wheel weights.	**$9.90**
486-33581	3358 KD Heavy Duty Weight Tool - Ideal for all weights, including coated.	**$28.95**

Wheel Weight Adhesive Removal Tool

A143252 - $69.95
Replacement pad - A1432526 only - $9.04

- Lock-off trigger for added safety
- High torque motor to cut through stubborn wheel weight adhesive, body pinstripes, etc.
- Rubber-insulated housing for comfort
- High RPM to prevent pad from bogging down; 3,700 RPM free speed

"TS" Series

CHEVROLET GMC - Use on full size pickup, Suburban, Yukon, Tahoe from 2000. Denali & Escalade use MCS for 2000

FORD - Expeditions from 1997 – F-100, F-150 from 1997

LINCOLN - Navigator from 1998

We recommend the use of TS series weights on all full size pickup trucks and vans equipped with steel wheels The use of "REG" series passenger weights on thicker truck rims may cause over-stressing of clips resulting in weight failures.

Part. No.	Weight
TS025	.25 oz
TS050	.5 oz
TS075	.75 oz
TS100	1 oz
TS125	1.25 oz
TS150	1.5 oz

Part. No.	Weight
TS175	1.75 oz
TS200	2 oz
TS225	2.25 oz
TS250	2.5 oz
TS275	2.75 oz
TS300	3 oz

Part. No.	Weight
TS325	3.25 oz
TS350	3.5 oz
TS375	3.75 oz
TS400	4 oz
TS450	4.5 oz
TS500	5 oz

"TAL" Series Wheel Protectors® Coated Wheel Weights

A new special weight for all Alcoa and Accuride (from 1983) aluminum tubeless heavy truck wheels. The weights will fit both sides of the wheel. These new weights replace the "OS-TAL'" and "DS-TAL'" series. Use rim gauge RGT2 to verify correct application (either OS-TAL or DS-TAL slot).

"TAL" Coated



Disc Side Open Side

Part. No.	Weight
TAL030	3.0 oz.
TAL040	4.0 oz.
TAL060	6.0 oz.
TAL080	8.0 oz.

COATS CHANGERS AND BALANCERS

Why Coats?

All equipment installed and training by a factory tech · In stock at multiple McGee locations · Extended warranties · Building equipment since 1947 in TN · General repair to HD, AG, and Industrial options

Good!

60X_H1

STEP UP

- Swing Arm Design
- Air or 110v Electric Motor
- Built-in Water Separator (Air)
- 6”-24” External Clamping Range
- Metal Clamps
- Hand Actuated Bead Loosener
- Single Point Sealer
- Extended Warranty
- Patented Robo-Arm®
- Metal and Plastic Duckhead
- Can be converted to 70X

Best!

80XEH220

- **220V, 2 HP electric motor or Air powered**
- Roboroller arm for low pro/run flat tires
- Upgraded chassis design
- Single point sealer
- 6-24” rim diameter with max tire of 50” diameter
- Warranty: 3 Year Parts, 6 Months Labor

Ask about end user rebates!

1300

STEP UP

- Direct drive motor with 40mm shaft
- 2D Auto data entry
- 220V 1/3ph
- 8-30” diameter wheel range with max tire diameter of 44”
- Warranty: 3 Year Parts, 6 Months Labor

Coats alignment systems available; call for demo!

1500

- Direct Drive Motor
- Laser Guided Tape-A-Weight
- Side Shadow Board with Basic Pro Kit
- Auto Start Hood
- Static-On-Screen
- New Display Mounting Bracket
- Automatic Data Entry (Distance/Diameter/Width)
- 12 o’clock Inboard Laser
- Stop, Lock & Index

Extended 3 year warranty

Call today for best prices!

1-800-525-8888

525 WHEEL LIFT FOR DIRECT DRIVE BALANCERS

- 160 lb capacity, Air Operated
- Mounts to Direct Drive wheel balancers: 1300 1400 1500 1600
- Hi-Visibility floor ramp for easy roll on/off
- Smooth scissor-lift action
- Sliding work platform for easy operation
- Small footprint, low center of gravity for superior stability
- Simple foot-pedal operation

CALL FOR QUOTE ON BRAKE LATHES

Tire Changer Duckhead Specials!

Hybrid Duckhead Mount/Demount Tool

85608959 **$198.36**

Replacement tail 85608961

For 50X, 60X, 70X

Plastic Duckhead Kit

Part #183061
444-01220

Special $31.99

Head, Mount/ Demount, Polymer Red

Hunter TC3250/3500
(1 ea.) Part #2216752

$23.99 ea.

Coats Leverless DuckHead®

Coats Leverless DuckHead® hook and tail booties provide the proper rim protection for all leverless DuckHead® systems - Proguard

89233409 6 hooks, 2 tails **$119.99**

Pictured: PN 89233409

For Coats 50X and 70X
Part # 182788

$129.84

Hunter TC500 Series

Part #RP118314813

$43.99 ea.

Grey Plastic High Spoke Mount/Demount Duckhead® Tool

For Coats 50X and 70X machines
Part #184432

$40.99

Hunter TCX Series "Wing" Duckhead

RP11811400327

$36.99

183606 - Sock Bead Loosener Shoe 2/PKG

$38.75

85607787 Grip Max Plus Laminated Clamps (4) 6"-24"

$849.99

Slide Cover for Bead Lifting Tool

Protects custom rims.
85000783 - Slide Cover for Top of Bead Coats Lifting Tool - 10 pk - Coats **$45.28**

RP11811400098 - 4 pk for Hunter tire machines
Lever sleeve protector, Hunter **$40.64**

85000783

Coats Replacement Tire Changer Air Hose - 5 ft.

Coats Replacement Tire Changer Air Hose with Euro Chuck

Part # W44RJ5 **$13.92**

5500 Low Profile Bead Lever Tool

Now $49.95

Designed by technicians to assist with hard to change low profile tires. The easy grip ergonomically designed handle allows the user needed leverage for the toughest of sidewalls while remaining a safe distance from the face of the wheel.

For All Rim ClampTire Changers

Part # 181354 **$36.49**
444-81354

RP11811400325 Leverless Mount Head Insert Kit TCX V3
$48.35

RP11811100303S Protector Plastic for Old TCX Steel Mount Head
$.99

Plastic Inserts for 182788 Metal Mount/Demount Head (Pkg of 2) 50X, 60X, 70X
Model 182961

$7.99

183604 Quilted Clamp Socks (10 pk) for series machine - 50X, 60X, 70X

$46.99

Plastic Inserts for 182788 Metal Mount/Demount Head (Pkg. of 12)
Model 182963
444-82963

$26.99

8560716108 Replacement black grip for new style Grip Max Plus

$48.99 (8 each)

High Grip Jaw Protectors

Polymer jaw covers prevent metal-to-metal contact when performing external clamping. - TCX500 Series Machine

RP11811100358 - 8 ea.
$92.99

Plastic Handled Brass Sidewall Brush

- Densely packed brass bristles
- Great for cleaning white sidewall tires

99593

Wooden Handled Wire Brush with Metal Scraper

Ascot No.	McGee No.	Description	Price
395-13124	99593	8” Plastic Handled Brass Sidewall Brush	$7.99
535-00150	25150	14” Wooden Handled Wire Brush	$2.99

BALANCER ACCESSORIES

Steel ProGrip Quick Nut with Handles and Pressure Cup

HW124408006 - $299.99

Cemb 41FF83148 - $289.99

Quick release wingnut with reverse mounting cup & no-mar ring, not for use with HD Truck balancers

Creates pressure necessary for Road Force balancers.

HUNTER, COATS

All Hunter Models exc 700 and DSP9500 90-92; All Coats Models Quick Nut Only

Coats Models 700, 775, 800, 825, 850, 875, 925, 950, 1000, 1025, 1030, 1035, 1175, 1250, 1255 (40mm shaft upgrade), 6275HS

$779.99

483-40110
ProCollet Kit 40mm

9 pc.
2.07" to 4.76"

The Low-Taper Collets are superior to standard cones because they have more contact area and engage the wheel at a better angle; they are also necessary for Clad Wheels because they are shorter and only contact the metal part of the wheel. They can be used for "standard" wheels as a replacement for the cones.

In Stock — Call for best price!

Light Truck Cone Kit — $459.99

HW150280091 28mm

Allows balancing truck wheels with center holes from $4^{13}/_{16}$" to $6^{7}/_{8}$". Used on rims with an alignment pin on the back. Double-sided cone fits all Coats balancers

40mm - 48340091 (113277) **$229.99**

$39.99

Model #61123 Balancer Calipers
482-89011
Works on any passenger balancer. Equal to Coats 61123 or 309011 or Cemb 46FC77653

$239.99

Part #85009998 08 40mm I.D. - Shaft, Hubnuts, & Press Drum

Nut-Slide, 2 Jaw, 40mm w/drum, for use on 700-1250 Coats models or Cemb with 40mm shaft
28mm version 85009996

$129.99

Model #112103
40mm I.D. - Shaft, Hubnuts, & Press Drum

Hub Nut, Handle, Solid, 45mm for standard thread pitch (not for XR-Series) 28mm - 110543

$279.20

8500920401 Balancer Shaft 40mm Balancer Shaft for 850, 950, 1050, 1055, 1250, XR, & 1150 Models

HUNTER

2027651 - BULLSEYE COLLET KIT GEN $999

Kit includes:

- A. 175-392-1 6 in. clamping cup
- B. 46-653-2 Performance wheel & light truck spacer
- C. 14-1470-005 Cone carrier bracket support
- D. 56-70-2 Front balancer cone carrier
- E. 20-2683-1 Passenger to 3/4 ton dual-taper collet kit
- F. 106-157-2 Protector sleeve

2033581 - COLLET KIT ECONOMY MD $1,199

- Does not handle the large 8 lug/8.7" bore found on some medium duty trucks. 20-3155-1 covers that application and includes 20-3116-1. Includes application chart.

2036981 - FLANGE PLATE AND STUD KIT ADJUSTABLE $1,399

- This durable aluminum design can adjust from 98 to 210mm bolt patterns and covers almost all wheels in this range. It comes with (3) three sets of (5) five pins each to handle any application. These pins are 2, 2.5 and 3.25" long with diameters of 1 to .75" respectively.

COATS

85610104 ADJUSTABLE PIN PLATES SET OF 3 FOR LUGS 3,4,& 5 $2,459

- Works on any 40 mm balancer
- Adjustable design provides fast and easy clamping
- Lug clamping and centering prevents damage to alloy wheels
- 85609688-5 lug, 85609689-4 lug, 85609690-3 lug

85607503 - SLIDE NUT PREMIUM 2 JAW 40MM $329.99

- Solid metal body lasts longer and won't shatter, if dropped.
- Binary Thread Engagement stays fully open during installation, eliminating wear from dragging the teeth across the balancer's threaded shaft.
- Fits coats 40mm shafts
- 85608312- No mar ring & 8112106 Pressure cup

8111935 - SPACER LT TRK BACK CONE $299.99

- For use on certain deep offset applications.
- Can be used on any 40mm wheel balancer.

Quincy QT® Compressors "Rated #1"

Meticulously designed for maximum productivity. Completely rebuildable with stainless steel valves and heavy duty cast iron crank case and cylinders. Leading the industry with the most CFM per brake horse-power. Includes ASME receiver, enclosed belt guard, EPAct high efficiency motor, and load-less auto stop/start.

Part No.	HP	Electric Spec.	ACFM at 175 PSI	Tank Size	Tank Style	Price
251CS80VCB1MAG	5	230V, 1ph	17.2	80	vert.	$2,585
271CS80VCB1MAG	7.5	230V, 1ph	22.6	80	vert.	$2,979
P2103DS12VCB3MAG	10	230V, 3ph	35	120	horz.	$4,325

3-Year Warranty Program

- Quincy's True Blue 3-Year Warranty
- Register unit within 10 days after purchase to activate warranty
- Purchase and use genuine Quincy filters and lubricant during the warranty period. (Proof of purchase required)
- Receive a 3-year limited warranty on the compressor.
- Receive a 2-year limited warranty on the package.
- Motors and engines are warranted by the original manufacturer.

Ask about our Energy Audits for rebates from energy companies

- Electric Operated Drain Valve 1/2"
- 1/4" NPT Inlet & 1/2" Female Pipe
- 300 Maximum Working Pressure
- 110 Volt w/6Ft Power Cord
- Y-Strainer & Ball Valve Included
- Adjustable Timer For Blow Down
  - » 1/2 Second - 45 Minutes Interval Time
  - » 1/2 Second - 10 Seconds Discharge Time

2523J - $115.00

ELIMINATE WATER!

Where Water Comes From

The atmospheric air entering a compressor intake contains water vapor. Because of the effects of compression, most of this water vapor turns into troublesome liquid water in your air lines.



QPNC13	13 CFM 1PH 115V Refrigerated Dryer	$1,149.00
QPNC21	21 CFM 1PH 115V Refrigerated Dryer	$1,225.00
QPNC42	42 CFM 1PH 115V Refrigerated Dryer	$1,485.00

Quincy Gas Powered Compressor

Now $3,150.00! or Champion version available

Heavy Duty 13HP Honda engine, 2 stage compressor, 23.6 CFM at 175 PSI!

Model G213H30HCB

Quincy Gasoline Air Compressors

- Truck Bed Mountable, ideal for Field Service Applications
- Heavy Duty Two-Stage Compressors
- V-Belt Drive with Totally Enclosed Belt Guard
- Unloader for loadless start prolongs motor life
- **Each new assembled unit comes with a 3-year limited warranty**

Proper Piping for Compressed Air

- 100% aluminum for compressed air, copper ok as well.
- Aluminum offers excellent mechanical resistance to pressure and to impacts.
- The upgraded design of the new PPS1 aluminum fitting is more compact, lighter and more resistant.
- The aluminum alloy used, combined with epoxy paint on the outside and a treatment on the inside, protects the pipe against the risks of oxidation and corrosion.
- Simply insert the pipe into the fitting and then tighten the PPS1 fitting.

BASIC LAW OF PHYSICS: Hot Air Holds More Water Vapor

Problems caused by water in compressed air:

1. Washing of required lubrication.
2. Maintenance and wear increases.
3. Air equipment sluggish.
4. Rust
5. Instrument problems.
6. Paint spotting.
7. Air line freeze.
8. Shortens air tool life.



One Cubic Foot Air contains:
1. Water Vapor
2. Dust & Dirt
3. Odors & Vapors

When compressed to 100 PSIG it becomes 1/8 its previous size.



The Volume of air has changed, but the amount of water vapor, dust, dirt & odors has not changed. Just more concentrated.

McGee Company recommended reciprocating compressor maintenance

This guide is not designed to be a complete maintenance manual for all air compressors. Refer to manufacturer's manual for detailed instructions. If the unit is in an excessively dusty area, increase frequency of all checks! Always turn power off before servicing.

DAILY CARE . . .	WEEKLY CARE . . .	MONTHLY CARE . . .	EVERY SIX MONTHS . . .
Check for proper oil level	Clean air filter	Inspect entire air system for leaks	Change Oil
Drain any condensate from receiver and traps	Clean all external parts of compressor and driver	Inspect oil for contamination and change if necessary	Inspect valve assemblies
Check for any unusual noise or vibration	Safety valve should be tested manually to see that it does not stick	Check belt tension and wear	

Call 800-525-8888 today for details!

Detail maintenance chart available.
Preventive maintenance programs available in Colorado.

ROTARY HEAVY DUTY

MACH™ Series Mobile Column Lifts

MCH14 wireless

4 Column Configuration; 52,000 lbs. capacity

MORE INFO:

Easy to use!

- Exclusive intuitive control console - lift is controlled from any column
- Lifts with two, four or six columns at multiple capacities
- Easily adjusts to accommodate a variety of tire sizes
- Inverted, concealed hydraulic cylinder
- Surface mounted and portable - no excavation or site preparation
- Battery operated with an onboard charger that uses only 110v electricity to charge - no power cords to clutter service bays
- 14K - 19K configuration
- Shipped with batteries & hydraulic fluid so ready to use!

Shown
MCH413U1A00RDYL

CALL FOR PRICING

Mach Flex Mobile Column Lifts

- New higher column capacity 18,800 lbs
- Easy to use intuitive remote control operation
- Control all columns from anywhere in the bay with remote included with purchase.
- Includes LockLight™ on each column
- Vehicle Height and Weight digital display gauges

2, 4, 6, & 8 column configurations available!

SM301 - 30,000 LBS. LIFTING CAPACITY

Rotary

New AR022

- Alignment ready runway lifts 22,000 lbs. capacity
- Robust open front design
- Air locking rear steer plates
- LED runway lighting system

Price is just the tip of the iceberg when evaluating equipment purchase. Beware of hidden future problems.

SP012 *12,000 lbs. capacity*

SHOCKWAVE™ EQUIPPED

Model Shown:
SP012U7T5RD
SHOCKWAVE
equipped lift

LOW CEILING MODEL AVAILABLE

2X faster rise and descent

Three-stage arms add reach

Thread-up truck adapters with stackable inserts

Three higher rise and extended height options – add up to 3' of height!

SP016 *16,000 lbs. capacity*

HEAVY DUTY FRAME CONTACT LIFT

SP0 Series Lifts feature thread-up adapters for easy vehicle contact

Comes standard with 5" and 10" stackable inserts

LOW CEILING MODEL AVAILABLE

ALSO AVAILABLE

SP020

20,000 lbs. capacity

two post frame contact lift

2019 Chevy & GMC pickups require a specially designed adapter to properly and safely engage the truck's newly designed wider frame.

McGee is stocking for Rotary and Challenger.

FJ6259KIT (Set of 4)

FJ6258KIT (Set of 2)
FJ6257KIT (Set of 2 for Trio)

Rubber lift pad for any lift available!

Ascot No.	Mfg. No.	Description	Application
309-00003	JOK03M	Rubber Lift Pad - 5" Round	Nussbaumlifts
309-00005	JOK05M	Rubber Lift Pad - 4" x 5"	BenPearsonlifts
309-00007	JOK07M	Rubber Lift Pad - 5" x 5"	Forward,Worth,American, Gemini, Grand, Tuxedo, Eagle, & Whip lifts
309-00009	JOK09O	Rubber Lift Pad - 4" x 4"	Challenger CL9 and CL10 lifts
309-00022	JOK22D	Rubber Lift Pad - 3.25" x 4"	Rotary SPO10, SPO12 lifts
309-00014	JOK14O	Rubber Lift Pad - 5.25" Round	Challenger CL10, Quality lifts
309-00011	JORB-1	Rubber Block 1.5"	Rotary Airjacks and all Mid-Rise pad lifts
309-00013	JORB-3	Rubber Block 3"	Rotary Airjacks and all Mid-Rise pad lifts

Air/Electric Utility Boxes

- Two 110v electric outlets and air connections mount easily to any column and provide quick access to utilities.
- The filter/regulator/lubricator extends the life of your airtools.

FA5911BK (with filter/regulator/lubricator)
FA5910BK (without filter/regulator/lubricator)

Door Defender™

Rotary's new door defender allows technicians to easily enter and exit the vehicle without damaging their customer's vehicles. The door defender is a low profile solid rubber guard designed to fit over the two-post lift carriage. The N823 door defender kit includes: 1 door defender, adhesive to attach to the lift, a Rotary decal and instructions.

Model #N823

Norco under hoist stand 3/4 ton

- Lightweight, slender design makes handling easy, even in close quarters
- Quick adjust spin handle with thrust bearing eliminates wear and provides ease of turning under load
- Extended height 81"

81033A - $149.99

RA, TA, and Trio adapters for Rotary and other brands available, call for pricing!

LOCKLIGHT

Each LOCKLIGHT™ includes:

- Indicator light assembly
- Pressure switch
- Mounting Bracket
- 10' of electrical wire

- Compatible with most surface and inground lifts using electric/hydraulic power units
- Retrofits to most existing lifts
- 110v and 220v configurations

Part #FA834/110v
Part #FA835/220v

30900404 Lifting jack pads for Tesla models

- Set of four in convenient carrying case
- Protect the vehicle, battery and paint from damage
- Can be used with floor jack or 2-post lifts
- Top piece fits into designated factory lifting points

Norco 1/2 ton transmission Jack

- Fully adjustable universal saddle with adjustable corner brackets and safety chain, 72" raised height
- Safety overload system prevents jack from being used beyond rated capacity
- Foot operated pump and lowering pedals
- Two-stage flash chromed rams inhibit rust from entering hydraulic system
- Wide base with polyurethane wheels to protect floors.

72500E - $1,199.99

Ask us about fuel tank saddles

Wheel Arm for lifts

92100 - $109.99

- 100 lbs Capacity
- Set of two arms
- Comes with 2 magentic tool trays, hex key, and mounting shims

Wheel arms hold tires at the lift arm height – great for tire rotations and brake jobs

McGee Company
1140 South Jason Street
Denver CO 80223

PRSRT STD
U.S. POSTAGE
PAID
DENVER, CO
PERMIT NO 1772

ATTN: ROUTE TO SERVICE DEPARTMENT

©2022 McGee Company, Denver, Colorado

McGeeCompany.com • 1-800-525-8888

Balancing Solutions - Case Quantity Discounts Available!

Counteract
Balancing the wheels of transportation

- Easy to use throw-in bag method
- Proven to increase fuel economy
- Color coded application chart
- Balance whole wheel-end assembly not just tire and wheel
- Life time balance
- Can be injected through valve stem
- Proven to extend tire life
- Flow-thru cap provided in 8oz bags and up
- TPMS friendly
- Download app to find tire size

Product	Description - Case Quantity Discounts	CASE QTY
45100013	INJECTOR PUMP FOR COUNTERACT	1
TIB4	4 OZ TOSS-IN BAG	92
TIB6	6 OZ TOSS-IN BAG	64
TIB8	8 OZ TOSS-IN BAG	52
TIB10	10 OZ TOSS IN BAG	40
TIB12	12 OZ TOSS IN BAG	36

Heavy Duty & High Quality

SDL25B 50' AIR **$469**
SDM33B 35' OIL **$515**
SDM65B 50' OIL **$555**

GRACO

EM8

- ELECTRONIC
- LIGHTWEIGHT

25C903 Rigid Extension — **$385**
25C904 Flexible Extension — **$385**

PM8 Preset

- ELECTRONIC
- PRESETABLE

273156 — Rigid Extension
273157 — Flexible Extension
$799

246775 Fireball 225 3:1
$675
Introducing Graco's classic Fire-Ball design as a 3:1

*Graco prices subject to change Jan. 1, 2023

BETTER FOR YOUR SHOP

IMI | FLEXX MORE MILES. LESS FUEL.

Fast and Easy Installation

Take an unmounted tire, drop in the new EQUAL FLEXX bag and mount the tire. The bag breaks apart inside the tire for a clean application.

BETTER BALANCE FOR YOUR CUSTOMERS

IMI and Enforce Tire Sealants Time Tested!

Instant Puncture Protection

Instant puncture protection. Repairs any pneumatic tire, tubeless or tube type. Prevents flats from cactus needles, thorns, stickers, and most small nails. Also prevents high pressure and rim leaks.

McGee No.	Description
FS15	Applicator pump with a 16" hose for 1 gallon size
FSP	Metal 5 gallon tire sealant pump with lid
STSOTRCS4128	STS OTR tire sealant 1 gallon
STSOTR640	STS OTR tire sealant 5 gallon
TC405	Enforce highway tire sealant 1 gallon
TC415	Enforce Fibroseal OTR tire sealant 1 gallon
TC417	Enforce Fibroseal OTR tire sealant 5 gallon

Why pay for propellant?

Sure-Shot Sprayer

Great way to dispense brake cleaner and other chemicals. To operate, load liquid and pressurize with air chuck. Easy!

Ascot #	McGee #	Description	Price
632-01002	2000	1 Qt Rust Resistant Black Plated Brass Tank	$65.99
	KM10	Repair Kit for 2000	$30.30

M2400S
$99.99

Brake lathes and parts available