



McGEE COMPANY

SINCE 1951



**Now
Atlanta!**

**Denver • Salt Lake
Albuquerque • Dallas**

1-800-525-8888

www.McGeeCompany.com

**Automotive Service
Equipment**

Tire Service Supplies

**Retreading Equipment
& Supplies**

Passenger/Truck/OTR

EXPIRES 10/1/2023

All prices are F.O.B. our warehouse unless otherwise specified.

Lease figures are approximate and subject to change.

PRICES SUBJECT TO CHANGE
VISA AND MASTERCARD ACCEPTED



ITS600 TPMS, Diagnostics, and Tire Service Tool

- Activates, reads and relearns all known sensors
- OBDII relearn for most vehicles with 99% coverage of OE sensors
- Copy By OBD sensor programming & four MX-Sensor program modes; batch program up to 20 MX-Sensors
- Includes wireless Bluetooth vehicle communication interface (VCI)
- Tire pressure placard value reset
- Read/Clear TPMS system codes & view live data
- Free Wi-Fi software updates for the life of the tool



ProUpgrade \$120

*Free TBE200 while
supplies last!*



- Rapid VIN acquisition via optical VINScan
- QR Code Scan / Barcode Scan, Plate scan, Auto VIN detect and manual input
- Identify MMY and sensor OE part number via VIN decoding

Integrate with the TBE200 for:

- Precise laser measurement of tread depth & brake disc wear
- Create comprehensive Test Report w/ TPMS health, Tread depth, brake disc wear characteristics, & Repair tips

TBE200 \$449.99

Tool bundle w/TBE200 - Only \$539.99!



TBE in action

Rechargeable Headlamp

CPH001 LED Rechargeable Headlamp

\$24.99

- Hands free on/off of main light
- ABS silicone band (lightweight)
- COB high, low, and flashing with 3W Led High/low spot
- USBC charging 3-4 hrs with working time 3-8hrs
- Waterproof and shockproof



Micro Diamond Nitrile Gloves

- 100 per box
- 6 mil Thickness
- Texture Finish
- Powder Free

Ascot No.	McGee No.	Size	Color
396-00302	32806BK240R3	Medium	Black
396-00303	32806BK240R4	Large	Black
396-00304	32806BK240R5	X-Large	Black
396-00402	32806OR240R3	Medium	Orange
396-00403	32806OR240R4	Large	Orange
396-00404	32806OR240R5	X-Large	Orange

**No texture and any size while supplies last -
\$14.50/box until 5/31/23**

396-00803	BLKL	Large	Black
396-00804	BLKXL	XL	Black
396-00805	BLKXXL	XXL	Black



**See page 19
for more
gloves**

276922 - IMPACT WRENCH SD 2" EXTD ANVIL CORDLESS 1/2" DR \$579.99 *

- 4CUSTOMIZABLE MODES: Provides multiple fastening torque outputs designed for sedans, light trucks and box trucks
- POWERSTATETM BRUSHLESS MOTOR: Delivers up to 750 ft./lb. of fastening torque & 1,100 ft./lb. of nut-busting torque
- LONGMOTORLIFE: POWERSTATETM Brushless Motor delivers maximum power and long motor life
- Includes extra battery, case and charger.



*Stubby and bare tool available as well.

**With FREE
½" drill driver
while supplies
last."**



**All prices subject to change.*

11076 - Original Maxi Bead Breaker

- Lightweight aluminum reduces weight by 40%
- Adjustable clamp allows for a perfect fit - regardless of the size of wheel
- Unit delivers 10 tons of force
- 2.75" (7 cm) stroke breaks beads often with only one "bite"
- Weight 31 lbs (14.1 kg)
(Competitive to IMT1000)



11076
\$1,999.99

Hydraulic Rams

Used to push off rear rim flange and tire bead on earthmover wheels

- For all earthmover tires, trucks and perfect for construction

Mfg. No.	Cap. (Tons)	Collapsed Height	Stroke	Price
10301	10	4-3/4"	2-1/8"	\$249.99
10302	10	6-3/4"	4"	\$259.99
10303	10	9-3/4"	6-1/8"	\$279.99

Air Reducer with 6" Whip Hose

The ESCO Air Reducer, for Air/Hydraulic Pumps, is designed to regulate the air pressure of air tools. Maintaining air pressure when using Hydraulic Equipment will increase the Proper Functioning of Hydraulic Equipment, Protect Air/Hydraulic Pumps from Over-Flow of Air, & Keep Hydraulic Products in their PRIME.

- Maintains tool's recommended working air pressure
- Tamper-proof preset value, 110 PSI
- Assist in lengthening the life of hydraulic pumps & lifting equipment



10601k
\$39.99



13000AME

AJ506B

422-10303

422-10302

422-10301

55- and 100-Ton Aluminum Rams

Get the strength of a steel ram but with about half the weight. These single-acting, spring-return rams are easily carried around the shop, or into the field for on-the-vehicle repairs. They are ideal for truck axle correction, trailer frame straightening, general vehicle maintenance, and heavy-duty lifting.

McGee No.	Capacity	Low Ht.	Raised Ht.	Wt	Price
AJ506B (13141)	55-ton	12.25"	18.25"	29 lbs	\$999.99 (base included)
13000AME	100-ton	11"	17.5"	53 lbs	\$1,999.99 (base not included)

Bead breaker pump chart**Tool Identification Chart by Rim****"Combi" Tire Bead Breaker**

- Works on a single, two and three-piece truck, agricultural and earthmover tire/rim
- Breaks beads in seconds using 10,000 lbs. of force
- No screws, bolts or attachments
- "Combi" bead breaker will not work on five-piece earth mover giant wheel/rim

422-11010




422-16200

The 16200 upgrade kit can be added to Combi Bead Breakers in order to convert the tool so that it can work on new 3 piece wheels.

Ascot No.	McGee No.	Description	Price
422-11010	10101	Bead Breaker	\$658.99
422-11020	11020	Modified "Combi" Tire Bead Breaker	\$1069.99
422-16200	16200	Conversion Kit for Combi Bead Breaker	\$479.99

Modified "Combi" Tire Bead Breaker Kit

- Modified 11010, the most popular tool for breaking beads on all agriculture wheels
- Most affordable bead breaker for new 3 piece wheel assemblies
- Modified jaw and feet allow for larger grab on larger wheel assembly



15920

422-12020 (full kit)

Ascot No.	McGee No.	Description	Price
422-12020	12020	Bead Breaker Kit. INCLUDES: 11010 Bead Breaker, 15920 Pump and 16040 Hose Assembly	\$1649.99

Hy-Flo Hydraulic Coupler

- Lightweight yet durable - 3/8" couplers
- Includes ram and hose portions
- Interchanges with OTC, Power Team, AME & ESCO hydraulic products

10600 Set

10606 10605

AHP20H



Ascot No.	McGee No.	Description	Price
318-09795	10600	Hy-Flo Hydraulic Coupler Set (9795)	\$48.33
318-09796	10606	Ram Female Half (9796)	\$23.85
318-0978	10605	Hose Male Half (9798)	\$13.84
318-04960	AHP20H	Nylon Core Synthetic Fiber Reinforced 8ft x 3/8" & half coupler 10605	\$64.99


Service Truck Packages and Cribbing by Service Truck Packages**OTR Inflation/Deflation Kit**

CRIBBING BLOCKS

- Certified and tested
- Multiple sizes, shapes fit most applications
- Interlocking or aggressive non-slip surface
- Non-conducting plastic resists oil and most chemicals
- Does not splinter, like wood
- **MADE IN THE USA**



**COLOR-CODED
WORKING LOAD
LIMIT LANYARDS**




**Cribbing
Selection Guide
or call
1-800-525-8888**



Part No.	#15230 Original Super Stacker Block 6in x 7in x 24in	#15239 Primo — Solid Block 6in x 7in x 24in
Dimensions	6" x 7" x 24"	6" x 7" x 24"
Lanyard Color	BLUE	ORANGE
Working Load Limit	110,010 lbs (49,900 kg)	129,631 lbs (58,800 kg)
Weight	24.4 lbs (11 kg)	27 lbs (12.2 kg)

CRIB BLOCK STACKING CONFIGURATION



Note: Mechanically lock load and prevent damage to crib blocks caused by point-loading with AME Jack Plates



Kit No.	15230 Original Super Stacker Block 6in x 7in x 24in	15239 Primo — Solid Block 6in x 7in x 24in	14468LT Locking Jack Plate 24in x 24in x 2in	14503 Bottom Locking Jack Plate 27in x 24in x 2in
#15266	12		1	
Comm Tire / Small AG / OTR. Tires up to 29.5/25	#15252PLB 12		1	1
#15269		12	2	
Medium AG / OTR. Tires up to 45"	#15266PLB	12	1	1



Double Diaphragm Calcium Chloride Pump

- No lubrication required
- Self-priming, non-stalling, low noise level
- Diaphragms have no stress points and less flex for longer life
- No gradual loss of pump performance due to wear
- Can run dry indefinitely
- Protected by an air filter/regulator
- 35 gallon per minute free flow
- Parts & accessories also available from AME



47515103
Double
Diaphragm
Calcium
Chloride
Pump

47530280
Replacement
4-Way Valve

47530281
Replacement
Handle

McGee No.	Description	Price
47515103	Double Diaphragm Calcium Chloride Pump	\$1299.99
47530280	Replacement 4-Way Valve for Calcium Chloride Pump	
47530281	Replacement Handle for Calcium Chloride Pump 4-Way Valve	

Dual Agricultural 300 TIRE BEAD BREAKER

- Lightweight and easy to handle
- Requires onl 4 1/2" (11.5 cm) operating space
- Designed for all agricultural applications
- 5 tons of pushing force
- Opens to 12" (30.5 cm) wide
- Weight: 20 lbs (9 kg)



11065
\$1,399.99



11065 in use

F310 Valve Adapter Gun



F310



N1091
\$10.99 ea.

Has a 1/2" female pipe thread and will attach to any calcium tire filling pump. It will extract the valve core from a standard bore valve or the core housing from a tractor valve. It will securely hold the valve core or core housing up in the gun body during tire filling or evacuation of liquid from a tire. Due to its design it will permit faster evacuation of liquid from a tire than with other adapter guns. Replaces Deming #1010

464-00310 #F310 \$89.00

Single Bend Swivel Valves



- Any other lengths may be ordered
- All valves equipped with core and hex cap
- On lengths over 6", 2 lock nuts are furnished
- Large bore swivel valves can be used with 1441 spud

Ascot No.	McGee No.	TR No.	Bend Angle	Length	Height	Price
465-01418	N1418	—	74°	1-3/4"	1-5/64"	\$9.95
465-00650	WH300J650	J-650	80°	3-1/8"	1-5/64"	\$11.80
465-00653	WH300J653	J-653	80°	2-1/2"	1-5/64"	\$10.90
465-00454	WH454	—	90°	4"	1-5/64"	\$10.47
465-40002	WH45412	J-4000-4-1/2	90°	4-1/2"	1-5/64"	\$9.54

Miscellaneous Valves



MADE IN USA

Dill



465-00670 T670 Loader Tire Valve complete with core, hex cap and "O" ring seal. Thread size is 1-1/16-12. Height is 1-25/32".	\$11.50
465-00702 H41 Tubeless Spud (TR-SP-2) , used with all Large Bore Swivel Valves. Fits 13/16" rim hole. Height is 1 1/16".	\$4.75
465-06702 H42 Straight Valve (TR-J-670-2) equipped with core and hex cap. Height is 1 1/2".	\$8.68
465-06703 H45 Spud and Valve Complete (TRJ-670-3) Consists of H-41 & H-42. Height is 1 5/8".	\$11.67
465-00710 C10 TR-C-10 Large Bore Screw-In Spud. Screws into 1/2" NPT tapped hole in the rim. Can be replaced without dismounting tire.	



Air-Liquid Core Housing and Accessories

6008B Tractor Front Wheel Valve Low profile tubeless valve offers minimum protrusion above rim hole. Effective length: 9/16". Chrome finish. Fits .625" or .453" rim hole. Standard Pack: 10/box.	\$2.05 ea
468-00203 594TM (TR-CH-3) Core Housing Screws into all valves and extensions shown here. Features O-ring seal. Standard Pack: 10 /box.	\$1.10 ea

Tubeless Type Air-Liquid Valves

These clamp-in valves have a removable 5789 Core Housing to permit fast filling of tires with liquid ballast solution. Fit .625" valve holes.


Ascot No.	McGee No.	TR No.	Straight Length	Price
464-00618	TR618A	618A	1-15/16"	\$2.95

Large Bore Air Chucks



Ascot No.	McGee No.	Description	Price
478-00377	377	Long Lock-On Air Chuck.	\$22.95
478-00322	322	Large Bore Dual Foot Air Chuck. 45° Chuck For Easy Access To Valve. 1/4" NPT Female Thread.	\$37.32
478-04660	H4660A	L/B Clip-on Air Chuck 1/4" NPT	\$24.95
	5260	L/B 8 Piece Tool Kit	\$139.99

Turret Valve for Planetary Gear Wheels



Ascot No.	McGee No.	TR No.	Angle Bend	Offset Inches	Length	Price
465-00690	WH330J690	J-690	2 Bends	9/16"	4-11/16"	\$22.23
465-06911	WH330J691B	J-691	18°	—	8-1/2"	\$33.90
465-00693	WH330J693	J-693	60°	1"	5"	\$23.10
465-00694	WH330J694	J-694	28°	—	3-1/2"	\$27.33

Super Large Bore Air-Liquid Valve For Tractor & Grader



464-00216 R372 (CH-16) Fits T81, C-100 & TR SP 816 Tube Spud.	\$6.00
464-00208 T81 (SP-8) Fits 13/16" Dia. Rim Hole.	\$8.50
464-00082 T82 (-) T-82 Clamp-In Rim Spud - 1/4" longer effective length	
466-00910 H50 (TR-F-910) Straight Valve Assembly Components T81 Spud and R372 Core Housing.	\$16.95


Core Housing

- Complete with core and cap
- Designated at tire and rim as the CH-8
- Integral part of the system as the CH-8 is removed from the valve assembly with the IN-80A adapter to utilize the larger opening and the fullest flow of the 6185 check valve.

Ascot No.	McGee No.	TR No.	Description	Price
466-00918	R520	TR-CH-8	Core Housing	\$13.95



Large Bore Caps and Cores



Ascot No.	McGee No.	Description	Price
465-00145	A145	Large Bore Core (Short) Fits 305-32 threads	\$1.28
465-00148	A148	Screwdriver Valve Cap. Fits .482-26 threads	\$1.59
465-00149	A149	Hex Valve Cap fits .482-26 threads	\$1.32
468-00100	655TM	Adapts large bore down to std. (AD1)	\$2.59
468-08007	656	Same as 655TM but cap style (8807W-3)	\$2.97

TRUCK VALVES & AIR INFLATORS

5

Double Seal Cap



- Reduce pressure check time by 65%
- Designed for high pressure truck tire service
- Inflate, deflate or gauge directly thru the DS-1 saving time during inflation and pressure checks

Now approved by
UPS and Ryder

Visit McGee resource
page for details or link at:



Ascot #	McGee #	Description	Price
468-04191	DS1	Double Seal Cap - Haltec	\$.69
468-02222	AE1	Alligator Double Seal Cap	\$.79

5-Gallon Bead Seater

- 5-gallon capacity
- Equipped with a butterfly valve for maximum air discharge
- Designed for commercial use on large truck tires, passenger and ATV tires to 24.5"
- Made in Taiwan
- Parts interchangeable with competitive models



\$179.99

473-01500
5-Gallon Bead Seater

Jet Pak Bead Seater Upgrade Device

- Faster and easier than standard ball or butterfly discharge valve operation
- Discharges tank with the press of a button
- Safety cover prevents accidental trigger release
- Two port sizes available: CH1.5JP (1.5") and CH2.0JP (2") to fit any standard bead seater in a variety of tank sizes
- Attaches easily to existing pipe nipple, replacing manual discharge valve
- Includes our new improved Jet Barrel (VP 3.103 or VP 2.103) for greater air volume delivery • Comfortable handle assures firm grip and ease of use
- All internal components can be removed and serviced if required



Ascot No.	Mfg. No.	Description
473-00020	CH-2.0JP	Jet Pak Bead Seater Upgrade Device - 2" Port Size
473-00015	CH-1.5JP	Jet Pak Bead Seater Upgrade Device - 1.5" Port Size

5-Gallon Cheetah Bead Seater

473-00500 CH5

- Makes seating the most difficult bead safe, simple
- 5-gallon capacity
- Designed for commercial use on large truck tires, passenger and ATV tires to 24.5"
- Fill tank from any service station chuck or service truck air compressor
- Made in Taiwan



\$272.99

GBBVRK repair
kit available

Bead Bazooka

- Ultra compact design for fitting in truck cabinets
- More powerful than previous design

Ascot No.	Description	Price
473-00103	3 Liter Cars & SUV Tires	\$309.99
473-00106	6 Liter Car & Commercial Tires	\$359.99
473-00110	10 Liter Car & Commercial Tires	\$449.99



Tire Valves - 540 Series

O-ring seal valves for Alcoa truck wheel
(9.7MM Valve Hole)

Many production Alcoa aluminum wheels are manufactured with a 9.77MM valve hole that requires an O-Ring tire valve. Valves have a high temperature resistant O-Ring and a heavy duty metal valve cap.




Valve TR No.	A Height	B Length	C Bend Angle	Price ea.	100 ea.
TR542	1.25			\$2.54	\$1.30
TR543	2.40	-	-	\$2.81	\$1.60
TR543D	.98	1.38	60°	\$2.94	\$1.60
TR543E	.98	1.38	75°	\$2.84	\$1.60
TR544	2.90	-	-	\$3.35	\$1.77
TR544D	.98	1.94	60°	\$3.35	\$1.77
TR545	3.50	-	-	\$3.44	\$1.91
TR545DL	Dill	--	--	\$3.84	\$2.29
TR545D	.98	2.6	60°	\$1.99	\$1.79
TR546	4.25	-	-	\$3.37	\$1.99
TR546D	.98	3.35	60°	\$3.78	\$1.99
TR546E	.98	3.35	75°	\$3.82	\$1.99
TR546G	.98	3.35	36°	\$3.51	\$2.85

Metric Clamp-In Valves - 550 Series

Popular on all new Alcoa wheels!

Compatible with aluminum wheel designs with .389 valve hole.

- Viton grommets offer a greater temperature range, a better seal, and a longer service life — Maximum temperature 250°
- Easier installation with screwdriver slot.
- Recommend installation torque 45 in - lbs.



McGee #	A	B	C	Price ea.	100 ea.
TR553	2.31	-	-	\$3.92	\$2.75
TR553C	0.93	1.38	45°	\$3.92	\$2.75
TR553E	.98	1.38	75°	\$3.92	\$2.87
TR554D	.98	1.94	60°	\$3.92	\$2.82
TR555DL	.98	2.6	60°	\$3.92	\$1.96
TR555E	.98	2.6	75°	\$3.92	\$2.27

TR555D import \$1.82 each!

Use TR550 series for better seal than TR540 series

Truck Grommets



McGee #	Rim #	Fits	Used On
5953	RG-15	.625 Valve Hole	TV-500 Series, TV-570 Series
RG15S	RG-15	.625 Valve Hole	TV-500 Series, TV-570 Series red grommet 288°
G160	RG-22	.812 Valve Hole	H-41, T-81, T-30, DS-385, DS210
5093	RG-46	.625 Valve Hole	TV-509, 510, 511
G174	RG-48	.625 Valve Hole	TV-513, 515
G170S		.625 Valve Hole	Heat-Resistant Grommet for TV-570 Series (400°) green
59765	RG-54	.453 Valve Hole	TV-416, 416L, 6008
525	RG-39	.625 Valve Hole	TV-416, 416L
G550	RG-70	.9975 Valve Hole	Fits TV-550 Series - 400°
0330	RG-60		TR-540 Series Valves - 400°



Tubeless Truck Clamp-in Valves Dill - with U.S.A. made grommet!

Straight clamp-in valves used on both demountable and non-demountable rims. For .625" diameter valve hole.

McGee #	Effective Length	Cost Each	100 Ea.
TR500	2"	\$1.62	\$1.25
TR501	1 1/2"	\$1.62	\$1.25
TR501IV	1 1/2"	\$1.31	\$1.25
TR570	3 1/8"	\$1.68	\$1.30
TR571	3 3/8"	\$1.72	\$1.40
TR572	3 3/4"	\$1.80	\$1.42
TR572IV	3 3/4"	\$1.21	\$1.21
TR57213	13° bend in valve	\$2.07	—
TR573	4 3/8"	\$1.90	\$1.36
TR573IV		\$1.36	\$1.30
TR57313	13° bend in valve	\$1.90	—
TR573HT13	13° bend in valve high temp	\$2.42	—
TR574	5"	\$2.04	\$1.57
TR575	1-1/8"	\$1.50	\$1.50

IV is Ascot branded product.

Remember - Bending a valve after it is in the wheel will often ruin the grommet and will cause a valve leak.

Metric Rim Hole Valve MS Series

(9.7mm Valve Hole)

- Some imported trucks will have steel wheels that incorporate the 9.7mm valve hole (.390")



Recommend installation torque 100 in - lbs

McGee No	Ascot No	ETRTO	Bend	A	B	Price (ea.)
60MS27	462-06027		27°	1-3/16"	1-3/16"	\$3.58
70MS27	462-07025	V3-20-5	27°	1-3/16"	1-9/16"	\$3.58
80MS27	462-08027	V3-20-7	27°	1-3/16"	2"	\$3.58
90MS27	462-09027	V3-20-4	27°	1-3/16"	2-3/8"	\$4.43
115MS27	462-11527	V3-20-6	27°	1-3/16"	3-3/8"	\$4.04
41MS00	462-04100	V3-20-1	STR	1-3/16"	—	\$3.49
70MS7	468-00707	—	7°	—	—	\$4.99

70MS7 - Long thread for thicker wheels on motor coaches

Tubeless Valves for Aluminum Disc Wheels

For drop-center aluminum disc wheels with 5/8" bottom valve hole



Ascot No.	McGee No..	Effective Length	Price ea.
463-00509	TR509	4-3/4" Straight	\$3.05
463-00510	TR510	5-1/2" Straight	\$2.90
463-00511	TR511	4-1/4" Straight	\$3.55
468-05093	TR509-3	Replacement Rubber Grommet	

Ford "F" Series Truck Valve

- Ford "F" series with dual wheels
- Alcoa aluminum 16" wheels
- Front and rear wheels
- Chrome finish
- Dual seal cap included

Ascot No.	McGee No.	Description
462-01600	VS902WP	Ford "F" Series Valve

\$2.99 ea.

Ford "F" Series Truck Valve

- Ford "F" series with dual wheels
- Accuride steel 16" x 6" wheels
- Front and rear wheels
- Nickel finish
- Includes dual seal cap

\$2.69 ea.

Ascot No.	McGee No.	Description
462-02416	TR416MC	Ford "F" Series Valve

23° bend

Core Tools




Ascot No.	McGee No.	Description	Price
469-00612	TL612	Standard Core Tool 8"	\$9.11
469-00021	TL615	Standard Deflator Core Remover	\$1.30
469-00003	5411	Core Tool Screwdriver Handle	\$2.49
469-00005	TL685	Standard and L/B Core Tool	\$2.25
469-00002	4205	4 Way Tool Steel	\$4.95
469-00044	46900044	Core Torque Tool	\$24.28
469-00081	46900081	4 WayTool - "The Best"	\$5.90

Valve Stem Ratchet Wrenches



Ascot No.	McGee No.	Description	Price
469-00018	VSW18	For TR570 series valves	\$23.11
469-00020	VSW20	For TR540 & TR550 series valves	\$24.45
168-00058		5/8" Preset Torque Wrench for TR540-550 Series Valve Hex Nuts	\$57.25
168-00916		9/16" Preset Torque Wrench for TR570 Series Valve Hex Nuts	\$57.25



Ascot No.	McGee No.	Description	Price
469-52000	52000	Valvecapper is 11.5" long-designed to reach the inner valve on dual wheel. One end is for the removal/installation of valve caps and the other end is removal/installation of the core	\$19.33
469-00011	TL645	Cable Valve Fishing Tool. Valve core wrench and deflating pin with flexible cable for fishing valve through rim hole. 24"	\$3.30

Valve and Core Tools



Ascot No.	McGee No.	Description	Price
469-00992	610	Tubeless Tire and Tire Valve Inserting and Removing Tool. For all sizes of snap-in passenger car tire valves	\$9.68
469-43002	43002	Plastic Valve Puller	\$10.95
469-00014	—	Install/Remove Removal Tool. Rubber block adds leverage	\$9.95

TRUCK LOCK & TORQUE WRENCHES

7

Split-Beam Click Torque Wrenches



- Extremely accurate: within 4% of reading from 20% of full scale to full scale
- Setting torque on adjustable wrenches is fast and easy because there is no spring tension on the adjustment knob
- Torque setting locks on adjustable wrenches for repetitive applications
- Wrench length designed to provide the leverage required for maximum torque applications. Also provides the needed reach for those hard to get at places.



EXTREMELY ACCURATE

Ascot No.	Part No.	Description	Ft./Lbs.	Price
168-03250	C3FR250F	1/2" Drive	250	\$254.99
168-05600	C5D600F	1" Drive	600	\$589.99

Flex Hinge Torque Wrench

- 168-60011 (600FHTW)
- Robust construction
- Accurate results +/- 4%
- Adjustable torque settings
- Dual scaled, Ft./Lbs. & N.m.
- Durable storage case
- Every wrench is supplied with calibration certificate
- 2 adapters included: 3/4" to 1"; 3/4 to 3/4"
- Similar to Norbar 12007 & 12007.01



\$399.95



Made in Taiwan

Heavy Duty Truck Torque Wrench

168-12017 4AR1- \$589.99



- Robust construction gives accurate results to +/-4% even in arduous work conditions
- Supplied with a calibration certificate
- Break back action gives an unmistakable signal
- Break angle improves accuracy by reducing the possibility of overtightening
- Dual scaled, Nm and ft./lbs.
- New handle - more comfortable and guides operator's hand to correct position
- Now split for ease of transportation and storage

169-03013 - 1" Female x 13" Socket Extension!
03013 - \$59.99

Micro-Adjustable Torque Wrench

Now! \$199.99

- Dual scale, calibrated dual direction
- Positive lock with spring loaded pull down lock ring
- Fast, accurate and easy to set
- Easy-to-read laser marked scale
- Ergonomic comfort-grip
- Most feature quick release buttons which provide good socket retention as well as easy socket removal
- Range: 50-250 ft./lbs.
- Accuracy: $\pm 4\%$ clockwise $\pm 6\%$ CCW of indicated value, CW, from 20% to 100% of full scale

DUAL SCALE

Ascot No.	Description
168-12250	1/2" Drive Micro-Adjustable Torque Wrench

CALIBRATED DUAL DIRECTION



319-00777
Mini Ductor
Venom



319-99644



319-99650



319-99643

See them in action



Ascot No.	Mfg. No.	Description	Kit Contains	Cost
319-00777	MDV-777	Mini Ductor® Venom® - 110V	• 3 Basic Coils: (1) 7/8" Pre-Formed Coil, (1) 23" U-Form Coil, (1) 41" Bearing Buddy Coil • Rugged Plastic Carrying Case • Operator Manual • 2-year Manufacturer's Warranty	\$589.99
319-00787	MDV-787	Mini Ductor® Venom® HP - 120V	• 3 Basic Coils: (1) 7/8" Pre-Formed Coil, (1) 23" U-Form Coil, (1) 41" Bearing Buddy Coil • Rugged Plastic Carrying Case • Operator Manual • 2-year Manufacturer's Warranty	\$609.99
319-99660	MM99-660	Essential Coil Kit for Mini Ductor®	• Two 7/8" pre-formed coils (MD99-601: 5'L x 1.25"W) • Two 3/4" pre-formed coils (MD99-611: 4.5'L x 1.25"W) • One 7/8" long pre-formed coil (MD99-605: 9.5'L x 1.25"W) • One 1" pre-formed coil (MD99-610: 8.25'L x 1.75"W) • One 7/8" long pre-formed coil (LCK) (MD99-621: 13.25'L x 1.25"W) • One 1" long pre-formed coil (MD99-622: 13.25'L x 1.75"W)	
319-99643	MD99-643	Bearing Buddy Pack for Mini Ductor®	• (1) 41" Bearing Buddy™ Coil (MD99-603) • (1) 96" Bearing Buddy™ Coil (MD99-XBB96) • (1) 6" x 12" Heat Resistant Insulator (MD99-612) • (1) Compact Storage Tube	
319-99644	MD99-644	Thin Wall Coil Pack for Mini Ductor®	• (1) 3/4" Thin Wall Coil (MD99-629) • (1) 13/16" Thin Wall Coil (MD99-631) • (1) 7/8" Thin Wall Coil (MD99-632) • (1) 1" Thin Wall Coil (MD99-635) • (1) Compact Storage Tube	
319-99650	MD99-650	Standard Coil Kit for Mini Ductor®	• One 1 3/4" pre-formed coil (MD99-607: 8.75'L x 2.25"W) • One 1 1/2" pre-formed coil (MD99-608: 8.5'L x 2"W) • One 1 1/4" pre-formed coil (MD99-609: 8.25'L x 2"W) • One 1" pre-formed coil (MD99-610: 8.25'L x 1.75"W) • Two 7/8" pre-formed coils (MD99-601: 5'L x 1.25"W) • One 3/4" pre-formed coil (MD99-611: 4.5'L x 1.25"W) • One 7/8" long pre-formed coil (MD99-605: 9.5'L x 1.25"W)	

Heavy Duty Truck Lock WHEEL LOCKS FLEET OWNERS AND OPERATORS:

Wheel & tire theft is one thing you can't afford

For less than the cost of one tire, you can protect a complete Tractor and Trailer and avoid:



- Increased insurance costs
- Scheduling and delivery delays
- Additional expenses for downtime
- Thousands of dollars in stolen equipment
- Loss of perishable load
- Lost business
- Possible vehicle damage



Part No.	Description	Contains
52003	Wheel lock set for metric hub mounted disc wheels.	10 locks & 2 keys. Application-tandem axle tractor & tandem axle trailer.
52004	Thread: 22mm x 1.5.	6 locks & 2 keys. Application-tandem axle tractor or single axle tractor and single axle trailer.

Half Size Flip Socket

- Set includes the sizes below:
18.5mm x 19.5mm; -21mm x 21.5mm;
21.5mm x 22.5mm; -22mm x 22.5mm -
Extractor punch
- Made from durable chromoly steel
- Coated with a rust and corrosion
resistant black oxide finish
- Sizes are laser etched on each socket

Ascot No.	Mfg. No.
167-12051	000524

\$49.99



1/2" DR 13 Piece SAE Deep Set

- Contains the following sizes: 7/16", 1/2", 9/16" 5/8", 11/16",
3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-1/4"

Ascot No.	McGee No.	Price
163-01151	1151D	\$99.95



1/2" DR 5 Piece Deep Thin Wall Flip Socket Set

McGee #1205D

- Includes the following 1/2" drive deep thin wall flip sockets:
3/4" x 13/16"
- 19mm x 21mm
- 7/8" x 15/16"
- 17mm x 19mm
- 3" extension
- Packaged in a durable plastic blow molded case
- 17mm x 19mm flip socket for European applications
- Equivalent to Grey 1504FW but with an extra socket

Ascot No.	McGee No.	Price
167-12050	1205D	\$39.95



1/2" Dr. 14-Piece Metric Deep Set

- Set includes the following sizes:
10mm, 11mm, 12mm, 13mm, 14mm,
15mm, 16mm, 17mm, 18mm, 19mm,
21mm, 22mm, 26mm, 27mm

Ascot No.	Mfg. No.	Description	Price
163-01153	1153MD	1/2" Dr 14-Piece Metric Deep Set	\$89.95



1/2" Dr. 4-Piece Flank Bite Damaged Nut Remover Socket Set

163-22219 - \$39.95

- New Flank Bite design works on up to an
industry leading 90% rounded lug nut
- Also safe for forward tightening of lug nuts
without damage
- Includes following sizes: 17mm, 19mm,
21mm, 22mm



Locking Lug Master Key Set

The set was designed explicitly for the purpose of removing locking lug nuts on aftermarket wheels. The 16 piece set comes with both standard (SAE) and metric pieces that can be used on Spline, Star, Hex and Fluted Hex fasteners.

40201283 - \$109.99



3/4" DR 10 Piece Truck Set

Contains the following sizes: 13/16" square socket, 1-1/16", 1-1/8", 1-1/4" thin wall deep sockets, 1-1/2" budd wheel socket, 17mm & 21mm square socket, 33mm, 35mm & 41mm deep sockets



Ascot No.	Mfg. No.	Description	Price
164-02110	2110	3/4" Dr 10-Piece Truck Set	\$239.95
164-02181	2181D	3/4" Dr 8-Piece SAE Deep Set Contains the following sizes: 1", 1-1/16", 1-1/8", 1-1/4", 1-5/16", 1-3/8", 1-7/16", 1-1/2"	\$149.99

1" DR 10 Piece Truck Set

Contains the following sizes: 13/16" square, 1-1/16", 1-1/8", 1-1/4" thin wall deep, 1-1/2" controlled standard socket, 17mm & 21mm square with inside lip, 33mm, 35mm & 41mm deep

Ascot No.	McGee No.	Price
165-03110	3110	\$239.99



1" DR 7 Piece Metric Truck Set

Contains the following sizes: 17mm, 21mm, 4pts. budd wheel standard length, 27mm, 33mm, 36mm, 41mm deep

Ascot No.	Mfg. No.	Description	Price
165-03197	3197M	1" Dr 7-Piece Metric Truck Set	\$169.99



1/2" Dr Extra Thin Wall 9-Piece SAE & Metric Wheel Protector Socket Set


Durable outer sleeve and insert protects high polished wheels and lug nuts from damage.

- CR-MO alloy steel for long life
- Fully guaranteed
- Heavy duty blow mold case

Includes 6 SAE Sockets: 3/4" (light green), 13/16" (purple), 7/8" (green), 15/16" (brown), 1" (silver), and 1-1/16" (black)

Includes 3 metric sockets: 17mm (blue), 19mm (yellow) and 21mm (red)

Ascot No.	Price
163-02849	\$109.95



McGEE COMPANY

Denver · Albuquerque · Atlanta
Dallas · Salt Lake

(800) 525-8888

www.McGeeCompany.com



1/2" DR Deep Impact Sockets

Ascot #	McGee #	Description	Price
163-01018	1018MD	1/2" Drive x 18mm Deep	\$8.70
163-01019	1019MD	1/2" Drive x 19mm Deep	\$9.23
163-01021	1021MD	1/2" Drive x 21mm Deep	\$9.35
	1023MD	1/2" Drive x 23mm Deep	\$16.35
163-01024	1024D	1/2" Drive x 3/4" Deep	\$8.95
	1024MD	1/2" Drive x 24mm Deep	\$19.65
163-01026	1026D	1/2" Drive x 13/16" Deep	\$8.95
163-01032	1032MD	1/2" Drive x 32mm Deep	\$13.13
163-01034	1034D	1/2" Drive x 1-1/16" Deep	\$11.73
163-01036	1036D	1/2" Drive x 1-1/8" Deep	\$11.58
163-10143	1014MD	1/2" Drive x 14mm Deep	\$5.98
163-10151	1015MD	1/2" Drive x 15mm Deep	\$6.08
163-10161	1016D	1/2" Drive x 1/2" Deep	\$5.23
163-10163	1016MD	1/2" Drive x 16mm Deep	\$14.13
163-10171	1017MD	1/2" Drive x 17mm Deep	\$8.53
163-10181	1018D	1/2" Drive x 9/16" Deep	\$5.48
163-10201	1020D	1/2" Drive x 5/8" Deep	\$5.83
163-01018	1018MD	1/2" Drive x 18mm Deep	\$8.70
163-10222	1022MD	1/2" Drive x 22mm Deep	\$8.50
163-10271	1027MD	1/2" Drive x 27mm Deep	\$2.50
163-10281	1028D	1/2" Drive x 7/8" Deep	\$9.65
163-10300	1030D	1/2" Drive 15/16" Deep	\$9.38
	1030MD	1/2" Drive x 30mm Deep	\$28.30
163-11032	1032D	1/2" Drive x 1" Deep	\$16.18
	1033MD	1/2" Drive x 33mm Deep	\$24.37
163-01036	1036D	1/2" Drive x 1-1/8" Deep	\$11.58
	1042D	Hex 1/2" Drive x 1-5/16" Deep	\$27.56
163-01048	1048D	1/2" Drive x 1-1/2" Deep	\$22.15
	2133MD	12 Point 1/2" Drive x 33mm Deep	\$27.56

1/2" DR Flip Socket Sale!

STD. "Flip" Socket & Metric "Flip" Socket		Double-end reversible impact socket. Fits passenger and light truck wheel nuts.	
Ascot #	Part No.	Description	Price
	1291D	19mm-21mm Deep	\$11.88
167-12912	1291DT	Flip Thin 19mm and 21mm Thin, Deep	\$10.99
	1246D	3/4"-13/16" Deep	\$10.15
	1246DT	Extra thin 1246D	\$9.90
	1249D	7/8"-15/16" Deep	\$10.53
	0703T	7/8" x 15/16" Deep Thin Wall	\$14.53

1/2" DR Extra Thin Wall Impact Sockets

Ascot #	McGee #	Description	Price
163-10172	1017MDT	1/2" Drive x 17mm Extra Thin Wall	\$9.40
163-10174	1017MEDTM	1/2" Drive 17 mm Thin Wall Deep Mercedes Socket - Flower Petal	\$13.35
163-10183	1018MEDT	1/2" Drive X 18mm Extra Thin Wall	\$10.83
163-10191	1019MDT	1/2" Drive x 19mm Extra Thin Wall	\$10.40
163-10211	1021MDT	1/2" Drive x 21mm Extra Thin Wall	\$10.70
163-10223	1022MDT	1/2" Drive x 22mm Extra Thin Wall	\$12.63
163-10230	1023MDT	1/2" Drive x 23mm Extra Thin Wall	\$15.95
163-10241	1024DT	1/2" Drive x 3/4" Extra Thin Wall	\$9.77
163-10261	1026DT	1/2" Drive x 13/16" Extra Thin Wall	\$8.95
163-10282	1028DT	1/2" Drive x 7/8" Extra Thin Wall	\$23.81

3/4" DR Impact Sockets and #5 Spline DR Impact Sockets

Ascot #	McGee #	Description	Price
164-02026	2026S	3/4" Drive x 13/16" Square	\$18.85
164-02033	2033MD	3/4" Drive x 33mm Deep	\$22.50
164-20481	2048D	3/4" Drive x 1-1/2" Deep	\$2.50
166-04026	4026S	#5 Spline x 13/16" Square	\$56.58
166-04048	4048D	#5 Spline x 1-1/2" Deep w/Inside Lip	\$73.23

1" DR Square Impact Sockets

Ascot #	McGee #	Description	Price
165-03021	3021MS	1" Drive x 21mm Square	\$28.15
165-03026	3026S	1" Drive x 13/16" Square	\$21.55
165-03030	3030S	1" Drive x 15/16" Square	\$27.17

1" DR Combination Impact Sockets

Ascot #	McGee #	Description	Price
165-03323	3323C	1" Drive 1-1/2" Hex x 13/16" Square	\$42.50
165-03321	3321MC	1" Drive 41mm x 21mm Square	\$49.30

1" DR 1-1/2" Budd Wheel Impact Socket

Ascot #	McGee #	Description	Price
165-30481	3048D	1" Drive x 1-1/2" Deep w/Inside Lip	\$40.70
165-30482	3048DR	1" Drive x 1-1/2" Deep - Standard	\$38.20
	3048DT	1" Drive x 1-1/2" Deep - Thin	\$71.56

1" DR Metric Impact Sockets

Ascot #	McGee #	Description	Price
165-30302	3030MD	1" Drive x 30mm Deep	\$33.80
165-03033	3033MD	1" Drive x 33mm Deep	\$37.43
	4036MD	1" Drive x 36mm Deep	\$54.71
165-30381	3038MD	1" Drive x 38mm Deep	\$37.13
165-03041	3041MD	1" Drive x 41mm Deep	\$40.88
165-30410	3041MDT	1" Drive x 41mm Deep Thin Wall	\$53.74

1" DR SAE Impact Sockets

Ascot #	McGee #	Description	Price
165-03034	3034DT	1" Drive x 1-1/16" Thin Wall Deep	\$2.50
165-03042	3042D	1" Drive x 1-5/16" Deep	\$36.30
165-03044	3044D	1" Drive x 1-3/8" Deep	\$28.25
	3046D	1" Drive x 1-7/16" Deep	\$31.60
165-03052	3052D	1" Drive. x 1-5/8" Deep	\$36.58
165-03054	3054D	1" Drive x 1-11/16" Deep	\$2.50
165-03056	3056D	1" Drive x 1-3/4" Deep	\$42.93
165-03060	3060D	1" Drive x 1-7/8" Deep	\$36.30
165-30281	3028D	1" Drive x 7/8" Deep	\$25.14
165-30301	3030D	1" Drive x 15/16" Deep	\$2.50
165-30321	3032D	1" Drive x 1" Deep	\$46.08
165-30361	3036D	1" Drive x 1-1/8" Deep	\$28.03
165-30362	3036DT	1" Drive x 1-1/8" Deep Thin Wall	\$2.50
165-30380	3038D	1" Drive x 1-3/16" Deep	\$34.28
165-30401	3040D	1" Drive x 1-1/4" Deep	\$36.18
165-30402	3040DT	1" Drive x 1-1/4" Deep Thin Wall	\$39.88
165-03042	3042D	1" Drive x 15/16" Deep	\$36.30
165-30420	3042DT	1" Drive x 15/16" Deep Thin	\$44.50
165-03052	3052D	1" Drive x 1-5/8" Deep	\$36.58

Impact Extensions & Adapters

Ascot #	McGee #	Description	Price
169-01003	1003E	1/2" Drive x 3" L Extension	\$8.30
169-01005	1005E	1/2" Drive x 5" Extension	\$11.90
169-01020	1020A	1/2" Drive Female x 3/4" Male Adapt.	\$11.28
169-02006	2006E	3/4" Drive x 6" Extension	\$27.23
169-02010	2010ASC	3/4" Drive Female x 1/2" Male Adapt.	\$18.25
169-02030	2030A	Adapter 3/4" Drive Female to 1" Male	\$21.88
169-03013	03013	1" Drive x 13" Extension	\$65.21
169-03020	3020A	1" Drive Female x 3/4" Male Adapt.	\$28.23
169-04010	5008A	#5 Spline Female x 3/4" Male Adapt.	\$75.80
169-04020	4020A	#5 Spline Female x 1" Male Adapt.	\$2.50

TIRE MOUNTING COMPOUNDS


432-00750 #75 - Mounting Paste 7.7 lb. - **\$18.95** Rema
432-01750 #75N - Low Profile Pail

The Original Euro Paste



Eases mounting of stiff, low-profile tires. Aids in faster bead sealing during inflation. Preferred when servicing tires on ABS-equipped or HP vehicles. Prevents vibration complaints as a result of tire moving on wheel after balancing.

Tire Swabs and Brush



437-00001



437-00002



437-00003



437-40006

Now!
\$1.99 ea.
000491

Ascot No.	McGee No.	Description
437-00001	000491	Tire Swab - 11" OAL X 2" Diameter
437-00002	TS2	Tire Swab - 15" OAL X 2" Diameter
437-00003	TS3	Tire Swab - 18" OAL X 3" Diameter
437-40006	73	Tire Lubricating Brush

Murphy's Liquid Lubricant

- Ready to use liquid for easy application
- Designed to assist in mounting rubber tires and tubes on all types of wheels
- Easy clean up and non-toxic
- Contains rust inhibitor to help fight rust

McGee No.	Mfg. No.	Description
MPL1	2020	Murphy's Liquid Lubricant, 1 Gallon (4 per case)
MPL5	2023	Murphy's Liquid Lubricant, 5 Gallons

433-02020
Murphy's
Liquid
Lubricant,
1 Gallon



Special!
MPL1 - \$13.95

Ascot Tire and Tube Mounting Compound



AS40



AS25

- AS25 - \$44.95**
- Makes tire mounting and dismounting faster and easier
 - Now with rust inhibitor
 - Approved by major rubber companies
 - Lubricates all rubber parts, stops rubber squeaks

McGee No.	Description - Murphy's Private Label
ASC8	Tire/Tube Mounting Compound, 8 Lbs. Pail
AS25	Tire/Tube Mounting Compound, 25 Lbs. Pail
AS40	Tire/Tube Mounting Compound, 40 Lbs. Pail

McGee low cost lubes available - PL Series

• No Rim Rust

- Protects tires. Tire bead won't fuse to rim.
- Helps prevent corrosion on rims and rigs.
- Helps you comply with OSHA Regulation 3086.



Ascot No.	McGee No.	Description	Price
435-00015	FL41	4-1/2 Lbs. Pail	\$55.99
435-00125	FL25	25 Lbs. Pail	\$229.99
435-01120	FL120-1	120 Lbs. Drum	Call!
435-06002	0252539	Ultra Black Lube - 25 lb pail Ryder Approved!	\$114.99
Generic Version	AR25	25 Lbs. Pail	\$119.99

Tire Bead Lubricant

- Dries fast
- Prevents rim slippage
- Prevents rust

A liquid bead lubricant for easier mounting of tires.

435-07001 (TL1)
5 gallon version MPL5

TL1 \$13.95



Murphy's Concentrated Tire & Tube Mounting Compound — In Stock

- Versatile formula – dilutes to any strength your job requires
- Approved by major tire companies world-wide
- Made from natural, renewable resources
- Totally safe for all tires
- Economical when diluted
- Ultra-thick concentrate for excellent performance when packing beads

McGee No.	Mfg. No.	Description
MP8	2000	Murphy's Concentrated Tire & Tube Mounting Compound, 8 lb. Pail (4 per case)
MP25	2005	Murphy's Concentrated Tire & Tube Mounting Compound, 25 lb. Pail
MP40	2008	Murphy's Concentrated Tire & Tube Mounting Compound, 40 lb. Pail



432-02005
Murphy's
Concentrated
Tire & Tube
Mounting
Compound,
25 lb. Pail

MP25 - \$54.99
Pallet Prices
Available!

T115 Truck Tire Changing Stand \$295.96

Stand handles wheels or open rims 16.5" to 24". Double-slide adjustment with locking device prevents twisting so it stays aligned with the wheel or rim. Stand is the ideal height for driving off beads or demounting tires.



T950 IronMan™ Ergonomic Wheel Lifting Bar \$89.99

Reduces back strain. Easily and safely lift heavy, awkward truck tire and wheel assemblies. Extremely useful in outdoor conditions – when truck tire and wheel assemblies can become wet and slippery. Standard sizes including 22.5" and 24.5" wheels, plus European (which have 1" lug holes), Super Wide and even the Super Single



Golden Tool Tubeless Truck Tire Mount/Demount Tool

- Demounts/mounts 17.5" to 24.5" tires
- Use on all tubeless truck tires including super single/duplex tires, radial and bias
- Eliminates the need to lift tire and rim to remove the bottom bead, preventing possible strain or even serious injury

Ascot No.	McGee No.	Description	Price
448-00100	TNT100	Complete Tool	\$574.99
448-12320	44812320	Economy Complete Tool (AME)	\$399.99

TNT200 for super singles

Stow & Go™ 4-Way HD Lug Wrench - 35636

- The Stow & Go™ 4-Way HD Lug Wrench folds to save space in your trunk and locks into place for easy use.
- Push button in center allows wrench to fold after use.
- Sliding arms give extra leverage for removing lug nuts.
- Made of heavy duty and durable alloy steel.
- 17mm, 19mm, 21mm sockets, and 1/2" square drive adaptor to be used with other sockets.
- 16" in length.

\$25.48



Wrench Lug LT Truck 4-Way T90 - \$49.33

- Sockets: 7/8" deep well, 15/16", 1", & 1-1/16"
- Various 4-way wrenches available.



Shark Fin Dual Wheel Separation Bag

- The first wheel separation solution for steel, aluminum and chrome wheels!
- No metal on metal contact!
- 5000 lbs of static pressing force!
- Works on 15" to 24.5" dual and single wheels and tires on trucks and trailers
- Kevlar inner inflation bag is industrial grade and nearly puncture proof
- Small but mighty - portable, durable, and fast -- full inflation takes only a matter of seconds
- 3 foot inflation hose makes access easy and safe
- Deflation is controlled with a quick turn of the slotted valve cap
- 90 psi max pushing pressure
- 150 psi maximum rated pressure



34555 - \$399.99

Slide Hammer Bead Breaker HD T26B \$159.99

T26B has exclusive spring action design to reduce user fatigue associated with slide hammer kickback.



Duck-Billed Bead Breaking Wedges – Fiberglass Handled



Ascot No.	McGee No.	Handle No.	Length	Weight	Price
424-35429	TG11E	TG11EH	32"	9.1 Lbs.	\$118.63

KenTool Porkchop™ Wrenches

- Holds outer cap nut on dual wheels while turning inner nut
- Lip fits in hole to secure wrench in place
- Fits standard and metric cap nuts



Ascot #	McGee #	Description	Size	Weight	Price
406-30609	TX9	SAE	1-1/2"	.4 Lbs.	\$22.99
406-30610	TX10	Metric	35 mm	.4 Lbs.	\$22.99
406-30612	TX12	Metric	41 mm	.4 Lbs.	\$22.99




Lt Spare Tire Removal Tool Set

- Lower spare tire in 10 seconds
- Eliminates hunt for customer's tool
- Hanger included
- Do not use impact wrench
- 7 piece kit
- Replacement tools available

Hot Deal!
\$89.99
#96090A



Tubeless Tire Irons



- Use C bar with the B extension bar for easier use on large, wide-base truck tires
- Use on standard and large truck tires, including industrial, farm, buses and tractors

Ascot No.	McGee No.	Description	Length	Price
402-00900	T9A	Small Tire Mount/Demount	9"	\$21.99
402-33220	T20A	Curved Tire Mount/Demount Spoon	30"	\$31.95
402-33219	T19A	Straight Spoon	30"	\$31.95
	T45A	Tubeless Mount/Demount	37"	\$65.31
402-34645	T45AC	Classic T45 Truck Tire Tubless Iron	37"	\$78.25
402-45004	T45HD	HD Truck Tire Tubless Iron	41"	\$94.72
402-46001	T46A	Med. Duty Mount/Demount Iron	36"	\$64.20
402-46002	T46B	Mount/Demount Iron	36"	\$76.08
402-46003	T46C	Offset Bar For Deep Well Tires	22"	\$52.67
402-33223	T23A	Lock Ring Tool	30"	\$30.65
402-34648	T48A	Lock Ring Tool	37"	\$65.03

BLUE COBRA Truck Tire Demount Tool



\$379.99

INTRODUCING AN AFFORDABLE ALTERNATIVE!



Tougher build • Better price

Fast and easy, the Blue Cobra truck tire demounting tool is strong but economical the new "golden" standard for tire changing!

- Quickly demount nearly any 20", 22.5" and 24.5" tube-type and tubeless truck tire, up to a 13" wide wheel
- Solid steel Cobra head is press-fit into the steel handle — no fasteners to loosen or fall out
- Allows demounting of the tire without lifting the entire wheel and tire off the ground — helps to reduce back injuries.

Torq-Right® Truck Tire and Wheel Mounting System

To minimize wheel-offs and other problems associated with improperly mounted tire and wheel assemblies, the Tire Industry Association and the Maintenance Council of the American Trucking Association have established recommended best practices to mount and torque tire and wheel assemblies.

Tire Toolz
SC100 Stud Cleaner
Do It Right ... Do It Once ... With Tire Toolz



SC100 Stud Cleaner

The SC100 stud cleaner quickly and easily removes rust, road grime and foreign particles from wheel studs. Three carbon steel brushes engage the full thread and provide a clean surface for the wheel retaining nut allowing an accurate final torque.




SC100KIT Wheel Prep Kit



VIDEO

Call us to arrange a visit and individualized review of your wheel mounting procedures. We can also schedule a Torq-Right® class to update your techs on TIA and ATA recommended best practices.


INSPECT ALL COMPONENTS FOR WEAR AND DAMAGE



Pre-Torque Wheel Nuts to 65 ft lbs

Rotate Wheel Mount Pad to 12 o'clock

28065 65# Torque Limiting Extension




Lug nut torque charts available!

#TC2023



ATG9755 5 in 1 22x1.5mm stud and nut inspection tool. Helps check for worn and oversized wheel holes, worn studs and bell mouthed flange nuts.



2215TPG 22x1.5mm Thread Pitch Gauge for Uni-Mount



NEW OSHA 29 CFR 1910.177 wheel mounting procedure manual and charts. These are required by OSHA to be displayed in truck tire service areas or carried in road service trucks. **\$7.75 ea for OSHA24 booklet.**



TIGHTEN WHEEL NUTS TO FINAL TORQUE



4AR1 Break Back Torque Wrench 600 Lb. Ft. Max or economy version 600FHTW



47501 475 ft lb Pre-Set Torque Wrench

Full RIST Procedures



Short Shank 1" dr Impact with torque limiting extensions



(Extension kit KT1130940)



WARNING: Wheels, studs, nuts and hubs that are not properly installed, inspected or maintained may not be safe. Failure to follow proper installation or maintenance practices may result in injury or death. Always use proper personal protection devices for safety and to avoid injury. **ALWAYS FOLLOW GUIDELINES IN OSHA 29 CFR 1910.77 FOR WHEEL MOUNTING.**



ALIGNMENT SOLUTIONS

JEEP SRT8 CAM BRACKET KIT 82362

Install this cam and guide kit to quickly and accurately dial in camber on Jeep Grand Cherokee SRT8 and Trackhawk models. Even with the suspension loaded, this kit makes changes of up to $\pm 1.5^\circ$ camber fast and easy.



82362 Front Adj. range:
Camber/Caster $\pm 1.50^\circ$
Req.: 1 per wheel

\$ 26.99

APPLICATIONS

Dodge: 2011 - 18 Durango
Jeep: 2011 - 21 Grand Cherokee

TOYOTA HIGHLANDER ADJ. CONTROL ARM

67815

This arm will get your vehicle back into factory specification. Non-handed rear upper control arm is equipped with a bonded rubber inner bushing and xAxis™ Sealed Flex Joint outer matches OE control arm performance.



67815 Rear
Range: Camber $\pm 3.00^\circ$
Req.: 1 per wheel

\$ 179.99

APPLICATIONS

Toyota: 2014-19 Highlander
Lexus: 2014-19 RX


FORD ALIGNMENT PARTS

67275

ADJ. REAR CAMBER ARM

This arm replaces the factory non-adjustable upper control arm and allows easy on-car adjustment. The bonded rubber bushing retains factory ride and vibration quality.

67275



86250

RAPTOR & F150 CAM BRACKETS

This innovative cam nut and sturdy bracket saves time and money. Easily adjust camber and caster on newer F-150s and Expeditions without having to remove the OE bolt.

86250



86252

F-150 HD CAM KIT

This heavy-duty cam-bolt kit was specifically designed for the extreme Raptor and F-150. OE bolts slip or a single cam option does not hold alignment. This upgraded cam kit features two cams and bosses per bolt for a low friction finish to achieve 25% more clamp load than the OE hardware.

86252



67435

ADJ. REAR CAMBER ARM

This forged, adjustable length control arm from SPC will provide an adjustment range of $\pm 2.5^\circ$ and will get the vehicle back to factory specifications. Each rear arm is equipped with bonded rubber bushings to maintain factory ride.

67435



81315

FORD ESCAPE EZ CAM™ BOLTS

Dial in Front Camber $\pm 1.75^\circ$ by replacing the strut bolt of many Ford and Lincoln SUV models.

81315



67275 Rear
Camber $\pm 3.00^\circ$
per wheel

\$ 104.99

APPLICATIONS

Ford: 2007-17 Expedition
Lincoln: 2007-17 Navigator

86250 Front
Camber $\pm 1.00^\circ$ Caster $\pm 1.50^\circ$
Req.: 1 per wheel

\$ 45.99

APPLICATIONS

Ford: 2007-17 Expedition; 2004-22 F-150
2010-20 Raptor
Lincoln: 2006-08 Mark LT
2007-17 Navigator

86252 Front
Camber $\pm 1.00^\circ$ Caster $\pm 1.50^\circ$
Req.: 1 per wheel

\$ 99.99

APPLICATIONS

Ford: 2007-17 Expedition; 2004-22 F-150
2010-20 Raptor
Lincoln: 2006-08 Mark LT
2007-17 Navigator

67435 Front
Camber/Caster $\pm 1.75^\circ$
Req.: 1 per wheel

\$ 149.99

APPLICATIONS

Ford: 2020-22 Escape, Bronco Sport, Maverick
Lincoln: 2020-22 Corsair

81315 Front
Camber/Caster $\pm 1.75^\circ$
Req.: 1 per wheel

\$ 23.99

APPLICATIONS

Ford: 2020-22 Escape, Bronco Sport, Maverick
Lincoln: 2020-22 Corsair

"I7" Series**BTLM = I7**

Most popular weight for the medium-duty truck. Used on most trucks with tube type tires. 25 per box except 10 & 12 oz.; 20/box & 14 & 16 oz.; 10/box.

Part. No.	Weight
I71	1.0 oz.
I72	2.0 oz.
I73	3.0 oz.
I74	4.0 oz.
I75	5.0 oz.
I76	6.0 oz.

Part. No.	Weight
I78	8.0 oz.
I710	10.0 oz.
I712	12.0 oz.
I714	14.0 oz.
I716	16.0 oz.



I7 Series

CT**BTLT + I9 = CT**

Used on "section" type, straight flange, tubeless wheels, Goodyear Super Single; Budd 7.50" and 8.25" wheels with Firestone or Goodyear discs. Uncoated.

Part. No.	Weight
CT2	2.0 oz.
CT3	3.0 oz.
CT4	4.0 oz.
CT6	6.0 oz.
CT8	8.0 oz.

Part. No.	Weight
CT10	10.0 oz.
CT12	12.0 oz.
CT14	14.0 oz.
CT16	16.0 oz.

**LEAD, STEEL, AND PLASTEEL WEIGHT OPTIONS!****Truck Tape-On Weights**

	300360	.50 oz.	Standard Profile Quick Tab with Premium Tape	30 strips/box	Width: 1"	Lead 360 pcs	\$94.99
	300224FE	.50 oz.	Standard Profile Quick Tab with Premium Tape	24 strips/box	Width: 1"	Steel 224 pcs	\$39.95
 Black	300224FE BLK	.50 oz.	Standard Profile Quick Tab with Premium Tape	24 strips/box	Width: 1"	Steel 224 pcs	\$56.95
	420FE	.50 oz.	Standard Profile	Roll	Width: 1"	Steel 640 pcs	\$119.95
	CL6	1 oz.	Standard Profile Quick Tab with Premium Tape	30 strips/box	Width 3/4"	Lead 180 pcs	\$97.99
	1184	1 oz.	Standard Profile with Premium Tape	18 strips	Width 3/4"	Steel 72 pcs	\$34.99
	48410300	1 oz.	Standard Profile with Economy Plastic Tape	36 strips	Width 3/4"	Steel 144 pcs	\$34.99
 Black	48410301	1 oz.	Standard Profile with Economy Plastic Tape	36 strips	Width 3/4"	Steel 144 pcs	\$32.99
	CL12	2 oz.	Standard Profile Quick Tab with Premium Tape	8 strips/box	Width 1-1/4"	Lead 48 pcs	\$64.95
	FSF104C	2 oz.	Standard Profile with Plastic Tape	18 strips	Width 1-1/4"	Steel 54 pcs	\$32.99

Passenger Wheel Weight Wheel Cleaner

Stop Using Expensive Wheel Cleaning Solutions

A clean wheel is critical to good stick-on wheel weight adhesive.

- Water-Based
- Biodegradable
- Non-Petroleum
- Non-Toxic

**A Note About Today's Wheels**

For environmental reasons the car manufacturers recently started using water-based paint on wheels.

Unfortunately, those paints have an adverse effect on the adherence of wheel weights. The special formulation assures optimal adherence even on surfaces coated with water-based paint.

"TS" Series

CHEVROLET GMC - Use on full size pickup, Suburban, Yukon, Tahoe from 2000. Denali & Escalade use MCS for 2000
FORD - Expeditions from 1997 - F-100, F-150 from 1997
LINCOLN - Navigator from 1998

We recommend the use of TS series weights on all full size pickup trucks and vans equipped with steel wheels. The use of "REG" series passenger weights on thicker truck rims may cause over-stressing of clips resulting in weight failures.



Part. No.	Weight
TS025	.25 oz
TS050	.5 oz
TS075	.75 oz
TS100	1 oz
TS125	1.25 oz
TS150	1.5 oz

Part. No.	Weight
TS175	1.75 oz
TS200	2 oz
TS225	2.25 oz
TS250	2.5 oz
TS275	2.75 oz
TS300	3 oz

Part. No.	Weight
TS325	3.25 oz
TS350	3.5 oz
TS375	3.75 oz
TS400	4 oz
TS450	4.5 oz
TS500	5 oz

"TAL" Series Wheel Protectors® Coated Wheel Weights

A new special weight for all Alcoa and Accuride (from 1983) aluminum tubeless heavy truck wheels. The weights will fit both sides of the wheel. These new weights replace the "OS-TAL" and "DS-TAL" series. Use rim gauge RGT2 to verify correct application (either OS-TAL or DS-TAL slot).







"TAL" Coated

Disc Side

Open Side

Part. No.	Weight
TAL030	3.0 oz.
TAL040	4.0 oz.
TAL060	6.0 oz.
TAL080	8.0 oz.

Passenger Tape-on Weights

	200576FE	.25 oz.	Low Profile Coated	3 oz./strip	48 strips/box	Width: 3/4" Depth: 1/8"	Steel 576 pcs	\$32.95
	200576FER Roll	.25 oz.	Low Profile Coated	Roll		Width: 3/4" Depth: 1/8"	Steel 700 pcs	\$45.99
 Black	200576FEBLK	.25 oz.	Low Profile Premium Tape	3 oz./strip	48 strips/box	Width: 3/4" Depth: 1/8"	Steel 576 Seg/box	\$49.99
	FSF101CP	.25 oz.	Low Profile Economy Tape	3 oz./strip	48 strips/box	Width: 3/4" Depth: 1/8"	Steel 576 pcs	\$24.95
	145KG	.25 oz.	Low Profile Coated Steel	Roll	White Tape	Width: 3/4" Depth: 1/8"	Steel 700 pcs	\$65.95
	320FE	.25 oz.	Premium Coated Steel	Roll	Double Tape	Width: 3/4" Depth: 1/8"	Steel 1272	\$109.99

MC Series fits more U.S. vehicles than any other weight!

"MCN" Series- Wheel Protectors® Coated

The "MCN" series is the recommended weight for all applications shown below. The "MCN" meets all OEM quality specifications.

"MC" Series-Uncoated

Fits most Chrysler, GM, Ford since 1990, Fiat

We recommend that coated weights be used on all vehicles having alloy wheels.

"MCN" Coated—25 pc. box. "MC" Uncoated—50 pc. box

AUDI
BMW
CATERA
GEO
HYUNDAI
JAGUAR
KIA
MITSUBISHI (see chart)
SUBARU
SUZUKI
VOLVO
MINI
LAND ROVER
SMART CAR



MC



AUDI
HONDA
& ACURA
MERCEDES
VW



Also used on many after-market alloy wheels with thin rim flanges

EN



10 to 60 g

IAW



5 to 60 g

ACURA
DAEWOO
HONDA
INFINITI
ISUZU
LEXUS
MAZDA
NISSAN
TOYOTA

Most since 1990
All since 1999
All since 1989
All since 1990
All since 1997
All since 1990
Many since 1990
All since 1990
All since 1990

See chart for exceptions

FN



5 to 70 g

Wheel Weight Adhesive Removal Tool

A143252 - \$74.99

Replacement pad

A1432526 only - \$8.49



- Lock-off trigger for added safety
- Rubber-insulated housing for comfort
- High torque motor to cut through stubborn wheel weight adhesive, body pinstripes, etc.
- High RPM to prevent pad from bogging down; 3,700 RPM free speed

Adhesive Wheel Weight Rolls

- Oversized white paper tape - easy peel
- Easy to tear by hand
- Available in grey steel or black steel
- 3 rolls per case
- 50287 recommended stand
- Cold weather tape available



NEW

Adhesive Wheel Weight Roll Stand

- All-metal construction
- Accommodates three rolls
- Floor mount
- Easy to assemble
- Fits all rolls except 520FE

\$159.95

486-31281
Adhesive Wheel
Weight Roll Stand



Ascot No.	McGee No.	Description	Case Price
484-51500	AVL315FeB	Black Steel Adhesive Roll: 1/4 oz. Segments (2880 Segments per case)	\$152.99
484-51501	AVL315FeS	Grey Steel Adhesive Roll: 1/4 oz. (2880 Segments per case)	\$149.99
484-61500	AVL415FeB	Black Steel Adhesive Roll: 1/2 oz. (1440 Segments per case)	\$152.99
484-61501	AVL415FeS	Grey Steel Adhesive Roll: 1/2 oz. (1440 Segments per case)	\$149.99

Ascot No.	McGee No.	Description
486-31281	WWR3	Adhesive Wheel Weight Roll Stand



Scan QR code or visit
www.counteractbalancing.com
to find our application charts.



Counteract Balancing Beads

Every bag includes:

- Measured bag of Balancing Beads
- Filtered vortex valve core
- Counteract valve cap
- 8oz bags and up include flow-thru cap.



Counteract Balancing Beads is an easy to use, proven balancing method ensuring you have the smoothest ride possible. One bag of Counteract will keep your tire and complete wheel-end assembly balanced for the life of the tire. Counteracts testing has proven an increase in tire life, reduced maintenance costs, and a proven fuel savings of at least 2.2% with TMC RP-1102 Type II Fuel testing. Simply open the bag and remove the contents, place the clear throw-in bag in the tire and mount the tire. Upon the vehicles motion, the bag will break and the beads will continuously balance the entire wheel-end.



- Easy to use throw-in bag method
- Proven to increase fuel economy
- Color coded application chart
- Life time balance
- Balance whole wheel-end assembly not just tire and wheel
- Can be injected through valve stem
- Proven to extend tire life
- Flow-thru cap provided in 8oz bags and up
- TPMS friendly
- Download app to find tire size

How It Works

The balancing beads will be distributed around the tire as it begins to roll through centrifugal force. As the centrifugal force of the balance (heavy spot) increases and pulls up and down on the suspension, the beads will start to move in the opposite direction of the downward and upward through inertia. The beads continue to travel until the complete wheel assembly is balanced.

Product	Description - Case Quantity Discounts	CASE QTY
45100013	INJECTOR PUMP FOR COUNTERACT	1
TIB4	4 OZ TOSS-IN BAG	92
TIB6	6 OZ TOSS-IN BAG	64
TIB8	8 OZ TOSS-IN BAG	52
TIB10	10 OZ TOSS IN BAG	40
TIB12	12 OZ TOSS IN BAG	36

Eco Balance Drop In Bags!

Eco Balance Beads are made of reusable and recyclable 99.9% tempered glass spheres. Our balancing beads are installed inside the tire, where they won't get knocked off and contaminate the environment like lead weights can.



10 oz. bag **As low as \$5.97**

10 oz. McGee 45101210

American Made.



IMI FLEXX
MORE MILES. LESS FUEL.



FLEXX
MORE MILES. LESS FUEL.

BETTER FOR YOUR SHOP

Fast and Easy Installation

Take an unmounted tire, drop in the new EQUAL FLEXX bag and mount the tire.

The bag breaks apart inside the tire for a clean application.



Safer Shop Floors

EQUAL FLEXX is a soft, flexible compound that is not slippery under foot, eliminating any bead-related risk of an accidental slip and fall in your shop.



DUAL FORCE
ACTIVE BALANCING TECHNOLOGY

BETTER BALANCE FOR YOUR CUSTOMERS

EQUAL FLEXX is the only internal, ADAPTIVE wheel-end balancer that can dynamically balance while responding to load, speed, and road forces by distributing weight at the foot-print immediately for the life of the tire.



Sick of the tin covers?
Try our
SOLID CHROME
solutions

NEW

18D - 18 LABELED DRAWER METAL
STORAGE CABINET available



LN1



LN2



LN3



LN4/LN5



LN6



LN7



LN8



LN9/LN10T



LN11



LN12



LN13



LN14



LN15



LN16



LN18



LN17/LN19

Ascot No	McGee No	HEX	Thread	Length	Application	Price Pack 20
491-11001	LN01	13/16"	M14x2.0	2.17"	Ford	\$55.60
491-11002	LN02	3/4"	M12x1.50	1.36"	Honda/Acura	\$21.00
491-11003	LN03	7/8"	M14x1.50	1.65"	Dodge/Chevy/Buick/Ram/Jeep	\$34.00
491-11004	LN04	7/8"	M14x1.50	1.77"	Chevy/GM/Buick	\$41.00
491-11005	LN05	7/8"	9/16" - 18	1.65"	Dodge	\$34.00
491-11006	LN06	13/16"	1/2"-20	1.38"	GM/Ford	\$21.00
491-11007	LN07	13/16"	M12x1.25	1.38"	Nissan/SUB	\$21.00
491-11008	LN08	13/16"	M12x1.50	1.38"	Accura/GM	\$21.00
491-11009	LN09	13/16"	M12x1.25	1.46"	Nissan/Infiniti	\$39.50
491-11010	LN10T	13/16"	M12x1.50	1.46"	Toyota	\$37.00
491-11011	LN11	7/8"	M14x1.50	1.81"	Lexus	\$65.60
491-11012	LN12	3/4"	M12x1.50	1.71"	Dodge/Chrysler	\$53.60
491-11013	LN13	3/4"	1/2"-20	1.38"	Chevy/Dodge/Ford/GM/Jeep/Mazda/Mercury	\$53.60
491-11014	LN14	3/4"	M12x1.50	1.24"	Ford	\$29.00
491-11015	LN15	3/4"	M12x1.50	1.38"	GM/Ford	\$21.00
491-11016	LN16	3/4"	M12x1.25	1.38"	Chevy/Infiniti/Nissan	\$21.00
491-11018	LN18	13/16"	M14x1.50	1.65"	Ford	\$39.00
491-11017	LN17	3/4"	M12x1.25	2.2" (1.1" threads)	Jeep/Renegade/Chrysler	\$48.00
491-11019	LN19	3/4"	M12x1.25			

Ask us about a tire repair cabinet
to keep organized!



JET Radial Repairs - Passenger and Light Truck

JET Center-Over-Injury Repairs are designed for use in all radial tires. The JET Radial Repair is intended for use in HOT or COLD applications. JET Radial Repairs are designed for use in the crown area of radial tires. Install with JET Fast Dry Vulcanizing Cement.



Radial Repair Units



Repair Unit	Size		Qty/Box	Price
	Inch	mm		
SR110	2 3/4 x 2	70 x 50	20	\$16.62
SR110H	3 1/4 x 2 3/8	80 x 60	10	\$10.49
SR112	4 3/8 x 2 1/2	110 x 65	10	\$12.91
SR114	5 3/4 x 3	145 x 75	10	\$21.58
SR120	5 x 3	125 x 75	10	\$20.89
SR122	6 7/8 x 2 3/8	175 x 80	10	\$28.07
SR124	8 1/4 x 3 3/8	210 x 85	10	\$36.81

Additional sizes - SR133, SR140, SR142

Universal repairs - nail hole injuries in crown area only. Advanced cushion gum for max adhesions.

Bias or Radial — Universal Repair Units - Square


Repair Unit	Inch	mm	Qty/Box	Price
SSA45	1 3/4 sq	45 sq	100	\$25.37
SSA45T	1 3/4 sq	45 sq	100	\$23.45
SSA55	2 1/8 sq	55 sq	80	\$27.17
SSA55T	2 1/8 sq	55 sq	100	\$37.47



AS - Square

Bias or Radial — Universal Repair Units - Round

Repair Unit	Inch	mm	Qty/Box	Price
SRA45	1 3/4	45	30	\$7.98
SRA45T	1 3/4	45	100	\$21.70
SRA55	2 1/8	55	30	\$9.75
SRA55T	2 1/8	55	100	\$27.60



AR - Round



Safety Seal Auto/Light Truck Tire Repair Refills

- 24 plies of a custom made high tensile (350 lb break strength) chemical resistant nylon yarn
- Each yarn is immersed in proprietary rubber sealant system (250% rubber to yarn)
- Patented manufacturing process assures the final Safety Seal® repair has an equal amount of rubber sealant (250% rubber to yarn) throughout the Safety Seal® Repair
- Includes 60 4" (10cm) refill repairs per kit



Temporary Repair

Ascot No.	McGee No.	Description	Price
585-60410	SSRA	Auto Light/Truck Tire Repair Refills 60 4" (10cm) Repairs	\$23.99 per box

Alternate 361UBX

Safety Seal® Deluxe Tire Repair Kit

For autos and light trucks

- "On the Wheel" design for the professional who wants to fix a flat quickly and easily
- Repairs punctures up to 1/4" and seals entire puncture from tread to inner liner
- Also available in other sizes: truck, off-road and heavy equipment



SSKTP

Ascot No.	McGee No.	Description	Price
571-22960	SSKAP	Deluxe Tire Repair Kit	\$49.99 Kit
571-22926	SSKTP	Deluxe Truck Kit	\$49.99

Ask us about
Prema soft
cushion repair

Rema Tip Top Universal Patch

The Hole Solution™

The only patch you'll ever need for making a nail hole repair. For radial and bias ply passenger or truck tires.



Ascot No.	REMA No.	Injury Size	Qty.	Price
550-26707	UP3	Small Nailhole	100	\$73.99
550-26714	UP45	3/16" Nailhole	300	\$329.99
550-26721	UP6	1/4" Nailhole	50	\$81.87
550-26745	UP8	5/16" Nailhole	50	\$108.99

RAD 100 Series Radial Repair Units

RL110 Bulk 30 Per Bag - \$44.75

REMA RAD 100 Series center-over-injury repair units. Due to our fully-integrated blue bonding layer and center over injury design, REMA TIP TOP Radial-Ply repair units are suitable for use with all current vulcanizing systems. For best results, always select the corresponding REMA TIP TOP Stem insert unit.



Ascot No.	McGee No.	Patch Size Inches	(mm)	Qty/Box	Price
575-00110	RAD110	2 x 2-3/4	55 x 75	20	\$54.99
575-00115	RAD115	3-1/2 x 3	70 x 115	10	\$66.99
575-00120	RAD120	4-7/8 x 3	85 x 130	10	\$65.99

Rema Minicombi Repair Units & Accessories

Part of Rema's renowned Blue Bonding System™, Minicombi features a metal pilot guide for easy installation and seating. Specially designed for tread area punctures on both radial and bias-ply tires, Minicombi should be used with Special Cement BL.



Ascot No.	McGee No.	REMA#	Description(Units/Box)	Price
581-67050	A3	A3	1/8" Minicombi A3 (50/Box)	\$131.18
581-67340	A6	A6	1/4" Minicombi A6 (40/Box)	\$157.99
581-68008	B8MC	B8-MC	5/16" Minicombi B8 (20)	\$111.99



Rema tire tube patches are renowned for their easy application and extraordinary effectiveness. A unique rubber compound allows the patch to stretch evenly and equally in all directions upon inflation, assuring a reliable bond and minimal bulging in any service condition.

Ascot No.	McGee No.	Units Size	Per Box	Price
541-00410	1	1-1/2" Round	30	\$14.99
541-00420	2	1-3/4" Round	30	\$26.99
541-00430	3	2" Round	30	\$34.99

Patch should be 1/2-inch larger in both width and length than the injury.

Rim/Bead Sealer and Innerliner Repair Sealant

Rema Tip Top offers two distinct Bead Sealer formulations designed to prevent leaks between the tire and rim.

- Designed to be applied to tire beads during the mounting process
- Properly applied, Repair Sealer creates an airtight seal around a finished repair, over buffed areas or porous tire innerliners.



505-00176

Ascot No.	Mfg. No.	Description	Price
504-09600	960F	Rim & Bead Sealer w/Brush Cap. CFC-Free Formula (Flammable) 32 oz.	\$24.99
505-00176	76F	Innerliner Sealer Can (Flammable) 16 oz.	\$27.99

Rema Stem Inserts and Accessories

Rema Tip Top's pre-cured, self-vulcanizing inserts are specially contoured for easy installation



Ascot No.	McGee No.	Description	Injury (in.)	Qty/Unit	Price
582-19621	193WL10	Rema Stem 6 (Wire Lead)	max 1/4	10	\$18.99
582-19820	RS8	Rema Stem 8	max 5/16	60	\$117.99
582-19420	RS10	Rema Stem 10	max 3/8	20	\$80.99
582-19430	195	Rema Stem 12 (RS12)	max 1/2	20	\$80.99
582-19311	193WL50	Rema Stem 6 (Wire Lead)	max 1/4	50	\$95.99
582-19410	194	Rema Stem 8 (RS8)	max 5/16	10	\$21.99
468-01120	260W	Insertion Pulling Wires (626)	-	1	\$2.60

Multiple Temperature Rubber (MTR) & Black Cushion Gum Repair Products

Rema Tip Top offers a variety of uncured rubber MTR products with excellent green tack and outstanding flow & vulcanization characteristics


- MTR Cushion Gum and Rope Rubber products are designed for Heat Cure Systems with lamination of REMA Tip Top repair units and filling prepared injuries
- MTR Rubber products perform best when used with REMA Tip Top MTR Solution



Ascot No.	McGee No.	Description	Price
526-51618	5161180	MTR Cut Resistant Rope Rubber, OTR Repairs 26.5 Lb. Pail	Call
526-55610	5561	MTR Cushion Gum, 24' x 10" x 0.050", 6 Lbs.	Call
526-55630	5563	MTR Cushion Gum, 2600mm x 30mm x 3mm, 2 Lbs.	Call
528-60672	5567L	MTR Rope Rubber, OTR Repairs, 26.5 Lb. Pail	Call
526-18001	18ER	3/8" extruder Rope Bx 30 Lbs.	Call

Call for details - 800-525-8888

Carbide Cutting Tools



Part No.	Description	Rec Adapters	Prices
BU18T	1/8" Taper Burr (PCC1)	51043	\$10.09
BU14T	1/4" Taper Burr (PCC2)		\$40.10
BU38T	3/8" Taper Burr (PCC4)	2523JD	\$35.35
BU12B	1/2" Ball Burr	2523JD	\$32.58
BU732N	7/32" Long Pointed Burr (Use with 1/4" Plug)	2523JD	\$39.08
BU516N	5/16" Long Pointed Burr (Use with 3/8" Plug) (PCC3)		\$57.38
BU716N	7/16" Long Pointed Burr (Use with 1/2" Plug)	SLP9216	\$128.83

Wire Brushes

Ideal for buzzout repair of radials



Copper Center® Wire Wheel Brushes-Wire Fill

Ascot #	Mfg. #	Dia.	Wire Size	Arbor RPM	Hole	Price
535-15463	15463	2"	.0118"	20,000	1/2"-3/8"	\$9.20
535-15533	15533	3"	.006"	20,000	1/2"	\$13.73
535-15543	15543	3"	.008"	20,000	1/2"	\$11.74
535-15563	15563	3"	.0118"	20,000	1/2"-3/8"	\$11.12

Knotted Brushes

535-08014	08014	3"	.014"	20,000	1/2-3/8"	\$37.91
535-08034	08034	4"	.0118"	20,000	1/2-3/8"	\$39.83

Professional Stitchers

- Corrugated ball bearing stitcher with hardened steel wheel and varnished wooden handle



30

Ascot No.	Part #	Description	Price
536-00001	30	1-1/2" Diameter x 1/16" Face	\$9.99
536-00101	30GN	1-1/2" x 1/8" Gooseneck	\$7.77
	6005GN	2" x 1/4" Gooseneck	\$14.99

The newly designed GOOSENECK STITCHER has been proven to enhance stitching performance, providing ample pressure at all points on the tire without causing muscle fatigue for the tire technician.



Gooseneck

Micro Diamond Nitrile Gloves

- 100 per box
- Texture Finish
- 6 mil Thickness
- Powder Free

Call for current pricing and availability



Ascot No.	McGee No.	Size	Color
396-00302	32806BK240R3	Medium	Black
396-00303	32806BK240R4	Large	Black
396-00304	32806BK240R5	X-Large	Black
396-00402	32806OR240R3	Medium	Orange
396-00403	32806OR240R4	Large	Orange
396-00404	32806OR240R5	X-Large	Orange
No texture and any size while supplies last - \$14.50/box until 5/31/23			
396-00803	BLKL	Large	Black
396-00804	BLKXL	XL	Black
396-00805	BLKXXL	XXL	Black

High Visibility Dual Color Leather Double Palm Gloves

Split leather double palm

- High visibility green and orange colors
- Half fleece lining
- 12 pairs per package

396-55223
\$4.50/pr



RPG Mechanic's Gloves

Black synthetic leather palm with small patches

Features blue spandex on back, neoprene on knuckle, 4cm wide elastic, hook & loop

396-10011
\$10.95



Gemstone Protective Eyewear - Clear

Y19CFC - \$2.98 pr.



Cotton Weave Blue Poly Palm Glove

C122 \$2.49/pr
\$1.59/pr. per doz

Leather Palm Short Cuff

Part #112
\$4.38 pr.



Black, Ultra Light Polyurethane Palm Glove

- Perfect for handling small parts
- Specify M, L, XL



GP180L

Rep Boy

#3050RB

WAS \$495 **NOW - \$299⁹⁹**

The Rep Boy has a 360° swivel top, adjustable tire spreader, four tilt settings, and a tool bin. The adjustable tire spreader can accommodate all tires from garden service right through to light truck tires. The Rep Boy is versatile enough to be used at the corner service center, high volume tire service centers, or section repair shops.



Manual Tire Spreader

\$69.99

Channel Lock Cutters

- Precision made of fine polished, high carbon steel
- Distinctive CHANNEL LOCK Blue comfort grips



CHA358



CHA437



CHA447

Ascot #	McGee No.	Description	Price
319-00358	CHA358	8" Cutting plier with end cutter	\$39.27
319-00447	CHA447	7.75" Curved diagonal cutting plier – lap joint	\$38.00
--	CHA337	7" Lap joint diagonal plier	\$33.79

Overhose Kit



Ascot #	McGee #	Description	Price
173-09165	2500	Quick Change Chuck	\$26.62
173-09201	2510	1 ¹¹ / ₁₆ " x 3 ³ / ₈ "-24 Chuck Adap. w/Washer & Nut	\$5.31
173-09202	2511JD	2 ³ / ₄ " x 3 ³ / ₈ "-24 Chuck Adap. w/Nut & Wheel Spacer	\$7.76
173-09211	2512JD	1 ⁷ / ₈ " x 3 ³ / ₈ "-24 Threaded Adap. w/Washer & Nut - Quick Change	\$3.91
173-09212	SLP9212	2 ¹ / ₄ " long x 3 ³ / ₈ " - 24 Threaded Adap. w/ Washer & Nut Quick Change	\$5.31
173-09213	2522	1 ¹⁵ / ₁₆ " Adap. w/Set Screw for 1 ¹ / ₈ " Shank	\$3.07
173-09215	2523JD	1 ¹⁵ / ₁₆ " Adapter w/Set Screw for 1 ¹ / ₄ " Shank	\$3.07
173-09216	SLP9216	1 ¹⁵ / ₁₆ " Adapter w/Set Screw for 5 ¹ / ₁₆ " Shank	\$3.07
173-09400	SLP9400	Overhose Kit - Rear Exhaust	\$26.62

RPG Air Powered Tire Repair Vacuum

- Quick change from blow to vacuum function
- KIT INCLUDES: Plastic body gun, dust bag, 2 extension tubes, shop brush, flat tube, tiny tube

**\$49.99**


Ascot No.	Mfg. No.	Description
537-00003	VGB2	RPG Air Powered Tire Repair Vacuum

Aluminum body Rema version available

Tire Repair Knife

- High carbon steel, round point skiver, round burnt finish handle (Riveted X2RF)

Ascot No.	McGee No.	Blade Length	Price
531-75150	X2RF	4" (102mm)	\$13.70
531-75190	X2T	4" (102mm)	\$12.18



Low Speed Tire Buffer with Quick Change Slip Chuck

15810873 - \$78.36

- Brass bushings provide performance and durability in tough working conditions
- Includes whip hose and exhaust hose
- Built in regulator
- Lock off throttle to prevent accidental start ups
- Rear exhaust directs air away from work area
- Quick change slip chuck for fast and easy change of buffing wheel
- Ideal for patchwork, roughing areas for recapping and cleaning tire moldings
- Equivalent to and has same dynamics as the CP 873k
- Overhose kit also available 175-00873



High Speed Tire Buffer Kit with Quick Change Chuck

15811871 - \$76.69**15810871 - with Jacobs - \$76.69**

- Lock-off throttle
- Free speed 22,000 RPM
- Includes overhose kit

Heavy Duty Skiving Air Buffers & Die Grinders (241160 & 117814) - Compare to DOTCO **\$185.55**

20-Ton 72090A

INTENDED USE: Heavy duty truck, agricultural and heavy construction equipment. Ideal for loaded truck and trailer roadside service calls.

- Its light weight makes it perfect for mobile repair service.
- Long handle with 36-1/2" reach helps in positioning jack under vehicles with low overhang.
- Parkerized coating on pump piston, extension screw and extension adapters and chrome coated ram offer protection against rust.
- Removable extension screw with two 4" extension adapters (included) for added height.
- Self-retracting ram eliminates manual lowering.
- 5 1/4" diameter high impact composite wheels make maneuverability easy.
- Fast efficient air pump reduces lifting time and has a built-in relief mechanism which prevents the jack from being used beyond its maximum allowable capacity.
- Convenient push button air valve connected to an in-line filter prohibits contaminants from entering the air/hydraulic system.



Please call for pricing and availability

Low Lift Height	8.625"	Base Size	9.25" x 17.25"
High Lift Height	22.75"	P.S.I. Range	100-130
Stroke	4.125"	Shipping Weight	63 lbs.
Screw Extension	2"		

22 Ton Air/Hyd Axle Jack with 3pc Ext Kit

New 565F1 from AFF - Now with reinforced frame

Call for availability and pricing

72200D from Norco - Call for availability and pricing

565F1 \$689.99

- Specially engineered air motor delivers fast and efficient operation
- Long t-handle design allows easy access to vehicles with long overhangs
- Large 8 inch diameter rubber wheels provide effortless travel in the shop or roadside
- Fully welded hydraulic pump and cylinder delivers maximum strength and leak free operation
- Heavy duty wiper seals protect the system from contaminants and ensures long service life
- Overload safety valve provides added operator safety



Capacity	Ram Lift	Low Height	High Height w/extensions	Length	Front Width	Rear Width
22 tons	4-3/4"	8-1/4"	21-1/2"	20-1/4"	6-15/16"	12-13/16"

25-Ton Blackhawk Platinum Air/Hydraulic Jack

- Chrome-plated ram
- Improved bearing surfaces
- High cycle durability
- Long life seals
- High/low temp functionality
- 5 year warranty with electronic registration
- Made in Taiwan

302-00225\$949.99

Ascot No.	McGee No.	Capacity	Min. Height	Max. Height	Saddle Extensions
302-00225	BP225	25 Tons	9-5/32"	22" w/ext.	1", 2.5", 6", & 7"

Truck Wheel Dolly



BJT300A for 19.5-24.5" Wheels

- Easily handles new super wide tires that are becoming prevalent in the trucking industry.
- Provides technician with the leverage needed to handle the removal and installation of large tires
- Heavy duty tubular steel construction
- Bent handle design improves leverage and reduces user strain
- 14" rollers turn and pivot for accurate & efficient alignment of mounted truck tires with hub stud
- 26" wide carriage handles tire diameters 36"- 48"; 450 lb. capacity

Ascot No.	McGee No.	Description	Price
407-70130	AFF3591	Truck	\$135.99

Bottle Jacks



- Extension screw on some models
- Rust protection covering
- Uniweld construction
- 50% overload factor
- Fewer moving parts

ZN12 Jack Bottle Standard 12-Ton.....	\$138.99
ZNB22 Jack Bottle Standard 22-Ton	\$213.99
ZNB12 Jack Bottle Low Profile 12 Ton	\$144.16
ZNB22 Jack Bottle Low Profile Screw Out Ext 22 Ton	\$222.40

22 Ton Jack Stand 6522

\$199.99

- Sold individually, 22 ton capacity when used in pairs
- Ideal for supporting trucks, trailers and equipment in industrial, agricultural, construction and industrial work environments
- Large v-shaped saddle allows better contact with the load
- Pin style design provides maximum security even under the heaviest loads
- Adjusts to four positions from 12" to 20"



20 Ton Capacity Air/Hydraulic Super Duty Bottle Jack

- AFF's most innovative and robust air/hydraulic bottle jack to date
- Redesigned air motor
- Super thick base to increase stability on every surface
- High-strength Steel Ram and cylinder with long ram guide for greater safety in off-center load conditions
- Welded Tank (threaded and screwed to the base) endures the rigors of in-service conditions and reduces risk of tilting out of the oil reservoir



Low	10.375
High	20.625
Ship weight	45 lbs.

Lift	6.375
Base	5.75 x 9

5620SD	20-ton standard	\$359.99
5621SD	Low profile design	\$349.99
5630SD	30-ton super duty	\$439.99
76320B	20-ton Norco	\$399.99



Jack Oil HF100 \$8.49 Qt.

*PRICING SUBJECT TO CHANGE DUE TO STEEL SURCHARGES

400SS 4 Ton HD Floor Jack

\$409.99

- Twin hydraulic system for fast and efficient lifting
- Heavy duty pump, ram, and cylinders are precision machined and inspected to ensure long service life
- High grade U-cups seals and high-pressure plunger for maximum performance
- Rear mounted swivel casters for easy maneuverability
- Universal joint technology provides a more controlled descent
- Pinned and padded saddle for extra vehicle protection
- Flanged side plates for increased stability
- Integrated parts tray keeps small components from getting lost



3-1/2 Ton Professional Heavy Duty Double-Pumper Floor Jack

Model 350SS - \$429.99

This unit offers all the features of our model 350GT with additional speed and efficiency thanks to AFF's double-pumper advantage for quicker lifting.

- Lifts from 4" to 19-1/2"
- Pinned steel saddle (1-1/8" stud) with rubber pad for added vehicle protection
- Rear-mounted 2-3/4" swivel casters for ease of maneuverability
- One-piece 50-1/4" padded handle parks upright
- Ship weight 119 lbs.



Replacement Power unit 350SSKHU - \$119.99



Ask us about our no mar options!

20-Ton Air/Hydraulic Bottle Jacks

- Thick jack base provides exceptional support and stability in severe conditions
- Quick-connect feature on air valve allows easy disconnect and connection of air hose & more compact storage

22-Ton Air/Hydraulic Truck Jack

- Large air motor provides an exceptional quick lifting experience
- Narrow chassis fits between tandem truck wheels
- Comes with three adapters in different sizes that cater to different working requirements



Floor Jacks

- Double pump design for quick lifting and improved efficiency
- Heavy steel construction for maximum durability
- Equipped with a foot pedal to allow for hands free positioning
- 2-Ton, 2-1/2-Ton, 3-Ton, 3-1/2-Ton & 4-Ton capacity



1 Year Warranty on Ascot Jacks

Ascot No.	McGee No.	Description	Min. Hgt.	Max. Hgt.	Hyd. Lift Range	Exten. Screw	Chassis Size	Saddle Size	Handle Length	Ship Wt. (LBS)	Price
301-20221	AS2022S	20-Ton Short Air/Hydraulic Bottle Jack	7"	12-5/8"	3-3/8"	2-3/9"	N/A	N/A	9-3/8"	30.6	\$249.99
302-19150	AS1915	22-Ton Air/Hydraulic Truck Jack	10-1/2"	21-1/8"	6-1/8"	4-1/2"	N/A	N/A	45-1/4"	101.9	\$479.23
302-05605	AS5605	Ascot 3-1/2-Ton Floor Jack	3-3/4"	20-1/2"	16-3/4"	N/A	27.2" x 14.25"	4-1/4"	47-7/8"	100	\$289.99
302-05614	AS5614	Ascot 4-Ton Floor Jack	4-3/8"	20-1/4"	16"	N/A	27.7" x 14.4"	4-1/4"	47-7/8"	102.5	\$379.99

30251005 10-Ton High Jack Stands (pair)

- Pin-style stands with supporting range from 27.95" to 47.56" suitable for high-height applications
- HD tubular steel design provides stability and rigidity
- Multiple pin holes to allow easy adjustments
- Saddle with lugs for easy positioning of the load

\$399.99



3-Ton Jack Stands

- Ratchet height adjustment built within column
- Multi-level ductile iron ratchet bar adds strength and durability
- Sold in set of two

3-Ton – 30263030 \$39.99

6-Ton – 30263060 \$79.99



Universal Handle Protector - GHP01 \$11.99

Made of a durable synthetic rubber

- Unique design ensures a tight fit on jack/tool handle without slippage
- Protects vehicles from scratches or dents caused by falling jack handles and unstable tools in the shop



22-Ton Jack Stands

- Sturdy, welded steel construction for exceptional safety and strength
- Heavy gauge steel helps prevent distortion or twisting
- Multi-position column bar for convenient height adjustment
- Sold in set of two

30263220 \$259.99



ASK US ABOUT OUR TRANSMISSION AND UNDERHOIST JACKS TODAY!

1-800-525-8888

Accessories for Ascot Service Jacks



Ascot No.	Mfg. No.	Description	Applicable Models
302-60129	AS5601-29-a-FH	Spring	2-Ton/3-Ton/4-Ton
302-61301	AS5613-01	Fixed Wheel Assy.	3-Ton
302-61401	AS5614-01	Seal Kit for Pump	3-Ton/4-Ton
302-61402	AS5614-02	Fixed Wheel Assy.	4-Ton
302-61403	AS5614-03	Pump	3-Ton/4-Ton
302-61404	AS5614-04	Caster	4-Ton

3.5 Ton Service Jack

- Patent pending Air-Breather for pressure balance for optimum jack performance
- Safety bypass system for cylinder protection
- Industrial grade casters for easier transportation
- Heavy duty chassis for increased strength and durability
- Bolt-on reinforced and heavy duty lift arm axle
- Universal joint mechanism
- Sturdy, one-piece handle
- Foam handle for vehicle protection
- Protective saddle pad to prevent damage to the vehicle



Closeout special while supplies last!

Version	McGee #	Price
Traditional	30262035	\$250.00

Capacity	Min. Height	Max. Height	Handle Length	Overall Length	Saddle Diam.	Ship Weight
3.5 Ton	3.75"	21.75"	50.5"	31.125"	4.2"	107 Lbs

2-Ton Service Jack

- True "low-profile" design with deep reach and minimum 2.75" height for low clearance vehicles
- Universal joint mechanism
- Foam handle for vehicle protection
- Industrial grade casters for easy transport
- Safety bypass system for cylinder protection
- 24" max height for increased work space

30262021 \$299.99

Low profile design!



286922HD - IMPACT WRENCH SD EXT ANVIL CORDLESS 1" DR \$1,299.99* Bundles available!

- POWERSTATETM Brushless Motor delivers up to 2,000 ft-lbs of nut-busting torque & 1,900 ft-lbs of fastening torque
- Install up to 200 1-1/4" bolts on a single battery
- M18TM REDLITHIUMTM Battery Packs are compatible with all M18TM tools
- The ONE-KEYTM Technology allows you to customize, track, and manage the impact wrench with the ability to set a repeatable torque output for maximum control
- Kit Includes:
- M18 FUELTM 1" D-Handle High Torque Impact Wrench w/ ONE-KEYTM (2868-20)
- M18 REDLITHIUMTM HIGH OUTPUTTM HD12.0 Battery Pack (48-11-1812)
- M18TM & M12TM Rapid Charger (48-59-1808)
- Contractor Bag



1" Heavy Duty Air Impact Wrench

- Combines exceptional power, durability, and operator convenience
- Delivers 1450 ft./lbs. of maximum torque, with a 5000 RPM free speed and four-position power regulator 360° swivel inlet
- Available in 6" extended anvil and 6" extended #5 spline drive anvil for high production truck tire changing



155-02856

Ascot No.	McGee No.	Description	Price
155-28560	IR285B	Standard Anvil	\$759.99
155-02856	IR285B6	6" Extended Anvil	\$649.99
156-28566	IR285BS6	#5 Spline Super Duty Anvil	\$779.99

3/4" Maximum Power Impact Air Wrench

- 3/4" Maximum Power Impact Air Wrench
- 1350 ft./lbs. maximum reverse torque from a tool that weighs just 7.4 lbs. and is compact enough to access tight spaces
- Built to last and designed to withstand tough use in rugged environments
- An air motor that's 16% more efficient than its predecessor and an easy-to-clean inlet screen means less down time, better tool performance, and less money spent on compressed air
- Torque Range: 200-900 ft./lbs.



Ascot No.	McGee No.	Description	Price
154-12145	2145QiMAX	Standard Anvil	\$589.99
154-22145	2145QiMAX3	3" Extended Anvil	\$679.99
154-32145	2145QiMAX6	6" Extended Anvil	\$729.99
154-00261	IR261	HD 3/4" SD Wrench 1100 Ft/Lb Torq	\$549.88
154-02616	2616	3/4" Super Duty Air Impact w/6" Ext. Anvil	\$579.99

276922 - IMPACT WRENCH SD 2" EXTD ANVIL CORDLESS 1/2" DR \$579.99 *

- 4CUSTOMIZABLE MODES: Provides multiple fastening torque outputs designed for sedans, light trucks and box trucks
- POWERSTATETM BRUSHLESS MOTOR: Delivers up to 750 ft./lb. of fastening torque & 1,100 ft./lb. of nut-busting torque
- LONGMOTORLIFE: POWERSTATETM Brushless Motor delivers maximum power and long motor life
- Includes extra battery, case and charger.



*Stubby and bare tool available as well.

With FREE 1/2" drill driver while supplies last."

*All prices subject to change.



Protect your investment with a boot. Ask your rep for the right size.

CP7748TL2 Torque Limited 1/2" Drive



- Limited 1/2" Drive
- "Best Practice Tool" bubble on side
- The CP7748TL series is intended to be used as a "snugging" tool prior to final tightening with a calibrated torque wrench to reach the specified torque rating
- Torque limited in forward: 60/70 ft. Lbs. - 90/100 Nm, Full in reverse
- Insulation & Comfort: Contoured comfort grip handle instead of TPR injected in handle
- Low sound level suited for all light vehicle tire changing applications
- 360° swivel air inlet



ASCOT	MCGEE NO.	PRICE
153-77483	CP7748TL2	\$199.99 while they last!

1/2" CP77482 - Extreme Torque & Durability

- Most powerful 1/2" air wrench in its class
- Twin hammer grease clutch
- Ergonomic rubber handle
- Reinforced nose wings and back housing cap for longer durability
- Max Torque 1200 ft. lbs.
- 922 ft. lbs. Working Torque



CP77482
\$224.99

CP77412

\$169.99

- 10,000 RPM free speed
- 715 Ft/lbs max torque
- Super durable but 15% lighter than CP77362



1" Heavy Duty Air Impact Wrench

2140 ft.lbs 2900 Nm of maximum torque in reverse

- Pinless closed reinforced rocking dog impact mechanism
- Socket retainer ring combined with hole retainer
- Ergonomic side handle
- Full teasing trigger
- Regulator with integrated forward/reverse with 3-position power settings in both directions



155-77826
1" Heavy Duty Air Impact Wrench

ASCOT NO.	MCGEE NO.	PRICE
155-77826	CP77826	\$699.99
155-17782	CP7782SP6	\$739.99
	CP77786	\$719.99

CP77786 \$719.99

- The Classic CP77786 for HD applications
- integrated forward/reverse 3-position power settings regulator and directional control.



CP77786

153-02312



231XP2 with free air hose, while supplies last

1/2" Super Duty Extended Anvil Air Impact Wrench \$199.99

This new model redefines the standards set by the classic IR231 model, with an enhanced Twin Hammer impact mechanism for more power and in-handle exhaust to direct air away from the operator and the work area.



2235TIMAX2

Ascot No.	McGee No.	Description	Price
153-00231	IR231	Air Wrench 1/2" Dr Short Anvil	\$159.99
	2235TIMAX2	Air Wrench 1/2" Long Anvil Titanium	\$379.99
	2235QTIMAX2	1/2" Dr Quiet Air Wrench Long Anvil	\$389.99
	2235TIMAX	Air Wrench 1/2" Dr Short Anvil Titanium	\$374.99

FREE

KOOZIE® 6 PACK COOLER WITH 231XP2 PURCHASE!

(While supplies last; limit 1 per customer)



MA2312G**NEW**

- McGee 1/2" Drive rubber grip 2" extended anvil impact wrench.
- 8,000 RPM
- 600 ft/lbs torque
- Twin handle mechanism

\$109.95**1" Drive Mini Air Impact Wrench**

- 6" Extended Anvil
- Free speed: 5000 RPM
- Maximum torque: 2000 ft/lbs
- Only 20 lbs – 50% less than the market leading 1" product, smallest and lightest 1" in the tire service industry
- Twin hammer clutch

155-26464

\$514.99

Ascot No.	McGee No.	Description
155-26464	15526464	1" Drive Mini Air Impact Wrench - 6" Extended Anvil

6" EXTENDED ANVIL**1" Drive Super Duty Impact Wrench****\$409.99!**

155-17786

**Heavy Duty & High Torque!**

- DURABLE: Steel end plates offering durability and extended life
- ADVANCED DESIGN: Proven motor and hammer technology; highly efficient air motor
- WORKING TORQUE RANGE: 370-1475 ft./lbs.
- 1 YEAR LIMITED WARRANTY on parts and workmanship
- COMPARE to CP77826

1/2" Drive Super Duty Air Impact Wrench

- 2" extended anvil
- Handle exhaust
- Free speed: 8000 RPM
- Maximum torque: 600 ft./lbs.
- Proven design and the most popular configuration in the tire service industry
- Powered by the durable and high performing twin hammer mechanism
- Net weight: 5.6 lbs.

\$129.99

153-23120

Protect your investment
with bootie JB04BLUE.



Ascot No.	McGee No.	Description
153-23120	A2312	1/2" Drive Air Impact Wrench - 2" Extended Anvil

1/2" Drive Composite Impact Wrench

- Convenient one-hand operated forward/reverse push button
- Four-setting torque adjustment switch
- 685 ft./lbs., 8000 RPM, 4.2 lbs
- Twin hammer mechanism provides smooth balance
- Energy efficient motor for maximum performance with precise speed control
- Swivel air inlet prevents hose from twisting

Now with
forward/
reverse
button!

153-12260



Ascot No.	McGee No.	Description	Price
153-12260	A21312COM	1/2" Drive Composite Impact Wrench 2" Extended Anvil	\$149.99

- 6" extended anvil
- 3-position forward and reverse
- High efficiency 6-vane motor
- Pinless clutch mechanism
- Swoop back side handle for maneuverability/balance
- Working Torque 1,800-2,000
- Free Speed 5,000 RPM

RPG

Ascot No	McGee No	Description	Price
155-12856	A2856	1" Drive Super Duty Impact	\$399.99

**Super Red Pneumatic Air Tool Lubricant**

- Dissolves gum and & varnish formation
- Ensures smoother starts
- Special rust & oxidation inhibitor
- Clean and free running
- 12 bottles per case
- Usable on piston or rotary type air tools

Ascot #	McGee #	Price
181-00406	0406	\$7.99



JB04blue

**Marvel Air Tool Oil**

085 Marvel Air Tool Oil 32 Oz - 18100085 -
\$8.99

- Prevents rust formation while providing positive lubrication for smooth starting and long tool life
- Assures maximum performance by dissolving gum and sludge that cut down tool speed and reduce power output

085

**Blaster 16ATC - Air Tool Conditioner**

- Restores & prolongs tool life - 11 oz.
- Provides a coating & lubrication for tools while in use
- Inhibits rust, increases RPMGS for normal maintenance

16ATC

181-00404



\$7.99
(Case price available)

Ascot #	McGee #	Descriptions	Price
395-00016	16CBD	Blaster Citrus Degreaser - 11 oz.	\$9.99

RPG

Video on proper air tool maintenance; make your tools last!
(También en español)


<http://vimeo.com/212944966/>



ELIMINATE WATER!

Where Water Comes From

The atmospheric air entering a compressor intake contains water vapor. Because of the effects of compression, most of this water vapor turns into troublesome liquid water in your air lines.



QPNC13	13 CFM 1PH 115V Refrigerated Dryer	\$1,049.00
QPNC21	21 CFM 1PH 115V Refrigerated Dryer	\$1,295.00
QPNC30	30 CFM 1PH 115V Refrigerated Dryer	\$1,435.00

Auto drain!

- Electric Operated Drain Valve 1/2"
- 1/4" NPT Inlet & 1/2" Female Pipe
- 300 Maximum Working Pressure
- 110 Volt w/6Ft Power Cord
- Y-Strainer & Ball Valve Included
- Adjustable Timer For Blow Down
 - » 1/2 Second - 45 Minutes
 - Interval Time
 - » 1/2 Second - 10 Seconds
 - Discharge Time

2523J - \$109.95



Quincy QT® Compressors "Rated #1"

Meticulously designed for maximum productivity. Completely rebuildable with stainless steel valves and heavy duty cast iron crank case and cylinders. Leading the industry with the most CFM per brake horse-power. Includes ASME receiver, enclosed belt guard, EPAct high efficiency motor, and loadless auto stop/start.

Part No.	HP	Electric Spec.	ACFM at 175 PSI	Tank Size	Tank Style	Price	60-Month Financing Terms*
2V41C60VC	5	230V, 1ph	15.2	60	vert	\$1,749.99	\$44/mo
251CS80VCB1MAG	5	230V, 1ph	17.2	80	vert.	\$2,749.00	\$70/mo
271CS80VCB1MAG	7.5	230V, 1ph	22.6	80	vert.	\$3,150.00	\$80/mo
P2103DS12VCB3MAG	10	230V, 3ph	35	120	horz.	\$4,799.00	\$122/mo

QGS-7.5 High Performance Series 101-10000 Quiet Rotary Screw Air Compressors

- Quiet operation - lowest noise levels available
- 100% continuous duty operation
- Compact design in a complete package
- Simple and low cost maintenance
- Clean dry air
- Lower operating costs
- Proven design by a world leader in compressor technology
- 21.2 cfm @ 150 psi
- 208/230/460 - 3 ph



BLOWOUT SPECIAL!

Pictured with dryer
5HP to 15HP Available
208/230/460V 3PH

QGS75D1 \$7,049.00

60-Month Financing Terms* **\$161/mo**

*Details: Payment terms based on 60 months. One time origination fee. \$1,500 minimum. Pricing effective through August 31, 2023. Subject to credit approval. Subject to change without notice. All plans offered through Great America.

Proper Piping for Compressed Air

- 100% aluminum for compressed air, copper ok as well.
- Aluminum offers excellent mechanical resistance to pressure and to impacts.
- The upgraded design of the new PPS1 aluminum fitting is more compact, lighter and more resistant.
- The aluminum alloy used, combined with epoxy paint on the outside and a treatment on the inside, protects the pipe against the risks of oxidation and corrosion.
- Simply insert the pipe into the fitting and then tighten the PPS1 fitting.



Improper Piping for Compressed Air

- PVC has a pressure rating but that is for water, not air!
- PVC pipes and fittings are intended for use in plumbing.
- Water under high pressure does not behave nearly as violently as compressed air does when the vessel in which they are contained breaks.
- PVC pipe and fittings, which can become very brittle after prolonged exposure to sunlight and cold temperatures, can rupture and shatter relatively easily when subjected to high-pressure compressed air, sending sharp pieces of shrapnel flying through the air.
- OSHA and Plastic Pipe and Fittings Association (PPFA), specifically warn against PVC and CPVC for compressed air in the general duty clause.



Ask about our Energy Audits for rebates from energy companies

Lubricants

McGee Company stocks a variety of lubricants in various weights to fit your needs. Make sure you have the appropriate weight lubricant in your system to protect against high temperatures and frictional wear of bearings and cylinders that reduces the life of your compressor. McGee Company carries Quincy specific Quin-Cip/Quin-Syn through our house brand.



Part No.	Description	Price	Appl.
112541G032	10 weight gal.	\$42.47	Cold < 32°
112542G068	20 weight gal.	\$42.47	Warm < 68°
112543G100	30 weight gal.	\$42.47	Hot > 85°

5-year True Blue Warranty on Rotary Compressors



- Only the World's Finest Compressors come with an industry leading warranty! Quincy Compressor offers 5-year coverage, True Blue Warranty
- Other companies say they offer the best machine, but only Quincy can prove it. We back our most reliable air compressors with an industry leading warranty of
 - 5-year Airend Warranty
 - 5-year Drive Motor
 - 5-year Heat Exchanger
 - 5-year Separator Tank
 - Recip Compressor Optional NO BULL Warranty 3-Year Pump / 2-Year Package Warranty
- Please refer to instruction manual and warranty statement for recommended service intervals and requirements.





Air/Electric Utility Boxes

- Two 110v electric outlets and air connections mount easily to any column and provide quick access to utilities.
- The filter/regulator/lubricator extends the life of your airtools.

FA5911BK (with filter/regulator/lubricator)
FA5910BK (without filter/regulator/lubricator)

Door Defender™

Rotary's new door defender allows technicians to easily enter and exit the vehicle without damaging their customer's vehicles. The door defender is a low profile solid rubber guard designed to fit over the two-post lift carriage. The N823 door defender kit includes: 1 door defender, adhesive to attach to the lift, a Rotary decal and instructions.

Model #N823



Norco under hoist stand 3/4 ton

- Lightweight, slender design makes handling easy, even in close quarters
- Quick adjust spin handle with thrust bearing eliminates wear and provides ease of turning under load
- Extended height 81"

81033A - \$159.99

2019 Chevy & GMC pickups require a specially designed adapter to properly and safely engage the truck's newly designed wider frame.

McGee is stocking for Rotary and Challenger.




FJ6259KIT (Set of 4)



FJ6258KIT (Set of 2)
FJ6257KIT (Set of 2 for Trio)

Rubber lift pad for any lift available!



Ascot No.	Mfg. No.	Description	Application
309-00003	JOK03M	Rubber Lift Pad - 5" Round	Nussbaumlifts
309-00005	JOK05M	Rubber Lift Pad - 4" x 5"	BenPearsonlifts
309-00007	JOK07M	Rubber Lift Pad - 5" x 5"	Forward, Worth, American, Gemini, Grand, Tuxedo, Eagle, & Whip lifts
309-00009	JOK090	Rubber Lift Pad - 4" x 4"	Challenger CL9 and CL10 lifts
309-00022	JOK22D	Rubber Lift Pad - 3.25" x 4"	Rotary SPO10, SPO12 lifts
309-00014	JOK140	Rubber Lift Pad - 5.25" Round	Challenger CL10, Quality lifts
309-00011	JORB-1	Rubber Block 1.5"	Rotary Airjacks and all Mid-Rise pad lifts
309-00013	JORB-3	Rubber Block 3"	Rotary Airjacks and all Mid-Rise pad lifts

Lifting jack pads for Tesla models

TJP4 - \$24.99

- Set of four in convenient carrying case
- Protect the vehicle, battery and paint from damage
- Can be used with floor jack or 2-post lifts
- Top piece fits into designated factory lifting points



Norco 1/2 ton transmission Jack

- Fully adjustable universal saddle with adjustable corner brackets and safety chain, 72" raised height
- Safety overload system prevents jack from being used beyond rated capacity
- Foot operated pump and lowering pedals
- Two-stage flash chromed rams inhibit rust from entering hydraulic system
- Wide base with polyurethane wheels to protect floors.

72500E - \$1,199.99



Wheel Arm for lifts

92100 - \$109.99

- 100 lbs Capacity
- Set of two arms
- Comes with 2 magnetic tool trays, hex key, and mounting shims



Ask us about fuel tank saddles



Wheel arms hold tires at the lift arm height – great for tire rotations and brake jobs



RA, TA, and Trio adapters for Rotary and other brands available, call for pricing!



Each LOCKLIGHT™ includes:

- Indicator light assembly
- Pressure switch
- Mounting Bracket
- 10' of electrical wire

- Compatible with most surface and inground lifts using electric/hydraulic power units
- Retrofits to most existing lifts
- 110v and 220v configurations

Part #FA834/110v
Part #FA835/220v



LOCK ENGAGED

LOCK NOT ENGAGED



MACH™ Series Mobile Column Lifts

MCH14 wireless

4 Column Configuration; 52,000 lbs. capacity

Easy to use!

- Exclusive intuitive control console - lift is controlled from any column
- Lifts with two, four or six columns at multiple capacities
- Easily adjusts to accommodate a variety of tire sizes
- Inverted, concealed hydraulic cylinder
- Surface mounted and portable - no excavation or site preparation
- Battery operated with an onboard charger that uses only 110v electricity to charge - no power cords to clutter service bays
- 14K - 19K configuration
- Shipped with batteries & hydraulic fluid so ready to use!



MORE INFO:



Shown
MCH413U1A00RDYL

Mach Flex Mobile Column Lifts

- New higher column capacity 18,800 lbs
- Easy to use intuitive remote control operation
- Control all columns from anywhere in the bay with remote included with purchase.
- Includes LockLight™ on each column
- Vehicle Height and Weight digital display gauges



2, 4, 6, & 8 column configurations available!



SM301 - 30,000 LBS.
LIFTING CAPACITY

CALL FOR PRICING



New AR022

- Alignment ready runway lifts 22,000 lbs. capacity
- Robust open front design
- Air locking rear steer plates
- LED runway lighting system



Price is just the tip of the iceberg when evaluating equipment purchase. Beware of hidden future problems.



SP012 12,000 lbs. capacity

SHOCKWAVE™ EQUIPPED OPTION



Model Shown:
SP012U7T5RD
SHOCKWAVE
equipped lift

Low
CEILING
MODEL
AVAILABLE

2X faster rise and descent

Three-stage arms add reach

Thread-up truck adapters with stackable inserts

Three higher rise and extended height options – add up to 3' of height!

Shockwave Inground Smartlifts

- 10,000-12,000 lbs capacity models available
- High efficiency power and air per lifting cycle, selected in key lead projects
- Reduces space usage and allows more lifts
- Trio three stage arms for pinpoint location
- Shockwave or standard available
- New wide inground (SL210W or SL212W) futureproofs your business, as they can service electrical vehicles.



SL210W

Higher weight capacity lifts available!

Pro Park 8S


PP8S

GOLD CERTIFIED
8,000 LB. CAPACITY
72" Lifting Height



Install
available

F.O.B. Denver



VERSATILE TOOL
FOR AUTO LIFT
AND STORAGE
NEEDS

Specs	PP8S	PP8P	PP9
Capacity	8,000 lbs.	8,000 lbs.	9,000 lbs.
Lifting Height	72"	86"	85"
Overall Length w/Approach Ramps	207-1/2"	222"	221"
Overall width (with motor)	115	115	131"
Overall width (without motor)	103-1/2"	103-1/2"	121"
Overall Length without Approach Ramps	175-1/2"	190"	197"
Approach Ramps	36-3/4"	37"	36-3/4"
Runway Width	18-1/2"	18-1/2"	20"
Runway Length	166"	180"	188"
Runway Thickness	4-1/2"	5"	4-3/4"
Outside of tire to outside of tire	80-1/2"	80-1/2"	97"
Height of Columns	83"	95-3/4"	97"
Clearance Between Columns	94"	94"	109-1/2"
Clearance Between Runways	38"	38"	39"
Outside Runway to Outside Runway	74-3/4"	75"	79"
Clearance Under Runways	68"	81"	80"
Motor	110 V, 1HP	110 V, 1HP	110 V, 1HP
Shipping Weight	1,820 lbs.	1,920 lbs.	2,350 lbs.

Make sure your lift is Gold Certified!

Direct-Lift's Pro Park series four-post lifts are now ALI Certified. It takes a combination of the design, engineering excellence and quality manufacturing to earn this certification. It is extra assurance for you that your lift meets the highest industry safety and performance standards. Look for the Gold label.



DL9
9,000 LB.
CAPACITY

Find the right fit:



Specs	DL9
Capacity	9,000 lbs
Lift Type	Overhead
Overall Height	143" (11'11")
Overall Width	132" (11')
Width Between Columns	109" (9'1")
Max Lift Height*	76" (6'4")
Shipping Weight	1450 lbs
Truck Adapters	Included

- Padded shut off bar
- Powder coat finish
- Adapters and bracket included
- Self-setting locks
- Symmetric 2-post lift with asymmetric arm design

AFF210 3-ton Aluminum Light Weight Jack

- This professional grade service jack combines the strength of steel with the lightweight benefits of an anodized aluminum frame; The polished plunger pistons provide a smooth surface for a longer seal life
- 57 lbs!



AFF210 - \$475.00

Jack Rod

\$89.99

Turn any jack into a stand!



See it in action:



8 gallon oil lift drain

- Reinforced base will not warp with hot oil
- Wide working range from 36.5-74"
- Low center of gravity for increased stability
- 4 swiveling, easy roll wheels
- Heavy adjustment clamp with large handle and large pour threaded spout.
- Built-in strainer with funnel



11102 \$159.99

Pro-Park Lift Features:

- Exclusive adjustable lock ladder leveling system
- ALI/ETL Certified
- Powder coat finish
- Single point lock release
- Steel approach ramps included



105D2 CP 1/4" Dr Air Ratchet

While supplies last!

\$59.99!

The 105 Series air ratchets are small, durable, and easy to handle for vehicle repair technicians. The low profile forward/reverse control has a wide diameter for easy gripping and increased control in confined spaces.



18241 Blow Gun Deluxe Kit

\$35.99

- While supplies last Blow Gun Kit and Air Hose!
- Specially designed hose that has been developed to cater to today's high demand conditions and use
- Stays flexible in the cold and does not kink in the heat
- Full airflow in all weather conditions
- 300 psi working pressure
- 1/4" male fittings
- 3/8" X 32' Air Hose



2V41C60VC compressor

- 5 hp
- 60 gallon
- 230V 1ph

\$1649.99



Heavy Duty & High Quality



SDL25B 50" AIR **\$495**
SDM33B 35" OIL **\$545**
SDM65B 50" OIL **\$585**



25C903 — **\$405**

Rigid Extension

25C904 — **\$405**

Flexible Extension



EM8

PM8
Preset

- ELECTRONIC
- PRESETTABLE

- ELECTRONIC
- LIGHTWEIGHT

273156 — Rigid Extension

273157 — Flexible Extension

\$839

Did you know we design complete systems for your needs?

It doesn't matter the size of your shop, we have the right solution for you. We can design at your location with tablets to give you an idea for a new system or an upgrade before we bring it back to design in CAD. Call today for your time and money saving system from the Graco pros at McGee Company.



POWER EQUIPMENT GREELEY

1-800-525-8888

Graco Pumps & Accessories



24G576
LD Series
3:1 **\$479**

Affordable and full featured LD series is designed for lower volume applications.



246775
Fireball 225
3:1 **\$709**

Introducing Graco's classic Fire-Ball design as a 3:1



203876
Fireball 300
5:1 **\$935**

This pump has been the "crown jewel" of Graco since the 1950s and is the pump of choice in the most demanding environments.



Graco

AIR DIAPHRAGM PUMPS

3/4" **241906** 15 GPM **\$595**

1" **647731** 40 GPM **\$809**

McGee Company has Graco service and parts!




\$655
238866

Splatter pads available

8-1 Drain Plug Wrench

\$18.33 - 31301219



31301219

Maintenance & Installation Available!

Graco LD Hose Reel

\$385 HEL010 Air 3/8" x 50'

\$445 HEM004 OIL 1/2" x 35'

- Designed for light duty applications
- Enclosed for safety and protection, extended hose life
- 5 year warranty



*Required inlet hose kit sold separately.
218547XX for air or 218549XX for oil

Tank Gauges

Numbers decrease as fluid level lowers indicating how many inches are left until the tank is empty. For use with oil, waste, diesel fuel, antifreeze and other fluids with a high flash point.



008164
new oil gauge
\$229



\$229
008566 used oil gauge

Five reasons why hose reels add value



Improve efficiency

Hoses, cable and cords are where you want/need them.



Increase safety

Reduce tripping accidents and lost work time.



Minimize leakages

Reduce costs of air and water leakages.



Reduce hose wear

Hose / cord on reels can last five times longer.



Increase productivity

No more tangled hoses improves efficiency.



Why MAHLE?

- MAHLE was first to market with connected equipment!
- First to offer Remote Tech Support
- Bluetooth application for Cell Phone mirroring - First and Only in the AC Market!
- All ArcticPRO units come with an industry leading 2 year parts and 1 year labor warranty along with a competitive Service Center Network
- Free Software Updates (do not confuse with vehicle database)
- 2 CFM / 2 Stage Vacuum Pump in All NextGen A/C units beats the competition
- 200LB Extended Life Filter - standard on the 80 series and optional on the 50 series
- Vehicle Database - standard on the 80 series and optional on the 50 series
- Best in Class Serviceability – Ergonomic hinged cabinet door simplifies service.

ACX2280 - 1234YF

- Fully Automatic
- Best in Class Serviceability w/Remote Diagnostics
- 2-year parts and 1 year Labor
- 7" Capacitive Color Touch Screen
- 2.0 CFM Dual Stage Vacuum Pump
- 30lb DOT Refrigerant Tank
- Hybrid Capable
- Integrated Refrigerant Identifier
- WIFI & Bluetooth
- Remote diagnostics
- Customer report
- Capacities Database
- Extended Life Filter



ACX2180H - R134A

- Fully Automatic
- Best in Class Serviceability w/remote diagnostics
- 2-year parts and 1 year Labor
- 7" Capacitive Color Touch Screen
- 2.0CFM High-Performance Vacuum Pump
- 30lb DOT Refrigerant Tank
- Automatic 2 Oil & 1 UV Die inject on (ACX-2180 ONLY)
- Hybrid Capable on ACX-2180H
- WIFI & Bluetooth
- Customer report
- Wireless Updates
- Capacities Database
- Extended Life Filter

Oil Injector

Features and benefits:

- Can also be used for fluorescent dyes
- Just fill the barrel with the amount of oil needed (measurements are marked on the barrel body)
- Connect the injector fitting to the low side access port on the vehicle and press the plunger to deliver the oil charge
- Handy for adding dyes to A/C leak detection



16256

\$117.67

MAHLE

	ACX2180H	ACX2280
Services Hybrids	Yes	Yes
Services non hybrid	Yes	
Large and Small shops	Yes	Yes
Compare	34788NIH&34988NI&-9	Compare to AC1234-9
R134A	Yes	
R1234YF		Yes
Warranty	2 years parts 1 year labor	
Wireless Printing	Yes	Yes
Phone app for Mirroring iOS & Android	Yes	Yes

946KIT Classic Super Seal Premium Leak Sealant Kit \$44.95

- Permanently seals leaks in condenser, evaporator, accumulator, compressor, gaskets, o-rings, metal and rubber hoses
- For all mobile air conditioning systems R134a and R12/R22
- Installs in minutes and continues to circulate in the A/C system to prevent future leaks
- Saves time and money and the environment from harmful refrigerant emissions



Accessories

MCGEE NUMBER	BRAND	DESCRIPTION	PRICE
FX3030X1	CPS	FX Series Maintenance Kit - Includes Filter, Vacuum Pump Oil and Coupler O'Rings	\$149.90
13172	ROBINAIR	QC Filter/Drier for R12/R134a and Pump Oil (For Newer Models)	\$84.62
13169	ROBINAIR	QC Filter/Drier for R12/R134a & Pump Oil (For Older Models 17700A, 34700, 34300-2K)	\$93.17
18465	ROBINAIR	R-1234YF PAG Oil Labeled Syringe-Type Injector AC1234-4	\$189.99
13172	ROBINAIR	Maintenance Kit AC1234-4 & 334788NI	\$84.62
3608325400	MAHLE	Replacement High Capacity Combo Filter. Fits Mahle 134a and 1234yf machines	CALL FOR PRICING AND DEMOS
3608295800	MAHLE	White Sample Filter for Mahle 2280	
0118007000	MAHLE	Vacuum Pump Service Oil 1 Qt. Bottles for Mahle	

*ONE QC FILTER-DRIER TO BE USED ON BOTH R-12 AND R-134A STATION, AND (1) 16 OZ. BOTTLE OF HIGH VACUUM PUMP OIL

Why Coats?

All equipment installed and training by a factory tech · In stock at multiple McGee locations · Extended warranties · Building equipment since 1947 in TN · General repair to HD, AG, and Industrial options

1300

- Direct drive motor with 40mm shaft
- 2D Auto data entry
- 220V 1/3ph
- 8-30" diameter wheel range with max tire diameter of 44"
- Warranty: 3 Year Parts, 6 Months Labor



Coats alignment systems available; call for demo!

STEP UP

1500

- Direct Drive Motor
- Laser Guided Tape-A-Weight
- Side Shadow Board with Basic Pro Kit
- Auto Start Hood
- Static-On-Screen
- New Display Mounting Bracket
- Automatic Data Entry (Distance/Diameter/Width)
- 12 o'clock Inboard Laser
- Stop, Lock & Index

Extended 3 year warranty



Call today for best prices!

1-800-525-8888

525 WHEEL LIFT FOR DIRECT DRIVE BALANCERS

- 160 lb capacity, Air Operated
- Mounts to Direct Drive wheel balancers: 1300 1400 1500 1600
- Hi-Visibility floor ramp for easy roll on/off
- Smooth scissor-lift action
- Sliding work platform for easy operation
- Small footprint, low center of gravity for superior stability
- Simple foot-pedal operation



CALL FOR QUOTE ON BRAKE LATHES

Good!



60X_H1

STEP UP

- Swing Arm Design
- Air or 110v Electric Motor
- Built-in Water Separator (Air)
- 6"-24" External Clamping Range
- Metal Clamps
- Hand Actuated Bead Loosener
- Single Point Sealer
- Extended Warranty
- Patented Robo-Arm®
- Metal and Plastic Duckhead
- Can be converted to 70X

Best!



80XE H220

- 220V, 2 HP electric motor or Air powered
- Roboroller arm for low pro/run flat tires
- Upgraded chassis design
- Single point sealer
- 6-24" rim diameter with max tire of 50" diameter
- Warranty: 3 Year Parts, 6 Months Labor

Ask about end user rebates!



RP11811400325 Leverless
Mount Head Insert Kit TCX V3
\$56.99

RP11811100303S
Protector Plastic for Old
TCX Steel Mount Head
\$1.09

Plastic Inserts
for 182788 Metal
Mount/Demount
Head (Pkg of 2)
50X, 60X, 70X
Model 182961

\$7.99



Plastic Inserts for 182788 Metal
Mount/Demount Head
(Pkg. of 12)
Model 182963
444-82963

\$26.99

8560716108
Replacement
black grip for
new style Grip
Max Plus



\$54.99
(8 each)

183604 Quilted Clamp
Socks (10
pk) for series
machine
- 50X,
60X,
70X



\$46.99

High Grip Jaw Protectors

Polymer jaw covers prevent
metal-to-metal contact when
performing external clamping.
- TCX500 Series Machine

RP11811100358 - 8 ea.
\$92.99



Plastic Handled Brass Sidewall Brush

- Densely packed brass bristles
- Great for cleaning white sidewall tires



99593

Wooden Handled Wire Brush with Metal Scraper



Ascot No.	McGee No.	Description	Price
395-13124	99593	8" Plastic Handled Brass Sidewall Brush	\$8.49
535-00150	25150	14" Wooden Handled Wire Brush	\$3.29

Slide Cover for Bead Lifting Tool

Protects custom rims.

85000783 - Slide Cover for Top of Bead
Coats Lifting Tool - 10 pk - Coats **\$49.99**

RP11811400098 - 4 pk for Hunter tire
machines

Lever sleeve protector, Hunter **\$40.64**



85000783



Coats Replacement Tire Changer Air Hose - 5 ft.

Coats Replacement Tire Changer Air
Hose with Euro Chuck

Part # W44RJ5

\$13.92

Tire Changer Duckhead Specials!

Hybrid Duckhead Mount/Demount Tool

85608959 \$198.36

Replacement tail
85608961



For 50X, 60X, 70X

Coats Leverless DuckHead®
Coats Leverless DuckHead® hook
and tail booties provide the proper rim
protection for all leverless DuckHead®
systems - Proguard

89233409 6 hooks, 2 tails **\$119.99**

Pictured: PN 89233409

For Coats
50X and
70X

Part #
182788



\$129.84

Grey Plastic High Spoke Mount/Demount Duckhead® Tool

For Coats
50X
and 70X
machines

Part #184432



\$40.99

183606 - Sock
Bead Loosener
Shoe
2/PKG



\$38.75

Plastic Duckhead Kit

Part
#183061
444-01220



Special
\$31.99

Head, Mount/
Demount, Polymer Red
Hunter TC3250/3500
(1 ea.) Part #2216752



\$23.99 ea.



Hunter TC500 Series
Part #RP118314813



\$43.99 ea.

Hunter TCX Series
"Wing" Duckhead
RP11811400327



\$36.99

85607787
Grip Max Plus
Laminated
Clamps (4)
6"-24"



\$899.99

5500 Low Profile Bead Lever Tool **Now \$49.95**

Designed by technicians to assist with hard to change low profile
tires. The easy grip ergonomically designed handle allows
the user needed leverage for the toughest of sidewalls while
remaining a safe distance from the face of the wheel.



For All Rim ClampTire Changers

Part # 181354 **\$36.49**
444-81354



Light Truck Cone Kit

HW150280091 28mm

Allows balancing truck wheels with center holes from 4¹³/₁₆" to 6⁷/₈". Used on rims with an alignment pin on the back. Double-sided cone fits all Coats balancers

40mm - 48340091 (113277) **\$239.99**

\$39.99



Model #61123 Balancer Calipers

482-89011

Works on any passenger balancer. Equal to Coats 61123 or 309011 or Comb 46FC77653

\$269.99



Part #85009998 08 40mm I.D. - Shaft, Hubnuts, & Press Drum

Nut-Slide, 2 Jaw, 40mm w/drum, for use on 700-1250 Coats models or Comb with 40mm shaft 28mm version 85009996

\$149.99



Model #112103

40mm I.D. - Shaft, Hubnuts, & Press Drum

Hub Nut, Handle, Solid, 45mm for standard thread pitch (not for XR-Series) 28mm - 110543

\$279.20



8500920401 Balancer Shaft 40mm Balancer Shaft for 850, 950, 1050, 1055, 1250, XR, & 1150 Models

\$459.99



Steel ProGrip Quick Nut with Handles and Pressure Cup



HW124408006 - \$299.99

Comb 41FF83148 - \$289.99

Quick release wingnut with reverse mounting cup & no-mar ring, not for use with HD Truck balancers

Creates pressure necessary for Road Force balancers.

HUNTER, COATS

All Hunter Models exc 700 and DSP9500 90-92; All Coats Models Quick Nut Only

Coats Models 700, 775, 800, 825, 850, 875, 925, 950, 1000, 1025, 1030, 1035, 1175, 1250, 1255 (40mm shaft upgrade), 6275HS

\$779.99



483-40110 ProCollet Kit 40mm

9 pc.
2.07" to 4.76"

HUNTER

2027651 - BULLSEYE COLLET KIT GEN \$999

Kit includes:

- A. 175-392-1 6 in. clamping cup
- B. 46-653-2 Performance wheel & light truck spacer
- C. 14-1470-005 Cone carrier bracket support
- D. 56-70-2 Front balancer cone carrier
- E. 20-2683-1 Passenger to 3/4 ton dual-taper collet kit
- F. 106-157-2 Protector sleeve



2033581 - COLLET KIT ECONOMY MD \$1,199

- Does not handle the large 8 lug/8.7" bore found on some medium duty trucks. 20-3155-1 covers that application and includes 20-3116-1. Includes application chart.



2036981 - FLANGE PLATE AND STUD KIT ADJUSTABLE \$1,399

- This durable aluminum design can adjust from 98 to 210mm bolt patterns and covers almost all wheels in this range. It comes with (3) three sets of (5) five pins each to handle any application. These pins are 2, 2.5 and 3.25" long with diameters of 1 to .75" respectively.



The Low-Taper Collets are superior to standard cones because they have more contact area and engage the wheel at a better angle; they are also necessary for Clad Wheels because they are shorter and only contact the metal part of the wheel. They can be used for "standard" wheels as a replacement for the cones.

In Stock — Call for best price!

COATS

85610104 ADJUSTABLE PIN PLATES SET OF 3 FOR LUGS 3,4,& 5 \$2,599.99

- Works on any 40 mm balancer
- Adjustable design provides fast and easy clamping
- Lug clamping and centering prevents damage to alloy wheels
- 85609688-5 lug, 85609689-4 lug, 85609690-3 lug



85607503 - SLIDE NUT PREMIUM 2 JAW 40MM \$349.99

- Solid metal body lasts longer and won't shatter, if dropped.
- Binary Thread Engagement stays fully open during installation, eliminating wear from dragging the teeth across the balancer's threaded shaft.
- Fits coats 40mm shafts
- 85608312- No mar ring & 8112106 Pressure cup



8111935 - SPACER LT TRK BACK CONE \$329.99

- For use on certain deep offset applications.
- Can be used on any 40mm wheel balancer.



Truck Service Gauges



- Wide variety of service gauges to accommodate the numerous tire and wheel configurations encountered by tire service personnel
- Available in chrome plated or protective black epoxy finish as indicated
- Calibrated from 10-150 psi in 2 pound increments
- Nylon or metal indicator bars


Ascot No.	McGee No.	Gauge Type	Price
476-10135	GA135	Angle Chuck With Nylon Bar	\$8.52
476-11135	GA135S	Same As Above, Angle Chuck With Metal Bar	\$11.16
476-10155	GA155	Straight-On With 30° Reverse Chuck	\$12.79
476-10165	GA165	Same As Above, Straight-On With 30° Reverse Chuck, Black Epoxy Finish	\$10.64
476-11155	GA155S	Same As Above, Straight-On With 30° Reverse Chuck, Metal Bar	\$18.66
476-10185	GA185	Dual Foot Service Gauge With Nylon Bar, 180° Chuck, Chrome Plated	\$10.38
476-01046	7285E	Externally Adjustable Metal Bar Truck Gauge – 10-150 psi	\$15.34

European-Style Clip-On Chucks

Ascot No.	McGee No.	Description	Price
478-02985	CH360	European-Style Clip-On Chuck. 1/4" Female Fitting. Silver Clip. (Normally Closed).	\$9.90
478-02995	CH360OP	European-Style Clip-On Chuck. 1/4" Female Fitting. Black Clip. (Normally Open).	\$9.00
478-01200	N1200	European-Style Clip-On Chuck. Serrated Shank for 1/4" I.D. Hose. Silver. (Normally Open).	\$7.00



Made in the USA



McGee No.	Description	Price
6293DUSA	European-Style Clip-On Chuck, 1/4" Female Fitting. Silver Clip. (Normally Closed). (CH360)	\$8.06
6293EUSA	European-Style Clip-On Chuck. 1/4" Female Fitting. Black Clip. (Normally Open). (CH360001)	\$8.09

Lock On Air Chucks

Ascot No.	McGee No.	Description
478-05265	5265SH	Lock-On Air Chuck. Specially Designed To Lock Onto The Cap Of A Standard Bore Valve Stem When The Sliding Sleeve Is Pushed To Forward Position

**\$11.00**

Pocket Truck Gauges



Ascot No.	McGee No.	Description	Price
476-10150	GA150	Straight-On/Angled Gauge. 20-120 psi. Chrome Plated.	\$9.37
476-10160	GA160	Straight-On/Angled Gauge. 10-120 PSI. Black Baked Epoxy Protective Finish.	\$9.99
476-10130	GA130	Dual Foot Angled Pencil Gauge. 20-120 psi.	\$6.40
476-07263	7263USA	Straight-On/Angled Gauge USA Made 20-120 PSI. Black Baked Epoxy Protective Finish	\$11.70

Automotive Tire Gauges



- Pencil, chrome tire gauges with nylon indicator bars

Imprinted Gauges Available with Your Name. Call for details!

Ascot #	McGee #	Range	Type	Price
476-10105	GA105	10-50 PSI	Passenger Gauge	\$3.74
476-10115	GA115	20-120 PSI	High Pressure Gauge	\$3.64
476-10100	GA100	1-20 PSI	Low Pressure Gauge	\$3.38
476-10110	GA110	10-50 PSI	Passenger Gauge 75-340 kPa Calibrated in PSI & kPa	\$3.86
476-10125	GA125	5-45 PSI	Air/Liquid Gauge - tractor	\$3.38
476-10145	GA145	10-75 PSI	Mid-Range Gauge 70-500 kPa Calibrated in PSI & kPa	\$3.04
476-03501	3501	10-100 PSI	Master Tire Gauge & Black Angle Bend	\$9.88

Dual Foot Air Chucks

Ascot No.	McGee No.	Description	Price
478-01350	CH350LO	Straight-On/Angled Chuck. Protective Black Epoxy Finish (Normally Closed)	\$12.43
478-00335	CH335	Angled Chuck. Plated Finish (Normally Closed)	\$8.40
478-03300	CH330LO	Straight-On/Angled Chuck. With Lock-On Threads (Normally Closed)	\$9.06
478-03301	CH330	Straight-On/Angled Chuck (Normally Closed)	\$7.15
478-03330	CH333LO	Straight-On/Angled Chuck. 14" Long (Normally Closed)	\$11.27



Ball Foot Chucks

Ascot No.	McGee No.	Description	Price
478-00335	5499	Ball Foot Chuck. 1/4" Female Thread (Normally Closed)	\$3.93
478-00315	5567	Ball Foot Chuck With Lock-on Clip. 1/4" Female Thread (Normally Closed)	\$6.90



478-00315

478-00305



Why do you need quality air gauges?

Keeping an eye on tire pressure is a critical part of regular inspection and maintenance.

Tire pressure is a critical function in many different ways. Underinflated (or grossly overinflated) tires don't handle safely, and if you find yourself in a "steer out of trouble" situation, improperly inflated tires can get you into a lot of trouble. Low tires heat up and can blow out, not only destroying the tire but also putting you in an accident-likely situation. Keeping tires properly inflated also makes sense from a dollars and sense perspective: Underinflated tires wear out more quickly. Overinflated tires can make the ride rough, and actually wear out suspension parts. And yes, fuel economy is really affected by tire inflation. The solution to these safety and money issues is as simple as regularly checking tire inflation, and for this you need an accurate tire pressure gauge.



PLEASE USE THIS GAUGE ACCURACY GUIDE AS A HELPFUL TOOL!

0.5% ACCURACY

DIGITAL & PENCIL GAUGES

RECOMMENDED FOR ALL TYPES OF VEHICLES

\$9.88
476-03501
0-100 PSI

\$224.99
477-10001
0-174 PSI

GOOD 3% BETTER 1-2% BEST .5%

1-2% ACCURACY

SAFETY INFLATOR GAUGE

M Series

RECOMMENDED FOR ALL TYPES OF VEHICLES

Specify hose 6', 9', or 12'

\$44.99
477-00001
10-120 PSI

GOOD 3% BETTER 1-2% BEST .5%

3% ACCURACY

PENCIL GAUGES

RECOMMENDED FOR ALL TYPES OF VEHICLE

\$9.99
GA160
20-120 PSI

\$3.74
GA105
10-50 PSI

GOOD 3% BETTER 1-2% BEST .5%

Check with master gauge 3501
\$16.58

3% ACCURACY

TRUCK SERVICE GAUGES

RECOMMENDED FOR ALL TYPES OF VEHICLES

\$12.79
GA955
10-150 PSI

\$10.64
GA165
10-150 PSI

GOOD 3% BETTER 1-2% BEST .5%

Digital Pocket Gauge

- Range: 0-150 PSI in .5 PSI increments
- Accuracy: ± 1 PSI
- Large LCD display
- Red backlight
- Angled chuck head



Ascot No.	Mfg. No.	Description	Price
476-32380	3238P	Digital Pocket Gauge w/Angled Chuck 1 150 PSI	\$18.79

Master Air Pressure Station

\$154.99

This station is used as a test pressure source for calibration of air gauges. Unit can be wall mounted on 1/2" npt pipe. TIA recommends regular calibration of truck tire gauges to maintain accuracy and assure proper tire inflation.

MAPS



COUNTER DISPLAY

Retail Gauge Opportunity
Promote accurate tire inflation



941DIS – Counter Display with Ten 10-120 lb gauges
476-00941
\$27.99

7277USA – Counter Display with ten USA made gauges
10-75 PSI
\$42.99



941DIS

PREVOST 1/4"**Automotive Style Couplers**

- One hand push button design - red
- Fits all 1/4" automotive style adapters
- Longer lasting

Constructed of high impact tough composite material. Smooth finish will not scratch and will not hang up like traditional couplers. Press the button and the downstream air releases, and when the coupler is discharged it automatically releases adapter or hose, preventing dangerous hose whip. Use with any automotive nipple. Industrial use with 513811, 513911, and 11E.



Mfr. No	Description - Automotive	Price
URC061201	1/4" FPT Automotive Coupler	\$24.62
URC061251	1/4" MPT Automotive Coupler	\$27.24

Use with industrial - blue button

Mfr. No	Description - Industrial	Price
IRC061201	1/4" FPT Industrial Coupler	\$30.88

Couplers & Nipples


- Steel plated couplers with hardened steel balls and stainless steel springs
- Plugs heat-treated to reduce wear on critical mating surfaces
- Interchange with Tru-Flate 10 and 100 type series as well as units produced by other manufacturers
- Maximum working pressure 300 psi.

**Automotive Series**

Ascot #	Dill No.	Milton No.	Amflo No.	McGee No.	Thread	NPT	Price
COUPLERS							
131-61523	D-13	785	C2	3504	Female	1/4"	\$5.44
131-61524	D-12	786	C1	3503	Male	1/4"	\$7.93
131-62523	D13R	--	--	3505	Female	1/4"	\$6.36
ADAPTER PLUGS							
131-61539	D-3C	784	CP2	3507	Female	1/4"	\$1.82
131-61538	D-2C	783	CP1	3506	Male	1/4"	\$1.60

Industrial Interchange

Ascot #	Dill No.	Milton No.	Amflo No.	McGee No.	Thread	NPT	Price
COUPLERS							
131-61573	102	715	C20	5142-12	Female	1/4"	\$5.90
131-61574	103	716	C21	5141-12	Male	1/4"	\$6.58
ADAPTER PLUGS							
131-61578	110	727	CP21	5138-11	Male	1/4"	\$1.42
131-61579	109	728	CP20	5139-11	Female	1/4"	\$1.73

**Automotive Series**

Ascot #	Dill No.	Milton No.	Amflo No.	McGee No.	Thread	NPT	Price
COUPLERS							
133-61563	D-17	1815	C10	3512	Female	1/2"	\$15.12
133-61564	D-16	1816	C9	3511	Male	1/2"	\$13.98
133-61471	D-17R	--	--	D17R	Female	1/2"	\$15.26
ADAPTER PLUGS							
133-61569	D-3F	1818	CP10	3514	Female	1/2"	\$6.00
133-61568	D-2F	1817	CP9	3513	Male	1/2"	\$5.75
133-61474	D-0F	1819	CP9-03	3537	Male	3/8"	\$3.48
133-01855	N/A	1855	N/A	1855MI	Male	1/4"	\$3.20

Prevost Flexair Hose

McGee No.	Description	Price
RISB3850	3/8" hose with Ind 1/4" fitting 50 ft	\$59.95
RUSB3850	3/8" hose with Auto 1/4" fitting 50 ft	\$54.82

Each hose includes
1/4" Prevost coupler
and nipple

**C-Series Low Pressure Hose Reels**

- Reels ideally suited for plant maintenance, service trucks or other industrial functions
- Standard hose for air and water
- Single set screw to access spring casing
- Drive spring mechanism lubricated for life
- One piece combination latch, spring arbor, main bearing and spool support for fewer moving parts
- Brass swivel reduces corrosion potential
- Durable powder coated finish



Ascot No.	McGee No.	Operating Pressure	Hose ID	Hose Length	Ship Weight	Price
125-35000	LC350	300 psi	3/8"	50'	54 Lbs.	\$342.86
125-55000	LC550	300 psi	1/2"	50'	60 Lbs.	\$385.71

McGee Company
offers free assembly
of air hose to your
required length!

Air Hose

- Rubber Air Hose
- 1/4", 3/8" & 1/2" Multi Purpose Air Hose Assemblies Smooth cover, 300 PSI W.P., 1,200 lb. burst. Limited oil resistance tube & cover. Red.



Made in the USA



Mfg. No.	Description	Price
W64RJ25	25', 3/8" Hose, 1/4" MNPT	\$38.18
W64RJ50	50', 3/8" Hose, 1/4" MNPT	\$72.00
W84RJ25	25', 1/2" Hose, 1/2" MNPT	\$61.00
W84RJ50	50', 1/2" Hose, 1/2" MNPT	\$105.00

ITS600 TPMS, Diagnostics, and Tire Service Tool

- Activates, reads and relearns all known sensors
- OBDII relearn for most vehicles with 99% coverage of OE sensors
- Copy By OBD sensor programming & four MX-Sensor program modes; batch program up to 20 MX-Sensors
- Includes wireless Bluetooth vehicle communication interface (VCI)
- Tire pressure placard value reset
- Read/Clear TPMS system codes & view live data
- Free Wi-Fi software updates for the life of the tool



ProUpgrade \$120



- Rapid VIN acquisition via optical VINScan
- QR Code Scan / Barcode Scan, Plate scan, Auto VIN detect and manual input
- Identify MMY and sensor OE part number via VIN decoding

Integrate with the TBE200 for:

- Precise laser measurement of tread depth & brake disc wear
- Create comprehensive Test Report w/ TPMS health, Tread depth, brake disc wear characteristics, & Repair tips



TBE in action

TBE200 \$449.99

Ask us about our competitor tool trade up program

AUTEL MX-SENSOR PROGRAMMABLE UNIVERSAL TPMS SINGLE SENSOR


- Combines 315MHz & 433MHz frequencies into a single sensor
- 98% vehicle coverage • The exclusive MX-Sensor patented PRESS release valve allows rubber and metal valve stems to freely interchange by hand without requiring a tool • Built to match or exceed OEM sensors in frequency strength and durability
- 100% ID cloneable with no relearn required • Quickly update during installation with an Autel wireless programming tool



Ascot No.	McGee No.	Description	Price
461-20326	1-Sensor	Autel MX-Sensor Programmable Universal TPMS Single Sensor	\$27.99 Quantity breaks available

AUTEL MX-SENSOR REPLACEMENT VALVE STEMS

Patented PRESS release valve design • No valve tools required to attach to stem • Simply click in and press out • Cap and core included



Ascot No.	McGee No.	Description	Price
469-20280	RV1000	Autel MX-Sensor Replacement Rubber Valve Stem	\$3.25
469-20227	MV1000	Autel MX-Sensor Replacement Metal Valve	\$3.08
469-20281	CV001	Autel Black MX-Sensor Replacement Metal Valve	\$4.17
469-20282	CV002	Autel Titanium Grey MX-Sensor Replacement Metal Valve	\$4.17
469-20283	CV003	Autel MX-Sensor Chrome Valve	\$9.95

FREE SOFTWARE UPDATES



BASIC FUNCTIONS EASY & FAST

- Activate All Known TPMS Sensors
- Read Sensor ID, Temperature, Pressure
- Read Sensor Battery Condition
- On-Tool OE Sensor Information
- Program MX-Sensor With 3 Programming Options
- Batch Program 1-16 MX-Sensors




COMPLETE FUNCTIONS POWERFUL

- Same TPMS Features as Quick Mode
- TPMS Status Screen - View System Faults
- Read & Clear TPMS DTCs
- On-Tool DTCs Description
- Program MX-Sensors by Copying ECU Sensor IDs
- On-Tool Relearn Procedure Guide
- Widest Vehicle Coverage For OBD Relearn
- Tire Pressure Placard Value Reset

\$360*

MaxiTPMS TS508K12

- 1 - Autel TS508 Complete TPMS Tool
- 4 - Metal Valve Stems
- 12 - 1Sensor TPMS Programmable Sensors
- Wifi Version Available



AUTEL TPMS TOOL

- The MaxiTPMS® TS508 is a new generation TPMS diagnostic & service tool specially designed to activate all known TPMS sensors, read TPMS sensor status, check TPMS system health condition, program MX-sensors and conduct TPMS relearn
- With Quick Mode and Advanced Mode options, you can save time and energy by choosing the most suitable way to complete TPMS work

FREE SOFTWARE UPDATES

ACTIVATE ALL KNOWN TPMS SENSORS



TS508

\$799.00

Bundle with 12 sensors only*

*Tool sold separately as well

MaxiTPMS ITS600K12

AUTEL®

Sick of your technicians not being able to read tire DOT codes or read what they wrote down?



ITS600 is the first tool to scan DOT numbers for expiration and recall lookup!

**TBE200
Video**



**ITS600
Video**



REDI-Sensor™

Simple and Accurate

REDI-SENSOR MULTI-APPLICATION SENSOR



- Installs right out of the box • No programming required, saving you 8-10 minutes per vehicle • Reduces replacement sensor inventory • Adjustable valve stem design • Fits over 90% of the market • No additional training required • All REDI-Sensors are available in a rubber stem format

WORKS WITH EXISTING MAJOR TPMS SCAN TOOLS:

If a shop has the tools to handle OE sensors, it's ready for REDI-Sensor. Unlike other sensors that require the purchase of specialized tools and software upgrades, no additional purchases, training or investments are needed with REDI-Sensor.

McGee No.	Description	Price	Ascot No.
46107001	315MHz REDI-Sensor Multi-Application Sensor (Clamp-In Style)	\$33.14	461-07001
46107002	315 MHz REDI-Sensor for Honda, Hyundai, Kia, Lexus, Toyota & Scion	\$34.57	461-07002
46107003	315MHz REDI-Sensor Multi-Application Sensor (Clamp-In Style)	\$34.57	461-07003
46107004	433MHz REDI-Sensor Multi-Application Sensor (Clamp-In Style)	\$34.57	461-07004
7001R	315MHz REDI-Sensor Multi-Application Sensor (Snap-In Style)	\$33.14	461-07011
5001R	433MHz Multi-Application Sensor (Clamp-In Style)	\$34.29	

TPMS Profit Center

Remember, replacing the TPMS valve stem (snap-in rubber or clamp-in aluminum) or the TPMS service kit with each tire sale is done for the same reasons a traditional TR-413 snap-in is replaced with each new tire.

More information at
mcgeecompany.com/stems



TPC
\$179.99

- McGee's top 7 stems
 - * 8 - VS70
 - * 4 - 1096k
 - * 4 - VS90
 - * 8 - VS65
 - * 8 - 9066K
 - * 20 - VS950
 - * 4 - VS20
- Color coded for easy selection
- 52 stems
- Extra dividers to fit your needs
- Heavy duty protective organizing case



How much money are you leaving on the table by not doing TPMS?

	TR413 Valve Stem	TPMS Rebuild 9066k
ASSUMPTIONS	100 Tires per Week	100 Tires per Week
Cost to WD	\$ 0.29	\$ 4.03
Sell price	1.90	8.95
Profit per tire	1.61	4.92
Weekly profit	161.00	492.00
Annual profit (52 weeks)	\$ 8,372.00	\$ 25,584.00

A shop doing **TPMS** makes over **three** times the amount doing TPMS versus valves alone in addition to pushing their customers to a competitor. **Be TPMS smart**; let McGee Company train you and set you up with the tools to be successful.

EZ-sensor™

Innovation by Schrader®

S57 Tool Features:

- Schrader's strong OE pedigree, EZ-sensor®, and its latest generation EZ-sensor® GO, provides users with 70% EV coverage for national brands. The OE quality sensors cover some of the most popular EV applications in North America, such as:
 - Tesla 3 (2017 – 2020)
 - Ford Mustang Mach-E (2021)
 - Tesla S (2014 – 2021)
 - Nissan Leaf (2011 – 2022)
 - Chevrolet Bolt (2017 – 2022) and more



S57

33560

Designed to eliminate multiple sensors required for TPMS work

APPLICATIONS:

Covers most GM, Chrysler, Honda, Nissan, Toyota, Lexus, Scion, Ford, Lincoln, & Mercury vehicles and some Mitsubishi, Subaru & Suzuki vehicles • Fully programmable • Compatible with Bartec, Schrader and SPX/OTC programming tools • Sensor features Wireless Auto Locate or WAL that allows the vehicle's TPMS system to locate and identify each TPMS sensor's specific location

Covers over 98% of TPMS equipped vehicles



Copy-cat TPMS parts are a ticking time bomb



Here's why you should avoid TPMS parts that haven't been OE engineered and validated to meet the requirements set by NHTSA.

As TPMS is a safety system, failure to properly and safely maintain it puts your customers' safety at risk — and puts you in danger of legal action that could ruin your shop.

Unlike many competitors, all VDO TPMS products use only OE-validated parts that meet the functional requirements set by NHTSA in FMVSS No. 138. From the valve cores to the full sensor assemblies, all VDO TPMS Replacement Parts go through the stringent OE-validation procedures that apply to all parts we sell to both automakers and the aftermarket.

TPMS Tool Comparison		
VEHICLE COVERAGE	ST-1	S57
Universal sensor coverage	EZ-sensor® Exclusive	EZ-sensor® + Other Programmable Sensors
Triggers/scans/reads/activates/relearns 100% OEM sensors	✓	✓
RELEARN FUNCTIONALITY	ST-1	S57
OBDDII and Sync-ID (OBDDII routines for Ford, Mitsubishi, Suzuki etc.) technologies	✓	✓
Tread depth gauge measurement (PN: 21301)	✓	✓
ECU unlock feature	✓	✓
Clears and retrieves TPMS Diagnostic Trouble Code (DTC) information	✓	✓
Decodes TPMS Diagnostic Trouble Code (DTC) information	✗	✓
HARDWARE & SOFTWARE	ST-1	S57
Keyfob test & PN lookup	✓	✓
WiFi and live update capable	✓	✓
DOT (Department of Transportation) recording	✗	✓
Allows placard pressure adjustments	✓	✓
EZ-sensor® image display capability	✓	✗
ID match function (matches sensor IDs with the ones stored in the vehicle)	✓	✗
Schrader's unique and user-friendly software	✓	✗
Customer/Job management feature	✓	✓
Built-in TPMS tool training	✗	✓
VIN barcode scanner to select Make-Model-Year (US only)	✗	✓
Supports trailer TPMS relearns	✗	✓
Touchscreen	✗	✓
5 years of free software updates	✓	✓

McGee No.	Description	Price
46133560	Dual Band 315 & 433 Mhz EZ Sensor	\$29.99
46133561	Bulk 10 Pack EZ Sensor	\$259.99
46934000	Aluminum Stem for EZ Sensor	\$5.49
VS950	Rubber Stem for EZ Sensor	\$1.99
33700	High Speed EZ Sensor	\$34.99
21355	ST1 Tool with 28 EZ Sensors	\$699.00
21057	S57 Tool w/100 EZ Sensors	\$2,299.00

POPULAR TPMS KITS AND STEMS

39

Avoid flat tires! New tires mounted on TPMS equipped vehicles require TPMS replacement kits.

Stem Base:  VS15, VS950, VS950S  VS20  VS30, VS90, VS45  VS1010  VS65* *VS925A & VS925C(silver), VS280SB & VS925B(black)

Ascot No.	McGee No.	Schrader Version	Description	Price
469-01030	1030K	SH20017AK	Siemens Kit for VW (Fits 1053 Sensor) (Orange)	\$3.25
469-01050	1050K	SH20013AK/ SH20030AK	Siemens Kit for Chrysler (White) SH20013AK includes bottom ball	\$3.12
469-01060	1060K	20001/20002/ 20135AK/20096AK	Fits Schrader SH20096 (Red)	\$1.78
469-01070	1070K	20004/20116AK/ 20115AK/20107AK	Fits Dill 9076, 9107, 9115, 9116 (Blue)	\$1.75
469-01080	1080K	20003/20007/ 20117AK/20028AK	Fits Dill 9028, 9034, 9064, 9081, 9117, 9161 (Green)	\$1.75
469-01090	1090K	-	Compatible with Beru Sensors (Grey)	\$3.60
469-20036		SH20036AK	Entire Valve (Schrader 20036) for Hyundai, Kia, Honda (Dill 1096)	\$9.42
469-01100	1100K	SH20032AK	Compatible with Pacific Sensors for Toyota/Lexus (Purple)	\$3.02
469-01110	1110K	SH20006AK	Compatible with Pacific Sensors for Toyota (Teal)	\$2.95
469-01130	1130K	SH20030AK	Compatible with Schrader 20005 (Burgandy)	\$2.95
469-20025	2000K	-	TRW Kit for Honda, Acura	\$3.75
469-20010	2010K	SH20015AK	Compatible with Schrader Sensors for Volvo (non-stock) (Lt. Brown)	\$1.92
469-20020	2020K	SH20030AK	Early 2007 GM Kit for Entire Sensors (Pink)	\$1.92
469-20030	2030K	SH20016AK	Dill Sensors 9154, 9204, 9214	\$1.95
469-02040	2040K	SH20019AK	Kit for Honda Civic (Lt. Blue)	\$2.13
469-09250	VS925A	-	Aluminum Metal Replacement Valve for GM Snap-In	\$4.43
469-09251	VS925C		Chrome Metal Replacement Valve for GM and Ford Snap-In	\$4.53
469-00950	VS950	SH20018	Rubber Snap-In Replacement Valve for GM & Ford fits Schrader 46133500 (ea)	\$1.99
469-17208	VS950IV	VS950IV	Rubber Snap-in like VS950 for GM & Ford (Import)	\$.99
469-09305	VS950SC	-	Chrome Replacement Valve for GM and Ford Snap-In	\$2.50
469-34000	46934000		Alum Stem for Schrader 46133500 dual band	\$5.50
469-20020	-	SH20020	Replacement Stem Chrysler, Uses Kit 1050K	\$2.29
469-90660	9066K	-	Complete Replacement Stem Chrysler with Kit (9066B-Ball joint only)	\$4.48
469-07020	7020K	-	Accessory Kit for Redi Sensor	\$3.95
469-00770	VS70	-	Available on the following vehicle in various forms: Years 2010 to 2014 (Acura, Cadillac, Chrysler, Dodge, Honda, Hyundai, KIA, Mazda, Nissan) the sensor most associated with the VS-70 is 7001/HP or 7002.	\$8.53
469-00080	VS80	-	Replacement Rubber Stem Kit Dill Redi 7001-R	\$5.40
469-00090	VS90	-	Key at base attaches via press clip; Fits Dodge Dart, Mitsubishi Mirage	\$5.25
469-17436	1743016	-	Smart Sensor Snap-In Valve for ITM, Cub, 31Inc, Pilot	\$3.34
469-20014	-	SH20014AK	Kit Fits EZ Sensor 34000 Stem	\$2.13
	VS1010	-	Fits Hyundai Sante Fe Snap-In 7mm	\$2.48
	VS65	-	Base of stem is square Snap-In Fits Dodge Rams, Jeep Cherokee	\$3.94
	VS65IV	-	Base of stem is square Snap-In Fits Dodge Rams, Jeep Cherokee Import	\$2.08
	VS35	-	Dill TPMS clamp-in valve Dodge Ram	\$7.54
469-20031	-	SH20031AK	Assy Kit for Pacific TPMS	\$2.13
	VS965	-	Replacement valve stem for Hyundai / Kia	\$4.27
469-00919	VS919	-	Replacement TPMS stem for 19.5 Trk Wheels, parallel key	\$3.72
	VS241	-	2017 Ford F350 Super Duty dually aluminum	\$6.24
	VS20	-	Rubber Valve Stem for 2015 and newer GM and Ford	\$2.53
469-20280	RV1000	-	Autel MX-Sensor Rubber press release stem	\$3.25
469-20279	MV1000	-	Autel MX-Sensor Metal press release stem	\$3.08
469-20281	CV001	-	Autel Black MX-Sensor Black Metal Valve	\$4.17
469-20282	CV002	-	Autel MX-Sensor Titanium Grey Metal Valve	\$4.17
469-20283	CV003	-	Autel MX-Sensor Chrome Valve	\$9.95
469-17393	VS920		.625" valve hole square found in Ford Super trucks/sprinters (VS919 Parallel key)	\$4.47
469-17398	1750398		Short Snap in good for custom applications parallel key	\$1.48
	VS490		Tesla OEM stem uses T20 screw, aftermarket wheel compatible OE Sensor available PN:2547	\$7.90
	VS15		Replacement Valve for Toyota Corolla	\$3.99





McGee Company
1140 South Jason Street
Denver CO 80223

PRSRT STD
U.S. POSTAGE
PAID
DENVER, CO
PERMIT NO 1772



ATTN: ROUTE TO SERVICE DEPARTMENT

©2023 McGee Company, Denver, Colorado

McGeeCompany.com • 1-800-525-8888

IMI and Enforce Tire Sealants - Time Tested!

Instant Puncture Protection

Instant puncture protection. Repairs any pneumatic tire, tubeless or tube type. Prevents flats from cactus needles, thorns, stickers, and most small nails. Also prevents high pressure and rim leaks.



McGee No.	Description	Price
FS15	Applicator pump with a 16" hose for 1 gallon size	\$12.00
FSP	Metal 5 gallon tire sealant pump with lid	\$78.05
STSOTRCS4128	STS OTR tire sealant 1 gallon	\$42.99
STSOTR640	STS OTR tire sealant 5 gallon	\$174.99
TC405	Enforce highway tire sealant 1 gallon	\$26.20
TC415	Enforce Fibroseal OTR tire sealant 1 gallon	\$29.93
TC417	Enforce Fibroseal OTR tire sealant 5 gallon	\$104.00

**Ask us about
Hunter products**

TCX50 Performance Tire Changer

- Conventional head
- Manual swing arm
- 10"-26" External Clamping
- PowerOut bead breaker
- Air, 220V, or 110V Power
- Easily upgradable
- With upgradable arms based on needs



McGee Power Scrub

MPS 2.5L Ind Hand Cleaner.

This heavy duty, solvent free, walnut shell based cleaner does it all. It cleans the toughest soils, greases, inks, paints, and almost anything else. Fortified with a new generation emollient package that leaves your hands feeling great. The concentrated one soap that does it all.

Only \$19.99 ea



MPS wall dispenser DSP1JT25

**Purchase a case of four and
get a FREE* dispenser**

*Valid for first case \$79.96 purchase

Super Tough Hand Scrub



395-00640 TS64 64 oz. tub \$17.99
"The best hand cleaner available"

- Leaves hands soft and chap free.
- Removes dirt and grease quickly.



Now! Tuff Scrub Cleaner in a liquid TS1GAL

Easy to use pump style - **\$23.95**

Half Size Flip Socket

- Set includes the sizes below: -18.5mm x 19.5mm; -21mm x 21.5mm; -21.5mm x 22.5mm; -22mm x 22.5mm - Extractor punch
- Made from durable chromoly steel
- Coated with a rust and corrosion resistant black oxide finish
- Sizes are laser etched on each socket

Ascot No.	Mfg. No.
167-12051	000524



\$49.95