



McGEE COMPANY

SINCE 1951

Albuquerque • Atlanta
Dallas • Denver • Salt Lake

1-800-525-8888

www.McGeeCompany.com

Automotive Service Equipment

Tire Service Supplies

Retreading Equipment & Supplies

Passenger/Truck/OTR

EXPIRES 4/1/2025

All prices are F.O.B. our warehouse unless otherwise specified.
Lease figures are approximate and subject to change.



PRICES SUBJECT TO CHANGE

VISA AND MASTERCARD ACCEPTED
2% Service fee on all credit cards



McGee Company opens warehouse in Atlanta

We are excited to announce the opening of our new 16,000 sq ft warehouse in Atlanta, quadrupling the size of our previous location. This expansion allows us to enhance our inventory capacity and streamline service for our customers in the South East. At McGee Company, we remain committed to anticipating the needs of our clients by ensuring the right products are always available when needed. This new facility is a testament to our ongoing growth and dedication to providing excellent service.



Come check us out and say hello at
4545 Commerce Cir SW, Atlanta, GA 30336

How much are you leaving on the table by not doing service kits and TPMS?

→ MOST ARE MADE IN THE USA ←

CALCULATE YOUR PROFIT

More TPMS info on pages 26 & 27

5-Gallon Bead Seater

- 5-gallon capacity
- Equipped with a butterfly valve for maximum air discharge
- Designed for commercial use on large truck tires, passenger and ATV tires to 24.5"
- Made in Taiwan
- 3 liter GBB3L2 Bazooka only **\$339.99**



Premium Quality Chemical Vulcanizing Rubber Patches

Stems Repair Unit



JSU - Combi

Note: The JET Combi may only be used when the angle of the injury is LESS THAN 25°. If the injury angle is GREATER THAN 25°, repair with the appropriate two-piece stem and repair unit.



| Repair Unit | Inch | mm | Cutter | Qty/Box | Price |
|-------------|------|----|--------|---------|----------------|
| SCU03 | 1/8 | 3 | BU18T | 24 | \$25.99 |
| SCU06 | 1/4 | 6 | BU14T | 24 | \$31.99 |
| SCU08 | 5/16 | 8 | BU516N | 24 | \$38.99 |
| SCU10 | 3/8 | 10 | BU38T | 10 | \$32.99 |

MA2312G

- McGee 1/2" Drive rubber grip 2" extended anvil impact wrench.
- 8,000 RPM
- 600 ft/lbs torque
- Twin handle mechanism
- 231p32 Bootie



MA2312G

\$109.99

Largest stock of tire chains in the Rocky Mountain Area!

See page 37



Wide Base Truck
Cam Chains



Autosock



DUO Tractor Chains

ASBBH5 - Hammer Bead Breaking HD 5 LB \$82.99

- A unique tire & wheel service hammer used for separating tires from wheel rims
- 75 times stronger than wood and fiberglass w/lifetime shaft warranty!
- Made of steel bars that run all the way through
- Patented heat treatment process ensures uniform hardness on all faces including edges, thus preventing mushrooming of head & accidents due to chipping the handle and locked with the hammer head using steel locking plates ensuring the head never becomes dislodged or loose
- Ergonomic rubber grip handle absorbs vibrations & reduces fatigue
- Dual injected fiberglass ergonomic rubber grip handles absorb vibrations and reduces fatigue that will not break
- Head is induction case hardened for extended life
- Made in India



ASBBH10 - HAMMER BEAD BREAKING HD 10 LB \$139.99

Golden Tool Tubeless Truck Tire Mount/Demount Tool

- Demounts/mounts 17.5" to 24.5" tires
- Use on all tubeless truck tires including super single/duplex tires, radial and bias
- Eliminates the need to lift tire and rim to remove the bottom bead, preventing possible strain or even serious injury




| Ascot No. | McGee No. | Description | Price |
|-----------|-----------|-----------------------------|----------|
| 448-00100 | TNT100 | Complete Tool | \$574.99 |
| 448-12320 | 44812320 | Economy Complete Tool (AME) | \$399.99 |

TNT200 for super singles

Bead Holder, Aluminum Wheel Protector, Beadkeeper

- Holds the bead in place against the wheel when mounting the tire on the wheel
- 31713 Bead Holder works on Super Singles and Super Wides

| Ascot No. | Mfg. No. | Material | Stock | Weight | Price |
|-----------|----------|---|---------|---------|---------|
| 472-31710 | 31710 | Solid Brass | 1.4 lb. | 1.8 lb. | \$44.83 |
| 472-31713 | 31713 | Aluminum Bead Holder - Works on Super Singles | | | \$24.14 |
| 472-31810 | 31810 | Aluminum | | 12 lb. | \$28.38 |



| Ascot No. | Mfg. No. | Description | Price |
|-----------|----------|--|---------|
| 448-12894 | 12894C | Beadkeeper Yellow Rubber Coated Steel | \$39.99 |
| 448-32894 | 4483289 | Beadkeeper Wide Mouth Blue Rubber Coated (for ALCOA) | \$31.99 |
| 448-22894 | 12894 | Bead Saver System Beadkeeper | \$28.99 |

Duck-Billed Bead Breaking Wedges – Fiberglass Handled

| Ascot No. | McGee No. | Handle No. | Length | Weight | Price |
|-----------|-----------|------------|--------|----------|----------|
| 424-35429 | TG11E | TG11EH | 32" | 9.1 Lbs. | \$139.99 |



Stow & Go™ 4-Way HD Lug Wrench - 35636

- The Stow & Go™ 4-Way HD Lug Wrench folds to save space in your trunk and locks into place for easy use.
- Push button in center allows wrench to fold after use.
- Sliding arms give extra leverage for removing lug nuts.
- Made of heavy duty and durable alloy steel.
- 17mm, 19mm, 21mm sockets, and 1/2" square drive adaptor to be used with other sockets.
- 16" in length.



\$25.48

KenTool Porkchop™ Wrenches

- Holds outer cap nut on dual wheels while turning inner nut
- Lip fits in hole to secure wrench in place
- Fits standard and metric cap nuts




| Ascot # | McGee # | Description | Size | Weight | Price |
|-----------|---------|-------------|--------|---------|---------|
| 406-30609 | TX9 | SAE | 1-1/2" | .4 Lbs. | \$24.99 |
| 406-30610 | TX10 | Metric | 35 mm | .4 Lbs. | \$24.99 |
| 406-30612 | TX12 | Metric | 41 mm | .4 Lbs. | \$24.99 |

Lt Spare Tire Removal Tool Set


- Lower spare tire in 10 seconds
- Eliminates hunt for customer's tool
- Hanger included
- Do not use impact wrench
- 7 piece kit
- Replacement tools available



\$89.99
#96090A



Tubeless Tire Irons




- Use C bar with the B extension bar for easier use on large, wide-base truck tires
- Use on standard and large truck tires, including industrial, farm, buses and tractors

| Ascot No. | McGee No. | Description | Length | Price |
|-----------|-----------|-------------------------------------|--------|---------|
| 402-00900 | T9A | Small Tire Mount/Demount | 9" | \$22.57 |
| 402-33220 | T20A | Curved Tire Mount/Demount Spoon | 30" | \$31.44 |
| 402-33219 | T19A | Straight Spoon | 30" | \$31.44 |
| | T45A | Tubeless Mount/Demount | 37" | \$66.26 |
| 402-34645 | T45AC | Classic T45 Truck Tire Tubless Iron | 37" | \$76.95 |
| 402-45004 | T45HD | HD Truck Tire Tubless Iron | 41" | \$94.72 |
| 402-46001 | T46A | Med. Duty Mount/Demount Iron | 36" | \$63.82 |
| 402-46002 | T46B | Mount/Demount Iron | 36" | \$76.08 |
| 402-46003 | T46C | Offset Bar For Deep Well Tires | 22" | \$52.67 |
| 402-33223 | T23A | Lock Ring Tool | 30" | \$30.65 |
| 402-34648 | T48A | Lock Ring Tool | 37" | \$65.03 |

Universal Demount Tool Kit 20415

- Safe, simple, fast, economical, and the most universal tire demounting system on the market
- Works as a hand-held tire machine and shines where other tools fall short
- Tackles the hard 19.5 reverse hubs and grader tires and can be used on all tire sizes from 10" ATV tires and up
- Great for agricultural tires, one-piece grader, loader, forestry and backhoe tires

20408 - Tool Demount Pneutek Impact Driven (Tool Only)



| Ascot No. | Mfg. No. | Description | Price |
|-----------|----------|--|----------|
| 204-20415 | 20415 | Tool Demount Pneutek Impact Driven Kit | \$949.99 |

T115 Truck Tire Changing Stand \$295.96

Stand handles wheels or open rims 16.5" to 24". Double-slide adjustment with locking device prevents twisting so it stays aligned with the wheel or rim. Stand is the ideal height for driving off beads or demounting tires.



T950 IronMan™ Ergonomic Wheel Lifting Bar \$89.99

Reduces back strain. Easily and safely lift heavy, awkward truck tire and wheel assemblies. Extremely useful in outdoor conditions – when truck tire and wheel assemblies can become wet and slippery. Standard sizes including 22.5" and 24.5" wheels, plus European (which have 1" lug holes), Super Wide and even the Super Single

INDIVIDUAL SOCKETS AVAILABLE

Locking Lug Master Key Set

The set was designed explicitly for the purpose of removing locking lug nuts on aftermarket wheels. The 16 piece set comes with both standard (SAE) and metric pieces that can be used on Spline, Star, Hex and Fluted Hex fasteners.

40201283 - \$129.99



1/2" Drive 29-Piece Metric and SAE 6 Point Deep Impact Socket Set

- Contains (Deep SAE) 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8" and 1-1/4"
- Contains (Deep Metric) 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 26 and 27mm • Contains (Deep Flip) 3/4" x 13/16" deep & 19mm x 21mm



| Ascot No. | Mfg. No. | Description | Price |
|-----------|----------|--|-----------------|
| 163-05153 | 5153DD | 1/2" Dr. 29-Pc Metric and SAE 6 Point Deep Impact Socket Set | \$184.99 |

1/2" Dr. 14-Piece Metric Deep Set

- Set includes the following sizes:
10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 16mm, 17mm, 18mm, 19mm, 21mm, 22mm, 26mm, 27mm



| Ascot No. | Mfg. No. | Description | Price |
|-----------|----------|----------------------------------|----------------|
| 163-01153 | 1153MD | 1/2" Dr 14-Piece Metric Deep Set | \$94.99 |

1/2" DR 5 Piece Deep Thin Wall Flip Socket Set McGee #1205D

Includes the following 1/2" drive deep thin wall flip sockets:

- 3/4" x 13/16"
- 19mm x 21mm
- 7/8" x 15/16"
- 17mm x 19mm
- 3" extension
- Packaged in a durable plastic blow molded case
- 17mm x 19mm flip socket for European applications
- Equivalent to Grey 1504FW but with an extra socket



| Ascot No. | McGee No. | Price |
|-----------|-----------|----------------|
| 167-12050 | 1205D | \$49.99 |

1/2" DR 13 Piece SAE Deep Set

- Contains the following sizes: 7/16", 1/2", 9/16" 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-1/4"



| Ascot No. | McGee No. | Price |
|-----------|-----------|-----------------|
| 163-01151 | 1151D | \$114.99 |

Half Size Flip Socket

- Set includes the sizes below:
18.5mm x 19.5mm; -21mm x 21.5mm; 21.5mm x 22.5mm; -22mm x 22.5mm - Extractor punch
- Made from durable chromoly steel
- Coated with a rust and corrosion resistant black oxide finish
- Sizes are laser etched on each socket
- Used for chrome lug nut caps to size up 1/2 MM or aids for worn nuts



| Ascot No. | Mfg. No. |
|-----------|----------|
| 167-12051 | 000524 |

\$64.99

1/2" Drive 4-Piece Metric Ultimate Torque Socket Set

- 17mm, 19mm, 21mm sockets & interchangeable disc included in a blow molded case
- 40% increase in removal of nuts and bolts
- Non-slip socket design
- Will remove up to 70% rounded nuts and bolts
- Use as an impact socket or with the Ultimate Torque disc for added power



| Ascot No. | Mfg. No. | Description | Price |
|-----------|-----------|---|-----------------|
| 163-00440 | STS44PCMM | 1/2 Dr 4-Pc Metric Ultimate Torque Socket Set | \$157.99 |


1/2" Dr Extra Thin Wall 9-Piece SAE & Metric Wheel Protector Socket Set

Durable outer sleeve and insert protects high polished wheels and lug nuts from damage.

- CR-MO alloy steel for long life
- Fully guaranteed
- Heavy duty blow mold case

Includes 6 SAE Sockets: 3/4" (light green), 13/16" (purple), 7/8" (green), 15/16" (brown), 1" (silver), and 1-1/16" (black)

Includes 3 metric sockets: 17mm (blue), 19mm (yellow) and 21mm (red)



| Ascot No. | Price |
|-----------|-----------------|
| 163-02849 | \$134.99 |

Twist Socket Removal Kit

- This kit easily removes damaged nuts, studs, pipe nipples and bolts
- Comes mounted on a 1/2" rail, individually packaged



| Ascot No. | Mfg. No. | Description | Price |
|-----------|----------|--------------------------------|----------------|
| 492-00502 | TSS5 | 1" Dr 7-Piece Metric Truck Set | \$89.99 |

12-Piece Tap and Die Set for Wheel Studs and Wheel Nuts

- Re-cutting and cleaning the threads is very simple
- The set includes all essential tools and adapters and comes in a blow mold case
- 4PC. DIE: m12x1.25, m12x1.5, m14x1.25, m14x1.5
- 4PC. TAP: m12x1.25, m12x1.5, m14x1.25, m14x1.5
- 1PC. tap holder (M12-M18)
- 1PC. die socket (Ø38 HEX, Ø36.5 ROUND)
- 1PC. screw pitch gauge
- 1PC. 1/2" sr. 25mm with C-ring socket

NEW



| Ascot No. | Mfg. No. | Description | Price |
|-----------|----------|--|-----------------|
| 319-00012 | 31900012 | 12-Pc Tap and Die Set for Wheel Studs and Wheel Nuts | \$139.99 |

1" DR 10 Piece Truck Set

Contains the following sizes: 13/16" square, 1-1/16", 1-1/8", 1-1/4" thin wall deep, 1-1/2" controlled standard socket, 17mm & 21mm square with inside lip, 33mm, 35mm & 41mm deep



| Ascot No. | McGee No. | Price |
|-----------|-----------|-----------------|
| 165-03110 | 3110 | \$314.99 |

3/4" DR 10 Piece Truck Set

Contains the following sizes: 13/16" square socket, 1-1/16", 1-1/8", 1-1/4" thin wall deep sockets, 1-1/2" budd wheel socket, 17mm & 21mm square socket, 33mm, 35mm & 41mm deep sockets



| Ascot No. | Mfg. No. | Description | Price |
|-----------|----------|----------------------------|-----------------|
| 164-02110 | 2110 | 3/4" Dr 10-Piece Truck Set | \$244.99 |

Split-Beam Click Torque Wrenches



- Extremely accurate: within 4% of reading from 20% of full scale to full scale
- Setting torque on adjustable wrenches is fast and easy because there is no spring tension on the adjustment knob
- Torque setting locks on adjustable wrenches for repetitive applications
- Wrench length designed to provide the leverage required for maximum torque applications. Also provides the needed reach for those hard to get at places.



EXTREMELY ACCURATE

| Ascot No. | Part No. | Description | Ft./Lbs. | Price |
|-----------|----------|-------------|----------|----------|
| 168-03250 | C3FR250F | 1/2" Drive | 250 | \$259.99 |
| 168-05600 | C5D600F | 1" Drive | 600 | \$639.99 |

Flex Hinge Torque Wrench

- 168-60011 (600FHTW)
- Robust construction
- Accurate results +/- 4%
- Adjustable torque settings
- Dual scaled, Ft./Lbs. & N.m.
- Durable storage case
- Every wrench is supplied with calibration certificate
- 2 adapters included: 3/4" to 1"; 3/4 to 3/4"
- Similar to Norbar 12007 & 12007.01



\$399.95

168-60012 2-Piece Version Available

FREE
2215TPG - THREAD
PITCH GAUGE 22 X
1.5MM w/purchase
600FHTW



Made in Taiwan

Heavy Duty Truck Torque Wrench

168-12017 4AR1- \$599.99



- Robust construction gives accurate results to +/-4% even in arduous work conditions
- Supplied with a calibration certificate
- Break back action gives an unmistakable signal
- Break angle improves accuracy by reducing the possibility of overtightening
- Dual scaled, Nm and ft./lbs.
- New handle - more comfortable and guides operator's hand to correct position
- Now split for ease of transportation and storage

169-03013 - 1" Female x 13" Socket Extension!
03013 - \$59.99

Micro-Adjustable Torque Wrench

Now! \$199.99

- Dual scale, calibrated dual direction
- Positive lock with spring loaded pull down lock ring
- Fast, accurate and easy to set
- Easy-to-read laser marked scale
- Ergonomic comfort-grip
- Most feature quick release buttons which provide good socket retention as well as easy socket removal
- Range: 50-250 ft./lbs.
- Accuracy: $\pm 4\%$ clockwise $\pm 6\%$ CCW of indicated value, CW, from 20% to 100% of full scale



| Ascot No. | Description |
|-----------|---|
| 168-12250 | 1/2" Drive Micro-Adjustable Torque Wrench |

DUAL SCALE

CALIBRATED DUAL DIRECTION

NS51PTW - Torque Wrench 5 in 1 w/Offset Head

(Ascot 168-80246) \$139.99

- Single direction
- Torque Presets 80, 100, 120, 140, 160 ft-lb
- Tolerance +/-4%
- Made in Taiwan



60012 - Torque Wrench 2-Piece Flex Hinge 600FT/LB


(Ascot168-60012) \$474.99

- Robust construction
- Accurate results +/- 4%
- Adjustable torque settings
- Dual scaled, Ft./Lbs. & N.m.
- Durable storage case
- Every wrench is supplied with calibration
- 2 Adapters included: 3/4" to 1"
- 3/4" to 3/4"
- Repair kit - 168-60112



16800600 - Split Beam Torque Wrench 3/4" Drive 600 FT/LB \$429.99

- Torque Tolerance +/- 4%.
- Non coil-spring mechanism and no need to return to zero after use, which brings longer tool life
- Toothed hinge cover contains the lock function, which can prevent setting from being changed accidentally
- Knob-type torque adjustment is faster and more energy-efficient
- Torque setting can be easily read through the window scale
- Conversion table to Ft-lb displayed on the handle
- TPR cushion handle provides comfort, easy control and oil-resistance
- Loud click sound and strong impulse when required torque is reached



Heavy Duty Truck Lock WHEEL LOCKS FLEET OWNERS AND OPERATORS:

Wheel & tire theft is one thing you can't afford

For less than the cost of one tire, you can protect a complete Tractor and Trailer and avoid:



- Increased insurance costs
- Scheduling and delivery delays
- Additional expenses for downtime
- Thousands of dollars in stolen equipment
- Loss of perishable load
- Lost business
- Possible vehicle damage



| Part No. | Description | Contains |
|----------|--|---|
| 52003 | Wheel lock set for metric hub mounted disc wheels. | 10 locks & 2 keys. Application-tandem axle tractor & tandem axle trailer. |
| 52004 | Thread: 22mm x 1.5. | 6 locks & 2 keys. Application-tandem axle tractor or single axle tractor and single axle trailer. |

WHEEL ATTACHING HARDWARE

5


Hub-Centric Wheel Nuts

Extended threading allowing Skirt Nut to go down into Hub-Piloted Disc Wheel an extra 3/16" (5mm) into stud hole

| Ascot No. | Mfg. No. | Description | Price |
|-----------|--------------------|--|----------------|
| 491-02906 | GL-2906 333SN6 | Haltec 6mm Sleeve Nut • Steel Steers | \$8.99 |
| 491-02919 | GL-2919 333SN19 | Haltec 19mm Sleeve Nut • Aluminum Steers • Steel/Steel Drives • Steel Outer/Aluminum Inner Drives | \$10.49 |
| 491-02928 | GL-2928 333SN28 | Haltec 28mm Sleeve Nut • HD Aluminum • Super Single • Wide Base • Aluminum Outer/Steel Inner Drives | \$13.49 |
| 491-02939 | GL-2939 333SN39 | Haltec 39mm Sleeve Nut • Dual Aluminum Drive Axle | \$10.99 |




Wheel Assembly with Standard Nut



Void (Highlighted in Green) between stud and hole.

Wheel Assembly with Hub Centric Nut



Hub centric nut fills void between stud and hole.

| Ascot No. | Description | Price |
|-----------|--|----------------|
| 491-00133 | 33mm Hex X 1.5mm Thread Made in USA Two Piece Elongated Neck | \$15.99 |
| 491-01133 | 33mm Hex Nut Replaces Standard Nuts on 11.25" Hub Piloted Wheels | \$9.59 |
| AS33SN | Skirt Nut Scored Top 33MM on 11.25" Hub Piloted Wheels | \$8.99 |

By filling the void between the stud hole, "clocking" is eliminated, and problems caused by clocking, such as wheel offs and wheel hub vibrations, are eliminated.

- Stops rim from shifting forwards or backwards
- Eliminates "clocking" caused by standard wheel nuts not filling wheel hole completely



1/8 - 16 Outer Cap Nut
891RZ/892LZ



995LZ/RZ
3/4 - 16 Super Single Cap Nut



269Z
Flange Wheel Nuts



881M/333B
Free Spinning Flange Nut
2203/2304



3/4 - 16 Outer Cap Nut
888RZ/889LZ



336RZ/337LZ - 13/16 sq.
Inner Nut for Steel/Aluminum
Combination
Longer Version - 621RY/622LY



708RZ/709LZ
Grade 8.2 Inner
Nut-Aluminum Wheels



988RZ/LZ - 13/16 sq.
Inner Cap Nut-Dual
Aluminum Wheels

BULK DISCOUNTS AVAILABLE!

| McGee No. | Mfg. No. | Similar To: | Sale Price |
|--------------------------|----------|--------------------------|---------------|
| 891RZ (RH) | GL-2001 | Budd-37891/2 | \$1.33 |
| 892LZ (LH) | GL-2002 | Nuturn-W-13/14 | \$1.33 |
| 888RZ (RH) | GL-2101 | Budd-37888/9 | \$2.26 |
| 889LZ (LH) | GL-2102 | Nuturn-W-15/16 | \$2.26 |
| 995RZ (RH) | GL-2103 | Alcoa/Euclid-5995R | \$5.81 |
| 995LZ (LH) | GL-2104 | Alcoa/Euclid-5995L | \$5.81 |
| 881M | GL-2302 | (1 1/2 Hex) M.W. 88881 | \$5.02 |
| 333B | GL-2301 | (1 1/16 Hex) Budd 106333 | \$2.87 |
| Metric Outer Nuts | | | |
| 304R | GL-2009 | Hino-9004-21112 | \$6.30 |
| 304L | GL-2010 | (Inner Thread = M30-1.5) | \$6.30 |

| McGee No. | Mfg. No. | Similar To: | Sale Price |
|------------------|----------|---------------------------------|---------------|
| 896R | GL-1003 | Budd-35336/7 | \$3.59 |
| 896L | GL-1004 | Nuturn-W107/108 | \$3.59 |
| 897R | GL-1005 | Budd-22621/2 | \$3.75 |
| 897L | GL-1006 | Nuturn-W105/106 | \$3.75 |
| 988RZ (RH) | GL-1011 | Alcoa-5988-R/L | \$3.99 |
| 988LZ (LH) | GL-1012 | Euclid - 5988-R/L | \$3.99 |
| Grade 8.2 | | | |
| 708RZ (RH) | GL-1001 | Euclid-7895R/L | \$1.91 |
| 709LZ (LH) | GL-1002 | BWP-M128/9 | \$1.91 |
| Metric | | | |
| 306R | GL-1009 | Hino-9004-23101 | \$7.99 |
| 306L | GL-1010 | (M20 Inner & M30 Outer Threads) | \$7.99 |

TWS22 and TWS14



TWS22


TWS14



See them in action

| | | | |
|-----------|--------|--|----------------|
| 492-02278 | TWS22 | Truck Wheel Stud Installer - Fits studs up to 7/8" (22mm) | \$11.99 |
| 492-14916 | TWS-14 | Vehicle Wheel Stud Installer - Fits studs up to 7/16" (14mm) | \$11.99 |

Alcoa Rim Flange Gauge - 000700



STUD INSTALLERS AND REMOVERS

| Ascot No. | Mfg. No. | Description |
|-----------|-----------|--|
| 492-10134 | X10-S134Z | 3/4" - 10 Stud Installer |
| 492-10158 | X10-S158Z | 5/8" - 11 Stud Installer |
| 492-10180 | 2415 | 1-1/8" (13/16") Stud Remover |
| 492-10340 | X10-SR34B | 3/4" Stud Remover |
| 492-15000 | X10-NR15B | 1-1/2" Hex Nut Remover Kit - 3-Piece Kit |
| 30165 | | Dual Wheel Lug Stud Remover (combo of Rib Nut and Installer) |

REPLACEMENT RIB NUTS

| | | |
|-----------|-----------|-------------------------|
| 499-10180 | X10-LN18B | 1-1/8" (13/16") Rib Nut |
| 499-10341 | X10-LN34B | 3/4" Rib Nut |

HEAVY DUTY DRIVE-ON RIB-GRIP LUG-OFF KITS

| | | |
|-----------|-----------|--|
| 499-10200 | X10-LT20B | For Removing Damaged Inner Cap Nuts (1-1/8" Diam., 13/16" Square Head). Consists of 1 Drive-On Tool and 1 Rib Nut |
| 499-10340 | X10-LT34B | For Removing Damaged 3/4" Lug Studs. Consists of 1 Drive-On Tool and 1 Rib Nut |
| 499-10660 | X10-LT66B | Triple Duty Tool for Removing Damaged Budd Wheel Inner Cap Nuts, 3/4" and 5/8" Lug Studs. Consists of 1 Drive-On Tool and 3 Rib Nuts |

3-Piece Twist Socket Lug Nut Removal System

- Removal of damaged 3/4" and 19mm, 13/16" and 21mm lug nuts
- Two dual-sided twist sockets have a fluted design which gives the sockets a tight grip to remove the most difficult locking and damaged lug nuts from the socket
- Works with 1/2" impact gun or breaker bar for service calls
- Includes an extrator punch



4300
\$59.99

Nut Loosener Penetrating Blaster - 16PB

A penetrating lubricant that frees everything! Displace moisture by saturating troubled area and allow to stand for a few minutes. 11 oz. spray.



#606 Oil Can

\$9.99 ea.

\$19.99



492-15000



492-10134

492-10158

Bulk discounts available



ALIGNMENT SOLUTIONS

Tandem Truck Shims



36000

\$669.99

Tandem Alignment Set A great starter set!

These alignment angle shims are available in a heavy-duty metal box to help you organize all of your shims. Packaged with a large variety of shims (listed below and on pages 142 and 144) and an organization chart inside the lid to make reordering and organization of shims quick and easy. Don't be caught without the shim you need while you have the tractor in your shop!




| Part # | Application | Qty | Part # | Application | Qty | Part # | Application | Qty |
|--------|-------------------------------|-----|--------|----------------------------------|-----|--------|--------------------------------------|-----|
| 35001 | Kenworth Airglide space 1/32" | 6 | 35010 | Peterbilt Air Leaf Shim 1/32" | 6 | 35061 | Freightliner Airliner Susp 1/16" | 6 |
| 35002 | Kenworth Airglide space 1/16" | 6 | 35011 | Peterbilt Air Leaf Shim 1/16" | 6 | 35062 | Freightliner Airliner Susp 1/8" | 6 |
| 35003 | Kenworth Airglide space 1/8" | 6 | 35012 | Peterbilt Air Leaf Shim 1/8" | 6 | 36020 | Navistar Corp. 6x4 Air Susp. 1/32" | 6 |
| 35004 | Kenworth Airglide space 1/4" | 6 | 35040 | Navistar IHC Torque Arm 1/32" | 6 | 36021 | Navistar Corp. 6x4 Air Susp. 1/16" | 6 |
| 35005 | Kenworth Airglide space 1/2" | 6 | 35041 | Navistar IHC Torque Arm 1/16" | 6 | 36022 | Navistar Corp. 6x4 Air Susp. 1/32" | 6 |
| 35006 | Kenworth Airglide space 3/4" | 6 | 35042 | Navistar IHC Torque Arm 1/8" | 6 | 36087 | Hendrickson Rear Tandem Walking Beam | 10 |
| 35007 | Kenworth Airglide space 1" | 6 | 35060 | Freightliner Airliner Susp 1/32" | 6 | | | |

Truck Axle Shims

As Low as \$7.68* each

Ordering one Part# supplies **SIX SHIMS** in a box. When placing order spring pad length and width is needed.



| | COST | COMPRESSION STRENGTH | HARDNESS |
|------------------------|------------|----------------------|----------|
| ALUMINUM ALLOY | \$\$ | ★★★ | ★★★ |
| ZINC ALLOY | \$\$\$ | ★★★★ | ★★★★ |
| MANGANESE BRONZE ALLOY | \$\$\$\$\$ | ★★★★★ | ★★★★★ |

Specialty Products carries Truck Axle Caster Shims in three different alloys, giving the technician the opportunity to match price point and mechanical requirements to meet their customer's needs. **Choose from Aluminum, ZINC and Manganese Bronze Shims.**

*10422 ALM

ALUMINUM ALLOY HD SHIMS These economical over-the-road heavy duty truck axle shims are our lowest cost option. With average compression strength and hardness these shims are available in a large variety of sizes and offer the technician a cost effective means to correct caster on over-the-road trucks and trailers.

ZINC ALLOY HD SHIMS These over-the-road heavy duty truck axle shims are a fast and accurate means to align front or rear axles of most popular tandem trailers and trucks. Specialty Products' new Zinc Alloy shims offer another level of performance versus our traditional aluminum shims. For a small cost increase versus aluminum, you now have the hardness of our premium manganese bronze shims and a much improved compression strength as compared to aluminum shims.

MANGANESE BRONZE HD SHIMS These shims are the standard. Top of the line compression strength and hardness means that when you set your alignment - it doesn't change.

For sizes and more information go to: www.specprod.com/truckaxleshims



89199-89899

ZINC TRUCK AXLE SHIMS

Twice the coverage - half the inventory. Changes caster positive or negative from 1/2" to 4".

APPLICATIONS: Any solid axle 2WD or 4WD vehicle.

Note: Shims should not be stacked.



| Part # | Width | Degree | Qty | Part # | Width | Degree | Qty |
|--------|-----------------|--------|-----|--------|-----------------|--------|-----|
| 89199 | 3" - 3-1/2" - 4 | 1/2° | 6 | 89799 | 3" - 3-1/2" - 4 | 3-1/2° | 6 |
| 89299 | 3" - 3-1/2" - 4 | 1° | 6 | 89899 | 3" - 3-1/2" - 4 | 4° | 6 |
| 89399 | 3" - 3-1/2" - 4 | 1-1/2° | 6 | | | | |
| 89499 | 3" - 3-1/2" - 4 | 2° | 6 | | | | |
| 89599 | 3" - 3-1/2" - 4 | 2-1/2° | 6 | | | | |
| 89699 | 3" - 3-1/2" - 4 | 3° | 6 | | | | |


Note: Ordering one Part Number supplies six shims in a box.

Double Breakaway

**As Low As
\$75.99 FOR 6**

FasTrax™

36087 HENDRICKSON HD SHIMS



This shim kit will adjust the thrust angle on Hendrickson's 'walking beam' rear tandem axle suspension. Improve tire wear and handling by adjusting thrust angle from 0" to 3/8" in precise 1/32" increments.

REPLACES these OE kits-
Euclid Nos: E-9327, E-9328, E-9329

Hendrickson Nos: 50130-000, 50131-000, 50132-000

Adj. Range: 3/8" Required: 1 set per wheel
Includes: 2 (two)-five piece kits

\$25.99



"Combi" Tire Bead Breaker

- Works on a single, two and three-piece truck, agricultural and earthmover tire/rim
- Breaks beads in seconds using 10,000 lbs. of force
- No screws, bolts or attachments
- "Combi" bead breaker will not work on five-piece earth mover giant wheel/rim

422-11010



422-16200

The 16200 upgrade kit can be added to Combi Bead Breakers in order to convert the tool so that it can work on new 3 piece wheels.

| Ascot No. | McGee No. | Description | Price |
|-----------|-----------|---------------------------------------|-----------------|
| 422-11010 | 10101 | Bead Breaker | \$658.99 |
| 422-11020 | 11020 | Modified "Combi" Tire Bead Breaker | \$999.99 |
| 422-16200 | 16200 | Conversion Kit for Combi Bead Breaker | \$479.99 |

Modified "Combi" Tire Bead Breaker Kit

- Modified 11010, the most popular tool for breaking beads on all agriculture wheels
- Most affordable bead breaker for new 3 piece wheel assemblies
- Modified jaw and feet allow for larger grab on larger wheel assembly



15920

(98050- RPG Vers - **\$395**)

422-12020 (full kit)

| Ascot No. | McGee No. | Description | Price |
|-----------|-----------|--|-------------------|
| 422-12020 | 12020 | Bead Breaker Kit. INCLUDES: 11010 Bead Breaker, 15920 Pump and 16040 Hose Assembly | \$1,549.99 |

Hy-Flo Hydraulic Coupler

- Lightweight yet durable - 3/8" couplers
- Includes ram and hose portions
- Interchanges with OTC, Power Team, AME & ESCO hydraulic products

10600 Set

10606 10605

AHP20H



| Ascot No. | McGee No. | Description | Price |
|-----------|-----------|---|----------------|
| 318-09795 | 10600 | Hy-Flo Hydraulic Coupler Set (9795) | \$49.99 |
| 318-09796 | 10606 | Ram Female Half (9796) | \$25.99 |
| 318-0978 | 10605 | Hose Male Half (9798) | \$14.99 |
| 318-04960 | AHP20H | Nylon Core Synthetic Fiber Reinforced 8ft x 3/8" & half coupler 10605 | \$64.99 |

1005LOM Service Truck

Lockout Kit - **\$149.99**

McGee Company has the right tools when you need them. Now stocking 1005LOM Service Truck Lockout kit to keep people safe and avoid operating vehicles when they shouldn't be.

- Durable latch case that is super small!
- Reorder parts whenever to add to or replenish.
- Safety red items in case to draw attention.
- Contains Steering wheel cover, do not operate tags, padlock, steel hasp, and glad hand lock.



Service Truck Packages and Cribbing by Service Truck Packages



OTR Inflation/Deflation Kit 24855



Tool Identification Chart by Rim



Other vehicle lockout kits available

55- and 100-Ton Aluminum Rams

Get the strength of a steel ram but with about half the weight. These single-acting, spring-return rams are easily carried around the shop, or into the field for on-the-vehicle repairs. They are ideal for truck axle correction, trailer frame straightening, general vehicle maintenance, and heavy-duty lifting.

| McGee No. | Capacity | Low Ht. | Raised Ht. | Wt | Price |
|----------------|----------|---------|------------|--------|--|
| AJ506B (13120) | 55-ton | 12.25" | 18.25" | 29 lbs | \$1,049.99 (base included) |
| 13000AME | 100-ton | 11" | 17.5" | 53 lbs | \$1,799.99 (base not included) |



13000AME



AJ506B

Hydraulic Rams

Used to push off rear rim flange and tire bead on earthmover wheels

- For all earthmover tires, trucks and perfect for construction

| Mfg. No. | Cap. (Tons) | Collapsed Height | Stroke | Price |
|----------|-------------|------------------|--------|-----------------|
| 10301 | 10 | 4-3/4" | 2-1/8" | \$249.99 |
| 10302 | 10 | 6-3/4" | 4" | \$259.99 |
| 10303 | 10 | 9-3/4" | 6-1/8" | \$279.99 |



422-10303

422-10302

422-10301

11076 - Original Maxi Bead Breaker

- Lightweight aluminum reduces weight by 40%
- Adjustable clamp allows for a perfect fit - regardless of the size of wheel
- Unit delivers 10 tons of force
- 2.75" (7 cm) stroke breaks beads often with only one "bite"
- Weight 31 lbs (14.1 kg) (Competitive to IMT1000)



Bead breaker pump chart

11076

\$1,999.99



Air Reducer with 6" Whip Hose

- Maintains tool's recommended working air pressure
- Tamper-proof preset value, 110 PSI
- Assist in lengthening the life of hydraulic pumps & lifting equipment
- Ideal for all hydraulic tools to extend their life



10601k

\$44.99

Jack Plate

14464 12x12x1" Jack Plate

D1818 18x18x1" Jack Plate available

14464- \$104.99



14464

95055 - Magnetic Retractable Barrier Mag-Bear 25' \$98.99

See page 23 for more info.



HYDRAULIC SERVICE PRODUCTS

20-Ton 72090A \$729.99

INTENDED USE: Heavy duty truck, agricultural and heavy construction equipment. Ideal for loaded truck and trailer roadside service calls.

- Its light weight makes it perfect for mobile repair service.
- Long handle with 36-1/2" reach helps in positioning jack under vehicles with low overhang.
- Parkerized coating on pump piston, extension screw and extension adapters and chrome coated ram offer protection against rust.
- Removable extension screw with two 4" extension adapters (included) for added height.
- Self-retracting ram eliminates manual lowering.
- 5 1/4" diameter high impact composite wheels make maneuverability easy.
- Fast efficient air pump reduces lifting time and has a built-in relief mechanism which prevents the jack from being used beyond its maximum allowable capacity.
- Convenient push button air valve connected to an in-line filter prohibits contaminants from entering the air/hydraulic system.



| | | | |
|------------------|--------|-----------------|----------------|
| Low Lift Height | 8.625" | Base Size | 9.25" x 17.25" |
| High Lift Height | 22.75" | P.S.I. Range | 100-130 |
| Stroke | 4.125" | Shipping Weight | 63 lbs. |
| Screw Extension | 2" | | |

22 Ton Air/Hyd Axle Jack with 3pc Ext Kit

New 565F1 from AFF - Now with reinforced frame
\$699.99

72200D from Norco - \$969.99

- Specially engineered air motor delivers fast and efficient operation
- Long t-handle design allows easy access to vehicles with long overhangs
- Large 8 inch diameter rubber wheels provide effortless travel in the shop or roadside
- Fully welded hydraulic pump and cylinder delivers maximum strength and leak free operation
- Heavy duty wiper seals protect the system from contaminants and ensures long service life
- Overload safety valve provides added operator safety



| Capacity | Ram Lift | Low Height | High Height w/extensions | Length | Front Width | Rear Width |
|----------|----------|------------|--------------------------|---------|-------------|------------|
| 22 tons | 4-3/4" | 8-1/4" | 21-1/2" | 20-1/4" | 6-15/16" | 12-13/16" |

14461 - Bottle Jack Air Hydraulic 20 Ton Low Pro \$364.99

- Cylinder is welded to the base, assuring strength and eliminating leaks
- Chromed pump piston and ram for added rust resistance
- Extension screw gives added height when necessary
- Super low minimum height for easy access



25-Ton Blackhawk Platinum Air/Hydraulic Jack

- Chrome-plated ram
- Improved bearing surfaces
- High cycle durability
- Long life seals
- High/low temp functionality
- Made in Taiwan

\$100 OFF!

302-00225 - \$799.99

BLOWOUT SPECIAL while supplies last

| Ascot No. | McGee No. | Capacity | Min. Height | Max. Height | Saddle Extensions |
|-----------|-----------|----------|-------------|-------------|--------------------|
| 302-00225 | BP225 | 25 Tons | 9-5/32" | 22" w/ext. | 1", 2.5", 6", & 7" |



Bottle Jacks



- Extension screw on some models
- Rust protection covering
- Uniweld construction
- 50% overload factor
- Fewer moving parts



| | | |
|-------|--|----------|
| ZN12 | Jack Bottle Standard 12-Ton | \$129.99 |
| ZN22 | Jack Bottle Standard 22-Ton | \$209.99 |
| ZNB12 | Jack Bottle Low Profile 12 Ton | \$139.99 |
| ZNB22 | Jack Bottle Low Profile Screw Out Ext 22 Ton | \$219.99 |

20 Ton Capacity Air/Hydraulic Super Duty Bottle Jack

- AFF's most innovative and robust air/hydraulic bottle jack to date
- Redesigned air motor
- Super thick base to increase stability on every surface
- High-strength Steel Ram and cylinder with long ram guide for greater safety in off-center load conditions
- Welded Tank (threaded and screwed to the base) endures the rigors of in-service conditions and reduces risk of tilting out of the oil reservoir



| | |
|-------------|---------|
| Low | 10.375 |
| High | 20.625 |
| Ship weight | 45 lbs. |

| | |
|------|----------|
| Lift | 6.375 |
| Base | 5.75 x 9 |

| | | |
|--------|--------------------|----------|
| 5620SD | 20-ton standard | \$349.99 |
| 5621SD | Low profile design | \$359.99 |
| 5630SD | 30-ton super duty | \$449.99 |
| 76320B | 20-ton Norco | \$379.99 |



Jack Oil HF100 \$8.98 Qt.

400SS 4 Ton HD Floor Jack \$409.99

- Twin hydraulic system for fast and efficient lifting
- Heavy duty pump, ram, and cylinders are precision machined and inspected to ensure long service life
- High grade U-cups seals and high-pressure plunger for maximum performance
- Rear mounted swivel casters for easy maneuverability
- Universal joint technology provides a more controlled descent
- Pinned and padded saddle for extra vehicle protection
- Flanged side plates for increased stability
- Integrated parts tray keeps small components from getting lost



14455 - Jack Bottle Air Hyd 20 Ton \$476.99

- Comes with free 14453 Jack plate 10x10" (\$100 value)
- Min: 9.7" max 18.5" Height
- Has Flexilla whip hose for longer life & max durability in all climates
- In-line regulator limits inlet pressure to 94 PSI



3-1/2 Ton Professional Heavy Duty Double-Pumper Floor Jack

Model 350SS - \$389.99

This unit offers all the features of our model 350GT with additional speed and efficiency thanks to AFF's double-pumper advantage for quicker lifting.

- Lifts from 4" to 19-1/2"
- Pinned steel saddle (1-1/8" stud) with rubber pad for added vehicle protection
- Rear-mounted 2-3/4" swivel casters for ease of maneuverability
- One-piece 50-1/4" padded handle parks upright
- Ship weight 119 lbs.



Replacement Power unit 350SSKHU - \$119.99

Ask us about our no mar jack options!

40703000 - Heavy Duty Tire Dolly **\$99.99**

- Perfect stud alignment on 8 to 10-hole Budd-type wheels
- Removes truck wheels and tires fast and easy
- Works with tires 23.5" to 43.5"



371-03321 AS3321 - Transmission Jack Telesc Two-Stage 1/2 Ton **\$959.99**

- Min Height: 37", Max Height: 76-3/8"
- Saddle Tilt (Forward/Backward): 29°/10° (Left/Right): 27.2°/46.8°
- Caster Size: 4"
- Foot activated raising and lowering pedals allow hands free operation
- Overload valve prevents jack from being used beyond its rated capacity
- Speed limiting valve ensures an automatic safe speed descent - not greater than 1" per second.
- "Hidden" hydraulic double pump system provides FAST lifting - under no load the jack can reach maximum height in 35 pumps
- Deluxe saddle with 2 angle adjustments - fore/aft and side to side - for maximum user flexibility.
- Includes a 59" tie down chain to secure the load.
- Chrome plated piston rod and pump core for longer service life.
- The grease fitting at the ram nut allows easy lubrication of the shafts.
- Heavy duty 4" steel swivel casters provide effortless maneuvering through the shop, 2 standard and 2 with locking mechanisms
- Wide channel steel base provides exceptional strength and stability



Accessories for Ascot Grey Service Jacks



| Ascot No. | Mfg. No. | Description | Applicable Models |
|-----------|----------------|-------------------|-------------------|
| 302-60129 | AS5601-29-a-FH | Spring | 2-Ton/3-Ton/4-Ton |
| 302-61301 | AS5613-01 | Fixed Wheel Assy. | 3-Ton |
| 302-61401 | AS5614-01 | Seal Kit for Pump | 3-Ton/4-Ton |
| 302-61402 | AS5614-02 | Fixed Wheel Assy. | 4-Ton |
| 302-61403 | AS5614-03 | Pump | 3-Ton/4-Ton |
| 302-61404 | AS5614-04 | Caster | 4-Ton |

20-Ton Air/Hydraulic Bottle Jacks

- Thick jack base provides exceptional support and stability in severe conditions
- Quick-connect feature on air valve allows easy disconnect and connection of air hose & more compact storage

22-Ton Air/Hydraulic Truck Jack

- Large air motor provides an exceptional quick lifting experience
- Narrow chassis fits between tandem truck wheels
- Comes with three adapters in different sizes that cater to different working requirements



RPG
Basic Jack Maintenance



Why Use Jack Stands & Transmission Jack Safety Tips



ASK US ABOUT OUR TRANSMISSION AND UNDERHOIST JACKS TODAY! 1-800-525-8888

Universal Handle Protector - GHP01 **\$11.99**

Made of a durable synthetic rubber

- Unique design ensures a tight fit on jack/tool handle without slippage
- Protects vehicles from scratches or dents caused by falling jack handles and unstable tools in the shop
- Keeps water/debris out of handle



3-Ton Jack Stands

- Ratchet height adjustment built within column
- Multi-level ductile iron ratchet bar adds strength and durability
- Sold in set of two

3-Ton – 30263030 **\$39.99**

6-Ton – 30263060 **\$79.99**



30251005 10-Ton High Jack Stands (pair)

- Pin-style stands with supporting range from 27.95" to 47.56" suitable for high-height applications
- HD tubular steel design provides stability and rigidity
- Multiple pin holes to allow easy adjustments
- Saddle with lugs for easy positioning of the load

\$399.99



302-02812 AS2812 - Jack Stand Underhoist Tripod 2-Ton **\$159.99**

- Min Height: 48-7/16" , Max Height: 83-1/16"
- Saddle: 5-7/16" x 1-9/16"
- Base: 24-7/16" x 21-1/4"
- Underhoist stand is perfect for use with 2 or 4-post lifts, prevents tipping or rocking of the vehicle
- Heavy gauge steel frame prevents distortion or twisting
- Saddle comes with a removable rubber cover to protect load



Floor Jacks

- Double pump design for quick lifting and improved efficiency
- Heavy steel construction for maximum durability
- Equipped with a foot pedal to allow for hands free positioning
- 2-Ton, 2-1/2-Ton, 3-Ton, 3-1/2-Ton & 4-Ton capacity

1 Year Warranty on Ascot Jacks



Replacement Parts Available

| Ascot No. | McGee No. | Description | Min. Hgt. | Max. Hgt. | Hyd. Lift Range | Exten. Screw | Chassis Size | Saddle Size | Handle Length | Ship Wt. (LBS) | Price |
|-----------|-----------|--|-----------|-----------|-----------------|--------------|----------------|-------------|---------------|----------------|-----------------|
| 301-20221 | AS2022S | 20-Ton Short Air/Hydraulic Bottle Jack | 7" | 12-5/8" | 3-3/8" | 2-3/9" | N/A | N/A | 9-3/8" | 30.6 | \$259.99 |
| 302-19150 | AS1915 | 22-Ton Air/Hydraulic Truck Jack | 10-1/2" | 21-1/8" | 6-1/8" | 4-1/2" | N/A | N/A | 45-1/4" | 101.9 | \$509.99 |
| 302-05605 | AS5605 | Ascot 3-1/2-Ton Floor Jack | 3-3/4" | 20-1/2" | 16-3/4" | N/A | 27.2" x 14.25" | 4-1/4" | 47-7/8" | 100 | \$347.99 |
| 302-05614 | AS5614 | Ascot 4-Ton Floor Jack | 4-3/8" | 20-1/4" | 16" | N/A | 27.7" x 14.4" | 4-1/4" | 47-7/8" | 102.5 | \$379.99 |

Super Red Pneumatic Air Tool Lubricant



- Dissolves gum and varnish formation
- Ensures smoother starts
- Special rust & oxidation inhibitor
- Clean and free running
- 12 bottles per case
- Usable on piston or rotary type air tools

| Ascot # | McGee # | Price |
|-----------|---------|--------|
| 181-00406 | 0406 | \$7.99 |
| 181-00404 | 16ATC | \$8.49 |

MA2312G

- McGee 1/2" Drive rubber grip 2" extended anvil impact wrench.
- 8,000 RPM
- 600 ft/lbs torque
- Twin handle mechanism
- Rubber grip for comfort!



\$109.95

6" EXTENDED ANVIL

1" Drive Super Duty Impact Wrench



\$449.99!

155-17786
A7786

Heavy Duty & High Torque!

- DURABLE: Steel end plates offering durability and extended life
- ADVANCED DESIGN: Proven motor and hammer technology; highly efficient air motor
- WORKING TORQUE RANGE: 370-1475 ft./lbs.
- 1 YEAR LIMITED WARRANTY on parts and workmanship
- COMPARE to CP77826

1" Drive Mini Air Impact Wrench

- 6" Extended Anvil
- Free speed: 5000 RPM
- Maximum torque: 2000 ft/lbs
- Only 20 lbs – 50% less than the market leading 1" product, smallest and lightest 1" in the tire service industry
- Twin hammer clutch



155-26464

\$549.99

| Ascot No. | McGee No. | Description |
|-----------|-----------|---|
| 155-26464 | 15526464 | 1" Drive Mini Air Impact Wrench - 6" Extended Anvil |

Green Zirconia Discs

| | | | |
|-----------|-------|---|---------|
| 417-12612 | 12612 | 2" Green Zirconia Grinding Disc 24 Grit - 25 per Box | \$32.99 |
| 417-12613 | 12613 | 2" Green Zirconia Grinding Disc 36 Grit - 25 per Box | \$32.99 |
| 417-12614 | 12614 | 2" Green Zirconia Grinding Disc 50 Grit - 25 per Box | \$32.99 |
| 417-12615 | 12615 | 2" Green Zirconia Grinding Disc 80 Grit - 25 per Box | \$32.99 |
| 417-12619 | 12619 | 3" Green Zirconia Grinding Disc 80 Grit - 25 per Box | \$36.99 |

2" surface discs
call for pricing

3" Cut-off Tool

157-10874

A874

\$69.99



1/4" Mini Angle Grinder

157-10875

A875

\$69.99



1" Drive Impact Wrench A2856

- 6" extended anvil
- 3-position forward and reverse
- High efficiency 6-vane motor
- Pinless clutch mechanism
- Swoop back side handle for maneuverability/balance
- Working Torque 1,800-2,000
- Free Speed 5,000 RPM

RPG™



| Ascot No | McGee No | Description | Price |
|-----------|----------|----------------------------|----------|
| 155-12856 | A2856 | 1" Drive Super Duty Impact | \$399.99 |



231p32

\$8.95



Marvel Air Tool Oil

085 Marvel Air Tool Oil 32 Oz

18100085 - \$9.99

- Prevents rust formation while providing positive lubrication for smooth starting and long tool life
- Assures maximum performance by dissolving gum and sludge that cut down tool speed and reduce power output

085



8 oz. MM80R Available

1/2" Drive Super Duty Air Impact Wrench

- 2" extended anvil
- Handle exhaust
- Free speed: 8000 RPM
- Maximum torque: 600 ft./lbs.
- Proven design and the most popular configuration in the tire service industry
- Powered by the durable and high performing twin hammer mechanism
- Net weight: 5.6 lbs.

\$135.99

153-23120
A2312Protect your investment with
bootie 231p32.

| Ascot No. | McGee No. | Description |
|------------|-----------|--|
| 153-23120K | A2312KIT | 1/2" Drive Air Impact Wrench - 2" Extended Anvil |

RPG™

Video on proper air tool maintenance; make your tools last!
(También en español)<http://vimeo.com/212944966/>

1/2" Drive Composite Impact Wrench

- Convenient one-hand operated forward/reverse push button
- Four-setting torque adjustment switch
- 685 ft./lbs., 8000 RPM, 4.2 lbs
- Twin hammer mechanism provides smooth balance
- Energy efficient motor for maximum performance with precise speed control
- Swivel air inlet prevents hose from twisting

Now with
forward/
reverse
button!

153-12260

| Ascot No. | McGee No. | Description | Price |
|-----------|-----------|---|----------|
| 153-12260 | A21312COM | 1/2" Drive Composite Impact Wrench 2" Extended Anvil | \$149.99 |

3/4" Maximum Power Impact Air Wrench

- Power: 2,000 ft-lbs of nut busting torque w/ innovative pressure gauge improves productivity and prolongs product life
- Ability to quickly dial-in optimal power settings increases productivity and speed
- Cold-forged twin hammer impact mechanism and motor deliver more torque, durability, and efficiency
- Durability: Built to last and designed to withstand tough use in rugged environments; a two-year limited warranty is standard.
- 2-year warranty



| Ascot No. | McGee No. | Description | Price |
|-----------|------------|--|----------|
| 154-12145 | 2146QIMAX | Standard Anvil | \$594.99 |
| 154-22145 | 2146QIMAX3 | 3" Extended Anvil | \$679.89 |
| 154-32145 | 2146QIMAX6 | 6" Extended Anvil | \$729.99 |
| 154-00261 | IR261 | HD 3/4" SD Wrench 1100 Ft/Lb Torq | \$579.99 |
| 154-02616 | 2616 | 3/4" Super Duty Air Impact w/6" Ext. Anvil | \$649.99 |

286922HD - IMPACT WRENCH SD EXT ANVIL

CORDLESS 1" DR \$1,489.99* Bundles available!

- POWERSTATE Brushless Motor delivers up to 2,000 ft-lbs of nut-busting torque & 1,900 ft-lbs of fastening torque
- Install up to 200 1-1/4" bolts on a single battery
- M18 REDLITHIUM Battery Packs are compatible with all M18 tools
- The ONE-KEY Technology allows you to customize, track, and manage the impact wrench with the ability to set a repeatable torque output for maximum control
- Kit Includes:
- M18 FUEL 1" D-Handle High Torque Impact Wrench w/ ONE-KEY (2868-20)
- M18 REDLITHIUM HIGH OUTPUT HD12.0 Battery Pack (48-11-1812)
- M18 & M12 Rapid Charger (48-59-1808)
- Contractor Bag



Comes with low speed buffer while supplies last

1/2" CP77482 - Extreme Torque & Durability

- Most powerful 1/2" air wrench in its class
- Twin hammer grease clutch
- Ergonomic rubber handle
- Reinforced nose wings and back housing cap for longer durability
- Max Torque 1200 ft. lbs.
- 922 ft. lbs. Working Torque



CP77412

\$154.99

- 10,000 RPM free speed
- 715 Ft/lbs max torque
- Super durable but 15% lighter than CP77362



1" Heavy Duty Air Impact Wrench

2140 ft.lbs 2900 Nm of maximum torque in reverse

- Pinless closed reinforced rocking dog impact mechanism
- Socket retainer ring combined with hole retainer
- Ergonomic side handle
- Full teasing trigger
- Regulator with integrated forward/reverse with 3-position power settings in both directions



| ASCOT NO. | MCGEE NO. | PRICE |
|-----------|-----------|----------|
| 155-77826 | CP77826 | \$639.99 |
| 155-17782 | CP7782SP6 | \$699.99 |
| | CP77786 | \$719.99 |

276922 - IMPACT WRENCH SD 2" EXTD ANVIL CORDLESS 1/2" DR \$645.49 *

- 4 CUSTOMIZABLE MODES: Provides multiple fastening torque outputs designed for sedans, light trucks and box trucks
- POWERSTATE BRUSHLESS MOTOR: Delivers up to 750 ft./lb. of fastening torque & 1,100 ft./lb. of nut-busting torque
- LONG MOTOR LIFE: POWERSTATE Brushless Motor delivers maximum power and long motor life
- Includes extra battery, case and charger.

*Stubby and bare tool available as well.



With FREE 1/2" drill driver while supplies last \$150 value!

**All prices subject to change*

153-02312 231XP2



1/2" Super Duty Extended Anvil

Air Impact Wrench \$169.99

This new model redefines the standards set by the classic IR231 model, with an enhanced Twin Hammer impact mechanism for more power and in-handle exhaust to direct air away from the operator and the work area.



With FREE pink bootie while supplies last



| Ascot No. | McGee No. | Description | Price |
|-----------|-------------|---|----------|
| 153-00231 | IR231 | Air Wrench 1/2" Dr Short Anvil | \$154.99 |
| | 2235TIMAX2 | Air Wrench 1/2" Long Anvil Titanium | \$379.99 |
| | 2235QTIMAX2 | 1/2" Dr Quiet Air Wrench Long Anvil | \$389.99 |
| | 2235TIMAX | Air Wrench 1/2" Dr Short Anvil Titanium | \$369.99 |

Protect your investment with a boot. Ask your rep for the right size.



Kilfrostr

Winter is here!

K16 Kilfrostr Pneumatic Tool Anti-Freeze Lubricant, 16 Oz. bottle - 18184581 - \$9.99

- Prevents the freezing of pneumatic equipment caused by the formation of ice in and around exhaust ports and valves. Kilfrostr absorbs the water in the airline. Is a semi-synthetic lubricant which has none of the drawbacks associated with normal oils.



1" Heavy Duty Air Impact Wrench

- Combines exceptional power, durability, and operator convenience
- Delivers 1450 ft./lbs. of maximum torque, with a 5000 RPM free speed and four-position power regulator 360° swivel inlet
- Available in 6" extended anvil and 6" extended #5 spline drive anvil for high production truck tire changing



| Ascot No. | McGee No. | Description | Price |
|-----------|-----------|----------------------------|----------|
| 155-28560 | IR285B | Standard Anvil | \$739.99 |
| 155-02856 | IR285B6 | 6" Extended Anvil | \$559.99 |
| 156-28566 | IR285BS6 | #5 Spline Super Duty Anvil | \$799.99 |

Ford "F" Series Truck Valve

- Ford "F" series with dual wheels
- Chrome finish
- Alcoa aluminum 16" wheels
- Dual seal cap included
- Front and rear wheels

| Ascot No. | McGee No. | Description |
|-----------|-----------|-----------------------|
| 462-01600 | VS902WP | Ford "F" Series Valve |



\$3.20 ea.

Ford "F" Series Truck Valve

- Ford "F" series with dual wheels
- Includes dual seal cap
- Accuride steel 16" x 6" wheels
- Front and rear wheels
- Nickel finish

\$2.90 ea.

| Ascot No. | McGee No. | Description |
|-----------|-----------|-----------------------|
| 462-02416 | TR416MC | Ford "F" Series Valve |



23° bend



Hex bottom for tightening

Tubeless Truck Clamp-in Valves
Dill - with U.S.A. made grommet!

Straight clamp-in valves used on both demountable and non-demountable rims. For .625" diameter valve hole.



| McGee # | Effective Length | Cost Each | 100 Ea. |
|-----------|-----------------------------|-----------|---------|
| TR500 | 2" | \$1.78 | \$1.42 |
| TR501 | 1 1/2" | \$1.78 | \$1.42 |
| TR501IV | 1 1/2" | \$1.31 | \$1.26 |
| TR570 | 3 1/8" | \$1.84 | \$1.47 |
| TR571 | 3 3/8" | \$1.94 | \$1.56 |
| TR572 | 3 3/4" | \$2.00 | \$1.60 |
| TR572IV | 3 3/4" | \$1.82 | \$1.43 |
| TR57213 | 13° bend in valve | \$2.45 | — |
| TR573 | 4 3/8" | \$2.50 | \$2.00 |
| TR573IV | | \$2.36 | \$1.95 |
| TR57313 | 13° bend in valve | \$2.10 | — |
| TR573HT13 | 13° bend in valve high temp | \$2.90 | — |
| TR574 | 5" | \$2.32 | \$1.86 |
| TR575 | 1-1/8" | \$1.62 | \$1.50 |

IV is Ascot branded product.

Remember - Bending a valve after it is in the wheel will often ruin the grommet and will cause a valve leak.

Metric Rim Hole Valve MS Series

(9.7mm Valve Hole)

468-00707

- Some imported trucks will have steel wheels that incorporate the 9.7mm valve hole (.390")

Recommend installation torque 100 in - lbs



| McGee No | Ascot No | ETRTO | Bend | A | B | Price (ea.) |
|---|-----------|---------|------|----------|---------|-------------|
| 60MS00 | | | 0 | 2-3/8" | | \$4.78 |
| 60MS27 | 462-06027 | | 27° | 1-3/16" | 1-3/16" | \$3.75 |
| 70MS27 | 462-07025 | V3-20-5 | 27° | 1-3/16" | 1-9/16" | \$2.73 |
| 80MS27 | 462-08027 | V3-20-7 | 27° | 1-3/16" | 2" | \$3.93 |
| 90MS27 | 462-09027 | V3-20-4 | 27° | 1-3/16" | 2-3/8" | \$4.43 |
| 115MS27 | 462-11527 | V3-20-6 | 27° | 1-3/16" | 3-3/8" | \$4.04 |
| 41MS00 | 462-04100 | V3-20-1 | STR | 1-3/16" | — | \$7.12 |
| 70MS7 | 468-00707 | — | 7° | 1-19/32" | 1-1/8" | \$2.80 |
| 70MS7 - Long thread for thicker wheels on motor coaches | | | | | | |
| V3221 | | V3-22-1 | 45° | 30mm | 28mm | \$3.37 |

Tubeless Valves for Aluminum Disc Wheels

For drop-center aluminum disc wheels with 5/8" bottom valve hole



| Ascot No. | McGee No.. | Effective Length | Price ea. |
|-----------|------------|----------------------------|-----------|
| 463-00509 | TR509 | 4-3/4" Straight | \$3.78 |
| 463-00510 | TR510 | 5-1/2" Straight | \$3.43 |
| 463-00511 | TR511 | 4-1/4" Straight | \$4.25 |
| 468-05093 | TR509-3 | Replacement Rubber Grommet | |

Core Tools

46900044



4205



46900081

TL612



5411



TL685



TL615

| Ascot No. | McGee No. | Description | Price |
|-----------|-----------|--|---------|
| 469-00612 | TL612 | Standard Core Tool 8" USA MADE | \$9.11 |
| 469-00021 | TL615 | Standard Deflator Core Remover | \$1.04 |
| 469-00003 | 5411 | Core Tool Screwdriver Handle | \$3.31 |
| 469-00005 | TL685 | Standard and L/B Core Tool | \$1.71 |
| 469-00002 | 4205 | 4 Way Tool Steel | \$4.95 |
| 469-00044 | 46900044 | Core Torque Tool | \$28.31 |
| 469-00081 | 46900081 | 4 Way Tool - "The Best" | \$5.90 |
| 469-00607 | TL620 | Valve Core Tool Std Bore Screwdriver Type USA MADE | \$6.99 |

Valve Stem Ratchet Wrenches



469-00018



168-00916



313-00058

| Ascot No. | McGee No. | Description | Price |
|-----------|-----------|--|---------|
| 469-00018 | VSW18 | For TR570 series valves | \$23.88 |
| 469-00020 | VSW20 | For TR540 & TR550 series valves | \$26.30 |
| 168-00058 | NSPTW58 | 5/8" Preset Torque Wrench for TR540-550 Series Valve Hex Nuts | \$57.25 |
| 168-00916 | NSPTW916 | 9/16" Preset Torque Wrench for TR570 Series Valve Hex Nuts | \$57.25 |
| 313-00058 | 58SFHCW | Stubby Flex Head Combi Wrench 5/8" - Ideal for TR540-50 Series | \$19.99 |
| 313-00916 | 916SFHCW | Stubby Flex Head Combi Wrench 9/16" - Ideal for TR570 Series | \$18.99 |

Valve Tools



| Ascot No. | McGee No. | Description | Price |
|-----------|-----------|--|---------|
| 469-52000 | 52000 | Valvecapper is 11.5" long-designed to reach the inner valve on dual wheel. One end is for the removal/installation of valve caps and the other end is removal/installation of the core | \$18.99 |
| 469-00011 | TL645 | Cable Valve Fishing Tool. Valve core wrench and deflating pin with flexible cable for fishing valve through rim hole. 24" | \$3.30 |
| 469-00992 | 610 | Tubeless Tire and Tire Valve Inserting and Removing Tool. For all sizes of snap-in passenger car tire valves | \$9.68 |
| 469-43002 | 43002 | Plastic Valve Puller | \$10.95 |
| 469-00014 | VT014 | Install/Remove Removal Tool. Rubber block adds leverage | \$10.32 |
| 469-00040 | | Valve Stem Puller Angled w/Rubber Boot | \$10.99 |
| 469-00850 | VT850 | Tire Valve Install Tool w/Rim Guard & Ergo handle | \$23.99 |
| | 5410 | Snap In Valve Puller w/Ergo Low Force | \$21.99 |

Truck Grommets



| McGee # | Rim # | Fits | Used On |
|---------|-------|------------------|---|
| 5953 | RG-15 | .625 Valve Hole | TV-500 Series, TV-570 Series |
| RG15S | RG-15 | .625 Valve Hole | TV-500 Series, TV-570 Series red grommet 288° |
| G160 | RG-22 | .812 Valve Hole | H-41, T-81, T-30, DS-385, DS210 |
| 5093 | RG-46 | .625 Valve Hole | TV-509, 510, 511 |
| G174 | RG-48 | .625 Valve Hole | TV-513, 515 |
| G170S | | .625 Valve Hole | Heat-Resistant Grommet for TV-570 Series (400°) green |
| 59765 | RG-54 | .453 Valve Hole | TV-416, 416L, 6008 |
| 525 | RG-39 | .625 Valve Hole | TV-416, 416L |
| G550 | RG-70 | .9975 Valve Hole | Fits TV-550 Series - 400° |
| 0330 | RG-60 | | TR-540 Series Valves - 400° |

Tire Valves - 540 Series

O-ring seal valves for Alcoa truck wheel (9.7MM Valve Hole)

Many production Alcoa aluminum wheels are manufactured with a 9.77MM valve hole that requires an O-Ring tire valve. Valves have a high temperature resistant O-Ring and a heavy duty metal valve cap.



| Valve TR No. | A Height | B Length | C Bend Angle | Price ea. | 100 ea. |
|--------------|----------|----------|--------------|-----------|---------|
| TR542 | 1.25 | | | \$2.82 | \$2.11 |
| TR543 | 2.40 | - | - | \$3.08 | \$2.31 |
| TR543D | .98 | 1.38 | 60° | \$3.16 | \$2.37 |
| TR543E | .98 | 1.38 | 75° | \$3.57 | \$2.68 |
| TR544 | 2.90 | - | - | \$3.17 | \$2.11 |
| TR544D | .98 | 1.94 | 60° | \$3.47 | \$2.78 |
| TR545 | 3.50 | - | - | \$3.56 | \$2.85 |
| TR545DL | 3.50 | Dill | -- | \$5.25 | \$4.20 |
| TR545D | .98 | 2.6 | 60° | \$3.78 | \$2.84 |
| TR546 | 4.25 | - | - | \$5.22 | \$3.91 |
| TR546D | .98 | 3.35 | 60° | \$3.30 | \$2.64 |
| TR546E | .98 | 3.35 | 75° | \$3.99 | \$2.86 |
| TR546G | .98 | 3.35 | 36° | \$4.64 | \$4.13 |

Metric Clamp-In Valves 550 Series



TR555D import \$3.42 each!
Use TR550 series for better seal than TR540 series

MADE IN USA



Popular on all new Alcoa wheels!

Compatible with aluminum wheel designs with .389 valve hole.

- Viton grommets offer a greater temperature range, a better seal, and a longer service life — Maximum temperature 250°
- Easier installation with screwdriver slot.
- Recommend installation torque 45 in - lbs.



| McGee # | A | B | C | Price ea. | 100 ea. |
|---------|------|------|-----|-----------|---------|
| TR553 | 2.31 | - | - | \$4.91 | \$4.36 |
| TR553C | 0.93 | 1.38 | 45° | \$5.22 | \$4.64 |
| TR553E | .98 | 1.38 | 75° | \$5.22 | \$4.64 |
| TR554D | .98 | 1.94 | 60° | \$5.22 | \$4.64 |
| TR555DL | .98 | 2.6 | 60° | \$4.03 | \$3.49 |
| TR555E | .98 | 2.6 | 75° | \$4.54 | \$4.03 |

1/8" Rim Hole Cleaning Brush

44078 \$6.99

Available in 1/4" and 3/8" also!



Chrome-Sleeve Snap-in Type Tubeless Tire Valves



- Standard snap-in type tubeless tire valves are fitted with an attractively designed hexagon valve cap and chrome sleeve to cove the valve stem area
- Available in two lengths to fit .453" valve holes.

| Ascot No. | Mfg. No. | Eff. Length | Price |
|-----------|----------|-------------|-----------|
| 461-41211 | TR412SC | 7/8" | \$.70 ea |
| 461-41311 | TR413SC | 1-1/4" | \$.83 ea |
| 461-41811 | TR418SC | 2" | \$1.07 ea |

High Pressure Snap-In Valves — Dill OE

- Tubeless snap-in type valves for high pressure applications
- Maximum cold inflation pressure is 80 psi
- For .453" or .625" rim holes
- Do not use on tire rims that exceed .205" in thickness



| Ascot No. | TR No. | Eff. Length | Valve Hole Dia. | Sale Price |
|-----------|---------|-------------|-----------------|------------|
| 461-00600 | TR600HP | 1.27" | .453" | \$.84 |
| 461-00602 | TR602HP | 2" | .453" | \$1.14 |
| 461-00801 | TR801HP | 1.25" | .625" | \$1.03 |
| 461-00802 | TR802HP | 2" | .625" | \$1.79 |

TR600HP1V import - 100 each - \$3.39 ea
TR600HPC Chrome Available

Dill - OE - Stem Snap-In Tubeless Tire Valves



Made with special rubber compound to resist ozone damage and prevent premature deterioration caused by rim hole compression, heat, cold. Maximum inflation pressure is 65 P.S.I.

| Valve Hole | McGee No. | Effective Length | Standard Pack Box | 50 Pk Price |
|------------|-----------|------------------|-------------------|-------------|
| .453 | TR412 | 7/8" | 500 | \$3.36 ea. |
| .453" | TR413 | 1 1/4" | 500 | \$3.38 ea. |
| .453" | TR414 | 1 1/2" | 500 | \$4.44 ea. |
| .625" | TR415 | 1 1/2" | 500 | \$4.48 ea. |
| .453" | TR418 | 2" | 500 | \$5.58 ea. |
| .453" | TR423 | 2 1/2" | 500 | \$6.65 ea. |
| .625" | TR425 | 2" | 500 | \$8.80 ea. |

Special prices on boxes of 500 each.



413 414 418 423 415 425



Machine Year Month Day


Snap-in tire valves have become a commodity even though they are critical in maintaining the correct tire pressure. As questions arise regarding the life of rubber components and as an effort to provide traceability for this product line, Dill provides a solution! Each Dill stem has the production data etched on it!

Economical import stems TR4131V - \$.28 ea. TR4181V - \$.39 ea.

Air-Flexx Valve Extensions

Air-Flexx valve extensions are flexible but rigid enough to be used without a rim holder, clamp or stabilizer saving time and money. The extension withstands severe cold and heat without becoming brittle. The plastic casting will not corrode. The pin in extension opens the tire valve only when checking pressure or inflating. If the extension is cut in half or broke no pressure is lost from the tire.

| | | | Sold as Pack 2 |
|----------|---------------------|------------------------|----------------|
| AF0085GE | Valve Extension Air | Flexible 3-5/16" 2/Pk | \$36.95 |
| AF0105GE | Valve Extension Air | Flexible 4-1/8" 2/Pk | \$33.62 |
| AF0145GE | Valve Extension Air | Flexible 5-11/16" 2/Pk | \$30.10 |
| AF0185GE | Valve Extension Air | Flexible 7-1/4" 2/Pk | \$31.67 |
| AF0215GE | Valve Extension Air | Flexible 8-7/16" 2/Pk | \$33.05 |



Chrome Hi-Performance Valve

Perfect for Custom Wheels

Chrome plated valve and sealing cap. Especially suited to custom wheels. Includes grommets for .453" and .625" passenger car wheels.



\$1.19 ea.

Enkei Valves

- A high performance "No Show" type chrome plated valve that installs from the outside
- A rubber washer and nut are on the inside
- Fits .453" diameter hole



| Ascot No. | McGee No. | Description | Price |
|-----------|-----------|-------------------------|---------------|
| 462-06010 | TR6010 | 3/4" Length, Standard | \$2.04 |
| 462-06020 | TR6020 | Bent at 45° Angle | \$2.15 |
| 462-06030 | TR6030 | 1-1/4" Length, Standard | \$2.75 |
| 462-06040 | TR6040 | 1-3/4" Length, Standard | \$4.99 |

Quality valves assure trouble free service!

Radial Commander Valve For 15° Disc Wheels

- 23° bend clamp-down valve for .625" valve hole
- Bend allows clearance of brake drum for tire service **\$1.99 ea.**

| Ascot No. | Part No. | Description |
|-----------|----------|-----------------------------|
| 462-01147 | N1147 | Radial Commander Valve Dill |



TR416 Clamp-In Tubeless Tire Valves

- Nickel plated metal valves can be installed in all passenger cars, light trucks and industrial rims with .453" or .625" valve holes
- Rubber grommet forms a seal when valve is clamped to rim by tightening hex nut
- Maximum inflation pressure is 130 psi
- Includes 2 rubber grommets

3640 - 1 1/4"

| Ascot No. | McGee No. | Eff. Length | Price |
|-----------|---------------|-------------|---------------|
| 462-00416 | TR416 (3640) | 1-1/4" | \$1.24 |
| 461-01416 | TR416L (3641) | 2" | \$1.38 |



Why demand Dill?

Safety Risk Evaluations of Lower Quality Products



Dill valves are widely used by OEMs and fleets focused on consistent quality; but what about other aftermarket valves?



Cracked grommet during ozone test



Leaking valve during cold temperature testing


Lower cost valves often lack the quality control to have consistent material properties.

What does this mean?

To reduce costs, some imported valves replace key elements with substitutes such as zinc, nickel, silicon, and tin. These "DIY" alloys do not adhere to established material composition or performance standards, such as those set by ASTM.

Why does this matter?

Inconsistent material can lead to significant performance variations from lot to lot, affecting brittleness, strength, and resistance to corrosion.



Why do you need quality air gauges?

Keeping an eye on tire pressure is a critical part of regular inspection and maintenance.

Tire pressure is a critical function in many different ways. Underinflated (or grossly overinflated) tires don't handle safely, and if you find yourself in a "steer out of trouble" situation, improperly inflated tires can get you into a lot of trouble. Low tires heat up and can blow out, not only destroying the tire but also putting you in an accident-likely situation. Keeping tires properly inflated also makes sense from a dollars and sense perspective: Underinflated tires wear out more quickly. Overinflated tires can make the ride rough, and actually wear out suspension parts. And yes, fuel economy is really affected by tire inflation. The solution to these safety and money issues is as simple as regularly checking tire inflation, and for this you need an accurate tire pressure gauge.

PLEASE USE THIS GAUGE ACCURACY GUIDE AS A HELPFUL TOOL!



1-2% ACCURACY

Analog Gauges

RECOMMENDED
FOR ALL TYPES
OF VEHICLES



MK4
477-10004
0-138 PSI

\$142.99



.5% ACCURACY

Digital Gauges

RECOMMENDED
FOR ALL TYPES
OF VEHICLES



477-10312
1-174 PSI
\$90.99

477-11237
0-174 PSI
\$101.99



.5% ACCURACY

Digital Gauges

RECOMMENDED
FOR ALL TYPES
OF VEHICLES



477-10001
0-174 PSI
\$234.99

477-11612
1-174 PSI
\$132.99



Master Air Pressure Station

\$169.99

This station is used as a test pressure source for calibration of air gauges. Unit can be wall mounted on 1/2" npt pipe. TIA recommends regular calibration of truck tire gauges to maintain accuracy and assure proper tire inflation.




MAPS

1-2% ACCURACY

Pencil Gauges

RECOMMENDED
FOR ALL TYPES
OF VEHICLES



GA160
476-10160
20-120 PSI
\$9.99

GA105
476-10105
10-50 PSI
\$13.49



1-2% ACCURACY

Truck Service Gauges

RECOMMENDED
FOR ALL TYPES
OF VEHICLES



GA155
476-10155
10-150 PSI
\$15.60

GA165
476-10480
10-150 PSI
\$10.64



1-2% ACCURACY

Bayonet & Sight Glass Gauges

RECOMMENDED
FOR ALL TYPES
OF VEHICLES
ASSEMBLED IN
THE USA



I406M
477-00001
0-150 PSI
\$55.99



Dual Foot Air Chucks

| Ascot No. | McGee No. | Description | Price |
|-----------|-----------|---|----------------|
| 478-01350 | CH350LO | Straight-On/Angled Chuck. Protective Black Epoxy Finish (Normally Closed) | \$13.06 |
| 478-00335 | CH335 | Angled Chuck. Plated Finish (Normally Closed) | \$8.83 |
| 478-03300 | CH330LO | Straight-On/Angled Chuck. With Lock-On Threads (Normally Closed) | \$9.52 |
| 478-03301 | CH330 | Straight-On/Angled Chuck (Normally Closed) | \$7.15 |
| 478-03330 | CH333LO | Straight-On/Angled Chuck. 14" Long (Normally Closed) | \$11.27 |



Ball Foot Chucks

| Ascot No. | McGee No. | Description | Price |
|-----------|-----------|---|---------------|
| 478-00335 | 5499 | Ball Foot Chuck. 1/4" Female Thread (Normally Closed) | \$3.99 |
| 478-00315 | 5567 | Ball Foot Chuck With Lock-on Clip. 1/4" Female Thread (Normally Closed) | \$6.89 |



Pocket Truck Gauges

| Ascot No. | McGee No. | Description | Price |
|-----------|-----------|---|----------------|
| 476-10150 | GA150 | Straight-On/Angled Gauge. 20-120 psi. Chrome Plated. | \$9.37 |
| 476-10160 | GA160 | Straight-On/Angled Gauge. 10-120 PSI. Black Baked Epoxy Protective Finish. | \$9.99 |
| 476-10130 | GA130 | Dual Foot Angled Pencil Gauge. 20-120 psi. | \$6.40 |
| 476-07263 | 7263USA | Straight-On/Angled Gauge USA Made 20-120 PSI. Black Baked Epoxy Protective Finish | \$11.70 |

Automotive Tire Gauges



- Pencil, chrome tire gauges with nylon indicator bars

Imprinted Gauges Available with Your Name. Call for details!


| Ascot # | McGee # | Range | Type | Price |
|-----------|---------|------------|--|---------------|
| 476-10105 | GA105 | 10-50 PSI | Passenger Gauge | \$3.74 |
| 476-10115 | GA115 | 20-120 PSI | High Pressure Gauge | \$3.64 |
| 476-10100 | GA100 | 1-20 PSI | Low Pressure Gauge | \$3.38 |
| 476-10110 | GA110 | 10-50 PSI | Passenger Gauge 75-340 kPa Calibrated in PSI & kPa | \$3.74 |
| 476-10125 | GA125 | 5-45 PSI | Air/Liquid Gauge - tractor | \$3.38 |
| 476-10145 | GA145 | 10-75 PSI | Mid-Range Gauge 70-500 kPa Calibrated in PSI & kPa | \$3.04 |

European-Style Clip-On Chucks

| Ascot No. | McGee No. | Description | Price |
|-----------|-----------|---|----------------|
| 478-02985 | CH360 | European-Style Clip-On Chuck. 1/4" Female Fitting. Silver Clip. (Normally Closed). | \$12.67 |
| 478-02995 | CH360OP | European-Style Clip-On Chuck. 1/4" Female Fitting. Black Clip. (Normally Open). | \$13.03 |
| 478-01200 | N1200 | European-Style Clip-On Chuck. Serrated Shank for 1/4" I.D. Hose. Silver. (Normally Open). | \$13.28 |



Made in the USA



| McGee No. | Description | Price |
|-----------|--|---------------|
| 6293DUSA | European-Style Clip-On Chuck, 1/4" Female Fitting. Silver Clip. (Normally Closed). (CH360) | \$9.28 |
| 6293EUSA | European-Style Clip-On Chuck. 1/4" Female Fitting. Black Clip. (Normally Open). (CH360OP) | \$8.72 |

Lock On Air Chucks

| Ascot No. | McGee No. | Description |
|-----------|-----------|--|
| 478-05265 | 5265SH | Lock-On Air Chuck. Specially Designed To Lock Onto The Cap Of A Standard Bore Valve Stem When The Sliding Sleeve Is Pushed To Forward Position |



\$12.45

Truck Service Gauges



- Wide variety of service gauges to accommodate the numerous tire and wheel configurations encountered by tire service personnel
- Available in chrome plated or protective black epoxy finish as indicated
- Calibrated from 10-150 psi in 2 pound increments
- Nylon or metal indicator bars

| Ascot No. | McGee No. | Gauge Type | Price |
|-----------|-----------|---|----------------|
| 476-10135 | GA135 | Angle Chuck With Nylon Bar | \$8.52 |
| 476-11135 | GA135S | Same As Above, Angle Chuck With Metal Bar | \$11.16 |
| 476-10155 | GA155 | Straight-On With 30° Reverse Chuck | \$15.60 |
| 476-10165 | GA165 | Same As Above, Straight-On With 30° Reverse Chuck, Black Epoxy Finish | \$10.64 |
| 476-11155 | GA155S | Same As Above, Straight-On With 30° Reverse Chuck, Metal Bar | \$18.66 |
| 476-10185 | GA185 | Dual Foot Service Gauge With Nylon Bar, 180° Chuck, Chrome Plated | \$10.38 |
| 476-01046 | 7285E | Externally Adjustable Metal Bar Truck Gauge - 10-150 psi | \$15.34 |

Couplers & Nipples

- Steel plated couplers with hardened steel balls and stainless steel springs
- Plugs heat-treated to reduce wear on critical mating surfaces
- Interchange with Tru-Flate 10 and 100 type series as well as units produced by other manufacturers
- Maximum working pressure 300 psi.



Automotive Series

| Ascot # | Dill No. | Milton No. | Amflo No. | McGee No. | Thread | NPT | Price |
|----------------------|----------|------------|-----------|-----------|--------|------|---------------|
| COUPLERS | | | | | | | |
| 131-61523 | D-13 | 785 | C2 | 3504 | Female | 1/4" | \$5.65 |
| 131-61524 | D-12 | 786 | C1 | 3503 | Male | 1/4" | \$7.93 |
| 131-62523 | D13R | -- | -- | 3505 | Female | 1/4" | \$6.62 |
| ADAPTER PLUGS | | | | | | | |
| 131-61539 | D-3C | 784 | CP2 | 3507 | Female | 1/4" | \$1.89 |
| 131-61538 | D-2C | 783 | CP1 | 3506 | Male | 1/4" | \$1.66 |

Industrial Interchange

| Ascot # | Dill No. | Milton No. | Amflo No. | McGee No. | Thread | NPT | Price |
|----------------------|----------|------------|-----------|-----------|--------|------|---------------|
| COUPLERS | | | | | | | |
| 131-61573 | 102 | 715 | C20 | 514212 | Female | 1/4" | \$6.16 |
| 131-61574 | 103 | 716 | C21 | 514112 | Male | 1/4" | \$6.58 |
| ADAPTER PLUGS | | | | | | | |
| 131-61578 | 110 | 727 | CP21 | 513811 | Male | 1/4" | \$1.49 |
| 131-61579 | 109 | 728 | CP20 | 513911 | Female | 1/4" | \$1.80 |



Automotive Series

| Ascot # | Dill No. | Milton No. | Amflo No. | McGee No. | Thread | NPT | Price |
|----------------------|----------|------------|-----------|-----------|--------|------|----------------|
| COUPLERS | | | | | | | |
| 133-61563 | D-17 | 1815 | C10 | 3512 | Female | 1/2" | \$15.71 |
| 133-61564 | D-16 | 1816 | C9 | 3511 | Male | 1/2" | \$13.98 |
| 133-61471 | D-17R | -- | -- | D17R | Female | 1/2" | \$15.87 |
| ADAPTER PLUGS | | | | | | | |
| 133-61569 | D-3F | 1818 | CP10 | 3514 | Female | 1/2" | \$6.24 |
| 133-61568 | D-2F | 1817 | CP9 | 3513 | Male | 1/2" | \$6.00 |
| 133-61474 | D-0F | 1819 | CP9-03 | 3537 | Male | 3/8" | \$3.87 |
| 133-01855 | N/A | 1855 | N/A | 1855MI | Male | 1/4" | \$3.51 |

PREVOST 1/4"

Automotive Style Couplers

- One hand push button design - red
- Fits all 1/4" automotive style adapters
- Longer lasting

Constructed of high impact tough composite material. Smooth finish will not scratch and will not hang up like traditional couplers. Press the button and the downstream air releases, and when the coupler is discharged it automatically releases adapter or hose, preventing dangerous hose whip. Use with any automotive nipple. Industrial use with 513811, 513911, and 11E.

| Mfr. No | Description - Automotive | Price |
|-----------|-----------------------------|----------------|
| URC061201 | 1/4" FPT Automotive Coupler | \$22.99 |
| URC061251 | 1/4" MPT Automotive Coupler | \$24.99 |

Use with industrial - blue button

| Mfr. No | Description - Industrial | Price |
|-----------|------------------------------------|----------------|
| IRC061201 | 1/4" FPT Industrial Coupler Female | \$29.99 |
| IRC061202 | 1/4" x 3/8" FPT Industrial Coupler | \$24.99 |



McGee Company offers free assembly of air hose to your required length!

Air Hose

- Rubber Air Hose
- 1/4", 3/8" & 1/2" Multi Purpose Air Hose Assemblies Smooth cover, 300 PSI W.P., 1,200 lb. burst. Limited oil resistance tube & cover. Red.



Made in the USA



| Mfg. No. | Description | Price |
|----------|---------------------------|-----------------|
| W64RJ25 | 25', 3/8" Hose, 1/4" MNPT | \$44.57 |
| W64RJ50 | 50', 3/8" Hose, 1/4" MNPT | \$83.73 |
| W84RJ25 | 25', 1/2" Hose, 1/2" MNPT | \$70.52 |
| W84RJ50 | 50', 1/2" Hose, 1/2" MNPT | \$121.92 |

C-Series Low Pressure Hose Reels

- Reels ideally suited for plant maintenance, service trucks or other industrial functions
- Standard hose for air and water
- Single set screw to access spring casing
- Drive spring mechanism lubricated for life
- One piece combination latch, spring arbor, main bearing and spool support for fewer moving parts
- Brass swivel reduces corrosion potential
- Durable powder coated finish



Made in the USA



HOSETRACT

| Ascot No. | McGee No. | Operating Pressure | Hose ID | Hose Length | Ship Weight | Price |
|-----------|-----------|--------------------|---------|-------------|-------------|-----------------|
| 125-35000 | LC350 | 300 psi | 3/8" | 50' | 54 Lbs. | \$385.71 |
| 125-55000 | LC550 | 300 psi | 1/2" | 50' | 60 Lbs. | \$407.14 |


Prevost Flexair Hose

| McGee No. | Description | Price |
|-----------------|--|----------------|
| RISB3850 | 3/8" hose with Ind 1/4" fitting 50 ft | \$69.99 |
| RUSB3850 | 3/8" hose with Auto 1/4" fitting 50 ft | \$49.99 |

Each hose includes 1/4" Prevost coupler and nipple



Coil Hose









Coil Hoses

Unlike a standard hose that lies flat and can be stored by loosely wrapping it or mounting it on a hose reel. Recoil hoses are designed in a tight coil cord similar to a telephone cord, retracts when released, and compresses for easy storage. Our recoil air hoses are ideal for manufacturing plants or at home workshops that often prefer recoil hoses since they take up less space and can be quickly and easily stored.

| | | Length | Male NPT Both Ends | Price/ ea. |
|-------------|---|--------|--------------------|----------------|
| 14X14X14X25 | Recoil Hose 1/4" x 25' w/ 1/4" Fitting Blue 150 PSI | 25' | 1/4" | \$32.20 |
| 14X14X14X12 | Recoil Hose 1/4" x 12' w/ 1/4" Fitting Blue 150 PSI | 12' | 1/4" | \$21.99 |
| 6128A | Coil Hose 1/4" x 25' w/ 3/8" Swivel Fitting Blue | 25' | 3/8" | \$24.00 |
| 16751 | Recoil Hose Repair Kit Nylon Hose Kit | | | \$16.81 |
| 16744 | Recoil Hose 3/8" x 25' w/ 1/4" NPT Yellow | 25' | 3/8" | \$67.82 |

Passenger Tape-on Weights Including Cold Weather Weights

| | | | | | | | | |
|--|-------------------|---------|--------------------------|-------------|---------------|----------------------------|----------------------|-----------------|
|  | 200576FE | .25 oz. | Low Profile Coated | 3 oz./strip | 48 strips/box | Width: 3/4" Depth: 1/8" | Steel 576 pcs | \$32.99 |
|  | 200576FER Roll | .25 oz. | Low Profile Coated | Roll | | Width: 3/4" Depth: 1/8" | Steel 700 pcs | \$48.99 |
|  Black | 200576FEBLK | .25 oz. | Low Profile Premium Tape | 3 oz./strip | 48 strips/box | Width: 3/4" Depth: 1/8" | Steel 576 Seg/box | \$61.95 |
|  | FSF101CP | .25 oz. | Low Profile Economy Tape | 3 oz./strip | 48 strips/box | Width: 3/4" Depth: 1/8" | Steel 576 pcs | \$29.95 |
|  | 145KG | .25 oz. | Low Profile Coated Steel | Roll | White Tape | Width: 3/4" Depth: 1/8" | Steel 700 pcs | \$69.99 |
|  | 320FE | .25 oz. | Premium Coated Steel | Roll | Double Tape | Width: 3/4" Depth: 1/8" | Steel 1272 | \$110.50 |

Adhesive Wheel Weight Rolls

- Oversized white paper tape - easy peel
- Easy to tear by hand
- Available in grey steel or black steel
- 3 rolls per case
- WWR4 recommended stand for AVL



Adhesive Wheel Weight Roll Stand

- All-metal construction
- Accommodates three rolls
- Floor mount
- Easy to assemble

486-31281

\$164.99

Adhesive Wheel Weight Roll Stand



| Ascot No. | McGee No. | Description |
|-----------|-----------|----------------------------------|
| 486-31281 | WWR3 | Adhesive Wheel Weight Roll Stand |

Wheel Cleaner

Stop Using Expensive Wheel Cleaning Solutions

- Water-Based • Non-Petroleum
- Biodegradable • Non-Toxic

A clean wheel is critical to good stick-on wheel weight adhesive.


| Ascot No. | Description | Price |
|-----------|--------------------------------------|----------------|
| 48675032 | Wheel Cleaner 32 Oz. Spray Bottle | \$8.75 |
| 48675017 | Wheel Cleaner 1 Gallon Bottle | \$10.88 |



48631285 - Conversion Kit for Wheel Weight Roll Stand











Fits WWR3 and WWR4 AVL series to add two slots.

SAVES TIME
BY HAVING ALL OF
YOUR ROLLS
TOGETHER



| Ascot No. | McGee No. | Description | Case Price |
|-----------|-----------|--|-----------------|
| 484-51500 | AVL315FeB | Black Steel Adhesive Roll: 1/4 oz. Segments (2880 Segments per case) | \$152.99 |
| 484-51501 | AVL315FeS | Grey Steel Adhesive Roll: 1/4 oz. (2880 Segments per case) | \$149.99 |
| 484-61500 | AVL415FeB | Black Steel Adhesive Roll: 1/2 oz. (1440 Segments per case) | \$152.99 |
| 484-61501 | AVL415FeS | Grey Steel Adhesive Roll: 1/2 oz. (1440 Segments per case) | \$149.99 |
| 484-71500 | AVL515FEB | Black Steel Adhesive Wheel Weight Roll - 1 oz. (690 Segments per case) | \$173.99 |
| 484-71501 | AVL515FES | Grey Steel Adhesive Wheel Weight Roll - 1 oz. (690 Segments per case) | \$169.99 |

Truck Tape-On Weights

| | | | | | | | |
|--|-----------------|---------|--|---------------|-----------------|------------------|-----------------|
|  | 300360 | .50 oz. | Standard Profile Quick Tab with Premium Tape | 30 strips/box | Width: 1" | Lead 360 pcs | \$104.95 |
|  | 300224FE | .50 oz. | Standard Profile Quick Tab with Premium Tape | 24 strips/box | Width: 1" | Steel 224 pcs | \$45.50 |
|  Black | 300224FE BLK | .50 oz. | Standard Profile Quick Tab with Premium Tape | 24 strips/box | Width: 1" | Steel 224 pcs | \$59.99 |
|  | 420FE | .50 oz. | Standard Profile | Roll | Width: 1" | Steel 640 pcs | \$136.13 |
|  | CL6 | 1 oz. | Standard Profile Quick Tab with Premium Tape | 30 strips/box | Width 3/4" | Lead 180 pcs | \$112.95 |
|  | 1184 | 1 oz. | Standard Profile with Premium Tape | 18 strips | Width 3/4" | Steel 72 pcs | \$41.95 |
|  | 48410300 | 1 oz. | Standard Profile with Economy Plastic Tape | 36 strips | Width 3/4" | Steel 144 pcs | \$35.99 |
|  Black | 48410301 | 1 oz. | Standard Profile with Economy Plastic Tape | 36 strips | Width 3/4" | Steel 144 pcs | \$39.99 |
|  | CL12 | 2 oz. | Standard Profile Quick Tab with Premium Tape | 8 strips/box | Width 1-1/4" | Lead 48 pcs | \$69.99 |
|  | FSF104C | 2 oz. | Standard Profile with Plastic Tape | 18 strips | Width 1-1/4" | Steel 54 pcs | \$34.95 |

MC Series fits more U.S. vehicles than any other weight!

"MCN" Series- Wheel Protectors® Coated

The "MCN" series is the recommended weight for all applications shown below. The "MCN" meets all OEM quality specifications.


"MC" Series-Uncoated

Fits most Chrysler, GM, Ford since 1990, Fiat

We recommend that coated weights be used on all vehicles having alloy wheels.

"MCN" Coated—25 pc. box. "MC" Uncoated—50 pc. box

MC



| | |
|---------|------------------------|
| AUDI | LAND ROVER |
| BMW | MINI |
| CATERA | MITSUBISHI (see chart) |
| GEO | SMART CAR |
| HYUNDAI | SUBARU |
| JAGUAR | SUZUKI |
| KIA | VOLVO |

IAW



5 to 60 g

| | |
|----------|-----------------------|
| AUDI | From 1997 |
| HONDA | |
| & ACURA | All from 1980 to 1989 |
| MERCEDES | |
| VW | |

Also used on many aftermarket alloy wheels with thin rim flanges

EN



10 to 60 g

"I7" Series

BTLM = I7

Most popular weight for the medium-duty truck. Used on most trucks with tube type tires. 25 per box except 10 & 12 oz.; 20/box & 14 & 16 oz.; 10/box.

| Part. No. | Weight | Part. No. | Weight |
|-----------|---------|-----------|----------|
| I71 | 1.0 oz. | I78 | 8.0 oz. |
| I72 | 2.0 oz. | I710 | 10.0 oz. |
| I73 | 3.0 oz. | I712 | 12.0 oz. |
| I74 | 4.0 oz. | I714 | 14.0 oz. |
| I75 | 5.0 oz. | I716 | 16.0 oz. |
| I76 | 6.0 oz. | | |



I7 Series

CT

BTLT + I9 = CT

Used on "section" type, straight flange, tubeless wheels, Goodyear Super Single; Budd 7.50" and 8.25" wheels with Firestone or Goodyear discs. Uncoated.

| Part. No. | Weight | Part. No. | Weight |
|-----------|---------|-----------|----------|
| CT2 | 2.0 oz. | CT10 | 10.0 oz. |
| CT3 | 3.0 oz. | CT12 | 12.0 oz. |
| CT4 | 4.0 oz. | CT14 | 14.0 oz. |
| CT6 | 6.0 oz. | CT16 | 16.0 oz. |
| CT8 | 8.0 oz. | | |



LEAD, STEEL, AND PLASTEEL WEIGHT OPTIONS AVAILABLE!

Wheel Weight Adhesive Removal Tool

A143252 - \$69.95

Replacement pad - A1432526 only - \$8.99

- Lock-off trigger for added safety
- High torque motor to cut through stubborn wheel weight adhesive, body pinstripes, etc.
- Rubber-insulated housing for comfort
- High RPM to prevent pad from bogging down; 3,700 RPM free speed



| | |
|----------|-----------------|
| ACURA | Most since 1990 |
| DAEWOO | All since 1999 |
| HONDA | All since 1989 |
| INFINITI | All since 1990 |
| ISUZU | All since 1997 |
| LEXUS | All since 1990 |
| MAZDA | Many since 1990 |
| NISSAN | All since 1990 |
| TOYOTA | All since 1990 |

3358HD
486-33581



See chart for exceptions

FN



5 to 70 g

Scraper 71510
486-71510



| | | |
|-----------|--|---------|
| 486-71510 | 71510 Adhesive Wheel Weight Super Scraper Removes emblems, body side moldings and stick-on wheel weights. | \$9.90 |
| 486-33581 | 3358 KD Heavy Duty Weight Tool - Ideal for all weights, including coated. | \$29.99 |

486-71512 AS002 \$13.99



265mm long (large) made for gently removing adhesive wheel weights with minimal damage. Additional applications; removing decals, emblems, and body molding without scratching or damaging metal, glass, or paint

Lightweight, high-impact resistant nylon plastic material for maximum durability, resistant to deforming over time, and helps avoid scratching while removing tire wheel weights or other stubborn material

Sturdy design for a prolonged lifespan while in the field. A comfortable and baffle grip provides the user more control and absorbs vibration from consistent hammer blows, allowing for more precision work

Solvent-resistant and the blade is able to be re-sharpened.

Adaptable to multiple-sized wheels

"TS" Series

CHEVROLET GMC - Use on full size pickup, Suburban, Yukon, Tahoe from 2000. Denali & Escalade use MCS for 2000

FORD - Expeditions from 1997 - F-100, F-150 from 1997

LINCOLN - Navigator from 1998

We recommend the use of TS series weights on all full size pickup trucks and vans equipped with steel wheels. The use of "REG" series passenger weights on thicker truck rims may cause over-stressing of clips resulting in weight failures.



| Part. No. | Weight | Part. No. | Weight | Part. No. | Weight |
|-----------|---------|-----------|---------|-----------|---------|
| TS025 | .25 oz | TS175 | 1.75 oz | TS325 | 3.25 oz |
| TS050 | .5 oz | TS200 | 2 oz | TS350 | 3.5 oz |
| TS075 | .75 oz | TS225 | 2.25 oz | TS375 | 3.75 oz |
| TS100 | 1 oz | TS250 | 2.5 oz | TS400 | 4 oz |
| TS125 | 1.25 oz | TS275 | 2.75 oz | TS450 | 4.5 oz |
| TS150 | 1.5 oz | TS300 | 3 oz | TS500 | 5 oz |

"TAL" Series Wheel Protectors® Coated Wheel Weights

A new special weight for all Alcoa and Accuride (from 1983) aluminum tubeless heavy truck wheels. The weights will fit both sides of the wheel. These new weights replace the "OS-TAL" and "DS-TAL" series. Use rim gauge RGT2 to verify correct application (either OS-TAL or DS-TAL slot).

"TAL" Coated



| Part. No. | Weight | Part. No. | Weight |
|-----------|---------|-----------|---------|
| TAL030 | 3.0 oz. | TAL060 | 6.0 oz. |
| TAL040 | 4.0 oz. | TAL080 | 8.0 oz. |



- Easy to use throw-in bag method
- Proven to increase fuel economy
- Color coded application chart
- Life time balance
- Balance whole wheel-end assembly not just tire and wheel
- Can be injected through valve stem
- Proven to extend tire life
- Flow-thru cap provided in 8oz bags and up
- TPMS friendly
- Download app to find tire size

How It Works

The balancing beads will be distributed around the tire as it begins to roll through centrifugal force. As the centrifugal force of the balance (heavy spot) increases and pulls up and down on the suspension, the beads will start to move in the opposite direction of the downward and upward through inertia. The beads continue to travel until the complete wheel assembly is balanced.

**Ask us
about our
motorcycle
applications**

| Product | Description - Case Quantity Discounts | CASE QTY |
|----------|---------------------------------------|----------|
| 45100013 | INJECTOR PUMP FOR COUNTERACT | 1 |
| TIB4 | 4 OZ TOSS-IN BAG | 92 |
| TIB6 | 6 OZ TOSS-IN BAG | 64 |
| TIB8 | 8 OZ TOSS-IN BAG | 52 |
| TIB10 | 10 OZ TOSS IN BAG | 40 |
| TIB12 | 12 OZ TOSS IN BAG | 36 |

RPG Mechanic's Gloves

Black synthetic leather palm with small patches

Features blue spandex on back, neoprene on knuckle, 4cm wide elastic, hook & loop
396-10011 - **\$12.99**



Gemstone Protective Eyewear

- Clear

Y19CFC - **\$2.98 pr.**



Tinted Available
(SG2Smoke)



Leather Palm Short Cuff

Part #112
\$4.49 pr.



Cotton Weave Blue Poly Palm Glove

C122 - **\$2.99/pr**
\$1.99/pr. per doz



Black, Ultra Light Polyurethane Palm Glove

• Perfect for
handling small
parts
GP180ML
GP180XL



Gloves Black Polyester Textured

- CE certified
- Textured latex finish offers excellent grip & superior abrasion resistance
- 13-gauge polyester liner for a flexible fit
- Machine washable

GP180MLT - M/L
GP180LXLT - L/XL

\$2.70/pr

Textured
Grip

Counteract Balancing Beads

Every bag includes:

- Measured bag of Balancing Beads
- Filtered vortex valve core
- Counteract valve cap
- 8oz bags and up include flow-thru cap.



Eco Balance Drop In Bags!

Eco Balance Beads are made of reusable and recyclable 99.9% tempered glass spheres. Our balancing beads are installed inside the tire, where they won't get knocked off and contaminate the environment like lead weights can.

10 oz. bag **As low as \$6.56**

10 oz. McGee 45101210



Scan QR code or visit
www.counteractbalancing.com
to find our application
charts.



AS5246 Razor Blade Scraper with Offset Handle **\$8.99**

- Strong, solid handle ideal for stripping paint, caulk, labels, overspray, gasket material, urethane and glue
- No sharpening needed, just replace the blade
- Protective cover keeps blade sharp and prevents cuts
- Includes one standard single edge blade
- RB100 Razor blades 100/bx **\$7.49**



Micro Diamond Nitrile Gloves

- 100 per box
- Texture Finish
- Heavy Duty Available
- 6 mil Thickness
- Powder Free

Price Drop!

\$17.99/box



| Ascot No. | McGee No. | Size | Color |
|-----------|--------------|---------|--------|
| 396-00302 | 32806BK240R3 | Medium | Black |
| 396-00303 | 32806BK240R4 | Large | Black |
| 396-00304 | 32806BK240R5 | X-Large | Black |
| 396-00402 | 32806OR240R3 | Medium | Orange |
| 396-00403 | 32806OR240R4 | Large | Orange |
| 396-00404 | 32806OR240R5 | X-Large | Orange |

High Visibility Dual Color Leather Double Palm Gloves

Split leather double palm

- High visibility green and orange colors
- Half fleece lining
- 12 pairs per package

396-55223 - **\$4.99/pr**



REPCAB - JET REPAIR CABINET \$299.99

HD locking cabinet, 2 slide drawers on rollers and multiple shelves.

Everything you need for basic tire repair (optional equipment shown)

Includes:

- Innerliner Scraper
- Tire Repair Knife Round Point Flexible 4"
- Cement Tool Spiral
- Ball Bearing Stitcher 1-1/2" x 1/16" CS1
- Pre Buff Rubber Cleaner Aerosol 16 oz.
- Cement Vulcanizing Fast Dry 8 oz.
- Patch Rad Rect 2-3/4" x 2" SR110 20/Bx
- Sealer Innerliner Black 16 oz.
- Repair Cabinet Empty
- Patch Combi Unit SCU03 1/8" 24/Bx
- Patch Combi 1/4" SCU06 24/Bx
- Optional shown (Vacuum, Low-speed buffer, etc...)



Schedule your proper tire repair training with your rep today (includes certificate of completion)

Tire Marking Crayons

- Bright Color On Any Tire. Will not melt, soften or rub off in the pocket. A quality crayon that marks on tires, tubes and rubber. Sold 12 per box.

459-54222



| Ascot No. | McGee No. | Color | Price |
|-----------|-----------|--------|--------|
| 459-51420 | 51420 | White | \$7.99 |
| 459-51422 | 51421 | Yellow | \$7.99 |

The White Markal Crayon in use.

Wire Brushes

Ideal for buzzout repair of radials



535-08014



535-15463

Copper Center® Wire Wheel Brushes-Wire Fill

| Ascot # | Mfg. # | Dia. | Wire Size | Arbor RPM | Hole | Price |
|-----------|--------|------|-----------|-----------|-----------|---------|
| 535-15463 | 15463 | 2" | .0118" | 20,000 | 1/2"-3/8" | \$10.26 |
| 535-15533 | 15533 | 3" | .006" | 20,000 | 1/2" | \$15.28 |
| 535-15543 | 15543 | 3" | .008" | 20,000 | 1/2" | \$13.05 |
| 535-15563 | 15563 | 3" | .0118" | 20,000 | 1/2"-3/8" | \$12.37 |

Knotted Brushes

| | | | | | | |
|-----------|-------|----|--------|--------|----------|---------|
| 535-08014 | 08014 | 3" | .014" | 20,000 | 1/2-3/8" | \$38.42 |
| 535-08034 | 08034 | 4" | .0118" | 20,000 | 1/2-3/8" | \$44.51 |

Carbide Cutting Tools



| Part No. | Description | Prices |
|----------|---|----------|
| BU18T | 1/8" Taper Burr (PCC1) | \$10.50 |
| BU14T | 1/4" Taper Burr (PCC2) | \$41.75 |
| BU38T | 3/8" Taper Burr (PCC4) | \$36.81 |
| BU12B | 1/2" Ball Burr | \$33.92 |
| BU732N | 7/32" Long Pointed Burr (Use with 1/4" Plug) | \$40.69 |
| BU516N | 5/16" Long Pointed Burr (Use with 3/8" Plug) (PCC3) | \$59.79 |
| BU716N | 7/16" Long Pointed Burr (Use with 1/2" Plug) | \$134.12 |

Buffing Wheels



| Ascot No. | McGee No. | Description | Price |
|-----------|--------------|--|---------|
| 539-00033 | 33 | 3/8" - 24 Arbor for mounting buffing wheels | \$19.19 |
| 539-10001 | BC1 | 36 grit, round-nose buffer wheel, Tungsten Carbide 2 1/2" diameter — use on tires or tubes | \$5.58 |
| 538-13000 | 1030G | 2" fine tooth buffing cone-Ideal for passenger inner liners | \$17.50 |
| 538-01034 | 1034T | 2" med. tooth buffing cone-Ideal for passenger inner liners | \$21.62 |
| 539-00788 | | (2) No. BC-1 buffing wheels mounted back-to-back on No. 33 Arbor (order item separately) | |
| 538-14000 | RH140 | Faster, cleaner buffing; avoid burning | \$27.80 |
| | TCW21060SAEN | Rasp new cup 2" x 1" x 3/8" SAE 60 grit | \$19.99 |

Paintstik® Marker



Permanent, waterproof and fadeproof. Marks on wet tires, withstands retreading temperatures. Nontoxic, contains no lead. Sold 12 per box. Other colors available.

| Ascot No. | McGee No. | Color | Price |
|-----------|-----------|--------|---------|
| 459-80257 | MKWhite | White | \$12.99 |
| 459-80258 | MKYellow | Yellow | \$13.25 |

Professional Stitchers

- Corrugated ball bearing stitcher with hardened steel wheel and varnished wooden handle

| Ascot No. | Part # | Description | Price |
|-----------|--------|------------------------------|---------|
| 536-00001 | 30 | 1-1/2" Diameter x 1/16" Face | \$14.99 |



Manual Tire Spreader MS1 - 69.99



Gooseneck Stitchers

The newly designed GOOSENECK STITCHER has been proven to enhance stitching performance, providing ample pressure at all points on the tire without causing muscle fatigue for the tire technician.

| Part No. | Description | Price |
|----------|---------------|---------|
| 30GN | 1-1/2" x 1/8" | \$8.99 |
| 6005GN | 2" x 1/4" | \$18.99 |



Ergonomic design to lessen muscle fatigue and increase productivity.

Channel Lock Cutters

- Precision made of fine polished, high carbon steel
- Distinctive CHANNEL LOCK Blue comfort grips



| Ascot # | McGee No. | Description | Price |
|-----------|-----------|---|---------|
| 319-00358 | CHA358 | 8" Cutting plier with end cutter | \$39.27 |
| 319-00447 | CHA447 | 7.75" Curved diagonal cutting plier – lap joint | \$38.00 |
| -- | CHA337 | 7" Lap joint diagonal plier | \$33.79 |

Vulcanized Tubeless Tire Repair Seals

- For emergency repair use only
- String repairs are not designed to be used in lieu of a permanent repair
- Repair a punctured tire in a matter of minutes
- Made from high-strength yarn and butyl rubber



| McGee No. | Description | Qty/Box | Price |
|-----------|-----------------------------|---------|----------------|
| 361UBX | 4" Brown String Repair | 50 | \$13.49 |
| 362UBX | 8" Brown String Repair | 25 | \$13.49 |
| 370UBX | 7" Thin Black String Repair | 50 | \$13.80 |



- Clean out small injuries

| Rema No. | McGee No. | Description | Price |
|-----------|-----------|-------------|---------------|
| 537-95893 | 261RT | Reamer | \$9.99 |

- Used to inspect injuries in tires and to remove small stones and debris



| Ascot No. | McGee No. | Description | Price |
|-----------|-----------|--|---------------|
| 537-00001 | 1013P | Black Handle Awl | \$9.99 |
| 537-00083 | TMIT | Tire Injury Measuring Tool Color Coded | \$9.99 |

#MTK
Pouch -
\$39.99



Includes:

| | |
|------|---------------------------------------|
| 1 ea | GA115 Gauge 20-120 PSI |
| 1 ea | MK White Markal |
| 1 ea | 1246D Flip Socket 3/4-13/16 Thin Wall |
| 1 ea | 1291DT Flip Socket 19mm-21mm |
| 1 ea | 595TM Tread Depth Gauge |
| 1 ea | TL620 Core Tool |

McGee Company can help you determine the tire repair items needed to get started. Call for details!

Ask us about a tire repair cabinet to keep organized!



JET Radial Repairs - Passenger and Light Truck

JET Center-Over-Injury Repairs are designed for use in all radial tires. The JET Radial Repair is intended for use in HOT or COLD applications. JET Radial Repairs are designed for use in the crown area of radial tires. Install with JET Fast Dry Vulcanizing Cement.




| Repair Unit | Size | | Qty/Box | Price |
|-------------|---------------|----------|---------|----------------|
| | Inch | mm | | |
| SR110 | 2 3/4 x 2 | 70 x 50 | 20 | \$16.62 |
| SR110H | 3 1/4 x 2 3/8 | 80 x 60 | 10 | \$10.49 |
| SR112 | 4 3/8 x 2 1/2 | 110 x 65 | 10 | \$12.91 |
| SR114 | 5 3/4 x 3 | 145 x 75 | 10 | \$21.58 |
| SR120 | 5 x 3 | 125 x 75 | 10 | \$20.89 |
| SR122 | 6 7/8 x 2 3/8 | 175 x 80 | 10 | \$28.07 |
| SR124 | 8 1/4 x 3 3/8 | 210 x 85 | 10 | \$36.81 |

Additional sizes - SR133, SR140, SR142

Universal repairs - nail hole injuries in crown area only. Advanced cushion gum for max adhesions.


Bias or Radial — Universal Repair Units - Square

| Repair Unit | Inch | mm | Qty/Box | Price |
|-------------|----------|-------|---------|----------------|
| SSA45 | 1 3/4 sq | 45 sq | 100 | \$25.37 |
| SSA45T | 1 3/4 sq | 45 sq | 100 | \$23.34 |
| SSA55 | 2 1/8 sq | 55 sq | 80 | \$27.17 |
| SSA55T | 2 1/8 sq | 55 sq | 100 | \$37.47 |



Bias or Radial — Universal Repair Units - Round

| Repair Unit | Inch | mm | Qty/Box | Price |
|-------------|-------|----|---------|----------------|
| SRA45 | 1 3/4 | 45 | 30 | \$7.98 |
| SRA45T | 1 3/4 | 45 | 100 | \$21.70 |
| SRA55 | 2 1/8 | 55 | 30 | \$9.75 |
| SRA55T | 2 1/8 | 55 | 100 | \$27.60 |



Prema Radial Repairs - Passenger and Light Truck

PREMA Center-Over-Injury Repairs are designed for use in all radial tires. The PREMA Radial Repair is intended for use in HOT or COLD applications. PREMA Radial Repairs are designed for use in the crown, sidewall and shoulder of radial tires. Install with PREMA Ultra Fast Dry Vulcanizing Cement. Refer to the PREMA Repair Chart for proper selection of the repair unit. Always fill the injury channel with the appropriate Prema repair material.



| Ascot No. | McGee No. | Description | L (in.) | W (in.) | # Plies | Qty/Box | Price |
|-----------|-----------|--------------|---------|---------|---------|---------|-----------------|
| 575-05109 | PR109 | Radial 109 | 3 | 1 3/4 | 1 | 20 | \$28.32 |
| 575-05110 | PR110 | Radial 110 | 3 1/4 | 2 1/4 | 1 | 20 | \$38.32 |
| 575-05111 | PR110T | Radial 110 | 3 1/4 | 2 1/4 | 1 | 80 | \$127.81 |
| 575-05112 | PR112 | Radial 112 | 4 3/4 | 3 | 1 | 10 | \$27.55 |
| 575-15112 | PR112B | Radial 112 | 4 3/4 | 3 | 1 | 40 | \$108.40 |
| 575-05113 | PR113 | Radial 112HD | 5 | 3 1/4 | 1 | 10 | \$32.41 |
| 575-05114 | PR114 | Radial 114 | 5 1/4 | 3 1/2 | 1 | 10 | \$43.68 |
| 575-05120 | PR120 | Radial 120 | 5 | 3 1/4 | 2 | 10 | \$53.04 |
| 575-05135 | PR135 | Radial 135 | 7 1/2 | 5 1/2 | 4 | 10 | \$148.09 |
| 575-05140 | PR140 | Radial 140 | 7 3/4 | 4 1/4 | 3 | 10 | \$126.43 |

Pre-Buff Cleaner

PREMA Pre-Buff Cleaner is formulated to remove contaminants and silicone from the innerliner of the tire prior to buffing. Contains no ozone depleting chemicals.



| Ascot No. | McGee No. | Description | Size | Price |
|-----------|-----------|------------------------------|----------|----------------|
| 505-00532 | PPC32 | Pre-Buff Cleaner (Flammable) | 32 fl oz | \$19.92 |
| 505-00516 | PPC16 | Pre-Buff Cleaner (Aerosol) | 16 fl oz | \$13.63 |

Prema Universal Repairs

PREMA Universal Repairs are designed for NAILHOLE REPAIRING of tubeless tires in the CROWN area only. Universal Repairs are available in round or square versions. Install with PREMA Ultra Fast Dry Vulcanizing Cement. Always fill the injury channel with the appropriate Prema repair material.



| Ascot No. | McGee No. | Description | L (in.) | W (in.) | Qty/Box | Price |
|-----------|-----------|--------------------|---------|---------|---------|----------------|
| 550-00502 | PUR2 | Universal Round 2 | 2 1/4 | -- | 50 | \$43.99 |
| 550-00522 | PUS2 | Universal Square 2 | 1 3/4 | 1 3/4 | 100 | \$58.95 |
| 550-00533 | PUS3 | Universal Square 3 | 2 1/2 | 2 1/2 | 100 | \$90.03 |
| 550-00534 | PUS4 | Universal Square 4 | 3 | 3 | 50 | \$66.36 |

Ultra Fast Dry Vulcanizing Cement

PREMA Ultra Fast Dry Vulcanizing Cement is formulated to provide outstanding performance when used in conjunction with PREMA Repair Materials. Contains no ozone depleting chemicals.



| Ascot No. | McGee No. | Description | Size | Price |
|-----------|-----------|---|-----------|----------------|
| 501-00508 | PFC8 | Ultra Fast Dry Vulcanizing Cement (Flammable) | 8 fl. oz. | \$14.40 |
| 501-00532 | PFC32 | Ultra Fast Dry Vulcanizing Cement (Flammable) | 32 fl. oz | \$36.04 |

Tire Denailer \$11.99

- Blade length 3" • Point diameter 5/16"
- Made in USA

Developed by a tire repairman to probe the injury and push the nail back through the tire. Probe has a recess at the tip to accept the point of a nail or other puncturing object.



| Ascot No. | Mfg. No. | Description | Price |
|-----------|----------|-----------------------------|----------------|
| 537-15227 | 23113IR | Insert Tool Open Needle | \$4.65 |
| 537-15230 | 20000 | Insert T Handle Open Needle | \$22.90 |



McGee Company does not recommend "temporary" tire repairs. All repairs should perform the function of filling or replacing the injured section as recommended by the RMA and other industry associations.

18-Drawer Metal Storage Cabinet

- CABINET SIZE: 33-3/4" (W) x 11-3/4" (D) x 10-3/4" (H)
- DRAWER SIZE: 4-7/8" (W) x 11-1/4" (D) x 2-3/4" (H)
- Modular drawer design for efficiency and organization
- Heavy-duty, welded steel construction provides strength and stability
- Drawers feature stoppers to prevent accidental pulling or spilling
- Full-width handles and easy glide runners
- Shipped fully assembled and ready to use
- WEIGHT: 45 lbs.

*Great for
wheel weights
or misc parts*



*Comes with stickers with
lug nut labels to add!*



491-11001
LN-01

ASCOT
NEW PRODUCTS

**14MM x 2" Big Bulge,
Ford 13/16" Hex**

Made in China

WARNING: For more information go to www.PDSWarnings.ca.gov

| Ascot No. | Mfg. No. | Description |
|-----------|----------|---------------------------------|
| 719-00018 | 18D | 18-Drawer Metal Storage Cabinet |

Heavy Duty Cabinet




Features sliding storage drawers with rollers.

- SIZE: 19.6" x 10" x 26"
- 2 shelves inside (3 storage levels)
- 2 tool hook sets on two inside doors
- 2 sliding storage drawers with rollers
- Switch-to-open handle
- Optional shelf available
- WEIGHT: 36 lbs.

*Ask us about
fully outfitted
Jet Tire repair
cabinet PCAB1.
See page 21*

| Ascot No. | Mfg. No. | Description |
|-----------|----------------|--|
| 719-12001 | TBG-WC12001 | Heavy Duty Tire Repair Cabinet |
| 719-12011 | TBG-WC12001-01 | Optional Shelf for Tire Repair Cabinet |

32-Bin Metal Storage Cabinet



*Wheel weight label
stickers available*

MC025
.25 Oz.

- CABINET SIZE: 33-3/4" (W) x 8-1/2" (D) x 19-1/4" (H)
- DRAWER SIZE: 4" (W) x 8-3/8" (D) x 4-1/2" (H)
- Keeps your tools and accessories organized and accessible
- Heavy-duty, welded steel construction provides strength and stability
- Hemmed bin fronts for retaining parts
- Mounting holes located in the top and bottom
- Shipped fully assembled and ready to use
- WEIGHT: 37 lbs.

| Ascot No. | Mfg. No. | Description |
|-----------|----------|------------------------------|
| 719-00032 | 32B | 32-Bin Metal Storage Cabinet |

Lug Nuts



**Sold in
box of 20**

| Ascot No. | McGee No. | Description | Price Ea | Price Pack 20 |
|-----------|-----------|--|----------|---------------|
| 491-11001 | LN01 | 14mm x 2 Big Bulge; Ford 13/16" Hex | \$ 2.78 | \$ 55.50 |
| 491-11002 | LN02 | 12mm x 1.50 Bulge Acorn; Accura/Honda - 3/4" Hex | \$ 1.05 | \$ 21.00 |
| 491-11003 | LN03 | 14mm x 1.50 Duplex Bulge; Dodge/Jeep/Ram - 7/8" Hex | \$ 1.70 | \$ 34.00 |
| 491-11004 | LN04 | 14mm x 1.50 Duplex Bulge; GM - 7/8" Hex | \$ 2.05 | \$ 41.00 |
| 491-11005 | LN05 | 9/16"-18 Duplex Bulge; Dodge/Jeep/Ram - 7/8" Hex | \$ 1.70 | \$ 34.00 |
| 491-11006 | LN06 | 1/2"-20 Bulge Acorn; 13/16" Hex | \$ 1.05 | \$ 21.00 |
| 491-11007 | LN07 | 12mm x 1.25 Bulge Acorn; 13/16" Hex | \$ 1.05 | \$ 21.00 |
| 491-11008 | LN08 | 12mm x 1.50 Bulge Acorn; 13/16" Hex | \$ 1.05 | \$ 21.00 |
| 491-11009 | LN09 | 12mm x 1.25 Bulge w/ Washer - Nissan - 13/16" Hex | \$ 1.98 | \$ 39.50 |
| 491-11010 | LN10 | 12mm x 1.50 Bulge w/ Washer - Toyota - 13/16" Hex | \$ 1.85 | \$ 37.00 |
| 491-11011 | LN11 | 14mm x 1.50 Duplex Mag w/ Washer - Toyota 7/8" Hex | \$ 3.28 | \$ 65.50 |
| 491-11012 | LN12 | 12mm x 1.50 Chrysler; Mag - 3/4" Hex | \$ 2.68 | \$ 53.50 |
| 491-11013 | LN13 | 1/2"-20 Bulge Acorn; 3/4" Hex | \$ 1.05 | \$ 21.00 |
| 491-11014 | LN14 | 12mm x 1.50 Ford; 3/4" Hex | \$ 1.45 | \$ 29.00 |
| 491-11015 | LN15 | 12mm x 1.50 Bulge Acorn; 3/4" Hex | \$ 1.05 | \$ 21.00 |
| 491-11016 | LN16 | 12mm x 1.25 Bulge Acorn; 3/4" Hex | \$ 1.05 | \$ 21.00 |
| 491-11017 | LN17 | 12mm x 1.25 Cone Lug Bolt - 19mm Hex | \$ 1.95 | \$ 39.00 |
| 491-11018 | LN18 | 14mm x 1.50 Ford; 13/16" Hex | \$ 2.40 | \$ 48.00 |
| 491-11020 | LN20 | 14mm x 1.50 Short Truck 7-Spline Lug Nut | \$ 1.19 | \$ 23.88 |
| 491-11021 | LN21 | 12mm x 1.50 Spline 6-Sided Lug Nut | \$ 1.13 | \$ 22.50 |
| 491-11022 | LN22 | 12mm x 1.25 Spline 6-Sided Lug Nut | \$ 0.91 | \$ 18.13 |
| 491-11023 | LN23 | 1/2"-20 Spline 6-Sided Lug Nut - Black | \$ 1.23 | \$ 24.50 |
| 491-11024 | LN24 | 14mm x 1.50 Bulge Acorn 2 Pc. Lug Nut - 3/4" Hex - Black | \$ 1.33 | \$ 26.63 |
| 491-11025 | LN25 | 12mm x 1.50 Bulge Acorn 2 Pc. Lug Nut - 3/4" Hex - Black | \$ 1.33 | \$ 26.63 |
| 491-11026 | LN26 | 12mm x 1.50 Spline 6-Sided Lug Nut - Black | \$ 2.41 | \$ 48.13 |
| 491-11027 | LN27 | 12mm x 1.50 Spline 6-Sided 2-Pc. Lug Nut | \$ 2.41 | \$ 48.13 |
| 491-11028 | LN28 | 12mm x 1.50 Open End Bulge Acorn Lug Nut - 3/4" Hex - Zinc | \$ 0.76 | \$ 15.25 |
| 491-11029 | LN29 | 14mm x 1.50 Open End Bulge Acorn Lug Nut - 3/4" Hex - Zinc | \$ 0.76 | \$ 15.25 |
| 491-11030 | LN30 | 1/2"-20 Open End Bulge Acorn Lug Nut - 3/4" Hex - Zinc | \$ 0.76 | \$ 15.25 |
| 491-11031 | LN31 | 14mm x 1.50 Black Ford Heavy Duty Lug Nut | \$ 3.56 | \$ 71.25 |
| 491-11035 | LN35 | 12mm x 1.25 Subaru Conical Seat | \$ 1.00 | \$ 20.00 |
| 491-11036 | LN36 | 12mm x 1.25 Acorn Seat Lug 17mm Hex Jeep | \$ 1.13 | \$ 22.67 |
| 491-11037 | LN37 | 14mm x 1.50 13/16" Hex Ford F250/350 2017-22 | \$ 2.42 | \$ 48.33 |
| 491-11038 | LN38 | 12mm x 1.50 13/16" Hex Toyota | \$ 1.42 | \$ 28.33 |
| 491-11039 | LN39 | 12mm x 1.50 Bluge Acorn 3/4" Hex Various Applications | \$ 0.70 | \$ 14.00 |
| 491-11032 | SA-01 | 6-Spline Car Adapter - 3/4" & 13/16" Drive | \$ 5.98 | |
| 491-11033 | SA-02 | 7-Spline Truck Adapter - 7/8" & 13/16" Drive | \$ 5.98 | |
| 491-11034 | SA-03 | 6-Spline Car Lug Nut Adapter - 19mm x 21mm Hex Key | \$ 5.98 | |

POPULAR TPMS KITS AND STEMS

25

Stem Base:  VS15, VS950, VS950S  VS20  VS30, VS90, VS45  VS1010  VS65* *VS925A & VS925C(silver), VS280SB & VS925B(black)

| Ascot No. | McGee No. | Schrader Version | Description | Price |
|-----------|-----------|-----------------------------------|--|---------|
| 469-01030 | 1030K | SH20017AK | Siemens Kit for VW (Fits 1053 Sensor) (Orange) | \$3.48 |
| 469-01050 | 1050K | SH20013AK/ SH20030AK | Siemens Kit for Chrysler (White) SH20013AK includes bottom ball | \$3.35 |
| 469-01060 | 1060K | 20001/20002/ 20135AK/20096AK | Fits Schrader SH20096 (Red) | \$1.88 |
| 469-01070 | 1070K | 20004/20116AK/ 20115AK/20107AK | Fits Dill 9076, 9107, 9115, 9116 (Blue) | \$1.88 |
| 469-01080 | 1080K | 20003/20007/ 20117AK/20028AK | Fits Dill 9028, 9034, 9064, 9081, 9117, 9161 (Green) | \$1.75 |
| 469-01090 | 1090K | - | Compatible with Beru Sensors (Grey) | \$3.60 |
| 469-20036 | | SH20036AK | Entire Valve (Schrader 20036) for Hyundai, Kia, Honda (Dill 1096) | \$9.42 |
| 469-01100 | 1100K | SH20032AK | Compatible with Pacific Sensors for Toyota/Lexus (Purple) | \$3.18 |
| 469-01110 | 1110K | SH20006AK | Compatible with Pacific Sensors for Toyota (Teal) | \$3.18 |
| 469-01130 | 1130K | SH20030AK | Compatible with Schrader 20005 (Burgandy) | \$2.95 |
| 469-20025 | 2000K | - | TRW Kit for Honda, Acura | \$3.95 |
| 469-20010 | 2010K | SH20015AK | Compatible with Schrader Sensors for Volvo (non-stock) (Lt. Brown) | \$1.92 |
| 469-20030 | 2030K | SH20016AK | Dill Sensors 9154, 9204, 9214 | \$2.05 |
| 469-02040 | 2040K | SH20019AK | Kit for Honda Civic (Lt. Blue) | \$2.25 |
| 469-09250 | VS925A | - | Aluminum Metal Replacement Valve for GM Snap-In | \$4.43 |
| 469-09251 | VS925C | | Chrome Metal Replacement Valve for GM and Ford Snap-In | \$4.53 |
| 469-00950 | VS950 | SH20018 | Rubber Snap-In Replacement Valve for GM & Ford fits Schrader 46133500 (ea) | \$1.89 |
| 469-17208 | VS950IV | VS950IV | Rubber Snap-in like VS950 for GM & Ford (Import) | \$.99 |
| 469-09305 | VS950SC | - | Chrome Replacement Valve for GM and Ford Snap-In | \$2.63 |
| 469-34000 | 46934000 | | Alum Stem for Schrader 46133500 dual band | \$5.50 |
| 469-20020 | - | SH20020 | Replacement Stem Chrysler, Uses Kit 1050K | \$2.29 |
| 469-90660 | 9066K | - | Complete Replacement Stem Chrysler with Kit (9066B-Ball joint only) | \$4.48 |
| 469-07020 | 7020K | - | Accessory Kit for Redi Sensor | \$3.95 |
| 469-00770 | VS70 | - | Available on the following vehicle in various forms: Years 2010 to 2014 (Acura, Cadillac, Chrysler, Dodge, Honda, Hyundai, KIA, Mazda, Nissan) the sensor most associated with the VS-70 is 7001/HP or 7002. | \$8.53 |
| 469-00090 | VS90 | - | Key at base attaches via press clip; Fits Dodge Dart, Mitsubishi Mirage | \$5.53 |
| 469-17436 | 1743016 | - | Smart Sensor Snap-In Valve for ITM, Cub, 31Inc, Pilot | \$3.34 |
| 469-20014 | - | SH20014AK | Kit Fits EZ Sensor 34000 Stem | \$2.13 |
| 469-01010 | VS1010 | SH20018 | Fits Hyundai Sante Fe Snap-In 7mm | \$2.62 |
| 469-00065 | VS65 | SH20635 | Base of stem is square Snap-In Fits Dodge Rams, Jeep Cherokee | \$3.94 |
| 469-17395 | VS65IV | SH20017 | Base of stem is square Snap-In Fits Dodge Rams, Jeep Cherokee Import | \$2.44 |
| 469-00035 | VS35 | - | Dill TPMS clamp-in valve Dodge Ram (DA545D HighRail version) | \$7.54 |
| 469-00919 | VS919 | - | Replacement TPMS stem for 19.5 Trk Wheels, parallel key | \$3.72 |
| 469-00241 | VS241 | - | 2017 Ford F350 Super Duty dually aluminum | \$6.24 |
| 469-00200 | VS20 | SH20045 | Rubber Valve Stem for 2015 and newer GM and Ford | \$2.67 |
| 469-20280 | RV1000 | - | Autel MX-Sensor Rubber press release stem | \$3.25 |
| 469-20279 | MV1000 | - | Autel MX-Sensor Metal press release stem | \$3.08 |
| 469-20281 | CV001 | - | Autel Black MX-Sensor Black Metal Valve | \$4.17 |
| 469-20282 | CV002 | - | Autel MX-Sensor Titanium Grey Metal Valve | \$4.17 |
| 469-20283 | CV003 | - | Autel MX-Sensor Chrome Valve | \$9.95 |
| 469-17393 | VS920 | | .625" valve hole square found in Ford Super trucks/sprinters (VS919 Parallel key) | \$4.47 |
| 469-17398 | 1750398 | | Short Snap in good for custom applications parallel key | \$1.48 |
| 469-00490 | VS490 | | Tesla OEM stem uses T20 screw, aftermarket wheel compatible OE Sensor available PN:2547 | \$7.90 |
| 469-00015 | VS15 | | Replacement Valve for Toyota Corolla | \$4.20 |
| 469-00312 | VS312 | | Replacement Clamp in Stem for Toyota TPMS Adapter w/Bent 0.3 90" | \$6.40 |
| 469-00543 | DA543E | | Valve for GM | \$11.97 |
| 469-02045 | 2045K | | TPMS Accessory Kit Honda Acura TPMS Valve Stem Assy Short TRW | \$2.53 |
| | 1096 | | Ball-seat valve stem assy w/ internal shear ring 43mm | \$7.96 |



FREE SOFTWARE UPDATES



BASIC FUNCTIONS

EASY & FAST

- Activate All Known TPMS Sensors
- Read Sensor ID, Temperature, Pressure
- Read Sensor Battery Condition
- On-Tool OE Sensor Information
- Program MX-Sensor With 3 Programming Options
- Batch Program 1-16 MX-Sensors

\$480*

MaxiTPMS
TS508WFK16


- 1 - Autel TS508 Complete TPMS Tool
- 4 - Metal Valve Stems
- 16 - 1 Sensor TPMS Programmable Sensors
- Wifi Version Available



COMPLETE FUNCTIONS

POWERFUL

- Same TPMS Features as Quick Mode
- TPMS Status Screen - View System Faults
- Read & Clear TPMS DTCs
- On-Tool DTCs Description
- Program MX-Sensors by Copying ECU Sensor IDs
- On-Tool Relearn Procedure Guide
- Widest Vehicle Coverage For OBD Relearn
- Tire Pressure Placard Value Reset



AUTEL TPMS TOOL

- The MaxiTPMS® TS508 is a new generation TPMS diagnostic & service tool specially designed to activate all known TPMS sensors, read TPMS sensor status, check TPMS system health condition, program MX-sensors and conduct TPMS relearn
- With Quick Mode and Advanced Mode options, you can save time and energy by choosing the most suitable way to complete TPMS work



TS508K

FREE
SOFTWARE
UPDATES

ACTIVATE
ALL
KNOWN
TPMS
SENSORS

46130100 - PRE-PROGRAMMED TESLA
BLUETOOTH TPMS SENSOR

- The MX-Sensor BLE is a pre-programmed Bluetooth Low Energy (BLE) sensor that offers "fit & go" capability for:
 - Tesla Model 3 2021-2023
 - Tesla Model S 2021-2023
 - Tesla Model X 2021-2023
 - Tesla Model Y 2020-2023
 - All Tesla models older than the years above use our standard Ascot by Autel MX Sensor 1-Sensor
- Built to meet or exceed industry standards and tested to endure extreme temperatures, the MX-Sensor BLE is also programmable with Autel tools for the latest BLE-equipped vehicles
- The MX-Sensor BLE is warranted for two years

Dill OE
Tesla
sensor
available

\$54.99

AUTEL MX-SENSOR PROGRAMMABLE UNIVERSAL
TPMS SINGLE SENSOR

Metal stems available in Black, Titanium, Chrome, & Rubber

- Combines 315MHz & 433MHz frequencies into a single sensor • 98% vehicle coverage • The exclusive MX-Sensor patented PRESS release valve allows rubber and metal valve stems to freely interchange by hand without requiring a tool • Built to match or exceed OEM sensors in frequency strength and durability
- 100% ID cloneable with no relearn required • Quickly update during installation with an Autel wireless programming tool



Qty
discounts
available!

| Ascot No. | McGee No. | Description | Price |
|-----------|-----------|---|--------------------------------------|
| 461-20326 | 1-Sensor | Autel MX-Sensor Programmable Universal TPMS Single Sensor | \$26.99 Quantity breaks available |

Ask us about our competitor tool trade up program

McGee Exclusives
72 SENSOR PROMO

Buy three
1 sensor 24 bags and
get a free tool

Sick of your technicians
not being able to read tire
DOT codes or read what
they wrote down?

Make it a pro version
PROMOITS600PRO
\$114.99!

AUTEL®



ITS600 is the first tool
to scan DOT numbers
for expiration and
recall lookup!

TBE200
VideoITS600
Video

ITS600 TPMS, Diagnostics, and Tire Service Tool

- Activates, reads and relearns all known sensors
- OBDII relearn for most vehicles with 99% coverage of OE sensors
- Copy By OBD sensor programming & four MX-Sensor program modes; batch program up to 20 MX-Sensors
- Includes wireless Bluetooth vehicle communication interface (VCI)
- Tire pressure placard value reset
- Read/Clear TPMS system codes & view live data
- Free Wi-Fi software updates for the life of the tool



ProUpgrade \$120



Integrate with the TBE200 for:

- Precise laser measurement of tread depth & brake disc wear
- Create comprehensive Test Report w/ TPMS health, Tread depth, brake disc wear characteristics, & Repair tips

TBE200 \$459.99



TBE in action

REDI-Sensor™

Simple and Accurate

REDI-SENSOR MULTI-APPLICATION SENSOR

- Installs right out of the box • No programming required, saving you 8-10 minutes per vehicle • Reduces replacement sensor inventory • Adjustable valve stem design • Fits over 90% of the market



What's the difference between 5000 series and REDI?



WORKS WITH EXISTING MAJOR TPMS SCAN TOOLS:

If a shop has the tools to handle OE sensors, it's ready for REDI-Sensor. Unlike other sensors that require the purchase of specialized tools and software upgrades, no additional purchases, training or investments are needed with REDI-Sensor.

| Ascot No. | McGee No. | Description | Price |
|-----------|-----------|--|----------------|
| 461-07005 | 7005HPR | 433MHZ REDI-SENSOR W/ VS-20 SNAP-IN VALVE | \$35.99 |
| 461-07006 | 7006HPR | 315MHZ REDI-SENSOR W/ VS-20 SNAP-IN VALVE | \$35.99 |
| 461-07007 | 7007HP | 315MHZ REDI-SENSOR W/ VS-70 CLAMP-IN | \$35.99 |
| 461-07008 | 7008HP | 433MHZ REDI-SENSOR W/ VS-70 CLAMP-IN | \$35.99 |
| 461-05001 | 5001R | PRE-PROGRAMMED DILL SENSOR TPMS 433MHZ | \$35.99 |
| | 7006HP625 | 315MHZ REDI 7006HPR with 0.625" clamp-in valve | \$39.99 |



TPMS Profit Center

Remember, replacing the TPMS valve stem (snap-in rubber or clamp-in aluminum) or the TPMS service kit with each tire sale is done for the same reasons a traditional TR-413 snap-in is replaced with each new tire.

More information at mcgeecompany.com/stems



TPC
\$184.99

- McGee's top 7 stems
 - * 8 - VS70
 - * 4 - 1096k
 - * 4 - VS90
 - * 8 - VS65
 - * 8 - 9066K
 - * 20 - VS950
 - * 4 - VS20
- Color coded for easy selection
- 52 stems
- Extra dividers to fit your needs
- Heavy duty protective organizing case



How much money are you leaving on the table by not doing TPMS?

| | TR413 Valve Stem | TPMS Rebuild 9066k |
|--------------------------|--------------------|---------------------|
| ASSUMPTIONS | 100 Tires per Week | 100 Tires per Week |
| Cost to WD | \$ 0.29 | \$ 4.03 |
| Sell price | \$ 1.90 | \$ 8.95 |
| Profit per tire | \$ 1.61 | \$ 4.92 |
| Weekly profit | \$ 161.00 | \$ 492.00 |
| Annual profit (52 weeks) | \$ 8,372.00 | \$ 25,584.00 |

A shop doing TPMS makes over **three** times the amount doing TPMS versus valves alone in addition to pushing their customers to a competitor. **Be TPMS smart**; let McGee Company train you and set you up with the tools to be successful.

EZ-sensor™

Innovation by Schrader

S57 Tool Features:

- Schrader's strong OE pedigree, EZ-sensor®, and its latest generation EZ-sensor® GO, provides users with 70% EV coverage for national brands. The OE quality sensors cover some of the most popular EV applications in North America, such as:
 - Tesla 3 (2017 – 2020)
 - Ford Mustang Mach-E (2021)
 - Tesla S (2014 – 2021)
 - Nissan Leaf (2011 – 2022)
 - Chevrolet Bolt (2017 – 2022) and more

Ask us about App controlled aftermarket TPMS, banded or valve mounted



Fig 8 433" & 8 435"

Sensors transmit to the app on your phone or tablet

| McGee No. | Description | Price |
|-----------|-----------------------------------|-------------------|
| 46133560 | Dual Band 315 & 433 Mhz EZ Sensor | \$29.99 |
| 46133561 | Bulk 10 Pack EZ Sensor | \$249.99 |
| 46934000 | Aluminum Stem for EZ Sensor | \$5.49 |
| VS950 | Rubber Stem for EZ Sensor | \$1.89 |
| 33700 | High Speed EZ Sensor | \$34.99 |
| 21355 | ST1 Tool with 28 EZ Sensors | \$659.99 |
| 21057 | S57 Tool w/100 EZ Sensors | \$2,219.99 |

Designed to eliminate multiple sensors required for TPMS work

APPLICATIONS:

Covers most GM, Chrysler, Honda, Nissan, Toyota, Lexus, Scion, Ford, Lincoln, & Mercury vehicles and some Mitsubishi, Subaru & Suzuki vehicles • Fully programmable • Compatible with Bartec, Schrader and SPX/OTC programming tools • Sensor features Wireless Auto Locate or WAL that allows the vehicle's TPMS system to locate and identify each TPMS sensor's specific location



TPMS Tool Comparison

| VEHICLE COVERAGE | ST-1 | S57 |
|---|---------------------|--|
| Universal sensor coverage | EZ-sensor Exclusive | EZ-sensor + Other Programmable Sensors |
| Triggers/scans/reads/activates/relearns 100% OEM sensors | ✓ | ✓ |
| RELEARN FUNCTIONALITY | ST-1 | S57 |
| OBDII and Sync-ID (OBDII routines for Ford, Mitsubishi, Suzuki etc.) technologies | ✓ | ✓ |
| Tread depth gauge measurement (PN: 21301) | ✓ | ✓ |
| ECU unlock feature | ✓ | ✓ |
| Clears and retrieves TPMS Diagnostic Trouble Code (DTC) information | ✓ | ✓ |
| Decodes TPMS Diagnostic Trouble Code (DTC) information | ✗ | ✓ |
| HARDWARE & SOFTWARE | ST-1 | S57 |
| Keyfob test & PN lookup | ✓ | ✓ |
| WiFi and live update capable | ✓ | ✓ |
| DOT (Department of Transportation) recording | ✗ | ✓ |
| Allows placard pressure adjustments | ✓ | ✓ |
| EZ-sensor® image display capability | ✓ | ✗ |
| ID match function (matches sensor IDs with the ones stored in the vehicle) | ✓ | ✗ |
| Schrader's unique and user-friendly software | ✓ | ✗ |
| Customer/Job management feature | ✓ | ✓ |
| Built-in TPMS tool training | ✗ | ✓ |
| VIN barcode scanner to select Make-Model-Year (US only) | ✗ | ✓ |
| Supports trailer TPMS relearns | ✗ | ✓ |
| Touchscreen | ✗ | ✓ |
| 5 years of free software updates | ✓ | ✓ |

McGEE COMPANY RECOMMENDED RECIPROCATING COMPRESSOR MAINTENANCE

This guide is not designed to be a complete maintenance manual for all air compressors. Refer to manufacturer's manual for detailed instructions.

If the unit is in an excessively dusty area, increase frequency of all checks! Always turn power off before servicing.

DAILY CARE . . .

| |
|--|
| Check for proper oil level |
| Drain any condensate from receiver and traps |
| Check for any unusual noise or vibration |

WEEKLY CARE . . .

| |
|--|
| Clean air filter |
| Clean all external parts of compressor and driver |
| Safety valve should be tested manually to see that it does not stick |

MONTHLY CARE . . .

| |
|---|
| Inspect entire air system for leaks |
| Inspect oil for contamination and change if necessary |
| Check belt tension and wear |

EVERY SIX MONTHS . . .

| |
|--------------------------|
| Change Oil |
| Inspect valve assemblies |

**Call 800-525-8888
today for details!**

Detail maintenance chart available.

Preventive maintenance programs available in Colorado.

Quincy QT® Compressors "Rated #1"



Meticulously designed for maximum productivity. Completely rebuildable with stainless steel valves and heavy duty cast iron crank case and cylinders. Leading the industry with the most CFM per brake horse-power. Includes ASME receiver, enclosed belt guard, EPA high efficiency motor, and loadless auto stop/start.

| Part No. | HP | Electric Spec. | ACFM at 175 PSI | Tank Size | Tank Style | Price |
|------------|-----|----------------|-----------------|-----------|------------|-------------------|
| 2020040701 | 5 | 230V, 1ph | 17.2 | 80 | vert. | \$2,949.00 |
| 2020040716 | 7.5 | 230V, 1ph | 22.6 | 80 | vert. | \$3,275.00 |
| 2020040776 | 10 | 230V, 3ph | 35 | 120 | horz. | \$5,495.00 |

3-Year Warranty Program



- Quincy's True Blue 3-Year Warranty
- Register unit within 10 days after purchase to activate warranty
- Purchase and use genuine Quincy filters and lubricant during the warranty period. (Proof of purchase required)
- Receive a 3-year limited warranty on the compressor.
- Receive a 2-year limited warranty on the package.
- Motors and engines are warranted by the original manufacturer.



CP4X4 Vibration Pads

Ask about our Energy Audits for rebates from energy companies

- Electric Operated Drain Valve 1/2"
- 1/4" NPT Inlet & 1/2" Female Pipe
- 300 Maximum Working Pressure
- 110 Volt w/6Ft Power Cord
- Y-Strainer & Ball Valve Included
- Adjustable Timer For Blow Down
 - » 1/2 Second - 45 Minutes Interval Time
 - » 1/2 Second - 10 Seconds Discharge Time


2523J - \$123.00



ELIMINATE WATER!

Where Water Comes From

The atmospheric air entering a compressor intake contains water vapor. Because of the effects of compression, most of this water vapor turns into troublesome liquid water in your air lines. Prevent freezing.



| | | |
|----------|------------------------------------|-------------------|
| RAD0025A | 25 CFM 1PH 115V Refrigerated Dryer | \$1,595.00 |
| RAD0040A | 40 CFM 1PH 115V Refrigerated Dryer | \$1,785.00 |
| RAD0075A | 75 CFM 1PH 115V Refrigerated Dryer | \$2,350.00 |

Quincy Gas Powered Compressor

Now \$3,399.00!

Champion version available

Heavy Duty 13HP Honda engine, 2 stage compressor, 23.6 CFM at 175 PSI!

Model 2020014002

Quincy Gasoline Air Compressors

- Truck Bed Mountable, ideal for Field Service Applications
- Heavy Duty Two-Stage Compressors
- V-Belt Drive with Totally Enclosed Belt Guard
- Unloader for loadless start prolongs motor life
- Each new assembled unit comes with a 3-year limited warranty

**GREAT FOR
SPRINKLER
BLOWOUTS**



WARRANTY INFORMATION

NO BULL

Optional NO BULL Warranty



Pro/Pro+/Max Package with Extended Warranty Kit
3-Year Pump/2-Year Package Warranty
OEM Parts/Fluids and Online Registration Required

*Must purchase associated kit at the same time as the compressor to receive warranty extension

Lubricants

McGee Company stocks a variety of lubricants in various weights to fit your needs. Make sure you have the appropriate weight lubricant in your system to protect against high temperatures and frictional wear of bearings and cylinders that reduces the life of your compressor. McGee Company carries Quincy specific Quin-Cip/Quin-Syn through our house brand.



| Part No. | Description | Price | Appl. |
|------------|----------------|----------------|------------|
| 2024600602 | 10 weight gal. | \$54.99 | Cold < 32° |
| 2024600702 | 20 weight gal. | \$55.99 | Warm < 68° |
| 2024600802 | 30 weight gal. | \$46.99 | Hot > 85° |

Proper Piping for Compressed Air

- 100% aluminum for compressed air, copper ok as well.
- Aluminum offers excellent mechanical resistance to pressure and to impacts.
- The upgraded design of the new PPS1 aluminum fitting is more compact, lighter and more resistant.
- The aluminum alloy used, combined with epoxy paint on the outside and a treatment on the inside, protects the pipe against the risks of oxidation and corrosion.
- Simply insert the pipe into the fitting and then tighten the PPS1 fitting.




Pro Park 8S

PP8S

GOLD CERTIFIED**8,000 LB. CAPACITY****72" Lifting Height****Direct-Lift**Install
available**F.O.B.
Denver**

**VERSATILE TOOL
FOR AUTO LIFT
AND STORAGE
NEEDS**

Shown:
PP8S

| Specs | PP8S | PP8P | PP9 |
|---------------------------------------|------------|------------|------------|
| Capacity | 8,000 lbs. | 8,000 lbs. | 9,000 lbs. |
| Lifting Height | 72" | 86" | 85" |
| Overall Length w/Approach Ramps | 207-1/2" | 222" | 221" |
| Overall width (with motor) | 115 | 115 | 131" |
| Overall width (without motor) | 103-1/2" | 103-1/2" | 121" |
| Overall Length without Approach Ramps | 175-1/2" | 190" | 197" |
| Approach Ramps | 36-3/4" | 37" | 36-3/4" |
| Runway Width | 18-1/2" | 18-1/2" | 20" |
| Runway Length | 166" | 180" | 188" |
| Runway Thickness | 4-1/2" | 5" | 4-3/4" |
| Outside of tire to outside of tire | 80-1/2" | 80-1/2" | 97" |
| Height of Columns | 83" | 95-3/4" | 97" |
| Clearance Between Columns | 94" | 94" | 109-1/2" |
| Clearance Between Runways | 38" | 38" | 39" |
| Outside Runway to Outside Runway | 74-3/4" | 75" | 79" |
| Clearance Under Runways | 68" | 81" | 80" |
| Motor | 110 V, 1HP | 110 V, 1HP | 110 V, 1HP |
| Shipping Weight | 1,820 lbs. | 1,920 lbs. | 2,350 lbs. |

Make sure your lift is Gold Certified!

Direct-Lift's Pro Park series four-post lifts are now ALI Certified. It takes a combination of the design, engineering excellence and quality manufacturing to earn this certification. It is extra assurance for you that your lift meets the highest industry safety and performance standards. Look for the Gold label.



Find the right fit:



**DL9
9,000 LB.
CAPACITY**

- Padded shut off bar
- Powder coat finish
- Adapters and bracket included
- Self-setting locks
- Symmetric 2-post lift with asymmetric arm design

| Specs | DL9 |
|-----------------------|---------------|
| Capacity | 9,000 lbs |
| Lift Type | Overhead |
| Overall Height | 143" (11'11") |
| Overall Width | 132" (11') |
| Width Between Columns | 109" (9'1") |
| Max Lift Height* | 76" (6'4") |
| Shipping Weight | 1450 lbs |
| Truck Adapters | Included |

COB Rechargeable Work**Light - TWL3007E -****\$19.99**

Magnetic Swivel Bottom

AFF210 3-ton Aluminum Light Weight Jack

- This professional grade service jack combines the strength of steel with the lightweight benefits of an anodized aluminum frame; The polished plunger pistons provide a smooth surface for a longer seal life
- 57 lbs!

AFF210 - \$499.99**8 Gallon Oil Lift Drain**

- Reinforced base will not warp with hot oil
- Wide working range from 36.5-74"
- Low center of gravity for increased stability
- 4 swiveling, easy roll wheels
- Heavy adjustment clamp with large handle and large pour threaded spout.
- Built-in strainer with funnel

11102 \$159.99**3-Ton Jack Stands****30263030
\$39.99**More info on
page XX

**Now with double lock safety
pin for added security**

**CPH001 LED Rechargeable
Headlamp****\$24.99**

- Hands free on/off of main light
- ABS silicone band (lightweight)
- COB high, low, and flashing with 3W Led High/low spot
- USBC charging 3-4 hrs with working time 3-8hrs
- Waterproof and shockproof

**72163001 - 1750LB Capacity Heavy Duth Work Bench**

- 1750 lb. capacity HD steel construction
- Equipped with easy-to-use leveling feet
- Bolts together for quick assembly
- Sliding storage drawer
- Blue powder coated finish
- Dimensions: 63"x27"x34", 124Lbs

**15 Pc. SAE Long Combination Open End Wrench Set \$119.99**

- Open-end grip provides 25% more torque
- Offset box end
- Comfortable I-beam handle design
- Chrome plated for rust protection
- Made in Taiwan
- **AS9415**- Fractional sizes: 1/4", 9/32", 5/16", 7/8", 11/32", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 15/16", 1"
- **AS9515** Metric sizes: 8mm, 9mm, 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 16mm, 17mm, 18mm, 19mm, 20mm, 21mm, 22mm
- **11 Piece \$94.99 AS9511** Metric sizes: 8mm, 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 16mm, 17mm, 18mm, 19mm
- **11 Piece \$94.99 AS9411** Fractional sizes: 1/4", 5/16", 11/32", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 7/8"



AS9411



AS9415

Flex Head Open End Combination Wrenches \$24.99

- Capable of tilting 180 degrees
- 72 teeth with double stack pawls to provide 144 tips (ratcheting positions)
- 144 tips provide wrench with more movement, a 2.5-degree space requirement for each turn
- Made with chrome vanadium steel for strength in Taiwan
- Designed for working in confined space
- **916FHOECW** - 9/16" Flex head
- **58FHOECW** - 5/8" Flex head



916FHOECW

Mach Flex Mobile Column Lifts - Call for Demo!

- New higher column capacity 18,800 lbs
- Easy to use intuitive remote control operation
- Control all columns from anywhere in the bay with remote included with purchase.
- Includes LockLight™ on each column
- Vehicle Height and Weight digital display gauges



2, 4, 6, & 8 column configurations available!



SM301 - 30,000 LBS. LIFTING CAPACITY

SPOA10-AV

- 10,000 lbs. capacity AV arms lift and service practically all roadgoing vehicles on ONE LIFT, including:
 - Battery Electric
 - Exotic Low Profile
 - Truck Frame
 - Unibody Cars & SUVs
- THE HIGHEST CAPACITY LOW-PROFILE LIFT AVAILABLE With the industry's lowest profile arm height available of any 10,000 lb. capacity two-post lift, technicians can easily spot lower profile vehicles without worry.
- THE LOWEST ADAPTER HEIGHT IN THE INDUSTRY The outer arm and adapter height are the same measurement reducing any possibility the arm makes contact with vehicle underbodies. The adjustable, low adapter height allows the needed reach to easily spot, lift and repair unibody, exotic and battery electric vehicles.
- Shockwave available

MORE INFO:



Shown SPOA10-AV



SP012 12,000 lbs. capacity SHOCKWAVE™ EQUIPPED OPTION



Model Shown: SP012U7T5RD SHOCKWAVE equipped lift

LOW CEILING MODEL AVAILABLE

2X faster rise and descent

Three-stage arms add reach

Thread-up truck adapters with stackable inserts

Three higher rise and extended height options – add up to 3' of height!

Shockwave Inground Smartlifts

- 10,000-12,000 lbs capacity models available
- High efficiency power and air per lifting cycle, selected in key lead projects
- Reduces space usage and allows more lifts
- Trio three stage arms for pinpoint location
- Shockwave or standard available
- New wide inground (SL210W or SL212W) futureproofs your business, as they can service electrical vehicles.



SL210W



New AR022

- Alignment ready runway lifts 22,000 lbs. capacity
- Robust open front design
- Air locking rear steer plates
- LED runway lighting system



Higher weight capacity lifts available!

Price is just the tip of the iceberg when evaluating equipment purchase. Beware of hidden future problems.



CALL FOR PRICING

Maximize efficiency and expand your service capabilities with our top-of-the-line mobile tire service equipment from Hunter, Coats, or Cemb. Offering tire changers and balancers specifically designed for mobile operations, our solutions allow you to bring professional tire services directly to your customers, saving them time and giving your shop a competitive edge. With a full range of supplies available, we're your one-stop shop for equipping your mobile service vehicles.

Coats

80C

- Auxiliary Bead Sealer
- RoboRoller
- Center Locking Clamp Design



1185 Wheel Balancer

- Laser Line Guidance
- Color LCD Display
- Live Position Indexing Guidance
- Small base design



Calculate
your ROI:



Hunter

TC33M

- 12-24 in. Wheel rim capacity
- Traditional polymer head
- Optional press arm



SmartWeight® Pro

- Smallest most lightweight footprint
- CenteringCheck® eliminates setup errors
- SmartWeight® efficient weight placement
- No-touch wheel measurement
- Single-knob interface

Cemb

SM825EVOPA

- Two Stage Inflation
- Bead Breaker Shovel
- Mounting Head
- Table Top Clamping
- High Performance Press Arm



EZ10

- AutoAdaptive™ Mode
- Automatic Approach
- Virtual Sonar
- Automatic Gauge
- Touch Panel
- Manual Locking
- Electric Brake



Lifting jack pads for Tesla models

TJP4 - \$24.99 or TJP4Y (Model Y)

- Set of four in convenient carrying case
- Protect the vehicle, battery and paint from damage
- Can be used with floor jack or 2-post lifts
- Top piece fits into designated factory lifting points



FJ6259KIT
(Set of 4)

Norco 1/2 ton transmission Jack

- Fully adjustable universal saddle with adjustable corner brackets and safety chain, 72" raised height
- Safety overload system prevents jack from being used beyond rated capacity
- Foot operated pump and lowering pedals
- Two-stage flash chromed rams inhibit rust from entering hydraulic system
- Wide base with polyurethane wheels to protect floors.



72500E - \$1,199.99

Ask us about fuel tank saddles

Door Defender™

Rotary's new door defender allows technicians to easily enter and exit the vehicle without damaging their customer's vehicles. The door defender is a low profile solid rubber guard designed to fit over the two-post lift carriage. The N823 door defender kit includes: 1 door defender, adhesive to attach to the lift, a Rotary decal and instructions.

Model #N823



81033A -
\$174.99


Norco under hoist stand 3/4 ton

- Lightweight, slender design makes handling easy, even in close quarters
- Quick adjust spin handle with thrust bearing eliminates wear and provides ease of turning under load
- Extended height 81"



CPH001 LED Rechargeable Headlamp \$24.99

- Hands free on/off of main light
- ABS silicone band (lightweight)
- COB high, low, and flashing with 3W Led High/low spot
- USBC charging 3-4 hrs with working time 3-8hrs
- Waterproof and shockproof



RA, TA, and Trio adapters for Rotary and other brands available, call for pricing!

COB Rechargeable Work Light TWL3007E - \$19.99

Magnetic Swivel Bottom



Rubber lift pad for any lift available!



| Ascot No. | Mfg. No. | Description | Application |
|-----------|----------|-------------------------------|--|
| 309-00003 | JOK03M | Rubber Lift Pad - 5" Round | Nussbaumlifts |
| 309-00005 | JOK05M | Rubber Lift Pad - 4" x 5" | BenPearsonlifts |
| 309-00007 | JOK07M | Rubber Lift Pad - 5" x 5" | Forward, Worth, American, Gemini, Grand, Tuxedo, Eagle, & Whip lifts |
| 309-00009 | JOK090 | Rubber Lift Pad - 4" x 4" | Challenger CL9 and CL10 lifts |
| 309-00022 | JOK22D | Rubber Lift Pad - 3.25" x 4" | Rotary SPO10, SPO12 lifts |
| 309-00014 | JOK140 | Rubber Lift Pad - 5.25" Round | Challenger CL10, Quality lifts |
| 309-00011 | JORB-1 | Rubber Block 1.5" | Rotary Airjacks and all Mid-Rise pad lifts |
| 309-00013 | JORB-3 | Rubber Block 3" | Rotary Airjacks and all Mid-Rise pad lifts |
| 309-00006 | JOK06M | Rubber Block 6.25" | Round Slip On ALM Lifts |

LOCK LIGHT

Each LOCKLIGHT™ includes:

- Indicator light assembly
- Pressure switch
- Mounting Bracket
- 10' of electrical wire

- Compatible with most surface and inground lifts using electric/hydraulic power units
- Retrofits to most existing lifts
- 110v and 220v configurations

Part #FA834/110v


Part #FA835/220v



Wheel Arm for lifts 92100 - \$109.99



- 100 lbs Capacity
- Set of two arms
- Comes with 2 magnetic tool trays, hex key, and mounting shims



Wheel arms hold tires at the lift arm height – great for tire rotations and brake jobs

Air/Electric Utility Boxes

- Two 110v electric outlets and air connections mount easily to any column and provide quick access to utilities.
- The filter/regulator/lubricator extends the life of your airtools.

FA5911BK (with filter/regulator/lubricator)
FA5910BK (without filter/regulator/lubricator)



COATS

85610104 ADJUSTABLE PIN PLATES SET OF 3 FOR LUGS 3,4,& 5 \$2,797.99

- Works on any 40 mm balancer
- Adjustable design provides fast and easy clamping
- Lug clamping and centering prevents damage to alloy wheels
- 85609688-5 lug, 85609689-4 lug, 85609690-3 lug



85607503 - SLIDE NUT PREMIUM 2 JAW 40MM \$359.99

- Solid metal body lasts longer and won't shatter, if dropped.
- Binary Thread Engagement stays fully open during installation, eliminating wear from dragging the teeth across the balancer's threaded shaft.
- Fits coats 40mm shafts
- 85608312- No mar ring & 8112106 Pressure cup



8111935 - SPACER LT TRK BACK CONE \$329.99

- For use on certain deep offset applications.
- Can be used on any 40mm wheel balancer.



Steel ProGrip Quick Nut with Handles and Pressure Cup



483-40806

HW124408006 - \$299.99

Cemb 41FF83148 - \$419.99

Quick release wingnut with reverse mounting cup & no-mar ring, not for use with HD Truck balancers

Creates pressure necessary for Road Force balancers.

HUNTER, COATS

All Hunter Balancers exc 700 and DSP9500 90-92; All Coats Models Quick Nut Only

Coats Models 700, 775, 800, 825, 850, 875, 925, 950, 1000, 1025, 1030, 1035, 1175, 1250, 1255 (40mm shaft upgrade), 6275HS

Rubber Rings for quick releases

1061572 - 6" Rubber ring for Hunter quick release nut \$14.99

Fits all Hunter balancers

Prevents marring of the wheel during wheel balancing service when using a pressure cup
For use with steel wing nuts and quick release
Made in Taiwan



106822 - 4.5" Rubber ring quick release nut \$14.49

Made in Taiwan

Prevents marring of the wheel during wheel balancing



483-40110
(HW150400110)
ProCollet Kit 40mm

9 pc.
2.07" to 4.76"

\$779.99

The Low-Taper Collets are superior to standard cones because they have more contact area and engage the wheel at a better angle; they are also necessary for Clad Wheels because they are shorter and only contact the metal part of the wheel. They can be used for "standard" wheels as a replacement for the cones.

In Stock — Call for best price!

6763 - PCD Wheel Bolt Measuring Tool - \$12.99

- Can be used to measure a wheel or turned over to measure studs on a vehicle
- This wheel rim bolt pattern gauge is made of the best quality plastic material
- Lightweight and durable
- Quickly measures most common 4, 5, 6, 8 lug bolt patterns, it shows both inch and metric sizes.



HUNTER

2027651 - BULLSEYE COLLET KIT GEN \$1,198.99

Kit includes:

- A. 175-392-1 6 in. clamping cup
- B. 46-653-2 Performance wheel & light truck spacer
- C. 14-1470-005 Cone carrier bracket support
- D. 56-70-2 Front balancer cone carrier
- E. 20-2683-1 Passenger to 3/4 ton dual-taper collet kit
- F. 106-157-2 Protector sleeve



2033581 - COLLET KIT ECONOMY MD \$1,249.99

- Does not handle the large 8 lug/8.7" bore found on some medium duty trucks. 20-3155-1 covers that application and includes 20-3116-1. Includes application chart.



2036981 - FLANGE PLATE AND STUD KIT ADJUSTABLE \$1,399.00

- This durable aluminum design can adjust from 98 to 210mm bolt patterns and covers almost all wheels in this range. It comes with (3) three sets of (5) five pins each to handle any application. These pins are 2, 2.5 and 3.25" long with diameters of 1 to .75" respectively.



Light Truck Cone Kit

HW150280091 28mm \$399.99

Allows balancing truck wheels with center holes from 4¹³/₁₆" to 6⁷/₈". Used on rims with an alignment pin on the back. Double-sided cone fits all Coats balancers



40mm - 48340091 (113277) \$249.99

\$39.99



Model #61123 Balancer Calipers
482-89011

Works on any passenger balancer. Equal to Coats 61123 or 309011 or Cemb 46FC77653

\$279.99



Part #85009998 08 40mm I.D. - Shaft, Hubnuts, & Press Drum

Nut-Slide, 2 Jaw, 40mm w/drum, for use on 700-1250 Coats models or Cemb with 40mm shaft
28mm version 85009996

\$149.99



Model #112103
40mm I.D. - Shaft, Hubnuts, & Press Drum

Hub Nut, Handle, Solid, 45mm for standard thread pitch (not for XR-Series)

\$279.20



8500920401 Balancer Shaft 40mm Balancer Shaft for 850, 950, 1050, 1055, 1250, XR, & 1150 Models



RP11811400325
Leverless
Mount Head
Insert Kit
TCX V3 **\$59.99**

RP11811100303S
Protector Plastic for Old
TCX Steel Mount Head
\$1.78



Plastic Inserts for 182788 Metal Mount/Demount Head

(Pkg of 2) 50X, 60X, 70X
Model 182961

\$7.99



8560716108 - Grip Max Plus Grip
Replacement 8/Set
2 inserts per jaw

\$59.99



Plastic Inserts for 182788 Metal Mount/Demount Head

(Pkg. of 12)

Model 182963
444-82963

\$26.99

183604 Quilted Clamp Socks (10

pk) for series ma-
chine - 50X, 60X, 70X
\$52.99



For Coats
50X and
70X

Part #
182788

\$124.99



High Grip Jaw Protectors

Polymer jaw covers prevent
metal-to-metal contact when
performing external clamping. -
TCX500 Series Machine

RP11811100358 - 8 ea. **\$118.99**



Plastic Handled Brass Sidewall Brush

- Densely packed brass bristles
- Great for cleaning white sidewall tires



99593

Wooden Handled Wire Brush with Metal Scraper



| Ascot No. | McGee No. | Description | Price |
|-----------|-----------|---|---------------|
| 395-13124 | 99593 | 8" Plastic Handled Brass Sidewall Brush | \$8.49 |
| 535-00150 | 25150 | 14" Wooden Handled Wire Brush | \$3.29 |

75B Racket for 75 Mounting Paste **\$14.99**

and 75NB (low profile)
Made in Taiwan · HD steel
Mounts to TC and includes hardware



Slide Cover for Bead Lifting Tool

Protects custom rims.

85000783 - Slide Cover for Top of Bead
Coats Lifting Tool - 10 pk - Coats **\$52.99**

RP11811400098 - 4 pk for Hunter tire
machines

Lever sleeve protector, Hunter **\$42.99**



85000783

Coats Replacement Tire Changer Air Hose - 5 ft. x 1/4"

Coats Replacement Tire Changer Air
Hose with Euro Chuck
Part # W44RJ5 **\$13.92**

12786872 - Hunter 5' x 1/4" **\$16.99**



Tire Changer Duckhead Specials!

Hybrid Duckhead Mount/Demount Tool

85608959 **\$229.99**

Replacement tail
85608961



For 50X, 60X, 70X

Plastic Duckhead Kit

Part
#183061
444-01220



**Special
\$24.99**

Coats Leverless DuckHead®

Coats Leverless DuckHead® hook and tail
booties provide the proper rim protection
for all leverless DuckHead® systems -
Proguard

89233409 6 hooks, 2 tails **\$123.99**



Pictured: PN 89233409

Head, Mount/Demount, Polymer Red

Hunter TC3250/3500
(1 ea.) Part #2216752



\$21.99 ea.

Hunter TC500 Series Part #RP118314813



\$32.99 ea.

Grey Plastic High Spoke Mount/ Demount Duckhead® Tool

For Coats 50X
and 70X
machines

Part #184432



\$34.99

Hunter TCX Series "Wing" Duckhead

RP11811400327



\$37.99

183606 Coats Sock Bead Loosener Shoe

2/PKG



\$38.75

435685 - Drop Center Tool for Bead Depressing



\$24.99

85607787 Grip Max Plus Laminated Clamps (4) 6"-24"



\$919.99

RP6710014120 Toolhead Wide TCA34 Butler Black

For use on TCA34
w/Serial number
664 and above

\$27.99



444220019 - Long Sock for Bead Lifting Tool

4 Pack - **\$19.99**

- High quality plastic sleeve prevents the rims from scratching while lifting the bead
- Made from high quality, durable nylon
- Ribbed design for anti-slip contact



5500 Low Profile Bead Lever Tool

Designed by technicians to assist with hard to change low profile tires. The easy grip ergonomically designed handle allows the user needed leverage for the toughest of sidewalls while remaining a safe distance from the face of the wheel.



Now \$49.95

For All Rim Clamp Tire Changers



Part # 181354 **\$34.99**
444-81354

Oil King

- Large 25 gallon capacity with sight gauge
- Convenient tool trays and filter areas
- Large offset collection pan with screen
- Oversized tires to get over hoses and rough floors



Graco

AIR DIAPHRAGM PUMPS

3/4" 241906 15 GPM \$659

1" 647731 40 GPM \$899

McGee Company has Graco service and parts!




\$739.99

238866

Splatter pads available

8-1 Drain Plug Wrench

\$6.80 - 31301219



31301219

Maintenance & Installation Available!

Graco LDX Hose Reel

\$319 HEL010 Air 3/8" x 50'

\$419 HEM004 OIL 1/2" x 35'

- Designed for light duty applications
- Enclosed for safety and protection, extended hose life
- 5 year warranty



*Required inlet hose kit sold separately.

218547XX for air or 218549X for oil



Whip your shop into shape with stackable fluid storage & dispensing systems




Dual wall options available



242056 1/4" Non metered Grease Valve \$185
242058 3/8" Non metered Grease Valve \$219

For heavy-duty applications, this non-metered dispense valve is designed to perform in heavy equipment shops, fleet maintenance shops, and municipal garages. Typical applications include service shops, Heavy-duty dealerships, Fast lube centers, Automotive dealerships, In-plant, Lube trucks and Mining.

- Pressure-assisted trigger for ease of operation
- Easy top adjustment with locking nut
- Rugged design to withstand harsh environments



202577 Zinc Plated Steel Z-Swivel 1/4"-18 NPT \$129

224569 Zinc Plated Steel Z-Swivel 3/8"-18 NPT \$159



Heavy Duty & High Quality



SDL25B 50' AIR \$549

SDM33B 35' OIL \$599

SDM65B 50' OIL \$649



25C903 — \$459 Rigid Extension

25C904 — \$459 Flexible Extension

- ELECTRONIC
- LIGHTWEIGHT

Did you know we design complete systems for your needs?

It doesn't matter the size of your shop, we have the right solution for you. We can design at your location with tablets to give you an idea for a new system or an upgrade before we bring it back to design in CAD. Call today for your time and money saving system from the Graco pros at McGee Company.



1-800-525-8888

Graco Pumps & Accessories



24G576 LD Series 3:1 \$539

Affordable and full featured LD series is designed for lower volume applications.



246775 Fireball 225 3:1 \$789

Introducing Graco's classic Fire-Ball design as a 3:1



203876 Fireball 300 5:1 \$1049

This pump has been the "crown jewel" of Graco since the 1950s and is the pump of choice in the most demanding environments.

Tank Gauges

Numbers decrease as fluid level lowers indicating how many inches are left until the tank is empty. For use with oil, waste, diesel fuel, antifreeze and other fluids with a high flash point.



008164 new oil gauge \$249

008566 used oil gauge



24Y863 - REEL ELECTRIC CORD SD5 BLACK 120 V 50' \$599.99

Organize your work space for a safer, more productive work environment. Make Graco your single source for your entire reel bank.


- HD steel construction, SD Series size 5.
- 50 foot cord and features a 5 foot lead-in cable.
- Single industrial receptacle
- Adjustable Arm - Easily change the arm position to fit more applications. Works on walls, ceilings or bench mounts.
- HD Pedestal - High-strength steel construction with rolled edges and ribbed stress points that won't flex or twist.



Pricing Expires 12/31/24 on all Lube Products


Why studded tires are the best choice for winter driving!

Braking distance on Icy Road - (from 31 mph) Average calculated at different temps




35% BETTER THAN 'STUDLESS' WINTER TIRES

Acceleration on Ice (seconds from 3 to 12 mph) Average calculated at different temps



STUDDED TIRES 36% BETTER THAN WINTER "STUDLESS" SNOW TIRES

Dry Asphalt Braking distance 77 MPH to 0 MPH Finnish Tekniikan



Stud Gun, Studding Equipment



| ASCOT NO. | MFG. NO. | DESCRIPTION |
|-----------|----------|---|
| 458-00010 | 10G | Stud Gun. Standard of the Industry. Automatic. Light weight. |
| 458-00002 | KFP2 | Stud Feeder. Fully automatic with 110 Volt motor, fast loading. Provides positive stud orientation. Feeds up to 225 studs per minute. |
| 458-04048 | 4048 | Feederboy Stud Gun. Designed for fast feeding studs of the AS-9 Gun. Attaches with screw clamp. Operates by manually turning the feeder cap. |
| 458-00005 | K5 | Stud Stand. Saddle, extension for feeder & tray. Welded steel construction. K5M doesn't have tall post. |
| 458-00500 | K500 | Studding Equipment Kit. INCLUDES: K-5 stand, AS-9 gun, KFP2 automatic stud feeder. |

Ugigrip®, Self-Adjusting Carbide Tire Stud


- Delivers full-time traction, increases the safety, convenience and security.
- To order studs to best fit your customers' tire, use the TSMI number recommended by the tire manufacturer



SINGLE FLANGE STUDS:

| TSMI Size | 11 | 12 | 13 | 15 | 16 | 17 | 19 |
|---------------------------|--------|--------|--------|--------|--------|--------|--------|
| Overall Length | .345" | .375" | .470" | .520" | .585" | .615" | .635" |
| Jacket Dia. | .197" | .197" | .197" | .197" | .197" | .197" | .250" |
| Bottom Dia | .354" | .354" | .354" | .354" | .354" | .354" | .435" |
| Nearest 32" to Hole Depth | 11/32" | 12/32" | 13/32" | 15/32" | 16/32" | 17/32" | 19/32" |

MADE IN FRANCE FOR OVER 50 YEARS!




STUD GUN PARTS (AS-9 MODEL)

| Part No. | Description |
|----------|--------------------|
| 0084 | External Finger |
| 0087 | O-Ring |
| 0088 | O-Ring |
| 0089 | O-Ring |
| 0090 | O-Ring |
| 0091 | O-Ring |
| 0092 | Piston Cup |
| 0095 | Trigger Spring |
| 0096 | Trigger Pin |
| 0098 | Trigger |
| 0099 | Trigger Sleeve |
| 0126 | Pressing Spring |
| 0127 | Internal Finger |
| 0128 | Handle Body |
| 0129 | Piston |
| 0130 | Feed Tube |
| 0131 | Tapered Sleeve |
| 0132 | Head (Steel) |
| 0133 | Ring Nut |
| 0134 | Compression Spring |
| 0135 | Ring |
| 0136 | O-Ring |
| 0383 | Piston Cup |

Parts Breakdown



Stud Gun Parts Video



STUD FEEDER PARTS (KFP2 MODEL)

| Part No. | Description |
|----------|------------------|
| 0169 | Deflector Spring |
| 0172 | Snap Ring |
| 0173 | Screw |
| 0174 | Washer |
| 0175 | Clamp |
| 0177 | Motor |
| 0180 | Drive Shaft Pin |
| 0428 | Washer |
| 0513 | Clear Tube |
| 0519 | Feed Wheel |
| 0520 | Base Plate |
| 0521 | Retaining Ring |
| 0522 | Feed Tube |
| 0523 | Screw |
| 0524 | Shaft |
| 0525 | Hex Bolt |

Stud Gun Repair & Conversion Kits

| ASCOT NO. | STUDDING GUN | USE WITH STUDS NUMBERED |
|-----------|--------------|---|
| 458-03810 | 0381 | Tire Stud Mini Repair Kit. INCLUDES: (3) 0084 External Fingers; (1) 0087 O-ring; (1) 0088 O-ring; (3) 0126 Pressing Springs |
| 458-03820 | 0382 | Tire Stud Gun Large Repair Kit. INCLUDES: (6) 0126 Pressing Springs; (3) 0084 External Fingers; (2) 0087 O-ring; (2) 0088 O-ring; (1) 0092 Piston Cup; (1) 0136 O-ring |
| 458-00911 | 0911 | AS-9 to AS-11 Conversion Kit. Converts AS-9 Gun to AS-11 Truck model. Includes (1) 0401 Truck Feded Tube, (1) 0400 Truck Stud Gun Head, (3) 0127 Truck Stud Gun Internal Fingers |

TIRE CHAINS

37

Laclede™ Wide Base Truck Chains

| Tire Sizes | | | Non-Cam Stock No. | Cam Stock No. |
|---------------|-----------------|-------------|-------------------|---------------|
| 8.25-15LT | 275/70R16LT | 235/75R17.5 | 3210R | 3210CAM |
| 10-15LT | 285/65R16 | 245/70R17.5 | | |
| 265/70R15LT | 295/50R16LT | 245/75R17.5 | | |
| 265/75R15LT | 235/80R17 | 255/65R18 | | |
| 305/50R15 | 245/75R17LT | P255/70R18 | | |
| 31X10.50-15LT | 255/60R17 | P265/65R18 | | |
| 33X10.50-15 | P255/70R17 | 255/70R18 | | |
| P265/70R16 | P265/65R17 | 275/55R18 | | |
| P265/75R16 | P265/70R17 | 265/50R19 | | |
| 245/85R16LT | 265/60R17 | 275/55R19 | | |
| 265/70R16LT | 265/70R17LT | 225/70R19.5 | | |
| 265/75R16LT | 265/75R17 | 245/60R20 | | |
| 265/80R16LT | 275/65R17 | 265/60R20 | | |
| PR78-15 | 275/65R16LT | 305/45R17 | 3227R | 3227CAM |
| 11-15LT | 285/60R16LT | P265/60R18 | | |
| 31X11.50-15LT | 32X11.50-16LT | 285/60R18 | | |
| 32X11.50-15LT | 33X13.50-16 | 285/65R18LT | | |
| 33X9.50-15LT | 34X9-16 | 285/45R19 | | |
| 33X13.50-15 | 12-16.5LT | 275/60R20 | | |
| 34X9.50-15LT | 31X10.50-16.5LT | P285/50R20 | | |
| PR78-16 | 285/60R17 | | | |
| P285/60R16 | 285/70R17 | | | |
| 275/75R16 | 265/70R18 | 275/50R20 | 3228R | 3228CAM |
| 285/75R16LT | P275/60R18 | 275/45R21 | | |
| 31X12.50-16 | 275/65R18 | | | |
| 12-15LT | 35X12.5-16 | 295/70R18LT | 3229R | 3229CAM |
| P315/70R15 | 35X13.5-16 | 325/60R18 | | |
| 325/60R15 | 36X13-16 | 33X12.5-18 | | |
| 31X13.5-15 | 32X12.50-16.5LT | 33X13-18 | | |
| 32X12.50-15 | 33X12.5-16.5 | 275/65R20LT | | |
| 33X12.50R15 | 33X15.5-16.5 | 285/55R20LT | | |
| 33X14-15 | 275/70R17 | 285/60R20 | | |
| 33X14.50-15 | 285/75R17LT | 295/55R20 | | |
| 35X12.50-15 | 295/70R17LT | 305/50R20 | | |
| 35X14.5-15 | 305/65R17 | 305/55R20 | | |
| 11L16 | 305/70R17 | 32X11.50-20 | | |
| 285/70R16LT | 33X12.50-17 | 33X12.5-20 | | |
| 295/75R16LT | 10.50/80R18 | 285/50R22 | | |
| 305/70R16LT | 275/70R18LT | 33X11.5-22 | | |
| 305/85R16LT | 285/75R18LT | | | |
| QR78-15 | 315/70R17LT | 35X12.5-18 | 3231R | 3231CAM |
| 35X13.5-15 | 325/70R17 | 285/65R20 | | |
| 37X13-15 | 345/55R17 | 295/65R20 | | |
| 315/75R16LT | 35X12.50-17 | 325/60R20 | | |
| 345/55R16LT | 37X12.50-17 | 35X12.50-20 | | |
| 37X12.50-16 | 305/60R18 | 325/50R22LT | | |
| 38X13-16 | 305/70R18LT | 35X12.5-22 | | |
| 38X12.50-16.5 | 325/65R18 | 295/60R22.5 | | |

Wide Base
Truck Cam
Chains



Tractor Chains

Dual Truck Chains

DUO Tractor Chains

| Tire Sizes | | | | | Stock No. |
|------------|------------|-----------|-----------|-----------|-----------|
| 9.5-24 | 9.5-28 | 11.2-24 | | | DUO214 |
| 9.5-32 | 11.2-28 | 230/95R32 | 355/80R20 | | DUO226 |
| 10.5/80-18 | 12-16.5 | 280/70R20 | 300/70R20 | 315/75D15 | DUO225 |
| 12.4-24 | | | | | DUO229 |
| 9.5-36 | 9.5-38 | 11.2-32 | 12.4-28 | | DUO218 |
| 13.9-36 | 320/85R34 | | | | DUO242 |
| 13.6-24 | 13.6-26 | 14.9-24 | | | DUO240 |
| 14.9-26 | | | | | DUO250 |
| 14.9-28 | 14.9-30 | | | | DUO252 |
| 13.6-28 | 16.9-24 | 320/85R38 | 340/85R28 | 380/85R34 | DUO260 |
| 14.9-38 | 15.5-38 | 320/90R46 | | | DUO254 |
| 17.5-24 | 17.5L-24 | | | | DUO263 |
| 16.9-26 | 16.9-28 | 420/85R28 | | | DUO262 |
| 18.4-16.1 | 21.5L-16.1 | | | | DUO264 |
| 18.4-24 | 19.5L-24 | | | | DUO268 |
| 16.9-30 | 18.4-26 | 18.4-28 | 18.4-30 | 540/65R30 | DUO271 |
| 550/65R25 | 600/65R28 | | | | |
| 18.4-34 | 480/85R34 | 600/65R25 | | | DUO273 |
| 16.9-38 | 18.4-38 | 20.8-34 | 420/80R46 | 460/85R34 | DUO272 |
| 480/80R38 | | | | | |
| 18.4-42 | 18.4-46 | 380/90R54 | 480/80R46 | | DUO277 |
| 20.8-38 | | | | | DUO276 |
| 24.5-32 | 23.1-34 | 28.1-34 | 620/70R42 | 650/75R32 | DUO282 |



Laclede Snow Blower & Garden Tractor Chains

| Tire Sizes | | Stock No. |
|----------------|-----------------|-----------|
| 4.00/4.80 x 8 | | 1301G |
| 16 x 6.50 x 8 | 15 x 6.00 x 6 | 3300G |
| 18 x 8.50 x 8 | | 3307G |
| 20 x 10 x 8 | 20 x 10 x 10 | 7145G |
| 20 x 8.00 x 10 | 20 x 8 x 8 | 1308G |
| 23 x 9.50 x 12 | 23 x 10.50 x 12 | 5307G |

Other sizes available - call for details.

Laclede Forklift Chains

Square link alloy cross chains

| Tire Sizes | | | | Stock No. |
|--------------|---------------|--------------|---------|-----------|
| 6.50-10 | | | | 2108FL |
| 7.50-10 | 7.00-12 | 25 x 8.50-14 | | 2110FL |
| 7.00 x 15 | 28 x 9-15 | 29 x 8-15 | 8.15-15 | 2116FL |
| 27 x 8.50-15 | 28 x 9.50-15 | | | |
| 7.50-15 | | | | 2121FL |
| 250-15 | 27 x 10.50-15 | | | 2129FL |
| 8.25-15 | | | | 2128FL |
| 300-15 | 28 x 12.50-15 | | | 3129FL |

Laclede ATV/UTV Chains

- Reinforced cross chain for increased wear and traction
- Two link spacing cross chain

| Tire Sizes | | | | | Stock No. |
|--------------|--------------|--------------|--------------|--------------|-----------|
| 24 x 9 x 11 | 24 x 11 x 11 | 25 x 10 x 11 | 25 x 11 x 12 | 26 x 10 x 12 | 618 |
| 24 x 11 x 9 | 24 x 11 x 12 | 25 x 10 x 12 | 26 x 9 x 12 | 26 x 10 x 14 | |
| 24 x 11 x 10 | 25 x 8 x 12 | 25 x 11 x 9 | 26 x 9 x 14 | | |

Tire Chain Adjusters

| | | | | |
|--|-------------------|--------------------|-------------------|--|
| | | | | |
| Passenger Car No. 29110 Trucks Nos 29925 & 29229 | Truck No. 6032 | Grader No. 6304 | Truck No. 0218 | Passenger Car No. 39110 Trucks Nos 39925 & 39229 |

| Ascot No. | Mfg. No. | Description | Qty. |
|-----------|----------|---------------------------------|----------------------|
| 458-29110 | 29110 | Passenger Car - Rubber | 2 per bag |
| 458-29225 | 29225 | Light Truck - Rubber | 2 per bag |
| 458-29229 | 29229 | Heavy Truck - Rubber | 2 per bag |
| | 0218 | Spider Truck | 2 per bag |
| 458-06302 | 6302 | Light Truck - Spring | 1 pair per container |
| 458-06304 | 6304 | Tractor/Grader - Spring | 1 pair per container |
| | 39110 | Passenger Car - Rubber Arm Blue | 2 per bag |
| | 39225 | Light Truck - Rubber Arm Grey | 2 per bag |
| | 39229 | Heavy Truck - Rubber Arm Green | 2 per bag |

Online Size
Lookup



LG Cam Series
Available



Grader Chains

| Tire Sizes | | | Tire Chain Stock No. |
|-------------|-------------|-----------|----------------------|
| 13.00-24/25 | 14.00-20/21 | 15.5-25 | 2612 |
| 14.00-24 | 14.00-25 | 400/75R28 | 2615 |
| 16.00-20/21 | 17.5-25 | | 2624 |
| 16.00-24 | 16.00-25 | | 2627 |
| 20.5-25 | | | 2633 |
| 18.00-25 | 18.00-24 | 18.00-26 | 2636 |
| 23.5-25 | | | 2645 |
| 26.5-25 | 755/70R25 | 30.5R32 | 2657 |
| 710/70R38 | | 800/65R32 | |



Laclede Single Truck Chains

Recommended for highway use • Available in R — regular side chain • Available with cam side chain

| Tire Sizes | | | | Non-Cam Stock No. | Cam Stock No. | Weight Per Pair | Cross Chains Per 1/2 Pair | Replacement Cross Chain |
|-------------|-------------|-------------|-------------|-------------------|---------------|-----------------|---------------------------|-------------------------|
| 10-15TR | 11R17.5 | 9-22.5 | 275/70R22.5 | N/A | 2239CAM | 44 | 13 | 6251 |
| QR78-16 | 8.25-20 | 245/75R22.5 | | | | | | |
| 9.00-20 | 10-22.5 | 255/80R22.5 | 265/75R22.5 | | 2241R | 46 | 14 | 6251 |
| 10.00-20 | 11-22.5 | 275/80R22.5 | | | 2245R | 49 | 15 | 6251 |
| 285/75R22.5 | 295/75R22.5 | 305/70R22.5 | 275/80R24.5 | 285/75R24.5 | 2247R | 48 | 14 | 6253 |
| 10.00-22 | 11-24.5 | | | | 2249R | 53 | 15 | 6253 |
| 11.00-15TR | 11.00-20 | 12-22.5 | 12.5-22.5 | 295/80R22.5 | 2251R | 62 | 14 | 6260 |
| 12.00-20 | 13/80R20 | 11.00-22 | 315/80R22.5 | 12-24.5 | 2255R | 67 | 14 | 6263 |

AutoSock has the OE Approvals!










AutoSock is mentioned by name in the above OE manuals.

AutoSock is approved by leading international car manufacturers.



Why sell or use **AutoSock**?

-  OE trusted & approved by name
-  The original ATD pioneered by textile scientists
-  Fewer SKUs than the competition with better coverage with 300 more tire sizes!
*Comparison as of 6/15/23
-  Faster/easier to put on than chains
-  Multilayered design for durability & wear indications
-  Approval all the way through six axel vehicles throughout the US



www.AutoSock.us



Not all Traction Devices are Created Equal!

| | AutoSock | Competition |
|-------------------------------------|--------------------------|-------------|
| Made In | India | China |
| Passenger Number of SKUs | 10 | 16 |
| Meets EU Winter Traction Standard | Yes | No |
| 3rd Party Testing | Yes | No |
| Wear Indicators | Black innerlayer showing | Tearing |
| Max Speed | 30 mph | 25 mph |
| OE Approvals** | Yes*** | No |
| Side Webbing | Yes | No |
| Designed to Fal Away From Vehicle | Yes | No |
| Durability | Two Layers | One Layer |
| Truck Approval up to 6 Axel & Below | Yes | No |

*Comparison data 6/15/2023

**19 OEs as of 6/15/23 with AutoSock mentioned by name. Most up to date info at www.AutoSock.us

***Only DOT approved ATD product up to six axel vehicles in WA





Showroom displays
for the floor or
counter available!

**DISTRIBUTORS
WANTED**



A specially designed surface pattern that makes the total contact area exposed to dry friction as large as possible.

- ⊕ Less weight than chains
- ⊕ No damage to vehicle
- ⊕ No climbing under vehicles to grab broken chains
- ⊕ Great for low wheel clearance vehicles
- ⊕ Faster to put on, less than 5 minutes!




AutoSock® gets fuzzy "hairs" between and at the contact areas in order to increase the friction on snow and ice.

Mesh keeps snow out of the tread and wheel well while the orange straps help with centering and easy removal.



Colorado DOT demonstration

AutoSock for Passenger Cars - Max. Traction Force on Snow



DATE: Dec 06 2007

AIR TEMP.: -7°C/25°F

TIRE SIZE: 205/55 R16

INFLATION FA: 3.0 bar

TEST VEHICLE: Pontiac FWD

LOCATION: Loveland Pass


CONDIT.: Dry snow, cloudy

ABS: on

INFLATION RA: 3.0 bar

TEST SURFACE: Packed Snow

AutoSock for Truck - Max. Traction Force on Snow



DATE: Dec 06 2007

AIR TEMP.: -7°C/25°F

TIRE SIZE: 295/70 R22.5

INFLATION FA: 8.0 bar

TEST VEHICLE: Peterbilt

LOCATION: Loveland Pass

CONDIT.: Dry snow, cloudy

ABS: on

INFLATION RA: 8.0 bar

TEST SURFACE: Packed Snow



McGee Company
1140 South Jason Street
Denver CO 80223

PRSRT STD
U.S. POSTAGE
PAID
DENVER, CO
PERMIT NO 1772



ATTN: ROUTE TO SERVICE DEPARTMENT

©2024 McGee Company, Denver, Colorado

McGeeCompany.com • 1-800-525-8888

25103 - Universal Absorbent Drum-top Pad
Pads 20/bx **\$49.99**

26201- PIG WTR RPL OIL ABS MAT
WHITE 50 X15 LT-WT RL **\$29.99**

25201 - PIG UNV LT WT ABS MAT
GREY 50 X15 RL **\$28.99**

FREE
magnetic dispenser
w/purchase of three
rolls while supplies
last!



| | |
|-------------------|----------------------------------|
| Use With: | 55-Gallon Steel Drum |
| Color: | Gray |
| Dimensions: | ext. dia. 22" |
| Mat Weight: | Light-weight |
| Fluids Absorbed: | Oils, Coolants, Solvents & Water |
| Recycled Content: | 25% or more Recycled Content |
| Absorbency: | Up to 3 gal. per box |
| Absorbency per: | Up to 18 oz. per pad |
| Dispenser: | Yes |
| Poly-Backing: | No |
| Pre-cut Holes: | 1 (.75" Dia.), 1 (2" Dia.) |
| Sold as: | 20 pads per box |
| Weight: | 3 lbs. |
| Composition: | 100% polypropylene |

Branick Strut Spring Compressor

The new Model 7600 has all the features you expect from Branick and more. It's the new answer for all your strut work. The 7600 can handle the heaviest coil-over-shocks, the Ford F-150 and even the Toyota RAV-4 without need for additional adaptors.

Extra long springs? Bring 'em on! Long, short, narrow or angled, the 7600 will easily do the job! And we're listening too... We opened up the front for easier access and added longer handles for extra torque. We also have an optimal benchmark and mobile cart.

SPECIAL \$999.99 (Stand sold separately)



AS32 - SPRAYER W/ VITON SEAL
1.5 LITER **\$22.99**

- 1.5 liter capacity
- Easy to use compression action sprayer
- Ergonomic design with strong translucent tank with level indicator
- Adjustable spray nozzle
- Great with Ascot bead buster, Skid or other harsh chemicals.



Works great
with 790G and
ASL1



319-01023 AS102L3
10" Curved Jaw
Locking Vise Grip
\$18.99



AS102L3S
straight
version
available

Ascot Tire and Tube Mounting Compound



AS40



AS25

- Makes tire mounting and dismounting faster and easier
- Now with rust inhibitor
- Approved by major rubber companies
- Lubricates all rubber parts, stops rubber squeaks

| McGee No. | Description - Murphy's Private Label |
|-----------|---|
| ASC8 | Tire/Tube Mounting Compound, 8 Lbs. Pail |
| AS25 | Tire/Tube Mounting Compound, 25 Lbs. Pail |
| AS40 | Tire/Tube Mounting Compound, 40 Lbs. Pail |

McGee low cost lubes available - PL Series

Tire Swabs and Brush



437-40006



437-00001

Now!
\$1.99 ea.
000491

| Ascot No. | McGee No. | Description |
|-----------|-----------|-----------------------------------|
| 437-00001 | 000491 | Tire Swab - 11" OAL X 2" Diameter |
| 437-00002 | TS2 | Tire Swab - 15" OAL X 2" Diameter |
| 437-00003 | TS3 | Tire Swab - 18" OAL X 3" Diameter |
| 437-40006 | 73 | Tire Lubricating Brush |